PART I

INSTALLATION RESTORATION PROGRAM
TWIN CITIES ARMY AMMUNITION PLANT

1989 ANNUAL MONITORING REPORT
TABLES - VOLUME 2 OF 3

Distribution is limited to U.S. Government Agencies only for protection of privileged information. Other requests for the documents must be referred to:

Commander
Twin Cities Army Ammunition Plant
New Brighton, Minnesota
55112-5000

Prepared for:

Commander
Twin Cities Army Ammunition Plant
ATTN: SMCTC-CO
New Brighton, Minnesota 55112-5000

Commander
U.S. Army Toxic & Hazardous Materials Agency
ATTN: CETHA-CO
Aberdeen Proving Ground, Maryland 21010-5401

MAY 1990
(Final Report)

PART I

INSTALLATION RESTORATION PROGRAM
TWIN CITIES ARMY AMMUNITION PLANT

1989 ANNUAL MONITORING REPORT
TABLES - VOLUME 2 OF 3

Distribution is limited to U.S. Government Agencies only for protection of privileged information. Other requests for the documents must be referred to:

Commander
Twin Cities Army Ammunition Plant
New Brighton, Minnesota
55112-5000

Prepared for:

Commander
Twin Cities Army Ammunition Plant
ATTN: SMCTC-CO
New Brighton, Minnesota 55112-5000

Commander
U.S. Army Toxic & Hazardous Materials Agency
ATTN: CETHA-CO
Aberdeen Proving Ground, Maryland 21010-5401

MAY 1990
(Final Report)

FEDERAL CARTRIDGE COMPANY
WENCK ASSOCIATES, INC.

THE VIEWS, OPINIONS AND/OR FINDINGS CONTAINED IN THIS REPORT ARE THOSE OF THE AUTHOR(S) AND SHOULD NOT BE CONSTRUED AS AN OFFICIAL DEPARTMENT OF THE ARMY POSITION, POLICY, OR DECISION, UNLESS SO DESIGNATED BY OTHER DOCUMENTATION.

THE USE OF TRADE NAMES IN THIS REPORT DOES NOT CONSTITUTE AN OFFICIAL ENDORSEMENT OR APPROVAL OF THE USE OF SUCH COMMERCIAL PRODUCTS. THIS REPORT MAY NOT BE CITED FOR PURPOSES OF ADVERTISEMENT.

PART I

INSTALLATION RESTORATION PROGRAM
TWIN CITIES ARMY AMMUNITION PLANT
1989 ANNUAL MONITORING REPORT

VOLUME 2

LIST OF TABLES

		No. of Pages
1.	Groundwater Level Data-Arranged by Well Number	20
2.	Groundwater Level Data-Arranged by Well Nest	20
3.	Inconsistent Groundwater Level Data Points	3
4.	Groundwater Quality-Organics-Arranged by Numerical Order	58
5.	Groundwater Quality-Inorganics-Arranged by Numerical Order	58
6.	Groundwater Quality-Organics-Arranged by Well Nest	58
7.	Groundwater Quality-Inorganics-Arranged by Well Nest	58
8.	Exceedance of Groundwater Action Criteria	8
9.	Groundwater Quality Assurance/Quality Control Data-Organics	19
10.	Groundwater Quality Assurance/Quality Control Data-Inorganics	46
11.	Surface Water Quality-Organics	4
12.	Surface Water Quality-Inorganics	6
13.	Well Names and Coordinates	20

TABLE 1

GROUNDWATER LEVEL DATA-ARRANGED BY WELL NUMBER

WELL	DATE QTR BY TOS	11/17/87 16 CRA	11/24/87 16 CRA	11/30/87 16 CRA	12/14/87 16 CRA	12/14/87 16 FCC	12/15/87 16 FCC	01/11/88 17 CRA	01/26/88 17 FCC	01/27/88 17 FCC	01/28/88 17 FCC	04/13/88 18 FCC	04/14/88 18 FCC
01L811	908.0					894.8				894.2			
01L813	817.7					815.4				815.1		815.7	
01L816	900.9					869.8				869.8		870.0	
01L821	877.4					871.7			871.4			872.0	
01L822	875.9					867.9			867.5			868.2	
01L823	880.4					872.4			871.9			872.3	
01U003	943.0					933.8			933.7				935.9
01U004	951.0					940.7				939.2			941.8
01U011	899.9					892.0			891.1			892.0	
01U012	880.3					875.2				875.0		875.4	
01U022	897.7					894.3				893.2		895.2	
01U033	887.5					885.3			885.7			885.4	
01U034	900.5					896.2			894.7				
01U035	899.5					895.3			894.1			894.5	
01U036	901.0					895.0			893.9			894.0	
01U037	898.7					892.3			891.8				
01U038	900.3					891.7			891.3			891.6	
01U039	897.5					884.0							
01U040	892.9					882.9				882.1			
01U041	898.4					891.1				890.6		891.9	
01U043	890.8					882.8				882.2			884.1
01U044	892.4					878.4				878.0		878.2	
01U045	886.5					880.3			880.3			881.3	
01U046	881.9					879.6			879.6			879.7	
01U047	880.0					875.3				875.0		875.9	
01U048	885.0					875.2				874.9		877.5	
01U050	893.0					885.6				885.3		887.1	
01U051	901.4					889.2				888.8		889.0	
01U052	887.0					876.2				876.0		877.1	
01U053	915.0					906.9				905.8		907.0	
01U054	943.0					934.2				932.1		935.2	
01U060	949.2					935.5				935.4		935.8	
01U062	912.0					906.3				905.3		906.5	
01U063	892.8					881.9				880.7		882.5	
01U064	961.0					946.8				946.6			946.6
01U065	884.0					874.9				874.6			875.2
01U067	897.3					892.8					891.9	893.6	
01U072	908.7					902.3				900.7		904.2	
01U085	888.7					882.4			882.9			883.4	
01U098	955.0					937.1			936.2			941.7	
01U100	905.7					899.1				898.1		901.1	
01U101	907.2					898.0				897.4		899.1	
01U102	905.5					890.3			889.8			888.9	
01U103	904.5					890.8			890.2			890.1	
01U104	899.6					892.8			892.2			892.9	
01U105	901.9					894.3			893.7			893.7	
01U106	897.1					890.7			889.9			889.4	
01U107	899.8					891.3			890.7			890.9	
01U108	904.3					890.4			890.0			889.7	
01U109	903.4					894.2			893.2			895.4	
01U110	897.6					894.2			893.2			892.4	
01U115	900.6					888.1			887.6			886.9	
01U116	903.0					888.4			887.8				887.2
01U117	903.2					888.9			888.8			887.7	
01U118	902.2					889.6				889.0		887.3	
01U119	898.5					892.3				891.7		892.3	
01U120	902.3					890.1			889.4			888.6	
01U122	901.0					897.5			895.9			898.3	
01U125	901.0					888.4			887.8			887.1	
01U126	903.4					889.3			888.7			887.7	
01U127	903.1					890.2			889.7			889.0	
01U128	880.9					873.2				872.7		874.0	
01U130	889.1					880.7				880.4		880.9	
01U133	900.8					891.2			890.8			891.0	
01U135	900.0												
01U136	899.0												
01U350	903.7												
01U524	909.8					906.8				904.9		906.8	
01U525	941.0					932.4						935.4	
01U526	939.0						929.8			928.9		930.2	
01U527	912.1					908.9				905.8		908.2	
01U601	889.2						883.8			883.4			884.0
01U602	890.0												
01U603	885.0						876.8			875.9			875.1
01U604	885.6						877.6			875.8			875.1
01U605	885.0						876.2						876.7
01U607	888.6						884.3						885.2
01U609	889.9						882.9			882.7			883.1

WELL	DATE QTR BY TOS	11/17/87 16 CRA	11/24/87 16 CRA	11/30/87 16 CRA	12/14/87 16 CRA	12/14/87 16 FCC	12/15/87 16 FCC	01/11/88 17 CRA	01/26/88 17 FCC	01/27/88 17 FCC	01/28/88 17 FCC	04/13/88 18 FCC	04/14/88 18 FCC
01U611	889.7												883.4
01U612	885.9						878.0			877.0			876.8
01U613	888.8						883.5			883.7			883.8
01U615	889.5						881.4			878.3			878.0
01U616	888.5						880.2			879.3			878.5
01U617	885.2						877.5			875.2			875.0
01U618	888.8						878.8			877.6			877.2
01U619	888.2						881.1			880.8			881.4
01U620	887.3						878.3			876.4			876.0
01U621	884.6						877.9			876.1			875.9
01U623	889.8						877.7			877.6			876.1
01U624B	878.3										867.8		867.3
01U624C	878.3										867.7		867.3
01U624D	878.3										867.8		867.3
01U625A	878.0										867.5		867.3
01U625B	878.0										867.4		867.2
01U625C	878.0										867.4		867.3
01U625D	878.0										867.4		867.2
01U626A	877.1									866.4			865.9
01U626B	877.1									866.0			865.9
01U626C	877.1									866.1			866.0
01U626D	877.1									866.2			866.1
01U627A	877.1									868.0			867.6
01U627B	877.1									867.0			866.9
01U627C	877.1									867.0			866.8
01U627D	877.1									867.0			866.8
01U628A	877.8									868.1			868.0
01U628B	877.8									867.9			867.7
01U628C	877.8									867.6			867.4
01U628D	877.8									867.6			867.4
01U634	958.0						951.2						951.3
01U636	953.0					939.6							940.0
01U639	958.0					948.5							950.8
01U640	958.0												
01U642	958.6						954.4			952.0			954.0
01U652	957.0						947.9			947.3			946.2
01U666	959.0												
01U667	959.4						946.3			945.9			949.0
01U668	959.4												
01U803	898.2					893.0			891.8				
01U805	905.3					901.0			899.5			901.3	
01U806	909.8					902.9				901.6		901.6	
01U808	908.4					891.5			891.9			891.2	
01U813	870.3					868.6						868.7	
01U901	902.0												
01U902	901.0												
03F302	927.2		850.6	844.8	844.4		844.4	844.6			837.3		865.6
03F303	922.1		829.8	829.8	830.8		830.8				847.4		857.8
03F304	917.1		848.5	849.8	848.6		848.6	848.8			849.2		856.8
03F305	912.7		844.5	844.8	844.7		844.7	844.9			844.2		848.3
03F306	916.2						841.7				824.9		847.7
03F307	912.6		823.7	824.1	823.3		823.3	823.5			830.2		839.4
03F308	900.6												
03F312	942.1												
03L001	888.4	849.8	849.4	849.8	849.5	849.6		849.8		849.5		850.5	
03L002	919.5	850.7	850.3	850.7	850.4	850.4		850.7				853.1	
03L003	943.2	852.3	852.2	852.2	852.0	852.1		852.2	852.2				853.9
03L004	950.7	855.7	855.4	855.6	855.3	855.4		855.7	855.6				856.3
03L005	971.5			854.6	854.4	857.2			857.3				857.6
03L007	901.7		859.1		859.4	859.3		859.8	859.5			859.9	
03L010	888.9		865.4		865.6	865.6		866.0	865.8			865.6	
03L012	879.9	859.7	859.6		859.9	859.8		860.1		860.2		859.8	
03L013	889.7	852.6	852.3		852.5	852.4		852.0		852.4		853.0	
03L014	989.5	856.9	856.7		857.0		857.0	857.1	857.1				857.3
03L017	939.2	854.3	854.0		854.4					854.3		855.1	
03L018	989.1		856.4	856.4	856.5	856.5		856.7		856.7			856.9
03L020	954.3	854.5	854.4	854.4	854.3	854.3		854.5		854.6			855.4
03L021	943.9		852.5		852.4		852.3	852.6			852.5		854.2
03L027	966.5	854.8	854.6	854.7	854.6	854.6		854.8		854.7			855.6
03L028	956.3	854.2		854.1	854.1	854.3		854.3		854.4			855.5
03L029	954.3			853.4	853.4		853.4	853.7		853.4			854.9
03L077	911.9	848.9	848.7	849.9	848.7	848.5		848.9		848.7		852.7	
03L078	927.4	850.5	850.3	850.4	850.2	850.3		850.7		850.6		853.5	
03L079	923.3	850.6	851.3	850.6	850.4	850.0		850.7		850.1			853.2
03L080	960.8			855.5	854.7	854.6		855.7		855.6			856.3
03L081	946.5				857.4	857.5		857.7		857.7			857.9
03L084	898.2					850.2			850.1				851.6
03L086	961.0					857.7			857.8				858.1

WELL	DATE QTR BY TOS	11/17/87 16 CRA	11/24/87 16 CRA	11/30/87 16 CRA	12/14/87 16 CRA	12/14/87 16 FCC	12/15/87 16 FCC	01/11/88 17 CRA	01/26/88 17 FCC	01/27/88 17 FCC	01/28/88 17 FCC	04/13/88 18 FCC	04/14/88 18 FCC
03L091	1007.0					857.8			858.0				857.9
03L113	974.8					858.2				858.4			858.3
03L137	972.6												
03L138	965.6												
03L306	887.4												
03L523	995.8												
03L673	879.1	845.3	845.0	845.3	844.8	826.8		845.0		827.0		828.4	
03L802	905.8	851.0	851.5	851.0	850.2	853.5		851.4	851.7			854.0	
03L806	909.5	848.3	848.8	848.2	848.2	848.0		849.0		847.9		850.4	
03L809	910.6	847.5	847.4	847.4	847.1	847.1		848.1	847.2			848.9	
03L811	908.2					846.2				846.2		847.5	
03L813	869.9					843.6				843.7		844.6	
03L822	876.5					837.2			837.3			837.9	
03L832	884.2					836.1			836.3			836.6	
03L841	910.9					844.3			844.4			847.3	
03L848	903.1					844.8			845.0			846.1	
03L853	889.0					838.1			838.3			838.9	
03L854	889.9					840.2			840.4			841.2	
03L856	872.9					842.0			842.1			842.9	
03L858	996.1					898.6			898.6			898.6	
03L859	900.8					840.6			840.9			841.8	
03L860	894.1					840.5			840.4			841.4	
03L861	888.6					838.6			838.9			839.6	
03M001	888.4	849.9	849.4	849.8	849.6	849.5		850.0		849.5		850.5	
03M002	919.3	850.7	850.4		850.4	850.3		850.7		850.5		853.1	
03M003	942.6	852.8			852.5	852.4		852.4	852.5				854.3
03M004	950.8	855.7	855.4	855.6	855.4	855.4		855.8		855.6			856.3
03M005	971.6					856.7			856.8				857.1
03M007	900.8		859.4		859.6	859.7		860.1				860.3	
03M010	888.9		865.5		865.8	865.8		866.2	866.2			865.9	
03M012	880.1	859.8	859.6		859.9	859.9		860.2		860.0		859.8	
03M013	889.9	852.8	852.4		852.6	852.6		852.9		852.6		852.7	
03M017	938.9	854.3	854.0					854.3		854.3		855.0	
03M020	954.5	854.5	854.4	854.4	854.3	854.3		854.5		854.6			855.4
03M505	957.3						858.8				859.0		859.2
03M509	958.0												
03M713	895.8												
03M802	905.8	851.1	851.4	851.1	851.6	850.1		850.5				849.7	
03M806	909.9	848.3	848.7	848.2	848.0	848.1		849.2		848.0		850.5	
03M843	884.5					837.9			838.1			838.7	
03M848	903.1					845.2			844.3			845.4	
03U001	888.2	849.8	849.4	849.8	849.5	849.5		849.8				850.4	
03U002	917.8	851.4	851.0	851.1	850.8	850.9		851.3		851.1		853.1	
03U003	942.6	852.9	852.5	852.6	852.5	852.4		852.3	852.5				854.2
03U004	950.5	856.1	855.9	856.0	855.8			855.9		856.0			856.6
03U005	970.1			857.2	857.1	857.2		857.7	857.2				857.6
03U006	966.6		858.1	858.6	858.3	858.3		859.0	858.5			859.1	
03U007	900.1		859.5	860.0	859.7	859.7		860.2	859.9			860.3	
03U008	914.8		863.7	864.1	864.0	864.1		864.6	864.4			864.4	
03U009	912.9		865.6	866.0	865.9	866.0		866.4	866.2			866.0	
03U010	888.3		865.5	865.9	865.9	865.9		866.3	866.1			865.9	
03U011	900.4		862.9	863.2	863.4	863.4		863.6				862.3	
03U012	880.0	859.7	859.6	860.0	859.9	859.9		860.2		860.0		859.8	
03U013	889.9	852.8	852.5	852.9	852.7	852.7		853.0		852.7		853.2	
03U014	988.2	856.7	856.6	856.6	856.8		856.8	856.9	856.7				857.2
03U015	934.6	856.8	856.7	856.9	857.0	856.9		857.1				857.1	
03U016	947.0		859.0	859.1	859.3	859.3		859.4		859.4		859.3	
03U017	939.0	854.3	854.1		854.4		854.4	854.4		854.3		855.1	
03U018	988.7		856.5	856.5	856.7	856.6		856.8		856.8			857.0
03U019	943.5		857.7	857.8	857.8	857.8		858.1		858.1			858.2
03U020	954.2	854.6	854.5	854.5	854.4	854.3		854.7		854.6			855.5
03U021	944.2			853.0	852.6		852.7				852.8		854.3
03U022	899.4		860.3	860.5	860.7	860.7		860.9		860.9		860.4	
03U023	899.4		860.1	860.4	860.4	860.5		860.7		860.7		860.3	
03U024	894.5		859.1	859.3	859.4	859.4		859.6		859.5			859.0
03U025	886.6	857.4	857.3	858.6	857.6	857.6		857.7	857.7			855.2	
03U026	974.7		857.1	857.2	857.3	857.4		857.5	857.5				857.7
03U027	966.3	854.8	854.7	854.8	854.7	854.7		855.0		854.8			855.8
03U028	957.2	854.3		854.2	854.1	854.1		854.3		854.2			855.4
03U029	954.8	853.8		853.6	852.5	852.5		852.7		853.6			855.0
03U030	958.7	855.5		855.4	855.4	855.3		855.5		855.4			856.1
03U031	899.3	855.9	855.7	855.9	855.8	855.8		856.0	856.0			857.5	
03U032	1003.6		857.8	857.8	858.0	858.0		858.2	858.2				858.1
03U075	884.5	852.1			852.1		852.2	852.2		852.0			852.4
03U076	888.4	850.8			850.7		850.6	850.9		850.4			850.9
03U077	912.2	850.0	849.7	850.0	849.7	846.7		849.9		849.8		851.7	
03U078	927.0	850.2	849.7	849.9	849.8	849.9		850.4		850.4		854.0	
03U079	923.5	849.8	849.9	849.8	849.6	849.5		850.1		849.8			853.8

WELL	DATE QTR BY TOS	11/17/87 16 CRA	11/24/87 16 CRA	11/30/87 16 CRA	12/14/87 16 CRA	12/14/87 16 FCC	12/15/87 16 FCC	01/11/88 17 CRA	01/26/88 17 FCC	01/27/88 17 FCC	01/28/88 17 FCC	04/13/88 18 FCC	04/14/88 18 FCC
03U082	898.7		862.4	862.6	862.8	863.9		863.0		863.2		862.7	
03U083	892.0		856.6	856.8	856.9	857.8		856.9	858.0			857.9	
03U084	898.2	850.9	850.5	850.8	850.6	849.9		850.6		850.0		851.4	
03U087	1004.2		858.0	858.1	858.3	858.2		858.5	858.4			858.2	
03U088	983.7				858.6	858.5		858.7	858.7			858.3	
03U089	972.6		858.2	858.4	858.6	858.4		859.2	858.6			858.3	
03U090	982.2				858.3	857.5		858.4	857.1				857.7
03U092	960.4				840.4	856.8				856.9			857.3
03U093	993.4		856.6	856.7	856.7	856.7		856.9		856.8			857.0
03U094	997.0				857.0		857.0	857.0	857.0				857.3
03U096	994.5		856.5	856.6	856.7	856.7		856.9		856.8			857.0
03U097	937.2					861.8				862.1		861.5	
03U099	952.2					857.9			858.0			858.6	
03U111	924.6		862.8	863.0	863.3	861.9		863.5		862.1		861.7	
03U112	978.1		857.5	857.5	857.7	857.8		857.8	857.9				858.1
03U113	974.3				861.3	858.3				858.5			858.7
03U114	973.2					857.6			857.7				857.9
03U121	970.0					857.3			857.6				857.6
03U124	1004.3												858.2
03U129	911.2					862.5				862.7		862.3	
03U301	955.0									854.8			855.5
03U314	975.9												
03U315	963.1												
03U316	954.6												
03U317	950.4												
03U521	1004.7					858.2			858.4			858.1	
03U647	959.4				854.9	854.9				855.0			855.9
03U648	959.0				854.0	854.9		855.0		855.0			855.8
03U658	963.0				855.5	855.5		855.7		855.7			856.3
03U659	956.3				853.8	853.8		854.0		854.0			855.2
03U671	930.2		851.6	851.7	851.7		851.6	851.9			851.8	854.0	
03U672	922.7	853.7		853.5	853.7	853.2		853.2			853.4	854.7	
03U673	896.8	847.2	846.6	847.0	847.2	846.1		846.3		846.2		847.6	
03U674	955.0				852.8		853.4			854.2		855.7	
03U676	959.5												
03U701	909.0	849.2	849.3	849.6	849.3	849.3		849.7		849.5		851.1	
03U702	908.5	848.8	849.0	849.3	849.0	849.0		849.4		849.1		850.6	
03U703	918.9	849.1	849.3	849.4	849.6	849.6		849.9		849.7		853.9	
03U704	976.5		859.3	859.4	859.6	859.6		859.8		859.8		856.5	
03U705	1047.5		859.5	859.6	859.9		859.9	860.1		860.2		858.9	
03U706	918.4		859.4	859.5	859.7	859.8		859.9		860.0		859.1	
03U707	916.3		859.9	860.1	860.2	860.2		860.4		860.4		859.3	
03U708	919.9	851.5	851.1	851.1	850.9	850.9		851.4		851.2		853.6	
03U709	910.2	850.3	850.3	850.3	850.3			850.5		850.3		852.6	
03U710	945.0	851.3	851.5	851.6	851.4	851.4		851.8		850.6		854.1	
03U711	906.4		849.9	849.9	849.6	849.6		850.2	849.7			852.4	
03U715	961.1												
03U716	950.3												
03U801	912.3	850.1	850.4	850.1	849.9	849.9		850.7	850.0			853.1	
03U803	898.1	849.7	849.6	849.5	848.9	848.9		849.0	848.9			851.0	
03U804	910.2		850.0	849.8	849.5	849.5		850.7	849.7			852.6	
03U805	905.1	848.6	848.7		848.2	848.2		849.3		848.1		850.8	
03U806	909.6	848.7	848.8	848.6	848.4	848.4		848.9		848.3		850.3	
03U811	909.0					847.3				847.3		848.7	
03U815	872.5					838.9			838.9			839.7	
03U821	877.5					837.5			837.6			838.2	
03U822	876.4					837.2			837.3			837.9	
03U824	879.9					837.3			837.4			838.0	
03U831	889.2					837.2			837.4			837.9	
03U832	884.3					836.2			836.4			835.1	
04J077	912.3												
04J702	908.3												
04J708	919.8												
04J713	895.8												
04J714	884.7												
04U001	888.8	849.7	849.3	849.7	849.4	849.4		849.6				850.4	
04U002	920.2	850.6	850.3	850.6	850.3	850.4		850.6		850.5		853.0	
04U003	943.1	850.0	849.8	849.9	849.7	849.6		850.1	849.7				851.1
04U007	902.9		858.8	859.3	859.0	859.0		859.4	859.3			859.5	
04U012	880.3	859.6	859.5	859.8	859.7	859.8		860.1		860.0		859.7	
04U020	954.7	854.1	853.9	853.9	853.9	853.9		853.5		853.3			854.3
04U027	967.5	853.5	853.4	853.5	853.4	853.7				853.8			854.7
04U077	912.4	849.4	849.1	849.2	846.9	847.6		849.3		849.6		852.7	
04U510	911.0					867.9				868.1		867.0	
04U673	897.8	844.8	845.5	845.8	845.3	845.4		845.5		845.6		846.9	
04U701	909.0	848.9	849.1	849.3	849.0	849.0		849.4		849.1		851.3	
04U702	908.1	849.1	849.2	849.5	849.2	849.2		849.7		849.3		851.2	
04U708	919.7	850.2	849.9	850.0	849.9	849.9		850.2		850.0		852.6	

WELL	DATE QTR BY TOS	11/17/87 16 CRA	11/24/87 16 CRA	11/30/87 16 CRA	12/14/87 16 CRA	12/14/87 16 FCC	12/15/87 16 FCC	01/11/88 17 CRA	01/26/88 17 FCC	01/27/88 17 FCC	01/28/88 17 FCC	04/13/88 18 FCC	04/14/88 18 FCC
04U709	910.0	849.5	849.5	850.2	849.7		849.7	850.0		849.6		852.6	
04U711	906.3	849.1	849.1	849.1	848.9		848.8	849.8			849.0	851.4	
04U713	895.4												
04U714	884.6												
04U802	903.4	849.6	849.5	849.5	849.2	849.2		849.7	849.4			851.3	
04U806	909.2	848.2	848.5	848.1	847.9	847.9		848.8		847.7		850.0	
04U821	877.2					837.3			837.5			838.0	
04U832	883.4					837.0			836.4			837.4	
04U841	911.5								845.8			847.1	
04U843	885.8					837.3			837.5			838.0	
04U844	884.2					835.8			836.0			836.3	
04U845	894.2					837.8						838.4	
04U846	888.4					832.8			833.0			833.2	
04U847	914.9					845.4			845.6			847.0	
04U848	900.2					842.3			842.4			843.6	
04U849	873.3					833.0			833.2			833.4	
04U850	916.9					832.5			832.7			829.9	
04U851	913.5					832.1			832.3			832.4	
04U852	905.6					832.0			832.3			832.2	
04U854	889.5					836.5			836.8			836.9	
04U855	896.0					814.9			835.1			835.5	
04U859	900.9					843.3			843.5			844.7	
04U860	893.8					836.4			836.5			836.8	
04U861	888.6					836.6			836.7			837.1	
04U871	944.0												
04U872	952.0												
04U875	1014.0												
04U877	920.0												
04U879	946.0												
04U880	972.0												
04U881	977.0												
04U882	918.0												
04U883	949.0												
117NB	879.8					874.0						873.4	
191942	880.5					838.0			838.2			838.7	
200525	917.5												
206688	1000.0												
21800	887.0												
234353	906.5												
234425	914.0												
234430	918.1												
234463	945.7												
409546	867.0												
409547	896.0												
409548	867.0												
409549	920.0												
409550	912.0	847.0	846.8	846.9	847.0			847.4					
409555	923.0												
409556	960.0												
409557	896.0												
409595	882.3					837.3			837.5			838.0	
409596	880.4					837.6			837.7				
409597	880.3					837.6			837.7			838.2	
409598	879.8					837.3			837.4			838.0	
500691	891.2												
PJ#003	943.9				848.8	848.8				848.9			850.1
PJ#027	967.8	853.5	853.3	853.3	853.3	853.3		853.2		853.4			854.4
PJ#074	954.2				854.1	854.1					854.2		854.9
PJ#309	912.1												
PJ#310	913.5												
PJ#311	905.3												
PJ#313	893.4												
PJ#318	983.0												
PJ#501	904.2						856.0			854.1			854.7
PJ#502	920.7						864.0			853.7			854.3
PJ#503	927.3						852.2			853.7			854.3
PJ#504	884.0												
PJ#506	943.6						854.5			854.2			855.1
PJ#507	946.6						854.1			853.9			854.6
PJ#508	956.8						854.0			856.0			854.5
PJ#802	902.4	849.4	849.3	849.2	849.0	848.9		849.3	849.0			848.4	
PJ#806	909.3	848.9	848.5	848.2	848.0	848.0		848.8		847.8		848.4	
COUNT	384	81	114	109	139	247	48	129	122	160	21	194	121

WELL	05/02/88 18 CRA	05/20/88 18 CRA	06/23/88 18 CRA	07/27/88 19 CRA	08/30/88 19 FCC	09/01/88 19 CRA	09/21/88 19 CRA	10/14/88 20 CRA	11/22/88 20 FCC	11/23/88 20 FCC	11/25/88 20 FCC	12/02/88 20 CRA	01/13/89 21 CRA
01L811					893.5				893.1				
01L813					813.6				814.5				
01L816					869.0								
01L821					870.3				868.4				
01L822					866.5				867.7				
01L823					871.4				871.4				
01U003													
01U004					940.1				940.7				
01U011					890.2				890.1				
01U012					874.5				874.8				
01U022					891.4				892.2				
01U033					883.4				884.8				
01U034					894.3				894.2				
01U035					893.3				892.8				
01U036					892.8				892.3				
01U037					890.6				890.0				
01U038					890.0				889.3				
01U039					882.4				881.9				
01U040					881.2				880.5				
01U041					888.9				888.8				
01U043					881.0				881.6				
01U044					880.7				877.3				
01U045					879.4				880.0				
01U046					878.9				879.5				
01U047					874.3				874.8				
01U048					874.7				874.9				
01U050					885.8				887.0				
01U051					888.9				889.2				
01U052					875.7				876.0				
01U053					906.6				906.9				
01U054					932.6				934.6				
01U060					934.7				934.7				
01U062					904.9				906.0				
01U063					879.9				879.3				
01U064					946.4				946.1				
01U065					874.4				874.4				
01U067					890.2				889.5				
01U072					897.5				897.8				
01U085					880.2				880.6				
01U098					935.5				933.5				
01U100													
01U101					893.7				893.5				
01U102					888.5				887.7				
01U103					889.1				887.6				
01U104					890.5				890.0				
01U105					892.1				891.6				
01U106					888.9				887.9				
01U107					889.6				888.7				
01U108					888.8				885.9				
01U109					891.1				891.2				
01U110					891.2				891.4				
01U115					886.4				885.7				
01U116					886.7				886.1				
01U117					887.3				886.7				
01U118					887.3				887.1				
01U119					890.1				889.4				
01U120					888.4				887.6				
01U122					893.8				894.9				
01U125					886.7				886.1				
01U126					887.6				887.1				
01U127					888.7				887.6				
01U128					872.3				873.0				
01U130					880.8				880.9				
01U133					889.5				887.7				
01U135									881.2				
01U136									877.9				
01U350									879.3				
01U524					904.8				906.0				
01U525					932.7					933.0			
01U526					929.1					929.4			
01U527					907.9					908.9			
01U601					883.7								
01U602													
01U603					875.3								
01U604					875.4								
01U605					876.3								
01U607					884.6				885.5				
01U609					883.0				883.0				

WELL	05/02/88 18 CRA	05/20/88 18 CRA	06/23/88 18 CRA	07/27/88 19 CRA	08/30/88 19 FCC	09/01/88 19 CRA	09/21/88 19 CRA	10/14/88 20 CRA	11/22/88 20 FCC	11/23/88 20 FCC	11/25/88 20 FCC	12/02/88 20 CRA	01/13/89 21 CRA
01U611					883.3				883.4				
01U612					876.5				876.5				
01U613					884.0				884.3				
01U615					878.3				878.2				
01U616					879.2				878.6				
01U617					875.3				875.2				
01U618					877.9				877.3				
01U619					881.7					881.5			
01U620					876.6								
01U621					876.2					876.0			
01U623					876.3					876.3			
01U624B					867.9					869.4			
01U624C					867.9					868.9			
01U624D					867.9					869.3			
01U625A					867.6					869.0			
01U625B					867.6					868.6			
01U625C					867.6					868.6			
01U625D					867.6					868.6			
01U626A					866.2					867.5			
01U626B					866.2					866.8			
01U626C					866.3					866.8			
01U626D					866.3					867.4			
01U627A					867.8					868.7			
01U627B					867.1					868.7			
01U627C					867.1					868.5			
01U627D					867.1					867.4			
01U628A					868.2					869.2			
01U628B					867.9					868.3			
01U628C					867.6					868.5			
01U628D					867.6					868.8			
01U634										953.3			
01U636					939.6					939.6			
01U639										952.9			
01U640					950.3					950.3			
01U642					953.8					955.0			
01U652					947.4					947.6			
01U666													
01U667					946.5					946.1			
01U668													
01U803					892.1					893.0			
01U805					899.3					899.4			
01U806					901.6								
01U808					890.9					891.0			
01U813					866.0					867.1			
01U901													
01U902													
03F302	844.8	844.3	843.7	842.5	860.5	840.1	847.8	840.7			863.4	849.2	839.9
03F303	831.3	829.7	836.4	825.6	852.9	847.7	847.2	828.0				849.0	828.3
03F304	849.1	848.5	847.7	846.5	851.9	847.6	847.5	846.7			851.6	848.5	847.7
03F305	844.7		848.8	847.8	843.4	847.3	847.1	841.0				848.2	841.7
03F306	841.9	841.2	839.3	847.6	842.1	848.5	838.2				858.7		
03F307	824.4	823.2	824.6	847.0	833.9		822.2				860.6		
03F308												846.1	847.1
03F312												851.6	850.9
03L001	849.6	849.0	846.5	845.3	845.4	845.0	845.1	845.6		846.6		846.6	846.7
03L002	851.0	850.4	849.4	848.4	847.9	847.9	847.6	847.0		848.5		848.7	848.1
03L003	852.8	852.2	851.5	850.1	849.1	848.8	848.6	848.3				849.5	849.0
03L004	855.9	855.5	854.5	853.1	852.2	851.9	851.6	851.5		851.7		851.8	852.1
03L005	854.8	854.4	852.7	851.7	853.6	850.7	850.4	850.0		853.1		850.1	850.6
03L007	859.3	859.0	856.6	855.2	854.9	855.0	854.5	854.9		855.4		855.5	855.7
03L010	864.7	864.2	858.9	857.4	859.2	859.3	859.7	860.7		861.4		861.5	861.6
03L012	859.3	858.8	854.7	853.5	854.4	854.4	854.6	855.3		855.8		855.7	856.3
03L013	852.3	851.8	848.9	847.7	848.0	847.8	847.7	848.2		848.9		848.9	849.5
03L014	857.2	858.0	855.5	854.0	853.0	853.0	852.8	852.6		853.8		852.9	853.0
03L017	854.5	854.0	852.8	851.2	850.5	850.2	850.2	850.0		850.6		850.7	851.0
03L018	856.8	856.4	855.1	853.6	852.6	852.6	852.4	852.2		852.4		852.5	852.7
03L020	854.9	854.4	853.4	851.9	850.8	850.7	850.6	850.3		850.8		851.0	851.1
03L021	852.9	852.3	851.4	850.0	849.1	849.1	848.9	848.5		849.5		849.7	849.5
03L027	855.1	854.6	853.7	852.2	851.1	851.1	850.8	850.5		850.9		851.2	851.5
03L028	854.6	854.1	853.2	851.2	851.0	850.6	850.3	850.1		851.0		850.6	850.8
03L029	853.9	853.4	852.7	851.1	850.2	849.9	849.8	849.5		850.2		850.1	850.2
03L077	849.1	848.5	847.1	847.4	845.2	846.5	846.2	845.6		847.4		847.6	847.4
03L078	850.9	850.3	849.6	848.2	847.4	848.1	847.9	847.0		848.9		848.9	848.0
03L079	851.0	850.5	849.8	848.3	846.9	847.3	848.1	846.7		848.5		849.2	847.4
03L080	855.9	855.5	854.5	853.0	851.9	851.9	851.6	851.4		851.5		851.9	852.1
03L081	857.6	857.3	855.9	854.4	854.7	853.5	853.2	853.1		853.3		853.4	853.7
03L084	850.6	850.0	848.3	846.9	847.5	846.5	846.4	846.5		847.1		847.6	
03L086					853.9					853.6			

WELL	05/02/88 18 CRA	05/20/88 18 CRA	06/23/88 18 CRA	07/27/88 19 CRA	08/30/88 19 FCC	09/01/88 19 CRA	09/21/88 19 CRA	10/14/88 20 CRA	11/22/88 20 FCC	11/23/88 20 FCC	11/25/88 20 FCC	12/02/88 20 CRA	01/13/89 21 CRA
03L091					853.6					853.4			
03L113	861.0	860.6			855.0	856.7	856.5			853.8			856.7
03L137													
03L138													
03L306					829.7					832.7			
03L523													
03L673	845.3	844.9	843.4	842.5	823.7	841.6	841.3	841.6		824.3		842.0	842.3
03L802	850.8	850.2	849.4	848.7	848.6	847.0	846.6	847.1		848.3		848.1	847.2
03L806	848.3	847.7	846.2	845.9	844.6	845.1	844.3	844.9		846.2		846.0	845.9
03L809	847.4	846.8	845.1	844.4	843.5	843.9	843.3	843.8		844.9		844.6	844.6
03L811					842.4					843.8			
03L813					839.6					841.1			
03L822					833.3					834.6			
03L832					831.8					833.3			
03L841					841.0					841.8			
03L848					841.7					842.2			
03L853					834.3					835.6			
03L854					836.8					837.4			
03L856					837.9					838.5			
03L858					898.2								
03L859					837.4					838.1			
03L860					837.1					838.0			
03L861					835.0					835.3			
03M001	849.6	849.0	846.5	845.6	845.3	845.1	845.1	845.6		846.6		846.6	846.7
03M002	851.0	850.5	849.5	848.4	847.9	847.9	847.6	847.1		848.5		848.7	848.2
03M003	853.4	852.8	852.2	850.8	849.7	849.4	849.2	848.8		849.5		849.9	849.6
03M004	856.0	855.5	854.5	853.1	852.2	852.0	851.7	851.6		851.7		851.9	852.2
03M005	857.7	857.3	856.5	854.5	853.2	853.6	853.3	853.8		852.6		853.0	853.5
03M007	859.7	859.4	857.0	855.5	855.2	855.1	854.8	855.2		855.6		855.7	856.0
03M010	864.9	864.5	859.1	857.6	859.5	859.5	860.0	860.9		861.7		861.7	861.9
03M012	859.4	858.9	854.7	853.6	854.4	854.4	854.6	855.3		855.8		855.9	856.3
03M013	852.5	851.9	849.1	847.9	848.1	847.9	847.9	848.4		849.0		849.0	849.6
03M017	854.5	854.0	852.7	851.3	850.5	850.2	850.2	850.0		850.5		850.7	851.0
03M020	854.8	854.3	853.3	851.9	850.8	850.7	850.6	850.3		850.2		850.9	851.0
03M505					854.2								
03M509													
03M713												846.5	846.5
03M802	851.1	850.4	850.1	848.7	846.8	847.4	847.1	846.9		847.7		848.4	847.4
03M806	848.4	847.8	846.2	846.0	844.7	845.2	844.3	844.9		846.3		846.1	846.0
03M843					834.1					835.4			
03M848					841.1					841.5			
03U001	849.5	848.9	846.3	845.2	845.3	844.9	845.0	845.5	846.6			846.5	846.6
03U002	851.6	850.9	850.3	849.0	847.7	847.6	847.3	847.2	848.4			848.7	849.7
03U003	853.5	852.8	852.4	850.9	849.7	849.5	849.2	848.8	849.4			849.8	849.7
03U004	856.4	856.0	855.0	853.6	852.7	852.4	852.2	851.9	852.0			852.2	852.5
03U005	857.4	857.0	855.9	854.3	853.7	853.4	853.1	853.2	853.2			852.8	853.2
03U006	858.9	858.5	857.4	856.1	854.9	855.0	854.3	854.6	854.4			854.4	854.7
03U007	859.8	859.4	857.0	855.5	855.2	855.2	854.9	855.3	855.6			855.7	856.0
03U008	863.6	862.9	858.5	856.7	857.7	857.8	858.1	859.0	859.8			859.9	860.2
03U009	864.9	864.4	859.1	857.5	859.4	859.5	859.9	860.9	861.7			861.9	862.0
03U010	865.0	864.5	859.1	857.6	859.5	859.5	860.0	860.9	861.6			861.7	861.8
03U011	862.8	862.4	858.3	856.7	857.6	857.5	857.8	858.3	858.8			858.8	859.1
03U012	859.4	858.9	854.8	853.6	854.5	854.4	854.7	855.3	855.8			855.9	856.3
03U013	852.5	852.0	849.1	848.0	848.2	848.0	848.0	848.5	849.1			849.1	849.7
03U014	857.0	855.5	855.7	854.2	853.1	853.1	852.7	852.5	851.5			852.7	852.8
03U015	857.1	856.6	854.8	853.4	852.6	852.6	852.4	852.5	852.7			852.8	853.0
03U016	859.3	859.0	857.2	855.4	854.7	854.8	854.7	854.7	854.7			854.9	855.1
03U017	854.5	854.1	852.8	851.3	850.5	850.2	850.2	850.0	850.6			850.7	851.0
03U018	856.9	856.5	855.3	853.8	852.8	852.7	852.5	852.4	852.4			852.6	852.8
03U019	858.1	857.8	856.7	855.1	854.1	854.0	853.7	853.5	853.6			853.7	853.9
03U020	855.0	854.5	853.5	852.0	850.9	850.8	850.7	850.4	850.8			851.1	850.9
03U021	853.3				849.4								849.8
03U022	860.4	860.0	856.7	855.2	855.4	855.4	855.5	855.8	856.0			856.1	856.4
03U023	860.0	859.6	856.8	854.5	855.1	855.1	855.2	855.8	856.1			856.1	856.4
03U024	859.1	858.8	855.8	854.4	854.5	854.4	854.4	854.7	854.8			854.9	855.1
03U025	857.3	857.0	854.0	852.7	852.7	852.7	852.6	853.0	853.4			853.4	853.8
03U026	857.6	857.2	854.1	854.5	853.5	853.5	853.2	853.0	853.1			853.2	853.3
03U027	855.2	854.7	853.8	852.3	851.3	851.1	850.9	850.6	851.0			851.3	851.5
03U028	854.7	854.2	853.4	851.9	850.7	850.6	850.4	850.1	850.8			850.6	850.9
03U029	854.2	853.7	853.1	851.6	849.3	849.8	850.0	848.6	850.1			850.1	850.4
03U030	855.8	855.4	854.4	852.9	851.8	851.8	851.5	851.3	851.7			851.5	851.9
03U031	855.6	855.6	853.8	852.5	851.4	851.5	851.4	851.6	852.1			851.7	852.3
03U032	858.1	857.7	856.1	854.5	853.8	853.7	853.6	853.4	853.6			853.6	853.8
03U075	851.8	851.3	848.7	847.5	847.5	847.5	847.3	847.8	848.3			848.6	848.6
03U076	850.5	849.9	847.3	846.2	846.0	846.1	845.9	846.5	847.2			847.4	847.4
03U077	850.1	849.5	848.1	847.5	846.1	846.4	846.2	846.2	847.3			847.6	847.5
03U078	851.3	850.3	850.5	848.2	848.0	847.5	846.9	846.5	848.9			849.3	848.0
03U079	850.6	849.9	849.9	847.7	847.3	847.2	847.4	846.0	848.8			849.3	847.1

WELL	05/02/88 18 CRA	05/20/88 18 CRA	06/23/88 18 CRA	07/27/88 19 CRA	08/30/88 19 FCC	09/01/88 19 CRA	09/21/88 19 CRA	10/14/88 20 CRA	11/22/88 20 FCC	11/23/88 20 FCC	11/25/88 20 FCC	12/02/88 20 CRA	01/13/89 21 CRA
03U082	862.3	862.0	858.1	856.5	857.3	857.1	857.3	857.8	858.3			858.2	858.4
03U083	856.7	856.4	853.9	852.4	853.2	852.1	852.0	852.2	853.5			852.4	853.0
03U084	850.9	850.4	848.6	847.4	846.2	846.8	846.7	846.9	847.2			848.0	848.0
03U087	858.3	858.0	856.1	854.5	853.8		853.7	853.6	853.6			853.8	854.0
03U088	858.6	858.3	856.2	854.6	853.9	854.0	853.9	853.9	853.8			854.0	854.2
03U089	858.5	858.2	856.2	854.6	853.9	854.0	853.9	853.9	853.7			854.0	854.2
03U090	858.4	858.1		855.2	853.5	854.2	854.0	853.9	853.1			854.0	854.2
03U092	840.6	840.3	839.4	837.7	853.1	836.6	836.3	836.0	852.6			836.3	836.5
03U093	857.0	856.6	855.4	853.1	852.8	852.8	852.6	852.4	852.5			852.7	852.9
03U094	857.2	856.9	855.9	854.4	853.2	853.2	852.9	852.6	852.7			852.8	852.9
03U096	856.2	856.5	855.0	853.5	852.6	852.6	852.5	852.3	852.5			852.6	852.9
03U097					856.6				857.2				
03U099					854.7				853.9				
03U111	863.0	862.8	860.2	858.1	856.7	858.0	858.2	858.4	857.3			858.7	859.0
03U112	857.8	857.5	856.4	854.7	853.9		853.5	853.3	851.4			853.4	853.6
03U113	861.4	861.1		858.0	854.5	857.1	856.9	856.8	854.1			856.9	857.1
03U114					853.8				853.3				
03U121					853.4				852.9				
03U124									857.2				
03U129					857.1				858.0				
03U301	854.2		853.2	851.5		849.8	849.9	833.3				850.1	850.4
03U314												852.4	
03U315												852.3	852.5
03U316												851.6	851.8
03U317												851.6	851.8
03U521					853.7				853.6				
03U647	855.4	855.0	854.1	852.6	851.5	851.4	851.1	850.9		851.4		851.0	851.5
03U648	855.4	855.0	854.1	852.5	851.4	851.3	851.1	850.9		851.3		851.0	851.4
03U658	855.9	855.6	854.5	853.1	852.1	852.0	851.7	851.5		853.0		851.8	852.1
03U659	854.6	854.1	853.5	851.9	850.6	850.5	850.5	849.9		850.6		850.4	850.7
03U671	852.7	851.8	851.5	850.0	848.7	848.5	848.1	847.9		848.9		849.2	849.3
03U672	854.1	853.6	853.0	851.6	850.4	850.3	851.1	849.7		850.0		849.9	850.3
03U673	846.9	846.5	845.5	844.6	843.6	843.6	843.2	843.4		844.9		843.4	843.8
03U674	854.4	853.7	853.4	851.6	850.3	850.0	850.2	849.1		851.0		850.3	850.6
03U676	855.2	854.7	853.9	852.4		851.1	851.0	850.5				850.9	851.3
03U701	849.7	849.1	847.4	846.6	845.6	845.7	845.5	845.6		847.0		846.7	847.0
03U702	849.3	848.7	846.9	846.1	845.2	845.2	845.2	845.2		846.6		846.3	846.6
03U703	850.8	849.7	849.8	847.5	847.9	847.5	847.1	845.9		849.6		849.3	847.2
03U704	859.5	859.2	856.8	855.2	854.8	854.8	854.7	854.7		854.5		854.6	854.9
03U705	859.8	859.5	857.1	855.4	855.1	855.0	855.0	855.0					
03U706	859.5	859.2	856.4	855.0	854.9	854.8	854.7	854.9		854.9		854.8	855.2
03U707	860.0	859.6	856.7	855.1	855.1	855.1	855.1	855.4		855.4		855.5	855.8
03U708	852.1	851.2	851.0	849.6	848.1	848.0	847.6	847.5		848.6		849.0	848.9
03U709	850.8	850.1	849.5	848.4	847.1	846.9	846.4	846.6		848.0		848.2	848.1
03U710	852.5	851.8	851.6	849.9	848.8	848.5	848.3	847.9		849.0		849.5	849.0
03U711	850.2	849.7	849.0	848.2	846.8	846.9	846.4	846.5		847.8		847.6	847.7
03U715												852.3	852.5
03U716												851.6	
03U801	850.6	850.0	849.4	848.7	847.4	847.0	846.6	846.9		848.4		848.2	847.2
03U803	849.6	849.2	848.4	847.7	846.7	846.6	846.0	846.1		846.9		846.5	846.6
03U804	850.1	849.7	848.9	848.5	847.0	847.2	846.5	846.9		848.0		847.9	847.6
03U805	848.6	848.1		846.5	845.2	845.5	844.7	845.3		846.5		846.4	846.2
03U806	848.7	848.1	846.4	845.7	844.9	845.0	844.6	844.8		846.1		845.9	846.2
03U811					843.5					844.9			
03U815					835.0					835.5			
03U821					833.6					834.9			
03U822					833.3					834.6			
03U824					833.4					834.5			
03U831					833.2								
03U832					832.0					833.4			
04J077							847.3					847.8	847.4
04J702												847.0	847.2
04J708													
04J713												847.1	847.0
04J714												840.0	846.8
04U001	849.5	848.8	846.4	845.2	845.2	844.8	845.0	845.5			846.5	846.4	846.6
04U002	850.9	850.4	849.3	848.1	847.8	847.8	847.5	846.9			848.4		848.0
04U003	850.2	849.7	848.5	847.7	846.5	846.5	846.1	846.3			847.0	847.3	846.9
04U007	858.9	858.7	856.4	855.0	854.7	854.7	854.3	854.6			854.9	855.2	855.4
04U012	859.2	858.7	854.6	853.5	855.4	854.2	854.5	855.2			855.7	855.7	856.1
04U020	854.3	853.8	851.9	852.1	849.6	850.1	850.0	849.9			850.4	850.6	850.6
04U027	853.8	853.3	852.1	850.7	849.8	849.8	849.5	849.3			850.3	850.2	850.4
04U077	849.4	848.8	847.5	847.5	846.5	846.5	845.4	845.8			848.0	847.7	
04U510	864.2	863.7		857.0	861.4	858.9	859.4	860.0			863.5	861.0	861.1
04U673	845.8	845.4	843.9	842.9	842.2	842.1	841.8	842.1			842.9	842.5	838.9
04U701	849.4	848.8	847.1	846.8	845.5	845.9	845.3	845.7			847.3	847.0	847.1
04U702	849.6	848.9	847.2	846.8	845.6	845.7	845.4	845.6			846.9	846.9	847.1
04U708	850.4	849.9	848.9	847.8	847.5	847.4	847.2	846.6			847.8	848.2	847.6

WELL	05/02/88 18 CRA	05/20/88 18 CRA	06/23/88 18 CRA	07/27/88 19 CRA	08/30/88 19 FCC	09/01/88 19 CRA	09/21/88 19 CRA	10/14/88 20 CRA	11/22/88 20 FCC	11/23/88 20 FCC	11/25/88 20 FCC	12/02/88 20 CRA	01/13/89 21 CRA
04U709	850.1	849.5	848.6	847.8	847.3	847.3	846.9	846.3			848.0	848.1	847.6
04U711	849.3	848.7	847.5	847.7	845.6		845.3	845.7			847.1	847.0	846.8
04U713												848.4	848.4
04U714												839.9	846.8
04U802	849.8	849.3	848.1	847.2	846.2		845.7	845.9			846.8	846.6	846.5
04U806	848.2	847.6	846.0	845.6	844.4	844.9	844.2	844.6			845.8	845.8	845.8
04U821					833.4						834.8		
04U832					832.6						834.2		
04U841					842.2						843.2		
04U843					833.5						834.7		
04U844					831.6						833.1		
04U845					833.6						835.0		
04U846					828.8						830.1		
04U847					841.9						843.1		
04U848					839.0						839.7		
04U849					829.0						830.1		
04U850					828.6						829.8		
04U851					827.6						829.4		
04U852					827.1						829.7		
04U854					832.1						833.7		
04U855					831.3						832.1		
04U859					840.1						840.9		
04U860					831.8						830.4		
04U861					832.2						831.1		
04U871					801.5						803.1		
04U872					811.8						813.7		
04U875					813.0						814.5		
04U877					827.6						828.8		
04U879					827.3						827.6		
04U880					806.7						808.4		
04U881											807.8		
04U882											801.1		
04U883											800.3		
117NB					873.7					873.9			
191942					834.0						835.4		
200525													
206688													
21800													
234353													
234425													
234430													
234463													
409546													
409547													
409548													
409549													
409550	846.8	846.3	844.2	843.4		843.0	842.8	843.1					844.1
409555													
409556													
409557													
409595					833.4					834.6			
409596					833.6					835.0			
409597					833.6					834.9			
409598					833.4					834.1			
500691													
PJ#003	849.2	848.6		846.1	845.4	845.3	845.0	845.2			845.9	846.1	845.8
PJ#027	853.7	853.1	852.0	850.6	849.5	849.7	849.4	849.3			849.9	850.1	850.3
PJ#074	854.4	853.9	852.6	851.1	850.2	849.4	850.0	849.1			850.5	850.7	850.8
PJ#309												854.8	847.7
PJ#310												845.4	847.5
PJ#311													
PJ#313												847.5	845.7
PJ#318					806.2						807.3		
PJ#501					850.0						850.0		
PJ#502					849.7						849.7		
PJ#503					849.9						849.9		
PJ#504													
PJ#506					850.5						850.5		
PJ#507					850.2						850.2		
PJ#508					850.2						850.2		
PJ#802	849.5	849.0	847.7	846.8	845.8	845.8	845.5	845.6			846.4	846.3	846.3
PJ#806	848.2	847.7	846.0	845.6	844.5	844.9	844.2	844.7			846.0	845.8	845.8
COUNT	147	144	140	145	325	141	147	143	131	127	61	158	158

WELL	03/31/89 21 CRA	04/24/89 22 FCC	04/25/89 22 FCC	04/27/89 22 FCC	04/28/89 22 FCC	04/29/89 22 FCC	05/03/89 22 FCC	05/04/89 22 FCC	05/05/89 22 FCC	05/08/89 22 FCC	05/09/89 22 FCC	05/10/89 22 FCC	05/11/89 22 FCC
01L811													
01L813													
01L816													
01L821													
01L822													
01L823													
01U003				930.2									
01U004				937.9									
01U011													
01U012													
01U022		892.8											
01U033													
01U034													
01U035													
01U036		891.3											
01U037		888.7											
01U038		888.2											
01U039		879.6											
01U040		879.1											
01U041		889.6											
01U043													
01U044													
01U045													
01U046													
01U047				870.0									
01U048				873.3									
01U050													
01U051													
01U052				874.6									
01U053													
01U054				932.1									
01U060													
01U062											904.7		
01U063													
01U064													
01U065					873.4								
01U067		889.4											
01U072													
01U085													
01U098													
01U100													
01U101		895.0											
01U102		885.2											
01U103		885.6											
01U104		888.5											
01U105		889.7											
01U106		885.9											
01U107		887.5											
01U108		885.4											
01U109													
01U110		890.2											
01U115		883.6											
01U116		886.0											
01U117		884.7											
01U118		884.6											
01U119		888.3											
01U120		885.7											
01U122													
01U125		884.0											
01U126		884.6											
01U127		885.4											
01U128													
01U130													
01U133		886.7											
01U135			877.4										
01U136			875.9										
01U350		878.5											
01U524													
01U525				931.2									
01U526											928.7		
01U527													
01U601													
01U602													
01U603													
01U604													
01U605													
01U607													
01U609													

WELL	03/31/89 21 CRA	04/24/89 22 FCC	04/25/89 22 FCC	04/27/89 22 FCC	04/28/89 22 FCC	04/29/89 22 FCC	05/03/89 22 FCC	05/04/89 22 FCC	05/05/89 22 FCC	05/08/89 22 FCC	05/09/89 22 FCC	05/10/89 22 FCC	05/11/89 22 FCC
01U611													
01U612													
01U613													
01U615													
01U616													
01U617													
01U618													
01U619													
01U620													
01U621													
01U623													
01U624B													
01U624C													
01U624D													
01U625A													
01U625B													
01U625C													
01U625D													
01U626A													
01U626B													
01U626C													
01U626D													
01U627A													
01U627B													
01U627C													
01U627D													
01U628A													
01U628B													
01U628C													
01U628D													
01U634													
01U636													
01U639													
01U640													
01U642													
01U652													
01U666													
01U667													
01U668													
01U803													
01U805													
01U806													
01U808													
01U813													
01U901													
01U902													
03F302	848.7												
03F303	827.6												
03F304	842.6												
03F305	837.5												
03F306													
03F307	830.8												
03F308	836.1												
03F312	838.0												
03L001	843.8												
03L002	844.5												
03L003	845.2												
03L004	850.7												
03L005	849.4												
03L007	855.1												
03L010	862.7												
03L012	856.5												
03L013	847.9												
03L014	852.3												
03L017	849.2												
03L018	851.8												
03L020	849.3												
03L021	846.9												
03L027	849.6												
03L028	848.9												
03L029	847.7												
03L077	843.9												
03L078	844.6												
03L079	844.4												
03L080	850.6												
03L081	853.0												
03L084	844.1												
03L086													

WELL	03/31/89 21 CRA	04/24/89 22 FCC	04/25/89 22 FCC	04/27/89 22 FCC	04/28/89 22 FCC	04/29/89 22 FCC	05/03/89 22 FCC	05/04/89 22 FCC	05/05/89 22 FCC	05/08/89 22 FCC	05/09/89 22 FCC	05/10/89 22 FCC	05/11/89 22 FCC
03L091													
03L113	856.7												
03L137													
03L138													
03L306							829.6						
03L523													
03L673	840.4												
03L802	844.9												
03L806	842.0												
03L809	841.6											839.6	
03L811								838.9					
03L813									835.0				
03L822									831.4				
03L832											830.3		
03L841													
03L848							838.4						
03L853									831.1				
03L854													
03L856									836.0				
03L858									895.8				
03L859													
03L860													
03L861													
03M001	844.1												
03M002	844.6												
03M003	846.4												
03M004	850.7												
03M005	853.2												
03M007	855.5												
03M010	862.9												
03M012	856.6												
03M013	848.0												
03M017	849.1												
03M020	849.2												
03M505													
03M509													
03M713	842.2												
03M802	843.7												
03M806	842.1												
03M843									831.9				
03M848													
03U001	844.2												
03U002	845.4												
03U003	846.8												
03U004	851.2												
03U005	852.5												
03U006	854.0												
03U007	855.5												
03U008	860.9												
03U009	862.8												
03U010	863.0												
03U011	860.8												
03U012	856.6												
03U013	848.1												
03U014	852.0												
03U015	852.7												
03U016	855.4												
03U017	849.2												
03U018	852.0												
03U019	853.6												
03U020	849.4												
03U021	847.3												
03U022	857.5												
03U023	857.2												
03U024	856.0												
03U025	853.7												
03U026	852.9												
03U027	849.7												
03U028	848.9												
03U029	847.2												
03U030	850.5												
03U031	851.1												
03U032	853.9												
03U075	847.1												
03U076	845.5												
03U077	842.5												
03U078	844.5												
03U079	843.7												

WELL	03/31/89 21 CRA	04/24/89 22 FCC	04/25/89 22 FCC	04/27/89 22 FCC	04/28/89 22 FCC	04/29/89 22 FCC	05/03/89 22 FCC	05/04/89 22 FCC	05/05/89 22 FCC	05/08/89 22 FCC	05/09/89 22 FCC	05/10/89 22 FCC	05/11/89 22 FCC
03U082	860.1												
03U083	852.6												
03U084	844.6												
03U087	854.3												
03U088	854.8												
03U089	854.7												
03U090	853.9												
03U092	835.7												
03U093	852.1												
03U094	852.3												
03U096	852.2												
03U097													
03U099													
03U111	860.9												
03U112	853.4												
03U113	857.1												
03U114													
03U121													
03U124													
03U129													
03U301	830.5												
03U314	842.7												
03U315	845.2												
03U316	835.2												
03U317	845.6												
03U521													
03U647	849.8												
03U648	849.9												
03U658	850.8												
03U659	848.5												
03U671	846.3												
03U672	847.9												
03U673	841.9												
03U674	847.5												
03U676	849.5												
03U701	843.5												
03U702	843.2												
03U703	843.8												
03U704	847.0												
03U705													
03U706	856.3												
03U707	857.0												
03U708	845.7												
03U709	844.6												
03U710	845.7												
03U711	843.9												
03U715	851.1												
03U716	849.9												
03U801	844.1												
03U803	844.0												
03U804	843.9												
03U805	842.5												
03U806	842.6												
03U811								839.8					
03U815													
03U821												831.2	
03U822									831.3				
03U824													
03U831												831.2	
03U832											830.5		
04J077	840.2												
04J702	842.5												
04J708	843.8												
04J713	842.2												
04J714	836.6												
04U001	843.7												
04U002	843.8												
04U003	844.5												
04U007	854.7												
04U012	856.4												
04U020	848.9												
04U027	848.2												
04U077													
04U510	862.1												
04U673	840.9						840.0						
04U701	843.0												
04U702	842.9												
04U708	844.5												

WELL	03/31/89 21 CRA	04/24/89 22 FCC	04/25/89 22 FCC	04/27/89 22 FCC	04/28/89 22 FCC	04/29/89 22 FCC	05/03/89 22 FCC	05/04/89 22 FCC	05/05/89 22 FCC	05/08/89 22 FCC	05/09/89 22 FCC	05/10/89 22 FCC	05/11/89 22 FCC
04U709	844.1												
04U711	842.9												
04U713	844.1												
04U714	843.2												
04U802	844.0												
04U806	841.9												
04U821													
04U832													
04U841													
04U843													
04U844								830.4					
04U845								833.9					
04U846					829.0								
04U847							839.4						
04U848							836.0						
04U849													
04U850						823.7							
04U851													
04U852													
04U854								830.1					
04U855													
04U859													
04U860													
04U861													
04U871										801.8			
04U872										811.6			
04U875													
04U877						826.5							
04U879													
04U880													
04U881													
04U882							800.4						
04U883													
117NB													
191942													
200525													
206688													
21800							879.2						
234353													
234425													841.1
234430											845.0		
234463										892.3			
409546												826.4	
409547													
409548												825.5	
409549													
409550	841.3											838.6	
409555													
409556												825.7	
409557								833.7					
409595													
409596													
409597													
409598													
500691													
PJ#003	843.7												
PJ#027	848.2												
PJ#074	849.0												
PJ#309	840.2												
PJ#310	838.3												
PJ#311	840.8												
PJ#313	838.6												
PJ#318						806.1							
PJ#501													
PJ#502													
PJ#503													
PJ#504													
PJ#506													
PJ#507													
PJ#508													
PJ#802	843.8												
PJ#806	841.9												
COUNT	164	28	2	7	2	3	7	6	7	3	5	7	1

WELL	05/12/89 22 FCC	07/07/89 23 CRA	08/03/89 23 FCC	08/04/89 23 FCC	08/05/89 23 FCC	08/06/89 23 FCC	08/07/89 23 FCC	10/05/89 24 CRA	11/02/89 24 FCC	11/03/89 24 FCC	11/04/89 24 FCC	11/06/89 24 FCC	12/21/89 24 CRA
01L811						893.7				893.2			
01L813						811.9				814.3			
01L816										867.2			
01L821										870.7			
01L822										867.0			
01L823										871.1			
01U003					930.8								
01U004					942.2					938.7			
01U011					890.5						889.7		
01U012					875.0				874.6				
01U022					890.8				891.0				
01U033					884.2				884.1				
01U034					894.2				893.0				
01U035					893.1				892.1				
01U036					892.7				891.6				
01U037					890.4				889.5				
01U038					889.7				888.8				
01U039					882.8				882.0				
01U040					881.7				880.7				
01U041					889.8				889.1				
01U043					882.3				881.3				
01U044					877.5				877.6				
01U045					879.5				879.4				
01U046					878.9				879.2				
01U047					874.7				874.4				
01U048					875.3				874.8				
01U050					888.9				886.5				
01U051					889.6				888.7				
01U052			876.8						875.8				
01U053				906.9					906.4				
01U054						934.4			931.3				
01U060						935.6			934.8				
01U062						906.8			905.1				
01U063						880.7			879.6				
01U064	943.9					945.9			945.2				
01U065						875.2			874.4				
01U067					890.5				889.5				
01U072					899.1				896.0				
01U085					880.7				879.7				
01U098					938.9				934.5				
01U100													
01U101					894.2				892.5				
01U102					888.2				887.4				
01U103					888.2				887.4				
01U104					890.2				889.5				
01U105					892.0				891.1				
01U106					888.4				887.6				
01U107					889.5				888.3				
01U108					886.7				886.0				
01U109					891.4								
01U110						891.5			890.4				
01U115					886.6				885.7				
01U116					886.8				885.8				
01U117					887.3				886.5				
01U118					887.8				886.9				
01U119					889.8				888.9				
01U120					888.1				887.3				
01U122					894.6				893.7				
01U125					887.2				886.2				
01U126					887.6				886.7				
01U127					888.1				887.4				
01U128			873.1						872.5				
01U130						881.5			880.6				
01U133									888.4				
01U135					882.1				881.3				
01U136					878.5				878.0				
01U350					880.8				878.2				
01U524					904.7				905.1				
01U525													
01U526					929.8				929.0				
01U527					908.3				908.2				
01U601				883.9						883.5			
01U602				879.8									
01U603				876.9						875.9			
01U604				876.8						877.3			
01U605				877.3						876.0			
01U607				885.8						883.5			
01U609				879.6						878.6			

WELL	05/12/89 22 FCC	07/07/89 23 CRA	08/03/89 23 FCC	08/04/89 23 FCC	08/05/89 23 FCC	08/06/89 23 FCC	08/07/89 23 FCC	10/05/89 24 CRA	11/02/89 24 FCC	11/03/89 24 FCC	11/04/89 24 FCC	11/06/89 24 FCC	12/21/89 24 CRA
01U611				879.3						878.8			
01U612				877.1									
01U613				884.6						882.8			
01U615				879.5						879.1			
01U616				880.4						879.3			
01U617				876.5						875.9			
01U618				879.2						877.9			
01U619				881.8						881.1			
01U620				878.0						877.0			
01U621				877.5						876.7			
01U623										879.7			
01U624B				869.2						868.3			
01U624C				869.2						868.3			
01U624D				869.2						868.3			
01U625A				868.9						868.4			
01U625B				868.9						868.4			
01U625C				868.9						868.4			
01U625D				868.9						868.4			
01U626A				868.1						867.7			
01U626B				867.6						867.2			
01U626C				867.7						867.2			
01U626D				867.7						867.3			
01U627A				869.8						869.2			
01U627B				868.5						867.9			
01U627C				868.4						867.9			
01U627D				868.4						867.9			
01U628A				868.5						868.6			
01U628B				869.2						868.4			
01U628C				868.9						868.2			
01U628D				868.9						868.2			
01U634	950.2			951.9									
01U636	941.1			940.4									
01U639	950.1												
01U640	947.0			950.8									
01U642				951.2									
01U652	943.1			947.2						947.6			
01U666	948.9												
01U667													
01U668				949.2						949.9			
01U803			893.0							891.4			
01U805			900.4							897.1			
01U806			902.2							901.0			
01U808			891.3							891.0			
01U813						868.1				867.5			
01U901						882.2			881.5				
01U902						884.4			883.6				
03F302		837.9		837.2				837.1	836.3				
03F303		829.6		828.6				828.4	828.9				830.5
03F304		841.0		841.1				840.5	840.6				840.1
03F305		836.3		836.5				836.2	836.9				834.5
03F306		834.5		834.4				833.1	833.5				832.5
03F307		829.3		829.5				828.9	829.3				828.5
03F308		834.4						834.0					833.7
03F312		835.3						835.1					828.7
03L001		841.5			841.4			841.3	841.4				841.2
03L002		843.0			842.9			842.5	842.9				841.9
03L003		843.7			843.9			843.0	843.9				843.7
03L004					849.6			848.4			848.4		848.1
03L005					851.0			847.5		850.4			846.9
03L007					852.5			852.5	852.6				852.6
03L010					857.9			859.1	859.5				860.1
03L012					852.7			853.2	853.5				853.9
03L013					845.0			845.1	845.2				845.3
03L014					850.7			850.0	849.8				849.8
03L017								847.1			846.8		846.3
03L018					850.1			849.6			849.4		849.1
03L020		848.1			847.8			847.1			848.2		846.6
03L021					845.2			844.9			844.7		844.3
03L027					842.1			847.4			847.3		847.1
03L028					847.8			846.8	846.9				846.5
03L029								845.7					845.5
03L077					840.7			840.3	840.1				839.7
03L078					843.1			842.8	842.5				842.2
03L079					842.6			842.6	841.7				843.1
03L080					849.1			848.4			848.2		848.1
03L081					851.4			850.6			850.8		850.5
03L084					842.0			842.1	842.0				841.6
03L086					851.5						850.9		

WELL	05/12/89 22 FCC	07/07/89 23 CRA	08/03/89 23 FCC	08/04/89 23 FCC	08/05/89 23 FCC	08/06/89 23 FCC	08/07/89 23 FCC	10/05/89 24 CRA	11/02/89 24 FCC	11/03/89 24 FCC	11/04/89 24 FCC	11/06/89 24 FCC	12/21/89 24 CRA
03L091					851.8				851.0				
03L113					852.7			854.2	851.4				854.1
03L137									850.9				
03L138									850.5				
03L306							827.8		827.8				
03L523									866.4				
03L673		838.6	820.7					838.3		820.0			837.7
03L802		842.9	843.1					842.2		842.0			842.3
03L806		840.2	840.4					839.8		840.0			839.3
03L809				839.8				839.2		839.3			839.0
03L811				839.1						838.7			
03L813				837.0						836.8			
03L822				830.6						831.0			
03L832				829.3						829.9			
03L841							837.5			837.3			
03L848						829.7				838.2			
03L853						831.5				831.8			
03L854						834.3				833.7			
03L856						834.9				835.4			
03L858						895.7				895.7			
03L859						836.6				834.4			
03L860						835.7				834.3			
03L861						833.1							
03M001					841.5			841.4	841.6				841.3
03M002		843.1			842.9			842.7	842.4				842.0
03M003		845.0			845.2			844.4	843.7				844.4
03M004					850.2			848.5			848.4		848.2
03M005					850.5			851.3	849.9				850.8
03M007					853.0			852.8	852.9				852.9
03M010					858.2			859.3	859.9				860.3
03M012						852.8		853.2	853.5				853.9
03M013					845.1			845.2	845.4				845.5
03M017					847.3			847.0			846.8		846.4
03M020		848.0			847.7			847.0			847.0		846.7
03M505													
03M509					878.5								
03M713		840.3						840.1					839.6
03M802						843.5		842.5		837.2			842.4
03M806						840.4		839.8		840.0			839.3
03M843						831.3				831.7			
03M848						838.0				837.7			
03U001					841.6			841.5	841.7				841.5
03U002		844.2			843.9			843.5	843.2				842.7
03U003		845.5			845.7			844.9					844.5
03U004					849.8			849.0			848.9		848.7
03U005					851.0			850.7		850.4			850.1
03U006					852.7			851.8	851.5				851.5
03U007		853.8			853.0			852.9	852.9				853.0
03U008					857.0			857.6	857.9				858.3
03U009					857.9			859.2	859.8				860.2
03U010					858.2			859.3	859.9				860.3
03U011					857.2			857.3	857.7				858.1
03U012		853.6			852.8			853.2	853.6				853.9
03U013					845.2			845.3	845.5				845.5
03U014					850.6			849.7	849.6				849.5
03U015					850.6			850.1	850.0				850.1
03U016								852.8				852.8	852.8
03U017					847.3			847.1			846.8		846.5
03U018					850.3			849.7			849.5		849.2
03U019					852.1			851.2			851.1		851.0
03U020		848.2			847.9			847.2			846.0		846.7
03U021					845.9			845.3			845.1		844.6
03U022					854.5			854.4	854.5				854.9
03U023					853.8			854.0	854.2				854.6
03U024					853.1			852.9	853.0				853.3
03U025					850.8			850.7	850.9				851.1
03U026					851.5			850.6	850.5				850.4
03U027					848.3			846.5			847.4		847.2
03U028					847.7			846.9		846.7			846.5
03U029					846.3			845.8		845.3			844.9
03U030					849.1			848.4		848.1			848.0
03U031					849.0			848.6	848.6				848.6
03U032					852.1			851.3	851.3				851.3
03U075					844.8			844.4		844.7			844.5
03U076					843.0			842.8				842.9	843.0
03U077					842.2			841.9	841.7				842.0
03U078					843.4			843.0	842.5				842.3
03U079					842.4			842.0	844.5				842.7

WELL	05/12/89 22 FCC	07/07/89 23 CRA	08/03/89 23 FCC	08/04/89 23 FCC	08/05/89 23 FCC	08/06/89 23 FCC	08/07/89 23 FCC	10/05/89 24 CRA	11/02/89 24 FCC	11/03/89 24 FCC	11/04/89 24 FCC	11/06/89 24 FCC	12/21/89 24 CRA
03U082					856.7			856.8	857.1				857.4
03U083					851.1			849.9	850.9				850.0
03U084					841.9			842.6	841.8				842.1
03U087					852.2			851.7	851.5				851.8
03U088						852.5		852.0	851.9				852.2
03U089						852.3		852.0	851.8				852.1
03U090						851.5		851.5	850.6				851.4
03U092						850.6		833.4			849.6		832.9
03U093					850.4			849.4			849.5		849.4
03U094					850.9			850.1	850.0				849.7
03U096					848.3			849.9			849.7		849.5
03U097					856.6				856.6				
03U099					852.5				851.2				
03U111						856.6		857.9	856.6				858.1
03U112						852.0		851.0	850.9				850.8
03U113					852.6			854.6	851.8				854.5
03U114					851.7				850.7				
03U121						851.6			850.5				
03U124						852.7			851.9				
03U129					858.1				857.4				
03U301								831.4					827.1
03U314		841.7						842.5					841.5
03U315		844.7						842.8					842.5
03U316		836.1						836.6					826.2
03U317		844.7						843.8					843.7
03U521						852.2			851.6				
03U647					848.7			847.9		847.7			847.5
03U648					848.6			847.8		847.6			847.5
03U658					849.4			848.5		848.3			848.3
03U659					847.5			846.6		846.4			846.2
03U671							845.0	844.5	843.8				843.3
03U672		846.8	846.6					845.9	845.5				845.6
03U673		840.4	840.5					840.1	839.4				839.1
03U674					847.3			845.7	846.2				845.2
03U676								847.4					847.0
03U701					841.8			841.3		841.4			840.9
03U702					841.3			840.9		840.0			840.0
03U703					842.7			842.2	841.8				842.2
03U704		854.7			853.6			853.2	853.6				853.4
03U705					854.3			853.6					853.9
03U706		854.7			854.0			853.3			853.6		853.7
03U707					854.2			854.0			854.2		854.4
03U708					844.4			843.9	843.3				842.9
03U709					843.0			842.7	842.4				841.9
03U710					844.6			843.9	843.1				843.6
03U711		842.7			842.7			842.0		841.9			841.3
03U715		850.2						848.9					848.4
03U716		848.7						847.8					847.1
03U801			843.0					842.2		842.0			842.0
03U803			842.7					841.7		841.8			841.3
03U804			842.6					841.9		841.9			841.4
03U805			841.0					840.3		840.4			839.8
03U806			841.0					840.4		840.5			839.9
03U811						840.2				839.7			
03U815						831.5				832.8			
03U821						830.8				831.3			
03U822						830.6				831.1			
03U824						830.7				831.2			
03U831							830.9						
03U832							829.4			830.1			
04J077								837.9					836.7
04J702								840.3					839.5
04J708								841.7					840.9
04J713		840.3						840.1					839.4
04J714		834.2						840.8					840.5
04U001		841.4			841.2			841.1	841.4				841.0
04U002					842.3			841.9	841.8				841.2
04U003		843.1			842.9			842.4	842.1				842.2
04U007		852.7			852.0			852.1	852.3				852.1
04U012		853.4			852.6			853.0	853.5				853.8
04U020		846.8			846.4			846.0			846.6		846.2
04U027					846.6			845.8				845.9	845.7
04U077					841.5			840.5	841.0				839.7
04U510					860.1			858.5			861.9		859.3
04U673		839.2			839.3			838.9		838.6			838.3
04U701					840.4			839.9		840.0			839.1
04U702					841.0			840.6		840.6			840.3
04U708					842.4			842.1	841.8				841.4

WELL	05/12/89 22 FCC	07/07/89 23 CRA	08/03/89 23 FCC	08/04/89 23 FCC	08/05/89 23 FCC	08/06/89 23 FCC	08/07/89 23 FCC	10/05/89 24 CRA	11/02/89 24 FCC	11/03/89 24 FCC	11/04/89 24 FCC	11/06/89 24 FCC	12/21/89 24 CRA
04U709					841.5			841.1	840.9				841.4
04U711		841.3			841.4			840.8		840.7			840.3
04U713		842.5						842.6					841.9
04U714		841.1						840.9					840.6
04U802			842.6					841.9		841.8			841.6
04U806		840.0	840.1					839.6		839.7			839.1
04U821						830.7				831.2			
04U832							829.9			830.8			
04U841						838.8				838.7			
04U843						830.8				831.2			
04U844						839.1				829.8			
04U845						830.9				831.4			
04U846						826.6			827.1				
04U847						838.6				838.1			
04U848						835.8				835.5			
04U849						824.8				824.9			
04U850						826.5			826.9				
04U851						825.0				825.2			
04U852						824.3				825.0			
04U854						829.6				830.2			
04U855						829.2				830.1			
04U859						834.8				836.6			
04U860						831.5				830.2			
04U861						830.9							
04U871							799.5		801.0				
04U872							809.6		811.4				
04U875							811.1		812.2				
04U877							825.6		825.8				
04U879							825.8		825.5				
04U880							806.2		806.8				
04U881							802.6		804.1				
04U882									798.9				
04U883							788.4		796.4				
117NB													
191942													
200525	830.9												
206688							815.0			815.1			
21800													
234353	840.8												
234425													
234430													
234463													
409546						825.3			824.7				
409547						830.7			830.6				
409548						824.3			825.3				
409549						825.2			825.3				
409550						839.1		839.1	839.1				838.6
409555						813.1			812.5				
409556						826.7			826.0				
409557						832.8			832.8				
409595													
409596													
409597													
409598													
500691									828.8				
PJ#003					842.0			841.4	841.3				841.1
PJ#027					847.2			845.8				842.6	845.6
PJ#074					847.3			846.0		851.8			846.3
PJ#309		839.5			837.5			835.1					
PJ#310		835.5			837.2			835.5				833.5	834.1
PJ#311		840.3			838.3			840.4				837.9	845.8
PJ#313		836.8			839.9			835.8					835.5
PJ#318							809.0		805.1				
PJ#501					847.4								
PJ#502					846.9								
PJ#503					853.5								
PJ#504					762.8							762.8	
PJ#506					847.5								
PJ#507					847.3								
PJ#508					847.2					846.3			
PJ#802			842.2					841.8		841.5			841.3
PJ#806			840.2					839.7		839.8			839.1
COUNT	9	51	20	54	179	65	16	167	173	119	27	7	165

TABLE 2

GROUNDWATER LEVEL DATA-ARRANGED BY WELL NEST

WELL	DATE QTR BY TOS	11/17/87 16 CRA	11/24/87 16 CRA	11/30/87 16 CRA	12/14/87 16 CRA	12/14/87 16 FCC	12/15/87 16 FCC	01/11/88 17 CRA	01/26/88 17 FCC	01/27/88 17 FCC	01/28/88 17 FCC	04/13/88 18 FCC	04/14/88 18 FCC
03U001	888.2	849.8	849.4	849.8	849.5	849.5		849.8				850.4	
03M001	888.4	849.9	849.4	849.8	849.6	849.5		850.0		849.5		850.5	
03L001	888.4	849.8	849.4	849.8	849.5	849.6		849.8		849.5		850.5	
04U001	888.8	849.7	849.3	849.7	849.4	849.4		849.6				850.4	
03U002	917.8	851.4	851.0	851.1	850.8	850.9		851.3		851.1		853.1	
03M002	919.3	850.7	850.4		850.4	850.3		850.7		850.5		853.1	
03L002	919.5	850.7	850.3	850.7	850.4	850.4		850.7				853.1	
04U002	920.2	850.6	850.3	850.6	850.3	850.4		850.6		850.5		853.0	
01U003	943.0					933.8			933.7				935.9
03U003	942.6	852.9	852.5	852.6	852.5	852.4		852.3	852.5				854.2
03M003	942.6	852.8			852.5	852.4		852.4	852.5				854.3
03L003	943.2	852.3	852.2	852.2	852.0	852.1		852.2	852.2				853.9
PJ#003	943.9				848.8	848.8				848.9			850.1
04U003	943.1	850.0	849.8	849.9	849.7	849.6		850.1	849.7				851.1
01U004	951.0					940.7				939.2			941.8
03U004	950.5	856.1	855.9	856.0	855.8			855.9		856.0			856.6
03M004	950.8	855.7	855.4	855.6	855.4	855.4		855.8		855.6			856.3
03L004	950.7	855.7	855.4	855.6	855.3	855.4		855.7	855.6				856.3
03U005	970.1			857.2	857.1	857.2		857.7	857.2				857.6
03M005	971.6					856.7			856.8				857.1
03L005	971.5			854.6	854.4	857.2			857.3				857.6
03U006	966.6		858.1	858.6	858.3	858.3		859.0	858.5			859.1	
03U007	900.1		859.5	860.0	859.7	859.7		860.2	859.9			860.3	
03M007	900.8		859.4		859.6	859.7		860.1				860.3	
03L007	901.7		859.1		859.4	859.3		859.8	859.5			859.9	
04U007	902.9		858.8	859.3	859.0	859.0		859.4	859.3			859.5	
03U008	914.8		863.7	864.1	864.0	864.1		864.6	864.4			864.4	
03U009	912.9		865.6	866.0	865.9	866.0		866.4	866.2			866.0	
03U010	888.3		865.5	865.9	865.9	865.9		866.3	866.1			865.9	
03M010	888.9		865.5		865.8	865.8		866.2	866.2			865.9	
03L010	888.9		865.4		865.6	865.6		866.0	865.8			865.6	
01U011	899.9					892.0			891.1			892.0	
03U011	900.4		862.9	863.2	863.4	863.4		863.6				862.3	
01U012	880.3					875.2				875.0		875.4	
03U012	880.0	859.7	859.6	860.0	859.9	859.9		860.2		860.0		859.8	
03M012	880.1	859.8	859.6		859.9	859.9		860.2		860.0		859.8	
03L012	879.9	859.7	859.6		859.9	859.8		860.1		860.2		859.8	
04U012	880.3	859.6	859.5	859.8	859.7	859.8		860.1		860.0		859.7	
03U013	889.9	852.8	852.5	852.9	852.7	852.7		853.0		852.7		853.2	
03M013	889.9	852.8	852.4		852.6	852.6		852.9		852.6		852.7	
03L013	889.7	852.6	852.3		852.5	852.4		852.0		852.4		853.0	
03U014	988.2	856.7	856.6	856.6	856.8		856.8	856.9	856.7				857.2
03L014	989.5	856.9	856.7		857.0		857.0	857.1	857.1				857.3
03U015	934.6	856.8	856.7	856.9	857.0	856.9		857.1				857.1	
03U016	947.0		859.0	859.1	859.3	859.3		859.4		859.4		859.3	
03U017	939.0	854.3	854.1		854.4		854.4	854.4		854.3		855.1	
03M017	938.9	854.3	854.0					854.3		854.3		855.0	
03L017	939.2	854.3	854.0		854.4					854.3		855.1	
03U018	988.7		856.5	856.5	856.7	856.6		856.8		856.8			857.0
03L018	989.1		856.4	856.4	856.5	856.5		856.7		856.7			856.9
03U019	943.5		857.7	857.8	857.8	857.8		858.1		858.1			858.2
03U020	954.2	854.6	854.5	854.5	854.4	854.3		854.7		854.6			855.5
03M020	954.5	854.5	854.4	854.4	854.3	854.3		854.5		854.6			855.4
03L020	954.3	854.5	854.4	854.4	854.3	854.3		854.5		854.6			855.4
04U020	954.7	854.1	853.9	853.9	853.9	853.9		853.5		853.3			854.3
03U021	944.2			853.0	852.6		852.7				852.8		854.3
03L021	943.9		852.5		852.4		852.3	852.6			852.5		854.2
01U022	897.7					894.3				893.2		895.2	
03U022	899.4		860.3	860.5	860.7	860.7		860.9		860.9		860.4	
03U023	899.4		860.1	860.4	860.4	860.5		860.7		860.7		860.3	
03U024	894.5		859.1	859.3	859.4	859.4		859.6		859.5			859.0
03U025	886.6	857.4	857.3	858.6	857.6	857.6		857.7	857.7			855.2	
03U026	974.7		857.1	857.2	857.3	857.4		857.5	857.5				857.7
03U027	966.3	854.8	854.7	854.8	854.7	854.7		855.0		854.8			855.8
03L027	966.5	854.8	854.6	854.7	854.6	854.6		854.8		854.7			855.6
PJ#027	967.8	853.5	853.3	853.3	853.3	853.3		853.2		853.4			854.4
04U027	967.5	853.5	853.4	853.5	853.4	853.7				853.8			854.7
03U028	957.2	854.3		854.2	854.1	854.1		854.3		854.2			855.4
03L028	956.3	854.2		854.1	854.1	854.3		854.3		854.4			855.5
03U029	954.8	853.8		853.6	852.5	852.5		852.7		853.6			855.0
03L029	954.3			853.4	853.4		853.4	853.7		853.4			854.9
03U030	958.7	855.5		855.4	855.4	855.3		855.5		855.4			856.1
03U031	899.3	855.9	855.7	855.9	855.8	855.8		856.0	856.0			857.5	
03U032	1003.6		857.8	857.8	858.0	858.0		858.2	858.2				858.1
01U033	887.5					885.3			885.7			885.4	
01U034	900.5					896.2			894.7				
01U035	899.5					895.3			894.1			894.5	
01U036	901.0					895.0			893.9			894.0	

WELL	DATE QTR BY TOS	11/17/87 16 CRA	11/24/87 16 CRA	11/30/87 16 CRA	12/14/87 16 CRA	12/14/87 16 FCC	12/15/87 16 FCC	01/11/88 17 CRA	01/26/88 17 FCC	01/27/88 17 FCC	01/28/88 17 FCC	04/13/88 18 FCC	04/14/88 18 FCC
01U037	898.7					892.3			891.8				
01U038	900.3					891.7			891.3			891.6	
01U039	897.5					884.0							
01U040	892.9					882.9				882.1			
01U041	898.4					891.1				890.6		891.9	
01U043	890.8					882.8				882.2			884.1
01U044	892.4					878.4				878.0		878.2	
01U045	886.5					880.3			880.3			881.3	
01U046	881.9					879.6			879.6			879.7	
01U047	880.0					875.3				875.0		875.9	
01U048	885.0					875.2				874.9		877.5	
01U050	893.0					885.6				885.3		887.1	
01U051	901.4					889.2				888.8		889.0	
01U052	887.0					876.2				876.0		877.1	
01U053	915.0					906.9				905.8		907.0	
01U054	943.0					934.2				932.1		935.2	
01U060	949.2					935.5				935.4		935.8	
01U062	912.0					906.3				905.3		906.5	
01U063	892.8					881.9				880.7		882.5	
01U064	961.0					946.8				946.6			946.6
01U065	884.0					874.9				874.6			875.2
01U067	897.3					892.8					891.9	893.6	
01U072	908.7					902.3				900.7		904.2	
PJ#074	954.2				854.1	854.1					854.2		854.9
03U075	884.5	852.1			852.1		852.2	852.2		852.0			852.4
03U076	888.4	850.8			850.7		850.6	850.9		850.4			850.9
03U077	912.2	850.0	849.7	850.0	849.7	846.7		849.9		849.8		851.7	
03L077	911.9	848.9	848.7	849.9	848.7	848.5		848.9		848.7		852.7	
04U077	912.4	849.4	849.1	849.2	846.9	847.6		849.3		849.6		852.7	
04J077	912.3												
03U078	927.0	850.2	849.7	849.9	849.8	849.9		850.4		850.4		854.0	
03L078	927.4	850.5	850.3	850.4	850.2	850.3		850.7		850.6		853.5	
03U079	923.5	849.8	849.9	849.8	849.6	849.5		850.1		849.8			853.8
03L079	923.3	850.6	851.3	850.6	850.4	850.0		850.7		850.1			853.2
03L080	960.8			855.5	854.7	854.6		855.7		855.6			856.3
03L081	946.5				857.4	857.5		857.7		857.7			857.9
03U082	898.7		862.4	862.6	862.8	863.9		863.0		863.2		862.7	
03U083	892.0		856.6	856.8	856.9	857.8		856.9	858.0			857.9	
03U084	898.2	850.9	850.5	850.8	850.6	849.9		850.6		850.0		851.4	
03L084	898.2					850.2			850.1				851.6
01U085	888.7					882.4			882.9			883.4	
03L086	961.0					857.7			857.8				858.1
03U087	1004.2		858.0	858.1	858.3	858.2		858.5	858.4			858.2	
03U088	983.7				858.6	858.5		858.7	858.7			858.3	
03U089	972.6		858.2	858.4	858.6	858.4		859.2	858.6			858.3	
03U090	982.2				858.3	857.5		858.4	857.1				857.7
03L091	1007.0					857.8			858.0				857.9
03U092	960.4				840.4	856.8				856.9			857.3
03U093	993.4		856.6	856.7	856.7	856.7		856.9		856.8			857.0
03U094	997.0				857.0		857.0	857.0	857.0				857.3
03U096	994.5		856.5	856.6	856.7	856.7		856.9		856.8			857.0
03U097	937.2					861.8				862.1		861.5	
01U098	955.0					937.1			936.2			941.7	
03U099	952.2					857.9			858.0			858.6	
01U100	905.7					899.1				898.1		901.1	
01U101	907.2					898.0				897.4		899.1	
01U102	905.5					890.3			889.8			888.9	
01U103	904.5					890.8			890.2			890.1	
01U104	899.6					892.8			892.2			892.9	
01U105	901.9					894.3			893.7			893.7	
01U106	897.1					890.7			889.9			889.4	
01U107	899.8					891.3			890.7			890.9	
01U108	904.3					890.4			890.0			889.7	
01U109	903.4					894.2			893.2			895.4	
01U110	897.6					894.2			893.2			892.4	
03U111	924.6		862.8	863.0	863.3	861.9		863.5		862.1		861.7	
03U112	978.1		857.5	857.5	857.7	857.8		857.8	857.9				858.1
03U113	974.3				861.3	858.3				858.5			858.7
03L113	974.8					858.2				858.4			858.3
03U114	973.2					857.6			857.7				857.9
01U115	900.6					888.1			887.6			886.9	
01U116	903.0					888.4			887.8				887.2
01U117	903.2					888.9			888.8			887.7	
01U118	902.2					889.6				889.0		887.3	
01U119	898.5					892.3				891.7		892.3	
01U120	902.3					890.1			889.4			888.6	
03U121	970.0					857.3			857.6				857.6
01U122	901.0					897.5			895.9			898.3	

WELL	DATE QTR BY TOS	11/17/87 16 CRA	11/24/87 16 CRA	11/30/87 16 CRA	12/14/87 16 CRA	12/14/87 16 FCC	12/15/87 16 FCC	01/11/88 17 CRA	01/26/88 17 FCC	01/27/88 17 FCC	01/28/88 17 FCC	04/13/88 18 FCC	04/14/88 18 FCC
03U124	1004.3												858.2
01U125	901.0					888.4			887.8			887.1	
01U126	903.4					889.3			888.7			887.7	
01U127	903.1					890.2			889.7			889.0	
01U128	880.9					873.2				872.7		874.0	
03U129	911.2					862.5				862.7		862.3	
01U130	889.1					880.7				880.4		880.9	
01U133	900.8					891.2			890.8			891.0	
01U135	900.0												
01U136	899.0												
03L137	972.6												
03L138	965.6												
03U301	955.0									854.8			855.5
03F302	927.2		850.6	844.8	844.4		844.4	844.6			837.3		865.6
03F303	922.1		829.8	829.8	830.8		830.8				847.4		857.8
03F304	917.1		848.5	849.8	848.6		848.6	848.8			849.2		856.8
03F305	912.7		844.5	844.8	844.7		844.7	844.9			844.2		848.3
03L306	887.4												
03F306	916.2						841.7				824.9		847.7
03F307	912.6		823.7	824.1	823.3		823.3	823.5			830.2		839.4
03F308	900.6												
PJ#309	912.1												
PJ#310	913.5												
PJ#311	905.3												
03F312	942.1												
PJ#313	893.4												
03U314	975.9												
03U315	963.1												
03U316	954.6												
03U317	950.4												
PJ#318	983.0												
01U350	903.7												
PJ#501	904.2						856.0			854.1			854.7
PJ#502	920.7						864.0			853.7			854.3
PJ#503	927.3						852.2			853.7			854.3
PJ#504	884.0												
03M505	957.3						858.8				859.0		859.2
PJ#506	943.6						854.5			854.2			855.1
PJ#507	946.6						854.1			853.9			854.6
PJ#508	956.8						854.0			856.0			854.5
03M509	958.0												
04U510	911.0					867.9				868.1		867.0	
03U521	1004.7					858.2			858.4			858.1	
03L523	995.8												
01U524	909.8					906.8				904.9		906.8	
01U525	941.0					932.4						935.4	
01U526	939.0						929.8			928.9		930.2	
01U527	912.1					908.9				905.8		908.2	
01U601	889.2						883.8			883.4			884.0
01U602	890.0												
01U603	885.0						876.8			875.9			875.1
01U604	885.6						877.6			875.8			875.1
01U605	885.0						876.2						876.7
01U607	888.6						884.3						885.2
01U609	889.9						882.9			882.7			883.1
01U611	889.7												883.4
01U612	885.9						878.0			877.0			876.8
01U613	888.8						883.5			883.7			883.8
01U615	889.5						881.4			878.3			878.0
01U616	888.5						880.2			879.3			878.5
01U617	885.2						877.5			875.2			875.0
01U618	888.8						878.8			877.6			877.2
01U619	888.2						881.1			880.8			881.4
01U620	887.3						878.3			876.4			876.0
01U621	884.6						877.9			876.1			875.9
01U623	889.8						877.7			877.6			876.1
01U624B	878.3										867.8		867.3
01U624C	878.3										867.7		867.3
01U624D	878.3										867.8		867.3
01U625A	878.0										867.5		867.3
01U625B	878.0										867.4		867.2
01U625C	878.0										867.4		867.3
01U625D	878.0										867.4		867.2
01U626A	877.1									866.4			865.9
01U626B	877.1									866.0			865.9
01U626C	877.1									866.1			866.0
01U626D	877.1									866.2			866.1
01U627A	877.1									868.0			867.6

WELL	DATE QTR BY TOS	11/17/87 16 CRA	11/24/87 16 CRA	11/30/87 16 CRA	12/14/87 16 CRA	12/14/87 16 FCC	12/15/87 16 FCC	01/11/88 17 CRA	01/26/88 17 FCC	01/27/88 17 FCC	01/28/88 17 FCC	04/13/88 18 FCC	04/14/88 18 FCC
01U627B	877.1									867.0			866.9
01U627C	877.1									867.0			866.8
01U627D	877.1									867.0			866.8
01U628A	877.8									868.1			868.0
01U628B	877.8									867.9			867.7
01U628C	877.8									867.6			867.4
01U628D	877.8									867.6			867.4
01U634	958.0						951.2						951.3
01U636	953.0					939.6							940.0
01U639	958.0					948.5							950.8
01U640	958.0												
01U642	958.6						954.4			952.0			954.0
03U647	959.4				854.9	854.9				855.0			855.9
03U648	959.0				854.0	854.9		855.0		855.0			855.8
01U652	957.0						947.9			947.3			946.2
03U658	963.0				855.5	855.5		855.7		855.7			856.3
03U659	956.3				853.8	853.8		854.0		854.0			855.2
01U666	959.0												
01U667	959.4						946.3			945.9			949.0
01U668	959.4												
03U671	930.2		851.6	851.7	851.7		851.6	851.9			851.8	854.0	
03U672	922.7	853.7		853.5	853.7	853.2		853.2			853.4	854.7	
03U673	896.8	847.2	846.6	847.0	847.2	846.1		846.3		846.2		847.6	
03L673	879.1	845.3	845.0	845.3	844.8	826.8		845.0		827.0		828.4	
04U673	897.8	844.8	845.5	845.8	845.3	845.4		845.5		845.6		846.9	
03U674	955.0				852.8		853.4			854.2		855.7	
03U676	959.5												
03U701	909.0	849.2	849.3	849.6	849.3	849.3		849.7		849.5		851.1	
04U701	909.0	848.9	849.1	849.3	849.0	849.0		849.4		849.1		851.3	
03U702	908.5	848.8	849.0	849.3	849.0	849.0		849.4		849.1		850.6	
04U702	908.1	849.1	849.2	849.5	849.2	849.2		849.7		849.3		851.2	
04J702	908.3												
03U703	918.9	849.1	849.3	849.4	849.6	849.6		849.9		849.7		853.9	
03U704	976.5		859.3	859.4	859.6	859.6		859.8		859.8		856.5	
03U705	1047.5		859.5	859.6	859.9		859.9	860.1		860.2		858.9	
03U706	918.4		859.4	859.5	859.7	859.8		859.9		860.0		859.1	
03U707	916.3		859.9	860.1	860.2	860.2		860.4		860.4		859.3	
03U708	919.9	851.5	851.1	851.1	850.9	850.9		851.4		851.2		853.6	
04U708	919.7	850.2	849.9	850.0	849.9	849.9		850.2		850.0		852.6	
04J708	919.8												
03U709	910.2	850.3	850.3	850.3	850.3			850.5		850.3		852.6	
04U709	910.0	849.5	849.5	850.2	849.7		849.7	850.0		849.6		852.6	
03U710	945.0	851.3	851.5	851.6	851.4	851.4		851.8		850.6		854.1	
03U711	906.4		849.9	849.9	849.6	849.6		850.2	849.7			852.4	
04U711	906.3	849.1	849.1	849.1	848.9		848.8	849.8			849.0	851.4	
03M713	895.8												
04U713	895.4												
04J713	895.8												
04U714	884.6												
04J714	884.7												
03U715	961.1												
03U716	950.3												
03U801	912.3	850.1	850.4	850.1	849.9	849.9		850.7	850.0			853.1	
03M802	905.8	851.1	851.4	851.1	851.6	850.1		850.5				849.7	
03L802	905.8	851.0	851.5	851.0	850.2	853.5		851.4	851.7			854.0	
PJ#802	902.4	849.4	849.3	849.2	849.0	848.9		849.3	849.0			848.4	
04U802	903.4	849.6	849.5	849.5	849.2	849.2		849.7	849.4			851.3	
01U803	898.2					893.0			891.8				
03U803	898.1	849.7	849.6	849.5	848.9	848.9		849.0	848.9			851.0	
03U804	910.2		850.0	849.8	849.5	849.5		850.7	849.7			852.6	
01U805	905.3					901.0			899.5			901.3	
03U805	905.1	848.6	848.7		848.2	848.2		849.3		848.1		850.8	
01U806	909.8					902.9				901.6		901.6	
03U806	909.6	848.7	848.8	848.6	848.4	848.4		848.9		848.3		850.3	
03M806	909.9	848.3	848.7	848.2	848.0	848.1		849.2		848.0		850.5	
03L806	909.5	848.3	848.8	848.2	848.2	848.0		849.0		847.9		850.4	
PJ#806	909.3	848.9	848.5	848.2	848.0	848.0		848.8		847.8		848.4	
04U806	909.2	848.2	848.5	848.1	847.9	847.9		848.8		847.7		850.0	
01U808	908.4					891.5			891.9			891.2	
03L809	910.6	847.5	847.4	847.4	847.1	847.1		848.1	847.2			848.9	
01L811	908.0					894.8				894.2			
03U811	909.0					847.3				847.3		848.7	
03L811	908.2					846.2				846.2		847.5	
01U813	870.3					868.6						868.7	
01L813	817.7					815.4				815.1		815.7	
03L813	869.9					843.6				843.7		844.6	
03U815	872.5					838.9			838.9			839.7	
01L816	900.9					869.8				869.8		870.0	

WELL	DATE QTR BY TOS	11/17/87 16 CRA	11/24/87 16 CRA	11/30/87 16 CRA	12/14/87 16 CRA	12/14/87 16 FCC	12/15/87 16 FCC	01/11/88 17 CRA	01/26/88 17 FCC	01/27/88 17 FCC	01/28/88 17 FCC	04/13/88 18 FCC	04/14/88 18 FCC
01L821	877.4					871.7			871.4			872.0	
03U821	877.5					837.5			837.6			838.2	
04U821	877.2					837.3			837.5			838.0	
01L822	875.9					867.9			867.5			868.2	
03U822	876.4					837.2			837.3			837.9	
03L822	876.5					837.2			837.3			837.9	
01L823	880.4					872.4			871.9			872.3	
03U824	879.9					837.3			837.4			838.0	
03U831	889.2					837.2			837.4			837.9	
03U832	884.3					836.2			836.4			835.1	
03L832	884.2					836.1			836.3			836.6	
04U832	883.4					837.0			836.4			837.4	
03L841	910.9					844.3			844.4			847.3	
04U841	911.5								845.8			847.1	
03M843	884.5					837.9			838.1			838.7	
04U843	885.8					837.3			837.5			838.0	
04U844	884.2					835.8			836.0			836.3	
04U845	894.2					837.8						838.4	
04U846	888.4					832.8			833.0			833.2	
04U847	914.9					845.4			845.6			847.0	
03M848	903.1					845.2			844.3			845.4	
03L848	903.1					844.8			845.0			846.1	
04U848	900.2					842.3			842.4			843.6	
04U849	873.3					833.0			833.2			833.4	
04U850	916.9					832.5			832.7			829.9	
04U851	913.5					832.1			832.3			832.4	
04U852	905.6					832.0			832.3			832.2	
03L853	889.0					838.1			838.3			838.9	
03L854	889.9					840.2			840.4			841.2	
04U854	889.5					836.5			836.8			836.9	
04U855	896.0					814.9			835.1			835.5	
03L856	872.9					842.0			842.1			842.9	
03L858	996.1					898.6			898.6			898.6	
03L859	900.8					840.6			840.9			841.8	
04U859	900.9					843.3			843.5			844.7	
03L860	894.1					840.5			840.4			841.4	
04U860	893.8					836.4			836.5			836.8	
03L861	888.6					838.6			838.9			839.6	
04U861	888.6					836.6			836.7			837.1	
04U871	944.0												
04U872	952.0												
04U875	1014.0												
04U877	920.0												
04U879	946.0												
04U880	972.0												
04U881	977.0												
04U882	918.0												
04U883	949.0												
01U901	902.0												
01U902	901.0												
117NB	879.8					874.0						873.4	
191942	880.5					838.0			838.2			838.7	
200525	917.5												
206688	1000.0												
21800	887.0												
234353	906.5												
234425	914.0												
234430	918.1												
234463	945.7												
409546	867.0												
409547	896.0												
409548	867.0												
409549	920.0												
409550	912.0	847.0	846.8	846.9	847.0			847.4					
409555	923.0												
409556	960.0												
409557	896.0												
409595	882.3					837.3			837.5			838.0	
409596	880.4					837.6			837.7				
409597	880.3					837.6			837.7			838.2	
409598	879.8					837.3			837.4			838.0	
500691	891.2												
COUNT	384	81	114	109	139	247	48	129	122	160	21	194	121

WELL	05/02/88 18 CRA	05/20/88 18 CRA	06/23/88 18 CRA	07/27/88 19 CRA	08/30/88 19 FCC	09/01/88 19 CRA	09/21/88 19 CRA	10/14/88 20 CRA	11/22/88 20 FCC	11/23/88 20 FCC	11/25/88 20 FCC	12/02/88 20 CRA	01/13/89 21 CRA
03U001	849.5	848.9	846.3	845.2	845.3	844.9	845.0	845.5	846.6			846.5	846.6
03M001	849.6	849.0	846.5	845.6	845.3	845.1	845.1	845.6		846.6		846.6	846.7
03L001	849.6	849.0	846.5	845.3	845.4	845.0	845.1	845.6		846.6		846.6	846.7
04U001	849.5	848.8	846.4	845.2	845.2	844.8	845.0	845.5			846.5	846.4	846.6
03U002	851.6	850.9	850.3	849.0	847.7	847.6	847.3	847.2	848.4			848.7	849.7
03M002	851.0	850.5	849.5	848.4	847.9	847.9	847.6	847.1		848.5		848.7	848.2
03L002	851.0	850.4	849.4	848.4	847.9	847.9	847.6	847.0		848.5		848.7	848.1
04U002	850.9	850.4	849.3	848.1	847.8	847.8	847.5	846.9			848.4		848.0
01U003													
03U003	853.5	852.8	852.4	850.9	849.7	849.5	849.2	848.8	849.4			849.8	849.7
03M003	853.4	852.8	852.2	850.8	849.7	849.4	849.2	848.8		849.5		849.9	849.6
03L003	852.8	852.2	851.5	850.1	849.1	848.8	848.6	848.3				849.5	849.0
PJ#003	849.2	848.6		846.1	845.4	845.3	845.0	845.2			845.9	846.1	845.8
04U003	850.2	849.7	848.5	847.7	846.5	846.5	846.1	846.3			847.0	847.3	846.9
01U004					940.1				940.7				
03U004	856.4	856.0	855.0	853.6	852.7	852.4	852.2	851.9	852.0			852.2	852.5
03M004	856.0	855.5	854.5	853.1	852.2	852.0	851.7	851.6		851.7		851.9	852.2
03L004	855.9	855.5	854.5	853.1	852.2	851.9	851.6	851.5		851.7		851.8	852.1
03U005	857.4	857.0	855.9	854.3	853.7	853.4	853.1	853.2	853.2			852.8	853.2
03M005	857.7	857.3	856.5	854.5	853.2	853.6	853.3	853.8		852.6		853.0	853.5
03L005	854.8	854.4	852.7	851.7	853.6	850.7	850.4	850.0		853.1		850.1	850.6
03U006	858.9	858.5	857.4	856.1	854.9	855.0	854.3	854.6	854.4			854.4	854.7
03U007	859.8	859.4	857.0	855.5	855.2	855.2	854.9	855.3	855.6			855.7	856.0
03M007	859.7	859.4	857.0	855.5	855.2	855.1	854.8	855.2		855.6		855.7	856.0
03L007	859.3	859.0	856.6	855.2	854.9	855.0	854.5	854.9		855.4		855.5	855.7
04U007	858.9	858.7	856.4	855.0	854.7	854.7	854.3	854.6			854.9	855.2	855.4
03U008	863.6	862.9	858.5	856.7	857.7	857.8	858.1	859.0	859.8			859.9	860.2
03U009	864.9	864.4	859.1	857.5	859.4	859.5	859.9	860.9	861.7			861.9	862.0
03U010	865.0	864.5	859.1	857.6	859.5	859.5	860.0	860.9	861.6			861.7	861.8
03M010	864.9	864.5	859.1	857.6	859.5	859.5	860.0	860.9		861.7		861.7	861.9
03L010	864.7	864.2	858.9	857.4	859.2	859.3	859.7	860.7		861.4		861.5	861.6
01U011					890.2				890.1				
03U011	862.8	862.4	858.3	856.7	857.6	857.5	857.8	858.3	858.8			858.8	859.1
01U012					874.5				874.8				
03U012	859.4	858.9	854.8	853.6	854.5	854.4	854.7	855.3	855.8			855.9	856.3
03M012	859.4	858.9	854.7	853.6	854.4	854.4	854.6	855.3		855.8		855.9	856.3
03L012	859.3	858.8	854.7	853.5	854.4	854.4	854.6	855.3		855.8		855.7	856.3
04U012	859.2	858.7	854.6	853.5	855.4	854.2	854.5	855.2			855.7	855.7	856.1
03U013	852.5	852.0	849.1	848.0	848.2	848.0	848.0	848.5	849.1			849.1	849.7
03M013	852.5	851.9	849.1	847.9	848.1	847.9	847.9	848.4		849.0		849.0	849.6
03L013	852.3	851.8	848.9	847.7	848.0	847.8	847.7	848.2		848.9		848.9	849.5
03U014	857.0	855.5	855.7	854.2	853.1	853.1	852.7	852.5	851.5			852.7	852.8
03L014	857.2	858.0	855.5	854.0	853.0	853.0	852.8	852.6		853.8		852.9	853.0
03U015	857.1	856.6	854.8	853.4	852.6	852.6	852.4	852.5	852.7			852.8	853.0
03U016	859.3	859.0	857.2	855.4	854.7	854.8	854.7	854.7	854.7			854.9	855.1
03U017	854.5	854.1	852.8	851.3	850.5	850.2	850.2	850.0	850.6			850.7	851.0
03M017	854.5	854.0	852.7	851.3	850.5	850.2	850.2	850.0		850.5		850.7	851.0
03L017	854.5	854.0	852.8	851.2	850.5	850.2	850.2	850.0		850.6		850.7	851.0
03U018	856.9	856.5	855.3	853.8	852.8	852.7	852.5	852.4	852.4			852.6	852.8
03L018	856.8	856.4	855.1	853.6	852.6	852.6	852.4	852.2		852.4		852.5	852.7
03U019	858.1	857.8	856.7	855.1	854.1	854.0	853.7	853.5	853.6			853.7	853.9
03U020	855.0	854.5	853.5	852.0	850.9	850.8	850.7	850.4	850.8			851.1	850.9
03M020	854.8	854.3	853.3	851.9	850.8	850.7	850.6	850.3		850.2		850.9	851.0
03L020	854.9	854.4	853.4	851.9	850.8	850.7	850.6	850.3		850.8		851.0	851.1
04U020	854.3	853.8	851.9	852.1	849.6	850.1	850.0	849.9			850.4	850.6	850.6
03U021	853.3				849.4								849.8
03L021	852.9	852.3	851.4	850.0	849.1	849.1	848.9	848.5		849.5		849.7	849.5
01U022					891.4				892.2				
03U022	860.4	860.0	856.7	855.2	855.4	855.4	855.5	855.8	856.0			856.1	856.4
03U023	860.0	859.6	856.8	854.5	855.1	855.1	855.2	855.8	856.1			856.1	856.4
03U024	859.1	858.8	855.8	854.4	854.5	854.4	854.4	854.7	854.8			854.9	855.1
03U025	857.3	857.0	854.0	852.7	852.7	852.7	852.6	853.0	853.4			853.4	853.8
03U026	857.6	857.2	854.1	854.5	853.5	853.5	853.2	853.0	853.1			853.2	853.3
03U027	855.2	854.7	853.8	852.3	851.3	851.1	850.9	850.6	851.0			851.3	851.5
03L027	855.1	854.6	853.7	852.2	851.1	851.1	850.8	850.5		850.9		851.2	851.5
PJ#027	853.7	853.1	852.0	850.6	849.5	849.7	849.4	849.3			849.9	850.1	850.3
04U027	853.8	853.3	852.1	850.7	849.8	849.8	849.5	849.3			850.3	850.2	850.4
03U028	854.7	854.2	853.4	851.9	850.7	850.6	850.4	850.1	850.8			850.6	850.9
03L028	854.6	854.1	853.2	851.2	851.0	850.6	850.3	850.1		851.0		850.6	850.8
03U029	854.2	853.7	853.1	851.6	849.3	849.8	850.0	848.6	850.1			850.1	850.4
03L029	853.9	853.4	852.7	851.1	850.2	849.9	849.8	849.5		850.2		850.1	850.2
03U030	855.8	855.4	854.4	852.9	851.8	851.8	851.5	851.3	851.7			851.5	851.9
03U031	855.6	855.6	853.8	852.5	851.4	851.5	851.4	851.6	852.1			851.7	852.3
03U032	858.1	857.7	856.1	854.5	853.8	853.7	853.6	853.4	853.6			853.6	853.8
01U033					883.4				884.8				
01U034					894.3				894.2				
01U035					893.3				892.8				
01U036					892.8				892.3				

WELL	05/02/88 18 CRA	05/20/88 18 CRA	06/23/88 18 CRA	07/27/88 19 CRA	08/30/88 19 FCC	09/01/88 19 CRA	09/21/88 19 CRA	10/14/88 20 CRA	11/22/88 20 FCC	11/23/88 20 FCC	11/25/88 20 FCC	12/02/88 20 CRA	01/13/89 21 CRA
01U037					890.6				890.0				
01U038					890.0				889.3				
01U039					882.4				881.9				
01U040					881.2				880.5				
01U041					888.9				888.8				
01U043					881.0				881.6				
01U044					880.7				877.3				
01U045					879.4				880.0				
01U046					878.9				879.5				
01U047					874.3				874.8				
01U048					874.7				874.9				
01U050					885.8				887.0				
01U051					888.9				889.2				
01U052					875.7				876.0				
01U053					906.6				906.9				
01U054					932.6				934.6				
01U060					934.7				934.7				
01U062					904.9				906.0				
01U063					879.9				879.3				
01U064					946.4				946.1				
01U065					874.4				874.4				
01U067					890.2				889.5				
01U072					897.5				897.8				
PJ#074	854.4	853.9	852.6	851.1	850.2	849.4	850.0	849.1			850.5	850.7	850.8
03U075	851.8	851.3	848.7	847.5	847.5	847.5	847.3	847.8	848.3			848.6	848.6
03U076	850.5	849.9	847.3	846.2	846.0	846.1	845.9	846.5	847.2			847.4	847.4
03U077	850.1	849.5	848.1	847.5	846.1	846.4	846.2	846.2	847.3			847.6	847.5
03L077	849.1	848.5	847.1	847.4	845.2	846.5	846.2	845.6		847.4		847.6	847.4
04U077	849.4	848.8	847.5	847.5	846.5	846.5	845.4	845.8			848.0	847.7	
04J077							847.3					847.8	847.4
03U078	851.3	850.3	850.5	848.2	848.0	847.5	846.9	846.5	848.9			849.3	848.0
03L078	850.9	850.3	849.6	848.2	847.4	848.1	847.9	847.0		848.9		848.9	848.0
03U079	850.6	849.9	849.9	847.7	847.3	847.2	847.4	846.0	848.8			849.3	847.1
03L079	851.0	850.5	849.8	848.3	846.9	847.3	848.1	846.7		848.5		849.2	847.4
03L080	855.9	855.5	854.5	853.0	851.9	851.9	851.6	851.4		851.5		851.9	852.1
03L081	857.6	857.3	855.9	854.4	854.7	853.5	853.2	853.1		853.3		853.4	853.7
03U082	862.3	862.0	858.1	856.5	857.3	857.1	857.3	857.8	858.3			858.2	858.4
03U083	856.7	856.4	853.9	852.4	853.2	852.1	852.0	852.2	853.5			852.4	853.0
03U084	850.9	850.4	848.6	847.4	846.2	846.8	846.7	846.9	847.2			848.0	848.0
03L084	850.6	850.0	848.3	846.9	847.5	846.5	846.4	846.5		847.1		847.6	
01U085					880.2				880.6				
03L086					853.9					853.6			
03U087	858.3	858.0	856.1	854.5	853.8		853.7	853.6	853.6			853.8	854.0
03U088	858.6	858.3	856.2	854.6	853.9	854.0	853.9	853.9	853.8			854.0	854.2
03U089	858.5	858.2	856.2	854.6	853.9	854.0	853.9	853.9	853.7			854.0	854.2
03U090	858.4	858.1		855.2	853.5	854.2	854.0	853.9	853.1			854.0	854.2
03L091					853.6					853.4			
03U092	840.6	840.3	839.4	837.7	853.1	836.6	836.3	836.0	852.6			836.3	836.5
03U093	857.0	856.6	855.4	853.1	852.8	852.8	852.6	852.4	852.5			852.7	852.9
03U094	857.2	856.9	855.9	854.4	853.2	853.2	852.9	852.6	852.7			852.8	852.9
03U096	856.2	856.5	855.0	853.5	852.6	852.6	852.5	852.3	852.5			852.6	852.9
03U097					856.6				857.2				
01U098					935.5				933.5				
03U099					854.7				853.9				
01U100													
01U101					893.7				893.5				
01U102					888.5				887.7				
01U103					889.1				887.6				
01U104					890.5				890.0				
01U105					892.1				891.6				
01U106					888.9				887.9				
01U107					889.6				888.7				
01U108					888.8				885.9				
01U109					891.1				891.2				
01U110					891.2				891.4				
03U111	863.0	862.8	860.2	858.1	856.7	858.0	858.2	858.4	857.3			858.7	859.0
03U112	857.8	857.5	856.4	854.7	853.9		853.5	853.3	851.4			853.4	853.6
03U113	861.4	861.1		858.0	854.5	857.1	856.9	856.8	854.1			856.9	857.1
03L113	861.0	860.6			855.0	856.7	856.5			853.8			856.7
03U114					853.8				853.3				
01U115					886.4				885.7				
01U116					886.7				886.1				
01U117					887.3				886.7				
01U118					887.3				887.1				
01U119					890.1				889.4				
01U120					888.4				887.6				
03U121					853.4				852.9				
01U122					893.8				894.9				

WELL	05/02/88 18 CRA	05/20/88 18 CRA	06/23/88 18 CRA	07/27/88 19 CRA	08/30/88 19 FCC	09/01/88 19 CRA	09/21/88 19 CRA	10/14/88 20 CRA	11/22/88 20 FCC	11/23/88 20 FCC	11/25/88 20 FCC	12/02/88 20 CRA	01/13/89 21 CRA
03U124									857.2				
01U125					886.7				886.1				
01U126					887.6				887.1				
01U127					888.7				887.6				
01U128					872.3				873.0				
03U129					857.1				858.0				
01U130					880.8				880.9				
01U133					889.5				887.7				
01U135									881.2				
01U136									877.9				
03L137													
03L138													
03U301	854.2		853.2	851.5		849.8	849.9	833.3				850.1	850.4
03F302	844.8	844.3	843.7	842.5	860.5	840.1	847.8	840.7			863.4	849.2	839.9
03F303	831.3	829.7	836.4	825.6	852.9	847.7	847.2	828.0				849.0	828.3
03F304	849.1	848.5	847.7	846.5	851.9	847.6	847.5	846.7			851.6	848.5	847.7
03F305	844.7		848.8	847.8	843.4	847.3	847.1	841.0				848.2	841.7
03L306					829.7					832.7			
03F306	841.9	841.2	839.3	847.6	842.1	848.5	838.2				858.7		
03F307	824.4	823.2	824.6	847.0	833.9		822.2				860.6		
03F308												846.1	847.1
PJ#309												854.8	847.7
PJ#310												845.4	847.5
PJ#311													
03F312												851.6	850.9
PJ#313												847.5	845.7
03U314												852.4	
03U315												852.3	852.5
03U316												851.6	851.8
03U317												851.6	851.8
PJ#318					806.2						807.3		
01U350									879.3				
PJ#501					850.0						850.0		
PJ#502					849.7						849.7		
PJ#503					849.9						849.9		
PJ#504													
03M505					854.2								
PJ#506					850.5						850.5		
PJ#507					850.2						850.2		
PJ#508					850.2						850.2		
03M509													
04U510	864.2	863.7		857.0	861.4	858.9	859.4	860.0			863.5	861.0	861.1
03U521					853.7				853.6				
03L523													
01U524					904.8				906.0				
01U525					932.7					933.0			
01U526					929.1					929.4			
01U527					907.9					908.9			
01U601					883.7								
01U602													
01U603					875.3								
01U604					875.4								
01U605					876.3								
01U607					884.6				885.5				
01U609					883.0				883.0				
01U611					883.3				883.4				
01U612					876.5				876.5				
01U613					884.0				884.3				
01U615					878.3				878.2				
01U616					879.2				878.6				
01U617					875.3				875.2				
01U618					877.9				877.3				
01U619					881.7					881.5			
01U620					876.6								
01U621					876.2					876.0			
01U623					876.3					876.3			
01U624B					867.9					869.4			
01U624C					867.9					868.9			
01U624D					867.9					869.3			
01U625A					867.6					869.0			
01U625B					867.6					868.6			
01U625C					867.6					868.6			
01U625D					867.6					868.6			
01U626A					866.2					867.5			
01U626B					866.2					866.8			
01U626C					866.3					866.8			
01U626D					866.3					867.4			
01U627A					867.8					868.7			

WELL	05/02/88 18 CRA	05/20/88 18 CRA	06/23/88 18 CRA	07/27/88 19 CRA	08/30/88 19 FCC	09/01/88 19 CRA	09/21/88 19 CRA	10/14/88 20 CRA	11/22/88 20 FCC	11/23/88 20 FCC	11/25/88 20 FCC	12/02/88 20 CRA	01/13/89 21 CRA
01U627B					867.1					868.7			
01U627C					867.1					868.5			
01U627D					867.1					867.4			
01U628A					868.2					869.2			
01U628B					867.9					868.3			
01U628C					867.6					868.5			
01U628D					867.6					868.8			
01U634										953.3			
01U636					939.6					939.6			
01U639										952.9			
01U640					950.3					950.3			
01U642					953.8					955.0			
03U647	855.4	855.0	854.1	852.6	851.5	851.4	851.1	850.9		851.4		851.0	851.5
03U648	855.4	855.0	854.1	852.5	851.4	851.3	851.1	850.9		851.3		851.0	851.4
01U652					947.4					947.6			
03U658	855.9	855.6	854.5	853.1	852.1	852.0	851.7	851.5		853.0		851.8	852.1
03U659	854.6	854.1	853.5	851.9	850.6	850.5	850.5	849.9		850.6		850.4	850.7
01U666													
01U667					946.5					946.1			
01U668													
03U671	852.7	851.8	851.5	850.0	848.7	848.5	848.1	847.9		848.9		849.2	849.3
03U672	854.1	853.6	853.0	851.6	850.4	850.3	851.1	849.7		850.0		849.9	850.3
03U673	846.9	846.5	845.5	844.6	843.6	843.6	843.2	843.4		844.9		843.4	843.8
03L673	845.3	844.9	843.4	842.5	823.7	841.6	841.3	841.6		824.3		842.0	842.3
04U673	845.8	845.4	843.9	842.9	842.2	842.1	841.8	842.1			842.9	842.5	838.9
03U674	854.4	853.7	853.4	851.6	850.3	850.0	850.2	849.1		851.0		850.3	850.6
03U676	855.2	854.7	853.9	852.4		851.1	851.0	850.5				850.9	851.3
03U701	849.7	849.1	847.4	846.6	845.6	845.7	845.5	845.6		847.0		846.7	847.0
04U701	849.4	848.8	847.1	846.8	845.5	845.9	845.3	845.7			847.3	847.0	847.1
03U702	849.3	848.7	846.9	846.1	845.2	845.2	845.2	845.2		846.6		846.3	846.6
04U702	849.6	848.9	847.2	846.8	845.6	845.7	845.4	845.6			846.9	846.9	847.1
04J702												847.0	847.2
03U703	850.8	849.7	849.8	847.5	847.9	847.5	847.1	845.9		849.6		849.3	847.2
03U704	859.5	859.2	856.8	855.2	854.8	854.8	854.7	854.7		854.5		854.6	854.9
03U705	859.8	859.5	857.1	855.4	855.1	855.0	855.0	855.0					
03U706	859.5	859.2	856.4	855.0	854.9	854.8	854.7	854.9		854.9		854.8	855.2
03U707	860.0	859.6	856.7	855.1	855.1	855.1	855.1	855.4		855.4		855.5	855.8
03U708	852.1	851.2	851.0	849.6	848.1	848.0	847.6	847.5		848.6		849.0	848.9
04U708	850.4	849.9	848.9	847.8	847.5	847.4	847.2	846.6			847.8	848.2	847.6
04J708													
03U709	850.8	850.1	849.5	848.4	847.1	846.9	846.4	846.6		848.0		848.2	848.1
04U709	850.1	849.5	848.6	847.8	847.3	847.3	846.9	846.3			848.0	848.1	847.6
03U710	852.5	851.8	851.6	849.9	848.8	848.5	848.3	847.9		849.0		849.5	849.0
03U711	850.2	849.7	849.0	848.2	846.8	846.9	846.4	846.5		847.8		847.6	847.7
04U711	849.3	848.7	847.5	847.7	845.6		845.3	845.7			847.1	847.0	846.8
03M713												846.5	846.5
04U713												848.4	848.4
04J713												847.1	847.0
04U714												839.9	846.8
04J714												840.0	846.8
03U715												852.3	852.5
03U716												851.6	
03U801	850.6	850.0	849.4	848.7	847.4	847.0	846.6	846.9		848.4		848.2	847.2
03M802	851.1	850.4	850.1	848.7	846.8	847.4	847.1	846.9		847.7		848.4	847.4
03L802	850.8	850.2	849.4	848.7	848.6	847.0	846.6	847.1		848.3		848.1	847.2
PJ#802	849.5	849.0	847.7	846.8	845.8	845.8	845.5	845.6			846.4	846.3	846.3
04U802	849.8	849.3	848.1	847.2	846.2		845.7	845.9			846.8	846.6	846.5
01U803					892.1					893.0			
03U803	849.6	849.2	848.4	847.7	846.7	846.6	846.0	846.1		846.9		846.5	846.6
03U804	850.1	849.7	848.9	848.5	847.0	847.2	846.5	846.9		848.0		847.9	847.6
01U805					899.3					899.4			
03U805	848.6	848.1		846.5	845.2	845.5	844.7	845.3		846.5		846.4	846.2
01U806					901.6								
03U806	848.7	848.1	846.4	845.7	844.9	845.0	844.6	844.8		846.1		845.9	846.2
03M806	848.4	847.8	846.2	846.0	844.7	845.2	844.3	844.9		846.3		846.1	846.0
03L806	848.3	847.7	846.2	845.9	844.6	845.1	844.3	844.9		846.2		846.0	845.9
PJ#806	848.2	847.7	846.0	845.6	844.5	844.9	844.2	844.7			846.0	845.8	845.8
04U806	848.2	847.6	846.0	845.6	844.4	844.9	844.2	844.6			845.8	845.8	845.8
01U808					890.9					891.0			
03L809	847.4	846.8	845.1	844.4	843.5	843.9	843.3	843.8		844.9		844.6	844.6
01L811					893.5				893.1				
03U811					843.5					844.9			
03L811					842.4					843.8			
01U813					866.0					867.1			
01L813					813.6				814.5				
03L813					839.6					841.1			
03U815					835.0					835.5			
01L816					869.0								

WELL	05/02/88 18 CRA	05/20/88 18 CRA	06/23/88 18 CRA	07/27/88 19 CRA	08/30/88 19 FCC	09/01/88 19 CRA	09/21/88 19 CRA	10/14/88 20 CRA	11/22/88 20 FCC	11/23/88 20 FCC	11/25/88 20 FCC	12/02/88 20 CRA	01/13/89 21 CRA
01L821					870.3				868.4				
03U821					833.6					834.9			
04U821					833.4						834.8		
01L822					866.5				867.7				
03U822					833.3					834.6			
03L822					833.3					834.6			
01L823					871.4				871.4				
03U824					833.4					834.5			
03U831					833.2								
03U832					832.0					833.4			
03L832					831.8					833.3			
04U832					832.6						834.2		
03L841					841.0					841.8			
04U841					842.2						843.2		
03M843					834.1					835.4			
04U843					833.5						834.7		
04U844					831.6						833.1		
04U845					833.6						835.0		
04U846					828.8						830.1		
04U847					841.9						843.1		
03M848					841.1					841.5			
03L848					841.7					842.2			
04U848					839.0						839.7		
04U849					829.0						830.1		
04U850					828.6						829.8		
04U851					827.6						829.4		
04U852					827.1						829.7		
03L853					834.3					835.6			
03L854					836.8					837.4			
04U854					832.1						833.7		
04U855					831.3						832.1		
03L856					837.9					838.5			
03L858					898.2								
03L859					837.4					838.1			
04U859					840.1						840.9		
03L860					837.1					838.0			
04U860					831.8						830.4		
03L861					835.0					835.3			
04U861					832.2						831.1		
04U871					801.5						803.1		
04U872					811.8						813.7		
04U875					813.0						814.5		
04U877					827.6						828.8		
04U879					827.3						827.6		
04U880					806.7						808.4		
04U881											807.8		
04U882											801.1		
04U883											800.3		
01U901													
01U902													
117NB					873.7					873.9			
191942					834.0						835.4		
200525													
206688													
21800													
234353													
234425													
234430													
234463													
409546													
409547													
409548													
409549													
409550	846.8	846.3	844.2	843.4		843.0	842.8	843.1					844.1
409555													
409556													
409557													
409595					833.4					834.6			
409596					833.6					835.0			
409597					833.6					834.9			
409598					833.4					834.1			
500691													
COUNT	147	144	140	145	325	141	147	143	131	127	61	158	158

WELL	03/31/89 21 CRA	04/24/89 22 FCC	04/25/89 22 FCC	04/27/89 22 FCC	04/28/89 22 FCC	04/29/89 22 FCC	05/03/89 22 FCC	05/04/89 22 FCC	05/05/89 22 FCC	05/08/89 22 FCC	05/09/89 22 FCC	05/10/89 22 FCC	05/11/89 22 FCC
03U001	844.2												
03M001	844.1												
03L001	843.8												
04U001	843.7												
03U002	845.4												
03M002	844.6												
03L002	844.5												
04U002	843.8												
01U003				930.2									
03U003	846.8												
03M003	846.4												
03L003	845.2												
PJ#003	843.7												
04U003	844.5												
01U004				937.9									
03U004	851.2												
03M004	850.7												
03L004	850.7												
03U005	852.5												
03M005	853.2												
03L005	849.4												
03U006	854.0												
03U007	855.5												
03M007	855.5												
03L007	855.1												
04U007	854.7												
03U008	860.9												
03U009	862.8												
03U010	863.0												
03M010	862.9												
03L010	862.7												
01U011													
03U011	860.8												
01U012													
03U012	856.6												
03M012	856.6												
03L012	856.5												
04U012	856.4												
03U013	848.1												
03M013	848.0												
03L013	847.9												
03U014	852.0												
03L014	852.3												
03U015	852.7												
03U016	855.4												
03U017	849.2												
03M017	849.1												
03L017	849.2												
03U018	852.0												
03L018	851.8												
03U019	853.6												
03U020	849.4												
03M020	849.2												
03L020	849.3												
04U020	848.9												
03U021	847.3												
03L021	846.9												
01U022		892.8											
03U022	857.5												
03U023	857.2												
03U024	856.0												
03U025	853.7												
03U026	852.9												
03U027	849.7												
03L027	849.6												
PJ#027	848.2												
04U027	848.2												
03U028	848.9												
03L028	848.9												
03U029	847.2												
03L029	847.7												
03U030	850.5												
03U031	851.1												
03U032	853.9												
01U033													
01U034													
01U035													
01U036		891.3											

WELL	03/31/89 21 CRA	04/24/89 22 FCC	04/25/89 22 FCC	04/27/89 22 FCC	04/28/89 22 FCC	04/29/89 22 FCC	05/03/89 22 FCC	05/04/89 22 FCC	05/05/89 22 FCC	05/08/89 22 FCC	05/09/89 22 FCC	05/10/89 22 FCC	05/11/89 22 FCC
01U037		888.7											
01U038		888.2											
01U039		879.6											
01U040		879.1											
01U041		889.6											
01U043													
01U044													
01U045													
01U046													
01U047				870.0									
01U048				873.3									
01U050													
01U051													
01U052				874.6									
01U053													
01U054				932.1									
01U060													
01U062											904.7		
01U063													
01U064													
01U065					873.4								
01U067		889.4											
01U072													
PJ#074	849.0												
03U075	847.1												
03U076	845.5												
03U077	842.5												
03L077	843.9												
04U077													
04J077	840.2												
03U078	844.5												
03L078	844.6												
03U079	843.7												
03L079	844.4												
03L080	850.6												
03L081	853.0												
03U082	860.1												
03U083	852.6												
03U084	844.6												
03L084	844.1												
01U085													
03L086													
03U087	854.3												
03U088	854.8												
03U089	854.7												
03U090	853.9												
03L091													
03U092	835.7												
03U093	852.1												
03U094	852.3												
03U096	852.2												
03U097													
01U098													
03U099													
01U100													
01U101		895.0											
01U102		885.2											
01U103		885.6											
01U104		888.5											
01U105		889.7											
01U106		885.9											
01U107		887.5											
01U108		885.4											
01U109													
01U110		890.2											
03U111	860.9												
03U112	853.4												
03U113	857.1												
03L113	856.7												
03U114													
01U115		883.6											
01U116		886.0											
01U117		884.7											
01U118		884.6											
01U119		888.3											
01U120		885.7											
03U121													
01U122													

WELL	03/31/89 21 CRA	04/24/89 22 FCC	04/25/89 22 FCC	04/27/89 22 FCC	04/28/89 22 FCC	04/29/89 22 FCC	05/03/89 22 FCC	05/04/89 22 FCC	05/05/89 22 FCC	05/08/89 22 FCC	05/09/89 22 FCC	05/10/89 22 FCC	05/11/89 22 FCC
03U124													
01U125		884.0											
01U126		884.6											
01U127		885.4											
01U128													
03U129													
01U130													
01U133		886.7											
01U135			877.4										
01U136			875.9										
03L137													
03L138													
03U301	830.5												
03F302	848.7												
03F303	827.6												
03F304	842.6												
03F305	837.5												
03L306							829.6						
03F306													
03F307	830.8												
03F308	836.1												
PJ#309	840.2												
PJ#310	838.3												
PJ#311	840.8												
03F312	838.0												
PJ#313	838.6												
03U314	842.7												
03U315	845.2												
03U316	835.2												
03U317	845.6												
PJ#318						806.1							
01U350		878.5											
PJ#501													
PJ#502													
PJ#503													
PJ#504													
03M505													
PJ#506													
PJ#507													
PJ#508													
03M509													
04U510	862.1												
03U521													
03L523													
01U524													
01U525				931.2									
01U526											928.7		
01U527													
01U601													
01U602													
01U603													
01U604													
01U605													
01U607													
01U609													
01U611													
01U612													
01U613													
01U615													
01U616													
01U617													
01U618													
01U619													
01U620													
01U621													
01U623													
01U624B													
01U624C													
01U624D													
01U625A													
01U625B													
01U625C													
01U625D													
01U626A													
01U626B													
01U626C													
01U626D													
01U627A													

WELL	03/31/89 21 CRA	04/24/89 22 FCC	04/25/89 22 FCC	04/27/89 22 FCC	04/28/89 22 FCC	04/29/89 22 FCC	05/03/89 22 FCC	05/04/89 22 FCC	05/05/89 22 FCC	05/08/89 22 FCC	05/09/89 22 FCC	05/10/89 22 FCC	05/11/89 22 FCC
01U627B													
01U627C													
01U627D													
01U628A													
01U628B													
01U628C													
01U628D													
01U634													
01U636													
01U639													
01U640													
01U642													
03U647	849.8												
03U648	849.9												
01U652													
03U658	850.8												
03U659	848.5												
01U666													
01U667													
01U668													
03U671	846.3												
03U672	847.9												
03U673	841.9												
03L673	840.4												
04U673	840.9						840.0						
03U674	847.5												
03U676	849.5												
03U701	843.5												
04U701	843.0												
03U702	843.2												
04U702	842.9												
04J702	842.5												
03U703	843.8												
03U704	847.0												
03U705													
03U706	856.3												
03U707	857.0												
03U708	845.7												
04U708	844.5												
04J708	843.8												
03U709	844.6												
04U709	844.1												
03U710	845.7												
03U711	843.9												
04U711	842.9												
03M713	842.2												
04U713	844.1												
04J713	842.2												
04U714	843.2												
04J714	836.6												
03U715	851.1												
03U716	849.9												
03U801	844.1												
03M802	843.7												
03L802	844.9												
PJ#802	843.8												
04U802	844.0												
01U803													
03U803	844.0												
03U804	843.9												
01U805													
03U805	842.5												
01U806													
03U806	842.6												
03M806	842.1												
03L806	842.0												
PJ#806	841.9												
04U806	841.9												
01U808													
03L809	841.6											839.6	
01L811													
03U811								839.8					
03L811								838.9					
01U813													
01L813													
03L813									835.0				
03U815													
01L816													

WELL	03/31/89 21 CRA	04/24/89 22 FCC	04/25/89 22 FCC	04/27/89 22 FCC	04/28/89 22 FCC	04/29/89 22 FCC	05/03/89 22 FCC	05/04/89 22 FCC	05/05/89 22 FCC	05/08/89 22 FCC	05/09/89 22 FCC	05/10/89 22 FCC	05/11/89 22 FCC
01L821													
03U821												831.2	
04U821													
01L822													
03U822									831.3				
03L822									831.4				
01L823													
03U824													
03U831												831.2	
03U832											830.5		
03L832											830.3		
04U832													
03L841													
04U841													
03M843									831.9				
04U843													
04U844								830.4					
04U845								833.9					
04U846					829.0								
04U847							839.4						
03M848													
03L848							838.4						
04U848							836.0						
04U849													
04U850						823.7							
04U851													
04U852													
03L853									831.1				
03L854													
04U854								830.1					
04U855													
03L856									836.0				
03L858									895.8				
03L859													
04U859													
03L860													
04U860													
03L861													
04U861													
04U871										801.8			
04U872										811.6			
04U875													
04U877						826.5							
04U879													
04U880													
04U881													
04U882							800.4						
04U883													
01U901													
01U902													
117NB													
191942													
200525													
206688													
21800							879.2						
234353													
234425													841.1
234430											845.0		
234463										892.3			
409546												826.4	
409547													
409548												825.5	
409549													
409550	841.3											838.6	
409555													
409556												825.7	
409557								833.7					
409595													
409596													
409597													
409598													
500691													
COUNT	164	28	2	7	2	3	7	6	7	3	5	7	1

WELL	05/12/89 22 FCC	07/07/89 23 CRA	08/03/89 23 FCC	08/04/89 23 FCC	08/05/89 23 FCC	08/06/89 23 FCC	08/07/89 23 FCC	10/05/89 24 CRA	11/02/89 24 FCC	11/03/89 24 FCC	11/04/89 24 FCC	11/06/89 24 FCC	12/21/89 24 CRA
03U001					841.6			841.5	841.7				841.5
03M001					841.5			841.4	841.6				841.3
03L001		841.5			841.4			841.3	841.4				841.2
04U001		841.4			841.2			841.1	841.4				841.0
03U002		844.2			843.9			843.5	843.2				842.7
03M002		843.1			842.9			842.7	842.4				842.0
03L002		843.0			842.9			842.5	842.9				841.9
04U002					842.3			841.9	841.8				841.2
01U003					930.8								
03U003		845.5			845.7			844.9					844.5
03M003		845.0			845.2			844.4	843.7				844.4
03L003		843.7			843.9			843.0	843.9				843.7
PJ#003					842.0			841.4	841.3				841.1
04U003		843.1			842.9			842.4	842.1				842.2
01U004					942.2					938.7			
03U004					849.8			849.0			848.9		848.7
03M004					850.2			848.5			848.4		848.2
03L004					849.6			848.4			848.4		848.1
03U005					851.0			850.7		850.4			850.1
03M005					850.5			851.3	849.9				850.8
03L005					851.0			847.5		850.4			846.9
03U006					852.7			851.8	851.5				851.5
03U007		853.8			853.0			852.9	852.9				853.0
03M007					853.0			852.8	852.9				852.9
03L007					852.5			852.5	852.6				852.6
04U007		852.7			852.0			852.1	852.3				852.1
03U008					857.0			857.6	857.9				858.3
03U009					857.9			859.2	859.8				860.2
03U010					858.2			859.3	859.9				860.3
03M010					858.2			859.3	859.9				860.3
03L010					857.9			859.1	859.5				860.1
01U011					890.5						889.7		
03U011					857.2			857.3	857.7				858.1
01U012					875.0				874.6				
03U012		853.6			852.8			853.2	853.6				853.9
03M012						852.8		853.2	853.5				853.9
03L012					852.7			853.2	853.5				853.9
04U012		853.4			852.6			853.0	853.5				853.8
03U013					845.2			845.3	845.5				845.5
03M013					845.1			845.2	845.4				845.5
03L013					845.0			845.1	845.2				845.3
03U014					850.6			849.7	849.6				849.5
03L014					850.7			850.0	849.8				849.8
03U015					850.6			850.1	850.0				850.1
03U016								852.8				852.8	852.8
03U017					847.3			847.1			846.8		846.5
03M017					847.3			847.0			846.8		846.4
03L017								847.1			846.8		846.3
03U018					850.3			849.7			849.5		849.2
03L018					850.1			849.6			849.4		849.1
03U019					852.1			851.2			851.1		851.0
03U020		848.2			847.9			847.2			846.0		846.7
03M020		848.0			847.7			847.0			847.0		846.7
03L020		848.1			847.8			847.1			848.2		846.6
04U020		846.8			846.4			846.0			846.6		846.2
03U021					845.9			845.3			845.1		844.6
03L021					845.2			844.9			844.7		844.3
01U022					890.8				891.0				
03U022					854.5			854.4	854.5				854.9
03U023					853.8			854.0	854.2				854.6
03U024					853.1			852.9	853.0				853.3
03U025					850.8			850.7	850.9				851.1
03U026					851.5			850.6	850.5				850.4
03U027					848.3			846.5			847.4		847.2
03L027					842.1			847.4			847.3		847.1
PJ#027					847.2			845.8				842.6	845.6
04U027					846.6			845.8				845.9	845.7
03U028					847.7			846.9		846.7			846.5
03L028					847.8			846.8	846.9				846.5
03U029					846.3			845.8		845.3			844.9
03L029								845.7					845.5
03U030					849.1			848.4		848.1			848.0
03U031					849.0			848.6	848.6				848.6
03U032					852.1			851.3	851.3				851.3
01U033					884.2				884.1				
01U034					894.2				893.0				
01U035					893.1				892.1				
01U036					892.7				891.6				

WELL	05/12/89 22 FCC	07/07/89 23 CRA	08/03/89 23 FCC	08/04/89 23 FCC	08/05/89 23 FCC	08/06/89 23 FCC	08/07/89 23 FCC	10/05/89 24 CRA	11/02/89 24 FCC	11/03/89 24 FCC	11/04/89 24 FCC	11/06/89 24 FCC	12/21/89 24 CRA
01U037					890.4				889.5				
01U038					889.7				888.8				
01U039					882.8				882.0				
01U040					881.7				880.7				
01U041					889.8				889.1				
01U043					882.3				881.3				
01U044					877.5				877.6				
01U045					879.5				879.4				
01U046					878.9				879.2				
01U047					874.7				874.4				
01U048					875.3				874.8				
01U050					888.9				886.5				
01U051					889.6				888.7				
01U052			876.8						875.8				
01U053				906.9					906.4				
01U054						934.4			931.3				
01U060						935.6			934.8				
01U062						906.8			905.1				
01U063						880.7			879.6				
01U064	943.9					945.9			945.2				
01U065						875.2			874.4				
01U067					890.5				889.5				
01U072					899.1				896.0				
PJ#074					847.3			846.0		851.8			846.3
03U075					844.8			844.4		844.7			844.5
03U076					843.0			842.8				842.9	843.0
03U077					842.2			841.9	841.7				842.0
03L077					840.7			840.3	840.1				839.7
04U077					841.5			840.5	841.0				839.7
04J077								837.9					836.7
03U078					843.4			843.0	842.5				842.3
03L078					843.1			842.8	842.5				842.2
03U079					842.4			842.0	844.5				842.7
03L079					842.6			842.6	841.7				843.1
03L080					849.1			848.4			848.2		848.1
03L081					851.4			850.6			850.8		850.5
03U082					856.7			856.8	857.1				857.4
03U083					851.1			849.9	850.9				850.0
03U084					841.9			842.6	841.8				842.1
03L084					842.0			842.1	842.0				841.6
01U085					880.7				879.7				
03L086					851.5						850.9		
03U087					852.2			851.7	851.5				851.8
03U088						852.5		852.0	851.9				852.2
03U089						852.3		852.0	851.8				852.1
03U090						851.5		851.5	850.6				851.4
03L091					851.8				851.0				
03U092						850.6		833.4			849.6		832.9
03U093					850.4			849.4			849.5		849.4
03U094					850.9			850.1	850.0				849.7
03U096					848.3			849.9			849.7		849.5
03U097					856.6				856.6				
01U098					938.9				934.5				
03U099					852.5				851.2				
01U100													
01U101					894.2				892.5				
01U102					888.2				887.4				
01U103					888.2				887.4				
01U104					890.2				889.5				
01U105					892.0				891.1				
01U106					888.4				887.6				
01U107					889.5				888.3				
01U108					886.7				886.0				
01U109					891.4								
01U110						891.5			890.4				
03U111						856.6		857.9	856.6				858.1
03U112						852.0		851.0	850.9				850.8
03U113					852.6			854.6	851.8				854.5
03L113					852.7			854.2	851.4				854.1
03U114					851.7				850.7				
01U115					886.6				885.7				
01U116					886.8				885.8				
01U117					887.3				886.5				
01U118					887.8				886.9				
01U119					889.8				888.9				
01U120					888.1				887.3				
03U121						851.6			850.5				
01U122					894.6				893.7				

WELL	05/12/89 22 FCC	07/07/89 23 CRA	08/03/89 23 FCC	08/04/89 23 FCC	08/05/89 23 FCC	08/06/89 23 FCC	08/07/89 23 FCC	10/05/89 24 CRA	11/02/89 24 FCC	11/03/89 24 FCC	11/04/89 24 FCC	11/06/89 24 FCC	12/21/89 24 CRA
03U124						852.7			851.9				
01U125					887.2				886.2				
01U126					887.6				886.7				
01U127					888.1				887.4				
01U128			873.1						872.5				
03U129					858.1				857.4				
01U130						881.5			880.6				
01U133									888.4				
01U135					882.1				881.3				
01U136					878.5				878.0				
03L137									850.9				
03L138									850.5				
03U301								831.4					827.1
03F302		837.9		837.2				837.1	836.3				
03F303		829.6		828.6				828.4	828.9				830.5
03F304		841.0		841.1				840.5	840.6				840.1
03F305		836.3		836.5				836.2	836.9				834.5
03L306							827.8		827.8				
03F306		834.5		834.4				833.1	833.5				832.5
03F307		829.3		829.5				828.9	829.3				828.5
03F308		834.4						834.0					833.7
PJ#309		839.5			837.5			835.1					
PJ#310		835.5			837.2			835.5				833.5	834.1
PJ#311		840.3			838.3			840.4				837.9	845.8
03F312		835.3						835.1					828.7
PJ#313		836.8			839.9			835.8					835.5
03U314		841.7						842.5					841.5
03U315		844.7						842.8					842.5
03U316		836.1						836.6					826.2
03U317		844.7						843.8					843.7
PJ#318							809.0		805.1				
01U350					880.8				878.2				
PJ#501					847.4								
PJ#502					846.9								
PJ#503					853.5								
PJ#504					762.8							762.8	
03M505													
PJ#506					847.5								
PJ#507					847.3								
PJ#508					847.2					846.3			
03M509					878.5								
04U510					860.1			858.5			861.9		859.3
03U521						852.2			851.6				
03L523									866.4				
01U524					904.7				905.1				
01U525													
01U526					929.8				929.0				
01U527					908.3				908.2				
01U601				883.9						883.5			
01U602				879.8									
01U603				876.9						875.9			
01U604				876.8						877.3			
01U605				877.3						876.0			
01U607				885.8						883.5			
01U609				879.6						878.6			
01U611				879.3						878.8			
01U612				877.1									
01U613				884.6						882.8			
01U615				879.5						879.1			
01U616				880.4						879.3			
01U617				876.5						875.9			
01U618				879.2						877.9			
01U619				881.8						881.1			
01U620				878.0						877.0			
01U621				877.5						876.7			
01U623										879.7			
01U624B				869.2						868.3			
01U624C				869.2						868.3			
01U624D				869.2						868.3			
01U625A				868.9						868.4			
01U625B				868.9						868.4			
01U625C				868.9						868.4			
01U625D				868.9						868.4			
01U626A				868.1						867.7			
01U626B				867.6						867.2			
01U626C				867.7						867.2			
01U626D				867.7						867.3			
01U627A				869.8						869.2			

WELL	05/12/89 22 FCC	07/07/89 23 CRA	08/03/89 23 FCC	08/04/89 23 FCC	08/05/89 23 FCC	08/06/89 23 FCC	08/07/89 23 FCC	10/05/89 24 CRA	11/02/89 24 FCC	11/03/89 24 FCC	11/04/89 24 FCC	11/06/89 24 FCC	12/21/89 24 CRA
01U627B				868.5						867.9			
01U627C				868.4						867.9			
01U627D				868.4						867.9			
01U628A				868.5						868.6			
01U628B				869.2						868.4			
01U628C				868.9						868.2			
01U628D				868.9						868.2			
01U634	950.2			951.9									
01U636	941.1			940.4									
01U639	950.1												
01U640	947.0			950.8									
01U642				951.2									
03U647					848.7			847.9		847.7			847.5
03U648					848.6			847.8		847.6			847.5
01U652	943.1			947.2						947.6			
03U658					849.4			848.5		848.3			848.3
03U659					847.5			846.6		846.4			846.2
01U666	948.9												
01U667													
01U668				949.2						949.9			
03U671							845.0	844.5	843.8				843.3
03U672		846.8	846.6					845.9	845.5				845.6
03U673		840.4	840.5					840.1	839.4				839.1
03L673		838.6	820.7					838.3		820.0			837.7
04U673		839.2			839.3			838.9		838.6			838.3
03U674					847.3			845.7	846.2				845.2
03U676								847.4					847.0
03U701					841.8			841.3		841.4			840.9
04U701					840.4			839.9		840.0			839.1
03U702					841.3			840.9		840.0			840.0
04U702					841.0			840.6		840.6			840.3
04J702								840.3					839.5
03U703					842.7			842.2	841.8				842.2
03U704		854.7			853.6			853.2	853.6				853.4
03U705					854.3			853.6					853.9
03U706		854.7			854.0			853.3			853.6		853.7
03U707					854.2			854.0			854.2		854.4
03U708					844.4			843.9	843.3				842.9
04U708					842.4			842.1	841.8				841.4
04J708								841.7					840.9
03U709					843.0			842.7	842.4				841.9
04U709					841.5			841.1	840.9				841.4
03U710					844.6			843.9	843.1				843.6
03U711		842.7			842.7			842.0		841.9			841.3
04U711		841.3			841.4			840.8		840.7			840.3
03M713		840.3						840.1					839.6
04U713		842.5						842.6					841.9
04J713		840.3						840.1					839.4
04U714		841.1						840.9					840.6
04J714		834.2						840.8					840.5
03U715		850.2						848.9					848.4
03U716		848.7						847.8					847.1
03U801			843.0					842.2		842.0			842.0
03M802						843.5		842.5		837.2			842.4
03L802		842.9	843.1					842.2		842.0			842.3
PJ#802			842.2					841.8		841.5			841.3
04U802			842.6					841.9		841.8			841.6
01U803			893.0							891.4			
03U803			842.7					841.7		841.8			841.3
03U804			842.6					841.9		841.9			841.4
01U805			900.4							897.1			
03U805			841.0					840.3		840.4			839.8
01U806			902.2							901.0			
03U806			841.0					840.4		840.5			839.9
03M806						840.4		839.8		840.0			839.3
03L806		840.2	840.4					839.8		840.0			839.3
PJ#806			840.2					839.7		839.8			839.1
04U806		840.0	840.1					839.6		839.7			839.1
01U808			891.3							891.0			
03L809				839.8				839.2		839.3			839.0
01L811						893.7				893.2			
03U811						840.2				839.7			
03L811				839.1						838.7			
01U813						868.1				867.5			
01L813						811.9				814.3			
03L813				837.0						836.8			
03U815						831.5				832.8			
01L816										867.2			

WELL	05/12/89 22 FCC	07/07/89 23 CRA	08/03/89 23 FCC	08/04/89 23 FCC	08/05/89 23 FCC	08/06/89 23 FCC	08/07/89 23 FCC	10/05/89 24 CRA	11/02/89 24 FCC	11/03/89 24 FCC	11/04/89 24 FCC	11/06/89 24 FCC	12/21/89 24 CRA
01L821										870.7			
03U821						830.8				831.3			
04U821						830.7				831.2			
01L822										867.0			
03U822						830.6				831.1			
03L822				830.6						831.0			
01L823										871.1			
03U824						830.7				831.2			
03U831							830.9						
03U832							829.4			830.1			
03L832				829.3						829.9			
04U832							829.9			830.8			
03L841							837.5			837.3			
04U841						838.8				838.7			
03M843						831.3				831.7			
04U843						830.8				831.2			
04U844						839.1				829.8			
04U845						830.9				831.4			
04U846						826.6			827.1				
04U847						838.6				838.1			
03M848						838.0				837.7			
03L848						829.7				838.2			
04U848						835.8				835.5			
04U849						824.8				824.9			
04U850						826.5			826.9				
04U851						825.0				825.2			
04U852						824.3				825.0			
03L853						831.5				831.8			
03L854						834.3				833.7			
04U854						829.6				830.2			
04U855						829.2				830.1			
03L856						834.9				835.4			
03L858						895.7				895.7			
03L859						836.6				834.4			
04U859						834.8				836.6			
03L860						835.7				834.3			
04U860						831.5				830.2			
03L861						833.1							
04U861						830.9							
04U871							799.5		801.0				
04U872							809.6		811.4				
04U875							811.1		812.2				
04U877							825.6		825.8				
04U879							825.8		825.5				
04U880							806.2		806.8				
04U881							802.6		804.1				
04U882									798.9				
04U883							788.4		796.4				
01U901						882.2			881.5				
01U902						884.4			883.6				
117NB													
191942													
200525	830.9												
206688							815.0			815.1			
21800													
234353	840.8												
234425													
234430													
234463													
409546						825.3			824.7				
409547						830.7			830.6				
409548						824.3			825.3				
409549						825.2			825.3				
409550						839.1		839.1	839.1				838.6
409555						813.1			812.5				
409556						826.7			826.0				
409557						832.8			832.8				
409595													
409596													
409597													
409598													
500691									828.8				
COUNT	9	51	20	54	179	65	16	167	173	119	27	7	165

TABLE 3

INCONSISTENT GROUNDWATER LEVEL DATA POINTS

WELL	DATE	G/W LEVEL	RATIONALE	BY
01L811	12-Apr-88	861.1	Too Low	FCC
01L821	22-Nov-88	876.6	Too Low	FCC
01U034	13-Apr-88	891.9	Too Low	FCC
01U037	13-Apr-88	888.4	Too Low	FCC
01U040	13-Apr-88	872.0	Too Low	FCC
01U607	27-Jan-88	881.3	Too Low	FCC
01U803	13-Apr-88	867.7	Too Low	FCC
01U813	27-Jan-88	790.4	Too Low	FCC
03F301	21-Dec-89	929.9	Too High	CRA
03F305	20-May-88	915.7	Too High	CRA
03F306	21-Mar-89	919.2	Too High	CRA
03F306	02-Dec-89	919.2	Too High	CRA
03F308	02-May-88	920.0	Inconsistent	CRA
03F308	20-May-88	920.0	Inconsistent	CRA
03F308	27-Jul-88	920.0	Inconsistent	CRA
03F312	02-May-88	944.8	Inconsistent	CRA
03F312	20-May-88	944.8	Inconsistent	CRA
03F312	27-Jul-88	944.8	Inconsistent	CRA
03L002	27-Jan-88	781.0	Too Low	FCC
03L003	23-Nov-88	859.2	Too High	FCC
03L017	15-Dec-87	874.4	Too High	FCC
03L029	11-Jan-90	957.0	Too High	CRA
03L113	27-Jul-88	980.0	Too High	CRA
03L113	02-Dec-88	980.0	Too High	CRA
03L806	11-Jan-90	849.5	Too High	CRA
03L858	23-Nov-88	903.7	Too High	FCC
03M003	24-Nov-87	849.6	Too Low	CRA
03M007	26-Jan-88	854.9	Too Low	FCC
03M714	02-May-88	898.5	Inconsistent	CRA
03M714	20-May-88	898.5	Inconsistent	CRA
03M714	27-Jul-88	898.5	Inconsistent	CRA
03M802	27-Jan-88	753.5	Too Low	FCC
03M806	11-Jan-90	849.6	Too High	CRA
03U001	27-Jan-88	807.5	Too High	FCC
03U004	24-Dec-87	866.5	Too High	FCC
03U011	26-Jan-88	866.5	Too High	FCC
03U015	26-Jan-88	791.4	Too Low	FCC
03U016	11-Jan-90	864.8	Too High	CRA
03U021	02-May-88	947.4	Inconsistent	CRA
03U021	20-May-88	947.4	Inconsistent	CRA
03U021	27-Jul-88	947.4	Inconsistent	CRA
03U021	02-Dec-88	947.4	Too High	CRA
03U087	01-Mar-88	871.8	Too High	CRA
03U090	23-Jun-88	985.8	Too High	CRA
03U113	23-Jun-88	980.0	Too High	CRA
03U124	30-Aug-88	853.8	Too Low	FCC
03U301	20-May-88	889.8	Too High	CRA
03U301	30-Aug-88	842.4	Too Low	FCC
03U314	02-May-88	978.2	Inconsistent	CRA
03U314	20-May-88	978.2	Inconsistent	CRA
03U314	27-Jul-88	978.2	Inconsistent	CRA

WELL	DATE	G/W LEVEL	RATIONALE	BY
03U315	02-May-88	965.3	Inconsistent	CRA
03U315	20-May-88	965.3	Inconsistent	CRA
03U315	27-Jul-88	965.3	Inconsistent	CRA
03U316	02-May-88	905.3	Inconsistent	CRA
03U316	20-May-88	905.3	Inconsistent	CRA
03U316	27-Jul-88	905.3	Inconsistent	CRA
03U317	02-May-88	952.7	Inconsistent	CRA
03U317	20-May-88	952.7	Inconsistent	CRA
03U317	27-Jul-88	952.7	Inconsistent	CRA
03U671	11-Apr-90	820.9	Too Low	CRA
03U674	11-Jan-90	867.6	Too High	CRA
03U705	02-Dec-88	1049.8	Too High	CRA
03U705	31-Mar-89	1049.8	Too High	CRA
03U705	11-Jan-90	903.8	Too High	CRA
03U709	15-Dec-87	779.9	Too Low	FCC
03U715	02-May-88	963.7	Inconsistent	CRA
03U715	20-May-88	963.7	Inconsistent	CRA
03U715	27-Jul-88	963.7	Inconsistent	CRA
03U716	02-May-88	952.2	Inconsistent	CRA
03U716	20-May-88	952.2	Inconsistent	CRA
03U716	27-Jul-88	952.2	Inconsistent	CRA
03U716	13-Jan-89	839.4	Too Low	CRA
03U805	23-Jun-88	908.2	Too High	CRA
03U831	03-Nov-89	811.1	Too Low	FCC
04J077	02-May-88	952.2	Inconsistent	CRA
04J077	20-May-88	952.2	Inconsistent	CRA
04J077	27-Jul-88	952.2	Inconsistent	CRA
04J702	02-May-88	952.2	Inconsistent	CRA
04J702	20-May-88	952.2	Inconsistent	CRA
04J702	27-Jul-88	952.2	Inconsistent	CRA
04J708	02-May-88	952.2	Inconsistent	CRA
04J708	20-May-88	952.2	Inconsistent	CRA
04J708	27-Jul-88	952.2	Inconsistent	CRA
04J713	02-May-88	952.2	Inconsistent	CRA
04J713	20-May-88	952.2	Inconsistent	CRA
04J713	27-Jul-88	952.2	Inconsistent	CRA
04J714	02-May-88	952.2	Inconsistent	CRA
04J714	20-May-88	952.2	Inconsistent	CRA
04J714	27-Jul-88	952.2	Inconsistent	CRA
04J714	11-Jan-90	778.9	Too Low	CRA
04U001	27-Jan-88	867.4	Too Low	FCC
04U002	07-Jul-89	834.4	Too Low	CRA
04U077	31-Mar-89	914.7	Too High	CRA
04U501	23-Jun-88	911.2	Too High	CRA
04U711	01-Sep-88	843.3	Too Low	CRA
04U713	02-May-88	952.2	Inconsistent	CRA
04U713	20-May-88	952.2	Inconsistent	CRA
04U713	27-Jul-88	952.2	Inconsistent	CRA
04U714	02-May-88	952.2	Inconsistent	CRA
04U714	20-May-88	952.2	Inconsistent	CRA
04U714	27-Jul-88	952.2	Inconsistent	CRA

WELL	DATE	G/W LEVEL	RATIONALE	BY
04U802	01-Sep-88	853.1	Too High	CRA
04U806	11-Jan-90	849.4	Too High	CRA
04U882	07-Aug-89	747.2	Too Low	FCC
409550	02-Dec-88	914.4	Too High	CRA
PJ#003	23-Jun-88	946.0	Too High	CRA
PJ#074	02-May-88	952.2	Inconsistent	CRA
PJ#074	20-May-88	952.2	Inconsistent	CRA
PJ#074	27-Jul-88	952.2	Inconsistent	CRA
PJ#309	02-May-88	952.2	Inconsistent	CRA
PJ#309	20-May-88	952.2	Inconsistent	CRA
PJ#309	27-Jul-88	952.2	Inconsistent	CRA
PJ#309	21-Dec-89	807.7	Too Low	CRA
PJ#310	02-May-88	952.2	Inconsistent	CRA
PJ#310	20-May-88	952.2	Inconsistent	CRA
PJ#310	27-Jul-88	952.2	Inconsistent	CRA
PJ#311	02-May-88	952.2	Inconsistent	CRA
PJ#311	20-May-88	952.2	Inconsistent	CRA
PJ#311	27-Jul-88	952.2	Inconsistent	CRA
PJ#313	02-May-88	952.2	Inconsistent	CRA
PJ#313	20-May-88	952.2	Inconsistent	CRA
PJ#313	27-Jul-88	952.2	Inconsistent	CRA

TABLE 4

GROUNDWATER QUALITY-ORGANICS-ARRANGED BY NUMERICAL ORDER

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2- DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
01L811	25-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
01L813	25-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
01L816	25-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
01L821	30-Nov-87	F16	<1.60	<2.00	<1.00	15.00	39.00	3.00		<1.20		<1.80	<9.00	2.80	110.00	
01L822	01-Dec-87	F16	<16.00	<20.00	<10.00	<14.00	43.00	<10.00		<12.00		<18.00	<90.00	<22.00	<30.00	
01L823	01-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
01U003	27-Apr-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U003	26-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U004	27-Apr-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U004	26-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U004	27-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U022	05-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U034	11-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U034	14-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U035	14-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U036	11-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U036	14-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U036	26-Apr-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		1.41		0.75	<1.90	<0.41
01U036	27-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U036	24-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U037	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U038	06-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	1.61
01U039	06-Apr-88	F18	<1.00	<1.00	<1.00		0.93	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U040	05-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U041	05-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U045	08-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U047	27-Apr-89	F22	<1.00	<1.00	<1.00		23.10	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U047	26-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U047	25-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U048	27-Apr-89	F22	<1.00	<1.00	<1.00		9.89	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U048	26-Jul-89	F23	<0.81	<0.99	<0.49		5.75	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U048	25-Oct-89	F24	<0.81	<0.99	<0.49		2.89	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U050	16-Nov-87	F16	2.26	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	6.88	<1.50	<3.09

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2-DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO-2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
01U050	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U050	15-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U050	21-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U051	16-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	2.39	<1.50	<3.09
01U051	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U051	15-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U051	21-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U052	27-Apr-89	F22	<1.00	<1.00	<1.00		1.24	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U052	26-Jul-89	F23	<0.81	<0.99	<0.49		1.75	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U052	25-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U053	16-Nov-87	F16	<0.81	<0.99	0.94	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U053	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U053	15-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U053	21-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U054	16-Nov-87	F16	5.92	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	16.10	<1.50	<3.09
01U054	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U054	15-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U054	21-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U054	27-Apr-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U054	26-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U054	26-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U060	19-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U060	11-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U060	17-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U062	16-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U062	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U062	16-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U062	21-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U062	09-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U062	26-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U062	26-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U063	05-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U064	12-May-89	F22	7.15	<1.00	2.96		150.00	1.42		<1.00		<1.00		5.42	3.58	<0.41
01U064	26-Jul-89	F23	<20.00	<25.00	<12.00		430.00	<13.00		<16.00		<22.00		<28.00	<38.00	<3.09
01U064	27-Oct-89	F24	22.00	<25.00	<12.00		430.00	<13.00		<16.00		<22.00		41.00	<38.00	<77.00
01U065	28-Apr-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U065	26-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U065	25-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U067	05-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U072	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U085	11-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2- DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
01U085	10-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U085	17-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U098	19-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U098	11-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U098	17-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U100	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U101	14-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U101	25-Apr-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U101	26-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U101	24-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U102	08-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U102	11-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U102	25-Apr-89	F22	<1.00	<1.00	<1.00		9.60	<0.50		<1.00		41.60		31.00	<1.90	0.84
01U102	27-Jul-89	F23	<1.60	<2.00	<0.98		47.00	<1.00		<1.20		<1.80		2.80	<3.00	<6.20
01U102	26-Oct-89	F24	<0.81	<0.99	<0.49		80.00	<0.51		<0.62		64.00		200.00	<1.50	<6.20
01U103	11-Nov-87	F16														<3.09
01U103	18-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
01U103	08-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U103	11-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U103	26-Apr-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U103	27-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U103	26-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U107	08-Apr-88	F18	<1.00	<1.00	<1.00		1.49	<0.50		<1.00		<1.00		0.54	<1.90	<0.41
01U107	08-Aug-88	F19	<1.00	<1.00	<1.00		1.04	<0.50		<1.00		<1.00		<0.50	<1.90	
01U107	15-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		2.42		0.94	<1.90	
01U107	25-Apr-89	F22	<1.00	<1.00	1.29		0.69	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U107	27-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U107	25-Oct-89	F24	<0.81	<0.99	<0.49		1.23	<0.51		<0.62		<0.88		1.43	<1.50	<3.09
01U108	16-Nov-87	F16														
01U108	17-Nov-87	F16	<20.00	<25.00	<12.00	<18.00	670.00	<13.00		<16.00		260.00	<110.00	150.00	<38.00	<3.09
01U108	11-Apr-88	F18	<1.00	<1.00	<1.00		870.00	<0.50		<1.00		990.00		590.00	<1.90	4.50
01U108	25-Aug-88	F19	<20.00	<20.00	<20.00		720.00	<10.00		<20.00		1000.00		750.00	<38.00	
01U108	15-Nov-88	F20	<20.00	<20.00	<20.00		300.00	<10.00		<20.00		640.00		480.00	<38.00	
01U108	24-Apr-89	F22	<10.00	<10.00	12.00		120.00	<5.00		<10.00		420.00		300.00	<19.00	<4.10
01U108	24-Oct-89	F24	<20.00	<25.00	<12.00		100.00	<13.00		<16.00		180.00		160.00	<38.00	<77.00
01U109	08-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U110	08-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U115	11-Nov-87	F16	<2.00	<2.50	<1.20	<1.80	43.00	<1.30		<1.60		<2.20	<11.00	12.00	<3.80	<3.09
01U115	11-Apr-88	F18	<1.00	<1.00	<1.00		35.60	<0.50		<1.00		<1.00		14.10	<1.90	<0.41
01U115	09-Aug-88	F19	<1.00	<1.00	<1.00		24.40	<0.50		<1.00		<1.00		6.04	<1.90	
01U115	15-Nov-88	F20	<1.00	<1.00	<1.00		20.30	<0.50		<1.00		1.34		10.40	<1.90	
01U115	24-Apr-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U115	27-Jul-89	F23	<0.81	<0.99	<0.49		15.30	<0.51		<0.62		<0.88		8.29	<1.50	<3.09

TABLE 4 - TCAAP GROUNDWATER QUALITY (ORGANICS) - ug/l

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
01U115	27-Oct-89	F24	<0.81	<0.99	<0.49		9.84	<0.51		<0.62		<0.88		5.32	<1.50	<3.09
01U116	11-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	24.70	<0.51		<0.62		<0.88	<4.50	2.65	<1.50	<3.09
01U116	06-Apr-88	F18	<1.00	<1.00	<1.00		11.20	<0.50		<1.00		<1.00		2.38	<1.90	<0.41
01U116	09-Aug-88	F19	<1.00	<1.00	<1.00		9.12	<0.50		<1.00		<1.00		4.15	<1.90	
01U116	15-Nov-88	F20	<1.00	<1.00	<1.00		4.59	<0.50		<1.00		<1.00		4.60	<1.90	
01U116	24-Apr-89	F22	<1.00	<1.00	1.11		0.66	<0.50		<1.00		<1.00		0.85	<1.90	<0.41
01U116	27-Jul-89	F23	<0.81	<0.99	<0.49		1.65	<0.51		<0.62		<0.88		4.31	<1.50	<3.09
01U116	27-Oct-89	F24	<0.81	<0.99	<0.49		1.93	<0.51		<0.62		<0.88		3.36	<1.50	<3.09
01U117	11-Nov-87	F16	<2.00	<2.50	<1.20	<1.80	51.00	<1.30		<1.60		14.00	<11.00	7.00	<3.80	<3.09
01U117	06-Apr-88	F18	<1.00	<1.00	<1.00		48.40	<0.50		<1.00		55.40		24.60	<1.90	<0.41
01U117	09-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U117	15-Nov-88	F20	<1.00	<1.00	<1.00		43.50	<0.50		<1.00		58.40		23.40	<1.90	
01U117	25-Apr-89	F22	<1.00	<1.00	1.41		1.72	<0.50		<1.00		86.30		18.50	<1.90	1.37
01U117	27-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		12.10		4.01	<1.50	<3.09
01U117	27-Oct-89	F24	<0.81	<0.99	<0.49		64.00	<0.51		<0.62		9.21		12.80	<1.50	<3.09
01U118	11-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U118	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.41	<1.90	<0.41
01U118	09-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U118	15-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U118	25-Apr-89	F22	<1.00	<1.00	1.38		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U118	27-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U118	27-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U119	11-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U119	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.82	<1.90	<0.41
01U119	12-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U119	15-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U119	26-Apr-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U119	27-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U119	27-Oct-89	F24	<0.81	<0.99	<0.49		1.18	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U120	11-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U120	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		2.39	<1.90	<0.41
01U120	12-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U120	15-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U120	27-Apr-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U120	27-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.41	<1.50	<3.09
01U120	27-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U122	09-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U122	05-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U122	08-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.11	<1.90	
01U122	11-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U125	08-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U125	11-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U125	12-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U125	17-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U126	08-Dec-87	F16	<1.60	<2.00	<1.00	<1.40	<1.10	<1.00		<1.20		25.00	<9.00	<2.20	<3.00	<3.09

WELLS ARRANGED NUMERICALLY

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
01U126	06-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		41.50		0.85	<1.90	<0.41
01U126	12-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		30.80		<0.50	<1.90	
01U126	17-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		34.70		2.11	<1.90	
01U126	24-Apr-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		5.41		0.70	<1.90	<0.41
01U126	27-Jul-89	F23	<0.81	<0.99	<0.49		1.29	<0.51		<0.62		3.82		1.76	<1.50	<3.09
01U126	25-Oct-89	F24	<0.81	<0.99	<0.49		1.37	<0.51		<0.62		2.29		2.14	<1.50	<3.09
01U127	11-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U127	06-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U127	12-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U127	14-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U127	26-Apr-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U127	25-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.45	<1.50	<3.09
01U128	09-Dec-87	F16	<1.60	<2.00	<1.00	<1.40	41.00	<1.00		<1.20		<1.80	<9.00	<2.20	<3.00	<3.09
01U128	05-Apr-88	F18	<1.00	<1.00	<1.00		34.00	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U128	08-Aug-88	F19	<1.00	<1.00	<1.00		41.30	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U128	16-Nov-88	F20	<1.00	<1.00	<1.00		30.70	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U130	07-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U130	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U130	15-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U130	21-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U133	11-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U133	12-Aug-88	F19	<1.00	<1.00	<1.00		0.67	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U133	14-Nov-88	F20	<1.00	<1.00	<1.00		0.62	<0.50		<1.00		<1.00		<0.50	<1.90	
01U135	21-Nov-88	F20	<1.00	<1.00	<1.00		0.66	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U135	25-Apr-89	F22	<1.00	<1.00	<1.00		1.17	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U135	26-Jul-89	F23	<0.81	<0.99	<0.49		0.76	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U135	25-Oct-89	F24	<0.81	<0.99	<0.49		1.46	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U136	21-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U136	25-Apr-89	F22	<1.00	<1.00	1.36		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U136	26-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U136	25-Oct-89	F24	<0.81	<0.99	<0.49		1.16	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U524	16-Nov-87	F16														
01U524	17-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U524	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U524	16-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U524	21-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U525	16-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U525	17-Nov-87	F16														
01U525	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U525	15-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U525	14-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U525	27-Apr-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U525	26-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U525	26-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2- DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
01U526	17-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	2.80	<1.50	<3.09
01U526	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.99	<1.90	<0.41
01U526	15-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.16	<1.90	<0.41
01U526	14-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.74	<1.90	
01U526	09-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.93	<1.90	<0.41
01U526	26-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.95	<1.50	<3.09
01U526	26-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		2.50	<1.50	<3.09
01U527	17-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U527	11-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U527	25-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U527	21-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U601	07-Dec-87	F16	<1.60	<2.00	<1.00	<1.40	<1.10	<1.00		<1.20		<1.80	<9.00	3.60	<3.00	<6.20
01U604	07-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U611	08-Dec-87	F16	<4000.00	<5000.00	<2400.00	<3600.00	<2800.00	<2600.00		<3100.00		<4400.00	<22000.00	120000.00	<7500.00	<15000.00
01U615	07-Dec-87	F16	<81.00	<99.00	<49.00	<72.00	490.00	<51.00		<62.00		<88.00	<450.00	1500.00	<150.00	<3.09
01U617	19-Aug-88	F19	<1.00	<1.00	<1.00		6.29	<0.50		<1.00		<1.00		1.72	<1.90	<0.41
01U618	19-Aug-88	F19	<1.00	<1.00	<1.00		1.21	<0.50		<1.00		<1.00		3.96	<1.90	<0.41
01U619	19-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.74	<1.90	<0.41
01U634	12-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U634	26-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U636	12-May-89	F22	1.75	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.82	<1.90	<0.41
01U636	26-Jul-89	F23	3.56	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		3.31	<1.50	<3.09
01U639	12-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.85	<1.90	<0.41
01U639	26-Jul-89	F23	<1.60	<2.00	<0.98		<1.10	<1.00		<1.20		<1.80		41.00	4.70	<3.09
01U640	26-Jul-89	F23	2.60	<2.00	<0.98		<1.10	<1.00		<1.20		<1.80		30.00	7.90	<3.09
01U652	12-May-89	F22	<1.00	<1.00	<1.00		37.30	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U652	26-Jul-89	F23	<0.81	<0.99	<0.49		28.50	<0.51		<0.62		<0.88		<1.10	2.20	<3.09
01U652	27-Oct-89	F24	<0.81	<0.99	<0.49		18.70	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U666	12-May-89	F22	<1.00	<1.00	<1.00		18.70	<0.50		<1.00		<1.00		77.00	<1.90	<0.41
01U901	27-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U901	20-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U902	27-Jul-89	F23	<1.60	<2.00	<0.98		70.00	<1.00		<1.20		35.00		62.00	<3.00	<3.09
01U902	20-Oct-89	F24	<4.00	<5.00	<2.40		54.00	<2.60		<3.10		<4.40		8.90	<7.50	<15.00
03F302	17-Nov-87	H16	9.70	0.30	3.80	5.00		<0.02	51.40		<0.20	0.60		1040.00	<0.20	
03F302	15-Dec-87	H16	23.20	0.28	12.30	12.80		<0.20	177.00		1.10	1.50		2120.00	<0.20	
03F302	12-Jan-88	H17	23.00	<4.00	12.00	20.00		<4.00	182.00		<4.00	<4.00		2580.00	<4.00	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2- DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03F302	28-Apr-88	H18	41.00	<10.00	12.00	14.00		<10.00	124.00		<10.00	<10.00		2895.00	<10.00	
03F302	19-Jul-88	H19	24.00	0.49	7.50	18.00		<0.20	234.00		1.20	2.70		4300.00	<0.20	
03F302	21-Oct-88	H20	24.00	<0.50	10.00	14.00		<1.00	135.00		0.66	2.20		4800.00	<0.50	
03F302	06-Jan-89	H21	35.00	<1.00	16.00	18.00		<1.00	158.00	<1.00	<1.00	2.40	<1.00	2850.00	<1.00	<1.00
03F302	16-Mar-89	H21	31.00	<10.00	<10.00	11.00		<10.00	130.00		<10.00	<10.00		5800.00	<10.00	
03F302	20-Apr-89	H22	27.00	0.60	14.00	13.00		<0.20	100.00		0.70	1.60		4500.00	<1.00	
03F302	19-Jul-89	H23	44.00	<20.00	22.00	<20.00		<20.00	120.00		<20.00	<20.00		2700.00	<100.00	
03F302	24-Oct-89	H24	62.00	<20.00	<20.00	<20.00		<20.00	67.00		<20.00	<20.00		2300.00	<100.00	
03F303	17-Nov-87	H16	18.10	<0.20	9.90	9.00		<0.20	31.50		<0.20	6.70		190.00	<0.20	
03F303	15-Dec-87	H16	19.10	<0.20	8.10	10.20		<0.20	28.90		0.30	8.90		282.00	<0.20	
03F303	12-Jan-88	H17	27.00	<0.20	11.00	17.00		<0.20	60.00		<0.20	16.00		390.00	<0.20	
03F303	28-Apr-88	H18	18.50	<0.20	8.20	10.30		<0.20	41.90		<0.20	10.70		274.00	<0.20	
03F303	19-Jul-88	H19	28.00	<0.20	5.00	13.00		<0.20	48.00		<0.20	18.00		700.00	<0.20	
03F303	21-Oct-88	H20	22.00	<0.50	5.20	7.60		<1.00	32.00		<0.50	14.00		1000.00	<0.50	
03F303	06-Jan-89	H21	20.00	<1.00	7.60	11.00		<1.00	61.00	<1.00	<1.00	13.00	<1.00	61.00	<1.00	<1.00
03F303	16-Mar-89	H21	<10.00	<10.00	<10.00	<10.00		<10.00	<10.00		<10.00	11.00		1200.00	<10.00	
03F303	20-Apr-89	H22	14.00	<0.20	6.90	5.70		<0.20	38.00		0.30	11.00		1100.00	<1.00	
03F303	19-Jul-89	H23	20.00	<4.00	9.00	6.80		<4.00	48.00		<4.00	17.00		860.00	<20.00	
03F303	24-Oct-89	H24	19.00	<5.00	<5.00	<5.00		<5.00	28.00		<5.00	12.00		850.00	<25.00	
03F304	17-Nov-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		5.10	<0.20	
03F304	15-Dec-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	1.11		<0.20	<0.20		8.33	<0.20	
03F304	12-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	1.10		<0.20	<0.20		8.20	<0.20	
03F304	28-Apr-88	H18	1.26	<0.20	<0.20	<0.20		<0.20	1.16		<0.20	<0.20		8.02	<0.20	
03F304	19-Jul-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		9.50	<0.20	
03F304	16-Mar-89	H21	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		6.00	<1.00	
03F304	20-Apr-89	H22	0.20	<0.20	<0.30	0.20		<0.20	0.50		<0.20	<0.20		11.00	<1.00	
03F304	19-Jul-89	H23	<0.20	<0.20	0.20	<0.20		<1.00	0.40		<0.20	<0.20		4.60	<5.00	
03F304	24-Oct-89	H24	0.50	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		5.40	<1.00	
03F305	17-Nov-87	H16	17.60	2.40	2.20	2.00		<0.20	0.80		<0.20	0.80		22.90	<0.20	
03F305	15-Dec-87	H16	31.00	3.10	4.10	6.14		<0.20	1.55		<0.20	1.10		54.00	<0.20	
03F305	12-Jan-88	H17	39.00	2.30	3.60	5.50		<0.20	1.60		<0.20	0.86		61.00	<0.20	
03F305	28-Apr-88	H18	34.90	1.86	4.19	2.49		<0.20	1.38		<0.20	0.82		26.30	<0.20	
03F305	19-Jul-88	H19	85.00	8.60	2.40	1.80		<0.20	0.73		<0.20	6.50		38.00	<0.20	
03F305	06-Jan-89	H21	44.00	2.30	4.70	3.60		<1.00	<1.00	<1.00	<1.00	1.10	<1.00	21.00	<1.00	<1.00
03F305	16-Mar-89	H21	68.00	1.80	8.20	14.00		1.30	<1.00		11.00	2.00		68.00	<1.00	
03F305	20-Apr-89	H22	58.00	1.60	15.00	19.00		<0.20	3.30		<0.20	1.40		100.00	<1.00	
03F305	19-Jul-89	H23	110.00	2.60	49.00	34.00		<1.00	7.80		<1.00	1.30		140.00	<5.00	
03F305	23-Oct-89	H24	240.00	<2.00	77.00	67.00		<2.00	13.00		<2.00	<2.00		430.00	<10.00	
03F306	17-Nov-87	H16	845.00	1.30	130.00	90.00		2.50	17.00		<0.20	0.40		1500.00	0.20	
03F306	15-Dec-87	H16	1150.00	1.46	48.80	143.00		4.40	27.40		0.60	0.36		2130.00	<0.20	
03F306	12-Jan-88	H17	1224.00	<4.00	171.00	185.00		<4.00	5.70		<4.00	<4.00		2420.00	<4.00	
03F306	28-Apr-88	H18	100.00	<0.20	160.00	120.00		<0.20	38.00		<0.20	<0.20		530.00	<0.20	
03F306	19-Jul-88	H19	1500.00	3.80	135.00	236.00		8.00	34.00		<0.20	<0.20		2920.00	<0.20	
03F306	21-Oct-88	H20	475.00	2.00	90.00	55.00		<1.00	25.00		<0.50	1.10		1400.00	<0.50	
03F306	06-Jan-89	H21	450.00	1.30	55.00	75.00		3.60	18.00	<1.00	<1.00	1.50	<1.00	300.00	<1.00	<1.00
03F306	16-Mar-89	H21	1200.00	<10.00	170.00	150.00		<10.00	33.00		<10.00	<10.00		2800.00	<10.00	
03F306	20-Apr-89	H22	1400.00	2.00	330.00	200.00		3.20	100.00		0.40	0.80		2800.00	1.30	
03F306	19-Jul-89	H23	800.00	<5.00	300.00	130.00		<5.00	30.00		<5.00	<5.00		2200.00	<25.00	
03F306	23-Oct-89	H24	940.00	<20.00	290.00	130.00		<20.00	<20.00		<20.00	<20.00		2700.00	<100.00	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03F307	17-Nov-87	H16	480.00	3.00	60.00	48.00		<0.20	18.00		<0.20	3.00		2370.00	<0.20	
03F307	15-Dec-87	H16	90.80	1.80	110.00	45.00		4.10	16.30		0.40	1.70		3275.00	<0.20	
03F307	12-Jan-88	H17	786.00	<4.00	61.40	103.00		<4.00	27.00		<4.00	<4.00		3300.00	<4.00	
03F307	28-Apr-88	H18	550.00	<4.00	100.00	75.00		<4.00	31.00		<4.00	<4.00		3400.00	<4.00	
03F307	19-Jul-88	H19	893.00	2.00	76.00	82.00		5.00	22.00		<0.20	2.30		3020.00	<0.20	
03F307	21-Oct-88	H20	605.00	1.20	70.00	70.00		3.20	18.00		<0.50	1.50		3200.00	<0.50	
03F307	16-Mar-89	H21	900.00	<10.00	64.00	98.00		<10.00	59.00		<10.00	<10.00		4174.00	<10.00	
03F307	20-Apr-89	H22	530.00	2.00	150.00	83.00		3.90	23.00		0.20	2.20		3600.00	1.00	
03F307	19-Jul-89	H23	640.00	<4.00	210.00	100.00		<4.00	25.00		<4.00	<4.00		2400.00	<20.00	
03F307	23-Oct-89	H24	590.00	<20.00	170.00	82.00		<20.00	<20.00		<20.00	<20.00		3300.00	<100.00	
03F308	16-Mar-89	H21	15.00	<5.00	<5.00	<5.00		<5.00	<5.00		<5.00	<5.00		75.00	<5.00	
03F308	20-Apr-89	H22	5.00	<0.20	<1.70	1.30		<0.20	0.30		<0.20	<0.20		44.00	<1.00	
03F308	19-Jul-89	H23	4.50	<0.20	1.40	0.80		<0.20	0.30		<0.20	<0.20		29.00	<1.00	
03F308	23-Oct-89	H24	5.30	<0.20	1.10	0.80		<0.20	<0.20		<0.20	<0.20		32.00	<1.00	
03F312	19-Dec-88	H20	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		<1.00	<1.00	
03F312	16-Mar-89	H21	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		1.30	<1.00	
03F312	20-Apr-89	H22	1.70	<0.20	<0.80	0.80		<0.20	0.40		<0.20	<0.20		6.30	<1.00	
03F312	19-Jul-89	H23	3.60	<0.20	1.90	2.80		<0.20	0.80		<0.20	<0.20		10.00	<1.00	
03F312	24-Oct-89	H24	3.70	<0.20	2.10	3.70		<0.20	1.70		<0.20	<0.20		31.00	<1.00	
03L001	16-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	1.69	<1.50	<3.09
03L001	13-Jan-88	H17	<0.20	<0.20	<0.20	<0.20			<0.20		<0.20	<0.20		1.00	<0.20	
03L001	11-May-88	H18	0.73	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		2.40	<0.20	
03L001	29-Jul-88	H19	0.23	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.41	<0.20	
03L001	20-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<1.00	<0.50		<0.50	<0.50	
03L001	18-Apr-89	H22	<0.20	<0.20	<0.30	<0.20		<0.20	<0.20		<0.20	<0.20		<0.40	<1.00	
03L001	11-Jul-89	H23	0.70	<0.20	0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.70	<1.00	
03L001	11-Oct-89	H24	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.40	<1.00	
03L002	17-Nov-87	F16	260.00	<50.00	61.00	190.00	38.00	<26.00		<31.00		<44.00	<220.00	1100.00	<75.00	<3.09
03L002	18-Jan-88	H17	660.00	0.63	24.00	312.00		3.40	68.00		<0.20	<0.20		2450.00	1.60	
03L002	10-May-88	H18	613.00	<2.00	<159.00	270.00		<0.20	66.00		<2.00	<2.00		2000.00	<2.00	
03L002	04-Aug-88	H19	510.00	0.58	154.00	255.00		3.40	72.00		<0.20	<0.20		2280.00	0.63	
03L002	24-Oct-88	H20	588.00	0.47	139.00	410.00		8.40	144.00		<0.50	<0.50		2670.00	<1.00	
03L002	12-Oct-89	H24	68.00	<10.00	42.00	52.00		<10.00	<10.00		<10.00	<10.00		1100.00	<50.00	
03L003	19-Nov-87	F16	4.75	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03L003	11-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03L004	18-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03L004	09-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03L005	23-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03L005	10-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03L006	11-Jul-89	H23	150.00	<4.00	130.00	240.00		4.10	110.00		<4.00	<4.00		540.00	<20.00	
03L007	09-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03L007	10-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03L010	09-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03L010	10-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03L012	09-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03L012	11-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03L013	10-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03L014	23-Nov-87	F16	2.34	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	2.77	<1.50	<3.09
03L014	10-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03L017	10-Nov-87	F16	200.00	<25.00	<12.00	<18.00	<14.00	<13.00		<16.00		<22.00	<110.00	540.00	<38.00	<3.09
03L018	23-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	2.54	<1.50	<3.09
03L018	08-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.06	<1.90	<0.41
03L018	22-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		2.70	<1.90	<0.41
03L018	18-Nov-88	F20	1.64	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		6.52	<1.90	<0.41
03L020	07-Dec-87	F16	4200.00	<990.00	<490.00	<720.00	<560.00	<510.00		<620.00		<880.00	<4500.00	14000.00	<1500.00	<3100.00
03L020	17-Aug-88	F19	1300.00	<200.00	280.00		520.00	<100.00		<200.00		<200.00		4700.00	<380.00	<0.41
03L021	13-Oct-89	H24	20.00	<0.40	11.00	42.00		<0.40	2.20		<0.40	<0.40		10.00	<2.00	
03L029	03-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03L077	04-Dec-87	F16	610.00	<99.00	61.00	<72.00	<56.00	<51.00		<62.00		<88.00	<450.00	1600.00	<150.00	<150.00
03L077	19-Jan-88	H17	350.00	0.32	63.00	53.00		1.10	10.00		<0.20	<0.20		875.00	0.70	
03L077	09-May-88	H18	103.00	<0.20	12.00	12.00		0.44	3.00		<0.20	<0.20		287.00	<0.20	
03L077	03-Aug-88	H19	163.00	<0.20	8.00	15.00		<0.20	7.00		<0.20	<0.20		458.00	<0.20	
03L077	21-Oct-88	H20	310.00	<0.50	32.00	41.00		<1.00	7.00		<0.50	<0.50		1000.00	<0.50	
03L077	11-Oct-89	H24	1600.00	<40.00	440.00	<40.00		<40.00	<40.00		<40.00	<40.00		5600.00	<200.00	
03L078	23-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03L078	15-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.62	<0.20	
03L078	13-May-88	H18	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.30	<0.20	
03L078	03-Aug-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
03L078	18-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		2.69	<1.90	<0.41
03L078	16-Oct-89	H24	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.50	<1.00	
03L079	04-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03L079	14-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
03L079	09-May-88	H18	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		2.40	<0.20	
03L079	03-Aug-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.00	<0.20	
03L079	18-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.84	<1.90	0.69
03L079	26-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		1.00	<0.50	
03L079	16-Oct-89	H24	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.50	<1.00	
03L084	08-Dec-87	F16	7.10	<2.00	<1.00	<1.40	<1.10	<1.00		<1.20		<1.80	<9.00	30.00	<3.00	<3.09
03L084	18-Jan-88	H17	11.50	<0.20	0.76	0.36		<0.20	<0.20		<0.20	<0.20		42.00	<0.20	
03L084	11-May-88	H18	8.10	<0.20	<0.20	0.61		<0.20	<0.20		<0.20	<0.20		23.00	<0.20	
03L084	04-Aug-88	H19	6.80	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		27.00	<0.20	
03L084	20-Oct-88	H20	4.20	<0.50	<0.50	<1.00		<1.00	<0.50		<1.00	<0.50		18.00	<0.50	
03L084	11-Oct-89	H24	4.30	<0.20	1.70	<0.20		<0.20	<0.20		<0.20	<0.20		15.00	<1.00	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2- DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03L086	11-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03L091	03-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03L091	25-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03L113	18-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03L113	06-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.76	<1.90	<0.41
03L113	09-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03L113	18-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03L137	17-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03L138	17-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03L306	23-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		2.01	<1.90	<0.41
03L306	08-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03L306	03-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03L673	12-Nov-87	H16	<0.20	<0.20	5.00	7.00		<0.20	77.00		<0.20	<0.20		1200.00	<0.20	
03L802	03-Dec-87	F16	<400.00	<500.00	<240.00	<360.00	<280.00	<260.00		<310.00		<440.00	<2200.00	13000.00	<750.00	
03L802	21-Jan-88	H17	30.00	<5.00	33.00	50.00		<5.00	325.00		<5.00	<5.00		11500.00	<5.00	
03L802	13-May-88	H18	50.00	1.40	22.00	26.00		1.30	168.00		0.60	0.59		7540.00	<0.20	
03L802	04-Aug-88	H19	27.00	1.10	17.00	23.00		0.28	147.00		0.24	0.38		3180.00	<0.20	
03L802	28-Oct-88	H20	6.30	<0.50	7.50	16.00		<1.00	90.00		<0.50	<0.50		2200.00	<0.50	
03L802	20-Apr-89	H22	3.20	<0.20	5.00	8.50		<0.20	27.00		<0.20	<0.20		7.30	<1.00	
03L802	12-Jul-89	H23	4.80	<4.00	<4.00	12.00		<4.00	32.00		<4.00	<4.00		810.00	<20.00	
03L802	18-Oct-89	H24	8.80	<0.20	5.30	6.30		<0.20	12.00		<0.20	<0.20		350.00	<1.00	
03L806	02-Dec-87	F16	1700.00	<200.00	260.00	340.00	<110.00	<100.00		<120.00		<180.00	<900.00	5100.00	<300.00	
03L806	19-Jan-88	H17	1250.00	2.60	262.00	370.00		8.30	67.00		<0.20	<0.20		3500.00	<0.20	
03L806	12-May-88	H18	378.00	0.66	134.00	304.00		6.10	66.00		0.24	<0.20		740.00	0.25	
03L806	04-Aug-88	H19	810.00	0.71	232.00	403.00		7.80	124.00		<0.20	<0.20		2065.00	0.68	
03L806	25-Oct-88	H20	1170.00	0.73	150.00	300.00		6.60	120.00		<0.50	<0.50		3890.00	<0.50	
03L806	16-Oct-89	H24	590.00	<10.00	230.00	130.00		<10.00	27.00		<10.00	<10.00		2000.00	<50.00	
03L809	10-May-89	F22	1030.00	<50.00	230.00		45.00	<25.00		<50.00		<50.00		1900.00	<95.00	<21.00
03L809	20-Oct-89	F24	380.00	<99.00	150.00		140.00	<51.00		<62.00		<88.00		1800.00	<150.00	<3.09
03L811	25-Nov-87	F16	16.80	<0.99	0.55	4.58	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03L811	04-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.87	<1.90	<0.41
03L811	24-Jul-89	F23	11.60	<0.99	3.74		0.60	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03L811	20-Oct-89	F24	4.75	<0.99	2.84		1.39	<0.51		<0.62		<0.88		2.89	<1.50	<3.09
03L813	25-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03L813	05-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.64	<1.90	<0.41
03L813	24-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03L813	20-Oct-89	F24	0.98	<0.99	0.73		<0.56	<0.51		<0.62		<0.88		6.24	<1.50	<6.20
03L822	01-Dec-87	F16	18.00	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03L822	05-May-89	F22	11.20	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.96	<1.90	0.68
03L822	24-Jul-89	F23	19.30	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2- DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03L822	23-Oct-89	F24	19.00	<0.99	1.08		<0.56	<0.51		<0.62		<0.88		14.80	<1.50	<3.09
03L832	24-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03L832	16-Dec-88	H20	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		<1.00	<1.00	
03L832	09-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03L832	24-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03L832	24-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.42	<1.50	<3.09
03L841	20-Oct-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.00	<0.20	
03L841	12-Nov-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.50	<0.20	
03L846	18-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03L846	19-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03L848	02-Dec-87	F16	<40.00	<50.00	<24.00	<36.00	<28.00	<26.00		<31.00		<44.00	<220.00	570.00	<75.00	
03L848	03-May-89	F22	1.56	<1.00	2.64		24.90	<0.50		<1.00		<1.00		270.00	<1.90	<0.41
03L848	20-Jul-89	F23	<16.00	<20.00	<9.80		<11.00	<10.00		<12.00		<18.00		130.00	<30.00	<62.00
03L848	19-Oct-89	F24	1.56	<0.99	1.16		21.60	<0.51		<0.62		<0.88		610.00	<1.50	<3.09
03L853	03-Dec-87	F16	440.00	<99.00	<49.00	<72.00	<56.00	<51.00		<62.00		<88.00	<450.00	2500.00	<150.00	
03L853	05-May-89	F22	320.00	<1.00	56.00		10.80	1.96		<1.00		3.90		1200.00	<1.90	<0.41
03L853	25-Jul-89	F23	190.00	<99.00	<49.00		<56.00	<51.00		<62.00		<88.00		1300.00	<150.00	<310.00
03L853	23-Oct-89	F24	280.00	<99.00	90.00		<56.00	<51.00		<62.00		<88.00		1900.00	<150.00	<309.00
03L854	20-Oct-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
03L854	24-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03L854	16-Dec-88	H20	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		<1.00	<1.00	
03L854	20-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03L854	27-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03L856	24-Nov-87	F16	6.90	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03L856	05-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03L856	25-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03L856	23-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.47	<1.50	<3.09
03L858	24-Nov-87	F16	<2.00	<2.50	<1.20	<1.80	<1.40	<1.30		<1.60		<2.20	<11.00	7.90	<3.80	
03L858	08-May-89	F22	43.50	<1.00	<1.00		3.10	<0.50		<1.00		<1.00		5.26	<1.90	<0.41
03L858	21-Jul-89	F23	46.00	<5.00	<2.40		<2.80	<2.60		<3.10		<4.40		7.60	<7.50	<15.00
03L858	23-Oct-89	F24	<4.00	<5.00	<2.40		6.40	<2.60		<3.10		<4.40		11.00	<7.50	<15.00
03L859	13-Nov-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	0.40		<0.20	<0.20	
03L859	15-Dec-88	H20	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		<1.00	<1.00	
03L860	13-Nov-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
03L860	15-Dec-88	H20	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		<1.00	<1.00	
03L861	12-Nov-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
03L861	15-Dec-88	H20	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		<1.00	<1.00	
03M001	16-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03M002	17-Nov-87	F16	1500.00	<200.00	200.00	220.00	170.00	<100.00		<120.00		<180.00	<900.00	4100.00	<300.00	<3.09

TABLE 4 - TCAAP GROUNDWATER QUALITY (ORGANICS) - ug/l

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03M003	19-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03M003	11-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03M004	18-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03M004	27-Jul-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
03M004	09-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		1.68		<0.50	<1.90	<0.41
03M005	08-Dec-87	F16	0.98	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	8.49	<1.50	<3.09
03M005	14-Jan-88	H17	0.42	<0.20	<0.20	<0.20		<0.20	0.54		<0.20	<0.20		33.00	<0.20	
03M005	06-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.27	<1.90	<0.41
03M005	16-May-88	H18	1.50	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		7.10	<0.20	
03M005	27-Jul-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
03M005	11-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03M005	31-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		2.00	<0.50	
03M005	10-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.87	<1.90	
03M005	11-Oct-89	H24	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<1.00	
03M013	10-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03M017	10-Nov-87	F16	860.00	<50.00	40.00	<36.00	<28.00	<26.00		<31.00		<44.00	<220.00	1300.00	<75.00	<3.09
03M017	11-Jan-88	H17	1040.00	<0.20	71.00	19.00		<0.20	4.60		<0.20	<0.20		1540.00	<0.20	
03M017	12-May-88	H18	835.00	<0.20	38.00	8.90		<0.20	3.10		<0.20	<0.20		965.00	<0.20	
03M017	01-Aug-88	H19	2320.00	<0.20	90.00	9.20		<0.20	7.40		<0.20	0.24		2380.00	<0.20	
03M017	31-Oct-88	H20	1160.00	<0.50	66.00	6.00		<1.00	4.40		<0.50	<0.50		1480.00	<0.50	
03M017	13-Oct-89	H24	990.00	<10.00	210.00	<10.00		<10.00	<10.00		<10.00	<10.00		1400.00	<50.00	
03M020	19-Jan-88	H17	2780.00	4.20	240.00	468.00		10.00	84.20		<4.00	<4.00		5400.00	<4.00	
03M020	11-May-88	H18	3000.00	<0.20	240.00	600.00		7.90	53.00		0.87	1.20		5900.00	<0.20	
03M020	01-Aug-88	H19	5950.00	2.20	333.00	728.00		<0.20	95.00		1.10	1.30		2380.00	1.00	
03M020	18-Aug-88	F19	3700.00	<50.00	420.00		260.00	<25.00		<50.00		<50.00		7700.00	<95.00	<21.00
03M020	25-Oct-88	H20	4500.00	2.00	430.00	810.00		33.00	220.00		<0.50	1.50		10500.00	1.70	
03M020	11-Oct-89	H24	4900.00	<50.00	1200.00	840.00		<50.00	93.00		<50.00	<50.00		11000.00	<250.00	
03M505	09-Nov-87	F16														<3.09
03M713	04-Jan-89	H21	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		<1.00	<1.00	
03M802	03-Dec-87	F16	<400.00	<500.00	<240.00	<360.00	<280.00	<260.00		<310.00		<440.00	<2200.00	8900.00	<750.00	
03M806	02-Dec-87	F16	140.00	<50.00	27.00	47.00	<28.00	<26.00		<31.00		<44.00	<220.00	890.00	<75.00	
03M843	24-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03M843	05-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03M843	25-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03M843	23-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.45	<1.50	<3.09
03M848	02-Dec-87	F16	<20.00	<25.00	<12.00	<18.00	110.00	<13.00		<16.00		<22.00	<110.00	440.00	<38.00	
03U001	16-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U002	17-Nov-87	F16	45.00	<5.00	<2.40	<3.60	<2.80	<2.60		<3.10		<4.40	<22.00	16.00	<7.50	<3.09
03U002	26-May-88	H18	51.00	1.30	7.50	0.48		<0.20	0.26		<0.20	<0.20		46.00	<0.20	
03U002	04-Aug-88	H19	36.00	2.90	7.40	<0.20		<0.20	0.55		<0.20	<0.20		104.00	<0.20	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2- DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03U002	24-Oct-88	H20	34.00	1.50	2.10	<1.00		<1.00	<0.50		<0.50	<0.50		49.00	<0.50	
03U003	19-Nov-87	F16	95.00	<99.00	<49.00	<72.00	<56.00	<51.00		<62.00		<88.00	<450.00	1300.00	<150.00	<3.09
03U003	22-Jan-88	H17	16.10	<0.20	14.60	12.40		0.50	11.10		<0.20	<0.20		337.00	<0.20	
03U003	16-May-88	H18	32.00	1.30	6.70	17.00		<0.20	8.30		<0.20	<0.20		640.00	<0.20	
03U003	27-Jul-88	H19	18.00	0.74	5.90	8.20		8.50	11.00		<0.20	<0.20		264.00	<0.20	
03U003	11-Aug-88	F19	51.90	<1.00	22.90		24.40	1.72		<1.00		<1.00		540.00	<1.90	<0.41
03U003	26-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		3.80	<0.50	
03U003	19-Apr-89	H22	36.00	3.10	14.00	22.00		3.00	28.00		<0.20	<0.20		280.00	<1.00	
03U003	12-Jul-89	H23	270.00	7.40	110.00	62.00		6.20	84.00		<0.40	<0.40		900.00	<2.00	
03U004	18-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	0.93	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U004	13-Jan-88	H17	<0.20	<0.20	<0.20	0.45		<0.20	0.92		<0.20	<0.20		1.00	<0.20	
03U004	18-May-88	H18	3.00	<0.20	<0.20	0.55		<0.20	2.10		<0.20	<0.20		16.00	<0.20	
03U004	27-Jul-88	H19	0.22	<0.20	<0.20	0.24		<0.20	0.46		<0.20	<0.20		0.66	<0.20	
03U004	09-Aug-88	F19	3.44	<1.00	<1.00		3.02	<0.50		<1.00		<1.00		1.59	<1.90	<0.41
03U004	28-Oct-88	H20	2.10	<0.50	<0.50	0.63		<1.00	1.50		<0.50	<0.50		17.00	<0.50	
03U004	25-Oct-89	H24	1.10	<0.20	<0.20	0.50		<0.20	0.90		<0.20	<0.20		5.80	<1.00	
03U005	23-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	4.21	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U005	14-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	6.00		<0.20	<0.20		5.00	<0.20	
03U005	06-Apr-88	F18	<1.00	<1.00	<1.00		4.95	<0.50		<1.00		<1.00		3.61	<1.90	<0.41
03U005	16-May-88	H18	0.62	<0.20	<0.20	<0.20		<0.20	3.40		<0.20	<0.20		8.40	<0.20	
03U005	27-Jul-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	1.00		<0.20	<0.20		1.10	<0.20	
03U005	10-Aug-88	F19	<1.00	<1.00	<1.00		2.00	<0.50		<1.00		<1.00		0.65	<1.90	<0.41
03U005	31-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	6.20		<0.50	<0.50		2.30	<0.50	
03U005	10-Nov-88	F20	<1.00	<1.00	<1.00		4.80	<0.50		<1.00		<1.00		2.11	<1.90	
03U005	11-Oct-89	H24	<0.20	<0.20	<0.20	<0.20		<0.20	3.40		<0.20	<0.20		0.30	<1.00	
03U007	09-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U007	07-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U008	09-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		1.06	<4.50	<1.10	<1.50	<3.09
03U008	10-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U009	20-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U009	14-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U010	09-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U010	10-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U012	09-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U012	11-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U013	10-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U014	04-Dec-87	F16	6400.00	<990.00	<490.00	<720.00	1500.00	<510.00		<620.00		<880.00	<4500.00	13000.00	<1500.00	<1500.00
03U014	18-Jan-88	H17	2938.00	4.80	122.00	636.00		15.80	1538.00		<0.20	<0.20		5250.00	<0.20	
03U014	18-May-88	H18	6000.00	3.50	815.00	795.00		10.00	1575.00		4.10	2.60		11300.00	0.40	
03U014	02-Aug-88	H19	8850.00	<20.00	392.00	1460.00		<20.00	3330.00		<20.00	<20.00		13500.00	<20.00	
03U014	17-Aug-88	F19	9500.00	<200.00	670.00		3300.00	<100.00		<200.00		<200.00		12000.00	<380.00	<0.41
03U014	24-Oct-88	H20	6000.00	5.20	6.60	1050.00		57.00	2250.00		<0.50	7.60		14000.00	0.90	
03U014	20-Apr-89	H22	6100.00	6.60	1200.00	1200.00		22.00	2200.00		6.30	6.70		14000.00	2.10	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2- DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03U014	19-Jul-89	H23	7700.00	<40.00	1800.00	1200.00		<40.00	2300.00		<40.00	<40.00		12000.00	<200.00	
03U014	24-Oct-89	H24	10000.00	<100.00	1600.00	1300.00		<100.00	2300.00		<100.00	<100.00		17000.00	<500.00	
03U015	17-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U015	05-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U015	09-Aug-88	F19	<1.00	<1.00	<1.00		48.80	<0.50		<1.00		44.90		20.70	<1.90	
03U015	16-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U017	10-Nov-87	F16	480.00	<25.00	20.00	<18.00	<14.00	<13.00		<16.00		<22.00	<110.00	600.00	<38.00	<3.09
03U018	04-Dec-87	F16	3300.00	<500.00	<240.00	<360.00	<280.00	<260.00		<310.00		<440.00	<2200.00	11000.00	<750.00	<1500.00
03U018	22-Aug-88	F19	2100.00	1.68	103.00		26.70	<0.50		<1.00		<1.00		3600.00	<1.90	<0.41
03U018	20-Apr-89	H22	410.00	<0.20	97.00	22.00		<0.20	14.00		<0.20	0.20		1500.00	<1.00	
03U018	12-Jul-89	H23	3100.00	<1.00	750.00	280.00		<1.00	70.00		<1.00	<1.00		9900.00	<5.00	
03U018	20-Oct-89	H24	1200.00	<20.00	210.00	590.00		<20.00	<20.00		<20.00	<20.00		4000.00	<100.00	
03U019	23-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U019	25-Jan-88	H17	0.73	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.95	<0.20	
03U019	17-May-88	H18	2.10	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.30	<0.20	
03U019	02-Aug-88	H19	2.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		2.30	<0.20	
03U019	12-Aug-88	F19	1.29	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U019	27-Oct-88	H20	2.90	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		2.60	<0.50	
03U019	18-Oct-89	H24	1.10	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.40	<1.00	
03U020	07-Dec-87	F16	6000.00	<500.00	250.00	<360.00	<280.00	<260.00		<310.00		<440.00	<2200.00	11000.00	<750.00	<1500.00
03U020	17-Aug-88	F19	4100.00	<200.00	450.00		740.00	<100.00		<200.00		<200.00		5200.00	<380.00	<0.41
03U021	17-May-88	H18	2.00	<0.20	<0.20	0.60		<0.20	<0.20		<0.20	<0.20		7.40	<0.20	
03U021	29-Jul-88	H19	0.38	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.90	<0.20	
03U021	28-Oct-88	H20	0.59	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		3.30	<0.50	
03U021	13-Oct-89	H24	380.00	<4.00	120.00	9.00		<4.00	<4.00		<4.00	<4.00		340.00	<20.00	
03U022	05-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U023	10-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U023	15-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U024	10-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U025	10-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U026	18-Nov-87	F16	42.00	<5.00	<2.40	<3.60	<2.80	<2.60		<3.10		<4.40	<22.00	36.00	<7.50	<3.09
03U026	08-Apr-88	F18	35.70	<1.00	2.44		<0.50	<0.50		<1.00		<1.00		23.10	<1.90	<0.41
03U026	22-Aug-88	F19	32.20	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		31.10	<1.90	<0.41
03U026	16-Nov-88	F20	36.00	<1.00	1.97		<0.50	<0.50		<1.00		<1.00		29.40	<1.90	<0.41
03U027	20-Nov-87	F16	21.00	23.00	<2.40	<3.60	<2.80	<2.60		<3.10		<4.40	<22.00	46.00	<7.50	
03U027	13-Jan-88	H17	<0.20	12.00	5.85	<0.20		<0.20	0.28		<0.20	<0.20		49.00	<0.20	
03U027	11-May-88	H18	18.00	8.00	5.40	0.67		<0.20	<0.20		<0.20	<0.20		41.00	<0.20	
03U027	08-Aug-88	H19	28.00	17.00	4.60	<0.20		0.27	0.35		<0.20	<0.20		97.00	<0.20	
03U027	16-Aug-88	F19	24.50	16.10	4.91		1.50	<0.50		<1.00		<1.00		40.10	<1.90	<0.41
03U027	25-Oct-88	H20	24.00	5.50	2.40	1.30		0.59	<0.50		<0.50	0.70		55.00	<0.50	
03U027	11-Oct-89	H24	75.00	22.00	<0.40	<0.40		<0.40	1.70		<0.40	<0.40		43.00	<2.00	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03U028	03-Dec-87	F16	<40.00	<50.00	<24.00	<36.00	<28.00	<26.00		<31.00		<44.00	<220.00	310.00	<75.00	
03U028	22-Aug-88	F19	76.00	<10.00	<10.00		44.00	<5.00		<10.00		<10.00		540.00	<19.00	<4.10
03U028	25-Oct-89	H24	34.00	<2.00	5.40	<2.00		<2.00	4.20		<2.00	<2.00		280.00	<10.00	
03U029	03-Dec-87	F16	<160.00	<200.00	<100.00	<140.00	<110.00	<100.00		<120.00		<180.00	<900.00	1400.00	<300.00	<620.00
03U029	26-Jan-88	H17	91.60	<0.20	<0.20	<0.20		<0.20	143.00		<0.20	<0.20		1030.00	<0.20	
03U029	17-May-88	H18	46.00	<0.20	0.67	1.90		<0.20	115.00		0.91	0.61		1125.00	<0.20	
03U029	08-Aug-88	H19	435.00	0.51	24.00	9.40		<0.20	395.00		6.50	4.30		5700.00	<0.20	
03U029	17-Aug-88	F19	180.00	<50.00	<50.00		390.00	<25.00		<50.00		<50.00		2100.00	<95.00	<0.41
03U029	31-Oct-88	H20	200.00	<0.50	12.00	4.80		<1.00	390.00		2.60	2.20		1720.00	<0.50	
03U029	18-Oct-89	H24	130.00	<0.20	33.00	6.80		<0.20	230.00		1.50	0.80		1900.00	<1.00	
03U030	03-Dec-87	F16	<1.60	<2.00	<1.00	<1.40	<1.10	<1.00		<1.20		<1.80	<9.00	25.00	<3.00	
03U030	26-Jan-88	H17	0.26	<0.20	<0.20	<0.20		<0.20	0.41		<0.20	<0.20		6.50	<0.20	
03U030	18-May-88	H18	0.59	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		17.00	<0.20	
03U030	08-Aug-88	H19	0.67	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		7.70	<0.20	
03U030	22-Aug-88	F19	1.64	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		11.50	<1.90	2.47
03U030	01-Nov-88	H20	1.40	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		11.00	<0.50	
03U030	25-Oct-89	H24	0.60	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		7.10	<1.00	
03U031	18-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.68	<0.20	
03U031	10-May-88	H18	1.00	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		6.00	<0.20	
03U031	29-Jul-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.53	<0.20	
03U031	10-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.63	<1.90	<0.41
03U031	20-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<1.00	<0.50		<0.50	<0.50	
03U031	11-Oct-89	H24	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<1.00	
03U032	20-Nov-87	F16	16.00	<9.90	<4.90	<7.20	<5.60	<5.10		<6.20		<8.80	<45.00	15.00	<15.00	<3.09
03U032	08-Apr-88	F18	9.60	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		2.99	<1.90	<0.41
03U032	22-Aug-88	F19	25.50	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		37.90	<1.90	<0.41
03U073	15-Jan-88	H17	24.00	<0.20	57.00	66.00		<0.20	102.00		<0.20	30.00		1130.00	<0.20	
03U075	10-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U075	18-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.04	<1.90	<0.41
03U076	10-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U076	18-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.03	<1.90	<0.41
03U077	19-Jan-88	H17	31.00	<0.20	5.40	2.20		<0.20	0.31		<0.20	<0.20		25.00	<0.20	
03U077	09-May-88	H18	22.00	<0.20	1.80	0.89		<0.20	<0.20		<0.20	0.33		27.00	<0.20	
03U077	03-Aug-88	H19	12.00	<0.20	<0.20	0.86		<0.20	<0.20		<0.20	<0.20		6.90	<0.20	
03U077	21-Oct-88	H20	8.90	<0.50	1.20	1.90		<0.10	<0.50		<0.50	<0.50		9.90	<0.50	
03U077	16-Oct-89	H24	1600.00	<20.00	360.00	<20.00		<20.00	<20.00		<20.00	<20.00		3000.00	<100.00	
03U078	23-Nov-87	F16	<8.10	<9.90	<4.90	<7.20	8.30	<5.10		<6.20		27.00	<45.00	100.00	<15.00	<3.09
03U078	14-Jan-88	H17	<0.20	<0.20	5.70	4.10		<0.20	30.00		<0.20	47.00		150.00	<0.20	
03U078	13-May-88	H18	16.00	<0.20	3.60	1.30		<0.20	11.00		<0.20	33.00		130.00	<0.20	
03U078	03-Aug-88	H19	11.00	<0.20	0.54	0.39		<0.20	9.30		<0.20	20.00		68.00	<0.20	
03U078	18-Aug-88	F19	8.44	<1.00	1.44		12.30	<0.50		<1.00		22.30		49.80	<1.90	<0.41
03U078	16-Oct-89	H24	25.00	<1.00	7.40	1.90		<1.00	15.00		<1.00	34.00		170.00	<5.00	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03U079	04-Dec-87	F16	<400.00	<500.00	<240.00	<360.00	<280.00	<260.00		<310.00		<440.00	<2200.00	7000.00	<750.00	<620.00
03U079	14-Jan-88	H17	41.00	<10.00	<10.00	24.00		<10.00	380.00		<10.00	<10.00		10350.00	<10.00	
03U079	09-May-88	H18	11.00	<2.00	<2.00	6.80		<2.00	62.00		<2.00	<2.00		2900.00	<2.00	
03U079	03-Aug-88	H19	31.00	1.20	8.30	18.00		<0.20	564.00		2.10	0.73		8400.00	<0.20	
03U079	18-Aug-88	F19	28.70	<1.00	13.00		290.00	<0.50		<1.00		<1.00		11000.00	<1.90	<0.41
03U079	26-Oct-88	H20	84.00	1.10	14.00	17.00		1.10	198.00		<0.50	<0.50		5800.00	<0.50	
03U079	16-Oct-89	H24	86.00	<20.00	28.00	<20.00		<20.00	<20.00		<20.00	<20.00		2300.00	<100.00	
03U083	10-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U084	23-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U084	18-Jan-88	H17	0.51	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.40	<0.20	
03U084	11-May-88	H18	2.70	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		7.20	<0.20	
03U084	04-Aug-88	H19	0.28	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		2.00	<0.20	
03U084	20-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<1.00	<0.50		<0.50	<0.50	
03U084	11-Oct-89	H24	0.90	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		5.70	<1.00	
03U087	20-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U087	26-Jan-88	H17	0.81	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		6.00	<0.20	
03U087	11-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.90	<1.90	<0.41
03U087	18-May-88	H18	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
03U087	29-Jul-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
03U087	24-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.67	<1.90	
03U087	28-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		0.84	<0.50	
03U087	17-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.41	<1.90	
03U087	24-Oct-89	H24	0.30	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		5.20	<1.00	
03U088	17-Nov-87	F16														<3.09
03U088	05-Apr-88	F18	1.57	<1.00	<1.00		<0.50	<0.50		<1.00		1.34		5.86	<1.90	<0.41
03U088	08-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		4.16		<0.50	<1.90	
03U088	16-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		3.87		0.55	<1.90	
03U089	20-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		0.91	<4.50	<1.10	<1.50	<3.09
03U089	05-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		2.08		1.68	<1.90	<0.41
03U089	08-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		2.00		0.95	<1.90	
03U089	17-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		1.58		1.20	<1.90	
03U090	19-Nov-87	F16	1.95	<0.99	<0.49	<0.72	9.45	<0.51		<0.62		<0.88	<4.50	6.17	<1.50	<3.09
03U090	06-Apr-88	F18	2.17	<1.00	<1.00		8.51	<0.50		<1.00		<1.00		1.15	<1.90	<0.41
03U090	16-Aug-88	F19	1.59	<1.00	<1.00		10.40	<0.50		<1.00		<1.00		0.66	<1.90	<0.41
03U090	18-Nov-88	F20	2.08	<1.00	<1.00		11.20	<0.50		<1.00		<1.00		0.75	<1.90	<0.41
03U092	23-Nov-87	F16	16.50	<0.99	0.63	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	13.80	<1.50	<3.09
03U092	08-Apr-88	F18	29.60	<1.00	3.24		<0.50	<0.50		<1.00		<1.00		21.50	<1.90	<0.41
03U092	25-Aug-88	F19	17.70	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		8.32	<1.90	<0.41
03U092	16-Nov-88	F20	24.90	<1.00	1.21		<0.50	<0.50		<1.00		<1.00		12.10	<1.90	2.43
03U093	04-Dec-87	F16	9300.00	<9900.00	<4900.00	<7200.00	<5600.00	<5100.00		<6200.00		<8800.00	<45000.00	79000.00	<15000.00	<15000.00
03U093	26-Jan-88	H17	7670.00	24.00	405.00	38.00		<0.20	197.00		44.00	<0.20		34200.00	<0.20	
03U093	18-May-88	H18	16250.00	25.00	1630.00	292.00		41.00	420.00		<0.20	3.40		65400.00	<0.20	
03U093	08-Aug-88	H19	7750.00	16.00	600.00	180.00		24.00	31.00		<0.20	17.00		35000.00	<0.20	
03U093	17-Aug-88	F19	8700.00	<200.00	480.00		630.00	<100.00		<200.00		<200.00		30000.00	<380.00	<82.00
03U093	01-Nov-88	H20	8000.00	14.00	300.00	60.00		50.00	440.00		3.40	58.00		33000.00	<0.50	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03U093	19-Oct-89	H24	13000.00	<100.00	1800.00	<100.00		<100.00	360.00		<100.00	<100.00		43000.00	<500.00	
03U094	04-Dec-87	F16	9100.00	<990.00	<490.00	830.00	2300.00	<510.00		<620.00		<880.00	<4500.00	18000.00	<1500.00	<1500.00
03U094	25-Aug-88	F19	5600.00	<200.00	<200.00		1200.00	<100.00		<200.00		<200.00		6900.00	<380.00	<82.00
03U096	04-Dec-87	F16	830.00	<200.00	<100.00	<140.00	<110.00	<100.00		<120.00		<180.00	<900.00	1200.00	<300.00	<620.00
03U096	25-Aug-88	F19	2500.00	<50.00	110.00		<25.00	<25.00		<50.00		<50.00		2300.00	<95.00	<21.00
03U097	20-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	8.85	<1.50	<3.09
03U097	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.73	<1.90	<0.41
03U097	11-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U097	17-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U099	19-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U099	11-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U099	27-Jul-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
03U099	12-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U099	17-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U111	20-Nov-87	F16	0.85	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	3.98	<1.50	<3.09
03U111	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.41	<1.90	<0.41
03U111	11-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U111	17-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U112	20-Nov-87	F16	11.00	<2.50	<1.20	<1.80	<1.40	<1.30		<1.60		<2.20	<11.00	35.00	<3.80	<3.09
03U112	08-Apr-88	F18	25.20	<1.00	1.60		<0.50	<0.50		<1.00		<1.00		29.10	<1.90	<0.41
03U112	16-Aug-88	F19	25.20	<1.00	2.16		<0.50	<0.50		<1.00		<1.00		43.60	<1.90	<0.41
03U112	18-Nov-88	F20	21.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		27.70	<1.90	<0.41
03U113	18-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U113	06-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.68	<1.90	<0.41
03U113	09-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U113	18-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U114	23-Nov-87	F16	860.00	<50.00	29.00	<36.00	<28.00	<26.00		<31.00		<44.00	<220.00	150.00	<75.00	<3.09
03U114	11-Apr-88	F18	680.00	<1.00	66.00		<0.50	<0.50		<1.00		<1.00		110.00	<1.90	<0.41
03U114	09-Aug-88	F19	1100.00	<10.00	120.00		<5.00	<5.00		<10.00		<10.00		240.00	<19.00	<0.41
03U114	16-Nov-88	F20	1200.00	<20.00	95.00		<10.00	<10.00		<20.00		<20.00		260.00	<38.00	<8.20
03U121	08-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	5.51	<1.50	<3.09
03U121	08-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U121	16-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U121	18-Nov-88	F20	61.60	<1.00	1.63		<0.50	<0.50		<1.00		<1.00		12.20	<1.90	<0.41
03U124	08-Apr-88	F18	57.00	<1.00	3.28		<0.50	<0.50		<1.00		<1.00		13.60	<1.90	<0.41
03U124	18-Aug-88	F19	130.00	<1.00	4.28		<0.50	<0.50		<1.00		<1.00		31.40	<1.90	<0.41
03U129	08-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	2.49	<1.50	<3.09
03U129	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.44	<1.90	<0.41
03U129	11-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U129	18-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U301	16-Mar-89	H21	88.00	<1.00	11.00	7.60		<1.00	225.00		4.70	<1.00		2755.00	<1.00	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2-DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO-2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03U301	20-Apr-89	H22	25.00	0.30	18.00	4.00		<0.20	160.00		1.10	0.60		1100.00	<1.00	
03U301	19-Jul-89	H23	61.00	<5.00	18.00	<5.00		<5.00	160.00		<5.00	<5.00		1100.00	<25.00	
03U301	24-Oct-89	H24	120.00	<40.00	<40.00	<40.00		<40.00	200.00		<40.00	<40.00		3000.00	<200.00	
03U314	05-Jan-89	H21	10500.00	19.00	850.00	3600.00		59.00	4700.00		12.00	<1.00		37000.00	16.00	
03U314	16-Mar-89	H21	6200.00	11.00	370.00	950.00		<10.00	1000.00		<100.00	12.00		12000.00	<10.00	
03U314	20-Apr-89	H22	3400.00	8.30	630.00	530.00		19.00	610.00		2.40	3.00		11000.00	3.50	
03U314	19-Jul-89	H23	3500.00	<40.00	870.00	510.00		<40.00	730.00		<40.00	<40.00		8900.00	<200.00	
03U314	24-Oct-89	H24	3500.00	<100.00	<100.00	<100.00		<100.00	<100.00		<100.00	<100.00		8600.00	<500.00	
03U315	05-Jan-89	H21	65.00	<1.00	5.60	5.60		<1.00	<1.00		<1.00	<1.00		58.00	<1.00	
03U315	16-Mar-89	H21	610.00	<10.00	58.00	44.00		32.00	<10.00		<10.00	<10.00		870.00	<10.00	
03U315	20-Apr-89	H22	490.00	<0.20	100.00	45.00		<0.20	<0.20		<0.20	<0.20		1300.00	<1.00	
03U315	19-Jul-89	H23	620.00	<4.00	150.00	51.00		<4.00	15.00		<4.00	<4.00		940.00	<20.00	
03U315	24-Oct-89	H24	890.00	<10.00	160.00	58.00		<10.00	<10.00		<10.00	<10.00		1700.00	<50.00	
03U316	05-Jan-89	H21	14.00	<1.00	1.60	3.50		<1.00	<1.00		<1.00	<1.00		<1.00	<1.00	
03U316	16-Mar-89	H21	31.00	<1.00	3.20	1.70		<1.00	<1.00		<1.00	<1.00		2.90	<1.00	
03U316	20-Apr-89	H22	28.00	<0.20	4.90	2.50		<0.20	<0.20		<0.20	<0.20		4.90	<1.00	
03U316	19-Jul-89	H23	29.00	<0.20	9.20	2.10		<0.20	<0.20		<0.20	<0.20		4.20	<1.00	
03U316	24-Oct-89	H24	35.00	<0.40	8.70	3.00		<0.40	<0.40		<0.40	<0.40		5.50	<2.00	
03U317	05-Jan-89	H21	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		<1.00	<1.00	
03U317	16-Mar-89	H21	1100.00	<10.00	66.00	19.00		24.00	19.00		<10.00	<10.00		3200.00	<10.00	
03U317	20-Apr-89	H22	2800.00	<0.20	660.00	27.00		4.20	27.00		<0.20	13.00		13000.00	<1.00	
03U317	19-Jul-89	H23	5800.00	<20.00	1200.00	47.00		<20.00	66.00		<20.00	<20.00		12000.00	<100.00	
03U317	25-Oct-89	H24	7000.00	<200.00	760.00	<200.00		<200.00	<200.00		<200.00	<200.00		19000.00	<1000.00	
03U521	20-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	2.70	<1.50	<3.09
03U521	11-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U521	24-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.66	<1.90	
03U521	18-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U658	27-Jul-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.25	<0.20	
03U658	13-Oct-89	H24	0.90	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		7.20	<1.00	
03U659	25-Oct-89	H24	280.00	<20.00	43.00	<20.00		<20.00	370.00		<20.00	<20.00		3600.00	<100.00	
03U671	04-Dec-87	F16	30.00	<20.00	<10.00	<14.00	<11.00	<10.00		<12.00		15.00	<90.00	280.00	<30.00	
03U671	22-Jan-88	H17	60.00	<0.20	12.00	2.10		<0.20	10.50		<0.20	47.00		341.00	<0.20	
03U671	13-May-88	H18	40.00	0.47	8.70	2.60		<0.20	6.40		<0.20	18.00		266.00	<0.20	
03U671	08-Aug-88	H19	82.00	0.25	12.00	2.80		<0.20	11.00		<0.20	40.00		540.00	<0.20	
03U671	22-Aug-88	F19	50.00	<5.00	9.20		13.00	<2.50		<5.00		29.00		230.00	<9.50	<2.10
03U671	26-Oct-88	H20	30.00	<0.50	4.60	1.90		<1.00	4.20		<0.50	15.00		205.00	<0.50	
03U671	16-Oct-89	H24	17.00	<1.00	3.80	<1.00		<1.00	<1.00		<1.00	6.30		130.00	<5.00	
03U672	13-Nov-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.30	<0.20	
03U672	14-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
03U672	18-May-88	H18	9.40	<0.20	<0.20	<0.20		<0.20	0.25		<0.20	<0.20		92.00	<0.20	
03U672	27-Jul-88	H19	0.52	<0.20	<0.20	0.21		<0.20	<0.20		<0.20	<0.20		5.70	<0.20	
03U672	28-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		0.91	<0.50	
03U672	19-Apr-89	H22	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.10	<1.00	
03U672	12-Jul-89	H23	0.30	<0.20	0.90	<0.20		<0.20	<0.20		<0.20	<0.20		1.80	<1.00	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03U672	18-Oct-89	H24	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.30	<1.00	
03U673	13-Nov-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.30	<0.20	
03U676	03-Nov-87	H16	74.00	<5.00	<1.50	11.00		<1.00	160.00		<1.50	5.30		220.00	<2.50	
03U701	20-Jan-88	H17	258.00	0.67	86.20	90.20		0.49	20.00		<0.20	15.00		1200.00	<0.20	
03U701	12-May-88	H18	334.00	0.31	15.00	10.00		0.72	6.60		<0.20	13.00		635.00	<0.20	
03U701	02-Aug-88	H19	499.00	0.57	16.00	23.00		<0.20	16.00		<0.20	20.00		1220.00	<0.20	
03U701	21-Oct-88	H20	110.00	<0.50	10.00	20.00		<1.00	12.00		<0.50	11.00		500.00	<0.50	
03U701	17-Oct-89	H24	130.00	<2.00	25.00	<2.00		<2.00	<2.00		<2.00	5.40		190.00	<10.00	
03U702	20-Jan-88	H17	143.00	<0.20	20.00	<0.20		<0.20	0.40		<0.20	0.80		170.00	<0.20	
03U702	13-May-88	H18	120.00	<0.20	6.90	<0.20		<0.20	<0.20		<0.20	0.54		120.00	<0.20	
03U702	08-Aug-88	H19	164.00	<0.20	10.00	<0.20		1.20	0.55		<0.20	0.85		365.00	<0.20	
03U702	25-Oct-88	H20	45.00	<0.50	5.70	0.86		<1.00	<0.50		<0.50	<0.50		80.00	<0.50	
03U702	13-Oct-89	H24	27.00	<0.20	9.00	0.60		<0.20	<0.20		<0.20	<0.20		36.00	<1.00	
03U703	15-Jan-88	H17	24.00	<2.00	57.00	66.00		<2.00	102.00		<2.00	30.00		1130.00	<2.00	
03U703	16-May-88	H18	60.00	<0.20	30.00	49.00		<0.20	52.00		1.10	5.90		840.00	<0.20	
03U703	04-Aug-88	H19	81.00	0.43	31.00	45.00		<0.20	100.00		0.65	5.80		632.00	<0.20	
03U703	24-Oct-88	H20	25.00	0.55	25.00	<1.00		<1.00	257.00		<0.50	3.30		4500.00	<0.50	
03U703	12-Oct-89	H24	19.00	<10.00	<10.00	<10.00		<10.00	57.00		<10.00	<10.00		900.00	<50.00	
03U704	10-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U704	25-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.50	<0.20	
03U704	05-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		4.36	<1.90	<0.41
03U704	17-May-88	H18	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		3.90	<0.20	
03U704	29-Jul-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
03U704	08-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U704	27-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		3.30	<0.50	
03U704	16-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.09	<1.90	
03U704	20-Apr-89	H22	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		6.90	<1.00	
03U704	19-Jul-89	H23	0.30	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		3.70	<1.00	
03U704	20-Oct-89	H24	2.90	<0.20	0.30	<0.20		<0.20	<0.20		<0.20	<0.20		38.00	<1.00	
03U705	25-Jan-88	H17	3.10	<0.20	<0.20	<0.20		0.27	0.42		<0.20	<0.20		14.00	<0.20	
03U705	17-May-88	H18	<0.20	<0.20	<0.20	<0.20		1.20	<0.20		<0.20	<0.20		2.00	<0.20	
03U705	08-Aug-88	H19	2.60	<0.20	<0.20	<0.20		<0.20	0.42		<0.20	<0.20		26.00	<0.20	
03U705	12-Oct-89	H24	14.00	<0.40	2.20	<0.40		<0.40	<0.40		<0.40	<0.40		71.00	<2.00	
03U706	25-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.50	<0.20	
03U706	10-May-88	H18	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		3.17	<0.20	
03U706	29-Jul-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
03U706	25-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		1.00	<0.50	
03U706	12-Oct-89	H24	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		2.40	<1.00	
03U707	25-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.28	<0.20	
03U707	17-May-88	H18	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.20	<0.20	
03U707	29-Jul-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.23	<0.20	
03U707	25-Oct-88	H20	0.80	<0.50	<0.50	1.00		<1.00	<0.50		<0.50	<0.50		5.30	<0.50	
03U707	20-Oct-89	H24	1.10	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		13.00	<1.00	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03U708	22-Jan-88	H17	11.00	<0.20	2.70	0.51		<0.20	0.78		<0.20	21.00		72.00	<0.20	
03U708	10-May-88	H18	10.00	<0.20	2.10	2.00		<0.20	7.60		<0.20	12.00		38.00	<0.20	
03U708	04-Aug-88	H19	36.00	<0.20	7.40	0.94		<0.20	15.00		<0.20	44.00		152.00	<0.20	
03U708	24-Oct-88	H20	20.00	<0.50	2.40	1.40		<1.00	12.40		<0.50	6.10		125.00	<0.50	
03U708	31-Oct-88	H20	42.00	<0.50	5.50	0.98		<1.00	16.00		<0.50	33.00		145.00	<0.50	
03U708	12-Oct-89	H24	10.00	<0.40	3.00	1.30		<0.40	7.20		<0.40	14.00		57.00	<2.00	
03U709	22-Jan-88	H17	2.30	<0.20	<0.20	<0.20		<0.20	0.32		<0.20	11.80		420.00	<0.20	
03U709	12-May-88	H18	3.40	2.00	<0.20	<0.20		<0.20	<0.20		<0.20	7.30		270.00	<0.20	
03U709	08-Aug-88	H19	4.00	3.20	<0.20	<0.20		<0.20	1.10		<0.20	9.40		440.00	<0.20	
03U709	26-Oct-88	H20	7.10	3.40	<0.50	<1.00		<1.00	<0.50		<0.50	7.60		225.00	<0.50	
03U709	17-Oct-89	H24	22.00	13.00	4.40	<1.00		<1.00	<1.00		<1.00	5.80		140.00	<5.00	
03U710	14-Jan-88	H17	34.00	<0.20	23.00	26.00		<0.20	47.00		<0.20	<0.20		1780.00	<0.20	
03U710	18-May-88	H18	130.00	1.90	50.00	42.00		1.70	66.00		0.36	<0.20		2920.00	<0.20	
03U710	03-Aug-88	H19	216.00	2.80	18.00	38.00		4.40	68.00		0.62	<0.20		3340.00	<0.20	
03U710	26-Oct-88	H20	120.00	1.50	25.00	31.00		4.10	48.00		3.60	<0.50		1440.00	<0.50	
03U710	25-Oct-89	H24	90.00	<10.00	40.00	21.00		<10.00	24.00		<10.00	<10.00		1100.00	<50.00	
03U711	19-Apr-89	H22	6.70	<0.20	<2.00	0.50		<0.20	6.20		<0.20	17.00		23.00	<1.00	
03U711	12-Jul-89	H23	6.50	<0.20	3.30	0.90		<0.20	7.90		<0.20	26.00		28.00	<1.00	
03U711	18-Oct-89	H24	9.80	<0.20	2.50	0.50		<0.20	7.60		<0.20	31.00		45.00	<1.00	
03U801	03-Dec-87	F16	<160.00	<200.00	<100.00	<140.00	<110.00	<100.00		<120.00		<180.00	<900.00	4800.00	<300.00	
03U803	01-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03U803	28-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		1.60	<0.50	
03U804	01-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03U804	21-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		2.40	<0.20	
03U804	13-May-88	H18	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
03U804	04-Aug-88	H19	0.55	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		3.70	<0.20	
03U804	17-Oct-89	H24	1.40	<0.20	0.20	<0.20		<0.20	<0.20		<0.20	<0.20		8.20	<1.00	
03U805	01-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03U805	21-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.30	<0.20	
03U805	13-May-88	H18	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.65	<0.20	
03U805	09-Aug-88	H19	0.36	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.40	<0.20	
03U805	01-Nov-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		1.60	<0.50	
03U805	18-Oct-89	H24	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.60	<1.00	
03U806	02-Dec-87	F16	18.60	<0.99	2.88	15.50	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03U811	25-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03U811	04-May-89	F22	14.90	<1.00	5.50		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U811	24-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03U811	20-Oct-89	F24	1.01	<0.99	0.74		<0.56	<0.51		<0.62		<0.88		4.18	<1.50	<3.09
03U821	30-Nov-87	F16	230.00	<99.00	<49.00	<72.00	<56.00	<51.00		<62.00		<88.00	<450.00	1300.00	<150.00	
03U821	10-May-89	F22	62.00	<5.00	17.00		9.20	<2.50		<5.00		<5.00		210.00	<9.50	<2.10
03U821	25-Jul-89	F23	140.00	<50.00	<24.00		<28.00	<26.00		<31.00		<44.00		950.00	140.00	<150.00
03U821	24-Oct-89	F24	66.00	<50.00	39.00		59.00	<26.00		<31.00		<44.00		380.00	<75.00	<150.00

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2-DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO-2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03U822	01-Dec-87	F16	19.70	<0.99	0.62	2.90	<0.56	<0.51		<0.62		<0.88	<4.50	1.65	<1.50	
03U822	05-May-89	F22	14.30	<1.00	2.77		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	0.48
03U822	24-Jul-89	F23	10.50	<0.99	1.66		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03U822	23-Oct-89	F24	6.29	<0.99	2.03		1.46	<0.51		<0.62		<0.88		1.40	<1.50	<3.09
03U824	01-Dec-87	F16	260.00	<99.00	<49.00	<72.00	<56.00	<51.00		<62.00		<88.00	<450.00	1300.00	<150.00	
03U831	25-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03U831	10-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U831	25-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03U831	24-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03U832	24-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03U832	09-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U832	24-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03U832	24-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.78	<1.50	<3.09
04J077	11-Oct-89	H24	71.00	<2.00	19.00	18.00		<2.00	<2.00		<2.00	<2.00		220.00	<10.00	
04J702	13-Oct-89	H24	10.00	<0.20	2.90	2.80		<0.20	<0.20		<0.20	<0.20		30.00	<1.00	
04J708	04-Jan-89	H21	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		3.30	<1.00	
04J708	12-Oct-89	H24	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.60	<1.00	
04J713	04-Jan-89	H21	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		42.00	<1.00	
04J713	13-Oct-89	H24	2.60	<0.20	0.60	0.70		<0.20	<0.20		<0.20	<0.20		9.60	<1.00	
04J714	04-Jan-89	H21	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		6.10	<1.00	
04J714	18-Apr-89	H22	1.50	<0.20	<1.00	0.40		<0.20	<0.20		<0.20	<0.20		12.00	<1.00	
04J714	11-Jul-89	H23	2.30	<0.20	1.00	1.10		<0.20	0.20		<0.20	<0.20		9.30	<1.00	
04J714	13-Oct-89	H24	1.20	<0.20	<0.20	0.50		<0.20	<0.20		<0.20	<0.20		5.00	<1.00	
04U001	16-Nov-87	F16														<3.09
04U001	13-Jan-88	H17	2.80	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		6.90	<0.20	
04U001	11-May-88	H18	5.80	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		11.00	<0.20	
04U001	29-Jul-88	H19	5.40	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		9.30	<0.20	
04U001	23-Aug-88	F19	5.63	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		13.20	<1.90	
04U001	20-Oct-88	H20	3.90	<0.50	<0.50	<1.00		<1.00	<0.50		<1.00	<0.50		9.40	<0.50	
04U001	18-Apr-89	H22	0.50	<0.20	<0.20	0.20		<0.20	<0.20		<0.20	<0.20		4.20	<1.00	
04U001	11-Jul-89	H23	4.00	<0.20	1.40	0.40		<0.20	<0.20		<0.20	<0.20		11.00	<1.00	
04U001	11-Oct-89	H24	0.70	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		2.50	<1.00	
04U002	17-Nov-87	F16	8.10	<5.00	<2.40	<3.60	<2.80	<2.60		<3.10		<4.40	<22.00	43.00	<7.50	<3.09
04U002	18-Jan-88	H17	56.40	<0.20	8.40	8.60		<0.20	4.00		<0.20	<0.20		220.00	<0.20	
04U002	10-May-88	H18	41.00	<0.20	4.60	6.80		<0.20	2.40		<0.20	<0.20		179.00	<0.20	
04U002	04-Aug-88	H19	25.00	<0.20	1.00	4.80		0.48	2.10		<0.20	<0.20		108.00	<0.20	
04U002	24-Oct-88	H20	<0.50	<0.50	4.50	11.00		0.07	5.10		<0.50	<0.50		185.00	<0.50	
04U002	12-Oct-89	H24	31.00	<1.00	5.10	4.20		<1.00	28.00		<1.00	<1.00		110.00	<5.00	
04U003	19-Nov-87	F16	1.11	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	1.66	<1.50	<3.09
04U003	21-Jan-88	H17	0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.81	<0.20	
04U003	16-May-88	H18	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		2.90	<0.20	
04U003	27-Jul-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
04U003	26-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		4.70	<0.50	
04U003	12-Jul-89	H23	<0.20	<0.20	0.30	<0.20		<0.20	<0.20		<0.20	<0.20		0.40	<1.00	
04U003	17-Oct-89	H24	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.70	<1.00	
04U006	11-Jul-89	H23	760.00	<10.00	290.00	210.00		<10.00	40.00		<10.00	<10.00		2200.00	<50.00	
04U007	09-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
04U007	10-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
04U012	09-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
04U012	11-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
04U020	07-Dec-87	F16	210.00	<99.00	<49.00	130.00	<56.00	<51.00		<62.00		<88.00	<450.00	1500.00	<150.00	<150.00
04U020	19-Jan-88	H17	295.00	0.51	100.00	203.00		1.80	45.00		<0.20	<0.20		1525.00	0.90	
04U020	11-May-88	H18	294.00	0.34	30.00	193.00		1.60	19.00		<0.20	<0.20		946.00	<0.20	
04U020	01-Aug-88	H19	314.00	<0.20	32.00	190.00		1.20	42.00		<0.20	<0.20		1235.00	<0.20	
04U020	17-Aug-88	F19	130.00	<10.00	67.00		84.00	<5.00		<10.00		<10.00		710.00	<19.00	<0.41
04U020	25-Oct-88	H20	240.00	<0.50	29.00	13.00		1.10	19.00		<0.50	<0.50		460.00	<0.50	
04U020	11-Oct-89	H24	81.00	<4.00	26.00	88.00		<4.00	13.00		<4.00	<4.00		550.00	<20.00	
04U027	15-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
04U027	10-May-88	H18	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.29	<0.20	
04U027	08-Aug-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.34	<0.20	
04U027	25-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		1.40	<0.50	
04U027	11-Oct-89	H24	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<1.00	
04U077	04-Dec-87	F16	490.00	<99.00	46.00	82.00	<56.00	<51.00		<62.00		<88.00	<450.00	1800.00	<150.00	<3.09
04U077	19-Jan-88	H17	670.00	0.65	160.00	116.00		1.50	20.00		<0.20	0.26		1900.00	1.00	
04U077	09-May-88	H18	500.00	<4.00	85.00	103.00			18.00		<4.00	<4.00		1280.00	<4.00	
04U077	03-Aug-88	H19	526.00	0.51	40.00	121.00		13.00	23.00		0.25	<0.20		1400.00	<0.20	
04U077	21-Oct-88	H20	1070.00	<0.50	130.00	390.00		11.00	29.00		<0.50	<0.50		2600.00	<0.50	
04U077	11-Oct-89	H24	710.00	<20.00	200.00	73.00		<20.00	<20.00		<20.00	<20.00		2400.00	<100.00	
04U510	18-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
04U510	15-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
04U673	24-Nov-87	H16	<0.20	0.65	4.61	6.30		<0.20	<0.20		<0.20	<0.20	<0.20	145.00	<0.20	0.65
04U673	21-Jan-88	H17	<4.00	<4.00	5.10	4.30		<4.00	105.00	<4.00	<4.00	<4.00	<4.00	580.00	<4.00	<4.00
04U673	16-May-88	H18	0.33	0.50	3.30	5.60		<0.20	82.00		<0.20	<0.20		560.00	<0.20	
04U673	04-Aug-88	H19	1.70	0.31	2.10	5.20		<0.20	70.00		<0.20	<0.20		253.00	<0.20	
04U673	01-Nov-88	H20	2.00	<0.50	<0.50	13.00		<1.00	220.00		<0.50	<0.50		1700.00	<0.50	
04U673	03-May-89	F22	<2.00	<2.00	5.80		170.00	<1.00		<2.00		<2.00		700.00	<3.80	<0.82
04U673	21-Jul-89	F23	<40.00	<50.00	<24.00		86.00	<26.00		<31.00		<44.00		1200.00	<75.00	<150.00
04U673	19-Oct-89	H24	<10.00	<10.00	<10.00	<10.00		<10.00	62.00		<10.00	<10.00		1100.00	<50.00	
04U673	19-Oct-89	F24	25.10	<0.99	3.59		100.00	<0.51		<0.62		<0.88		1900.00	<1.50	<3.09
04U701	20-Jan-88	H17	51.00	<0.20	8.40	5.00		<0.20	1.10		<0.20	<0.20		155.00	<0.20	
04U701	12-May-88	H18	38.00	<0.20	6.80	5.00		<0.20	<0.20		<0.20	<0.20		411.00	<0.20	
04U701	02-Aug-88	H19	42.00	<0.20	3.00	6.80		<0.20	2.00		<0.20	<0.20		160.00	<0.20	
04U701	21-Oct-88	H20	19.00	<0.50	5.00	13.00		<1.00	4.40		<0.50	<0.50		80.00	<0.50	
04U701	17-Oct-89	H24	37.00	<1.00	7.80	2.30		<1.00	<1.00		<1.00	<1.00		130.00	<5.00	
04U702	20-Jan-88	H17	31.60	<0.20	4.00	2.20		<0.20	0.90		<0.20	<0.20		97.70	<0.20	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
04U702	13-May-88	H18	33.00	<0.20	5.40	5.00		<0.20	1.30		<0.20	<0.20		200.00	<0.20	
04U702	02-Aug-88	H19	38.00	<0.20	1.60	4.10		<0.20	1.40		<0.20	<0.20		133.00	<0.20	
04U702	25-Oct-88	H20	27.00	<0.50	2.60	4.30		<1.00	1.60		<0.50	<0.50		100.00	<0.50	
04U702	13-Oct-89	H24	11.00	<0.20	2.20	1.70		<0.20	0.30		<0.20	<0.20		38.00	<1.00	
04U708	22-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	0.22		<0.20	<0.20		1.00	<0.20	
04U708	10-May-88	H18	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.25	<0.20	
04U708	04-Aug-88	H19	0.24	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
04U708	04-Jan-89	H21	1.20	<1.00	<1.00	1.10		<1.00	<1.00		<1.00	<1.00		<1.00	<1.00	
04U708	12-Oct-89	H24	1.50	<0.20	0.70	1.60		<0.20	<0.20		<0.20	<0.20		8.60	<1.00	
04U709	22-Jan-88	H17	73.00	<0.20	19.40	32.00		0.32	6.00		<0.20	<0.20		275.00	<0.20	
04U709	12-May-88	H18	16.00	<0.20	7.60	22.00		0.47	4.70		<0.20	<0.20		117.00	<0.20	
04U709	08-Aug-88	H19	14.00	<0.20	7.50	28.00		1.00	7.80		<0.20	<0.20		100.00	<0.20	
04U709	26-Oct-88	H20	19.00	<0.50	5.10	25.00		0.79	7.50		<0.50	<0.50		95.00	<0.50	
04U709	17-Oct-89	H24	80.00	<4.00	29.00	51.00		<4.00	7.70		<4.00	<4.00		370.00	<20.00	
04U711	19-Apr-89	H22	1.40	<0.20	<0.50	0.70		<0.20	0.30		<0.20	<0.20		<2.00	<1.00	
04U711	12-Jul-89	H23	5.00	<0.20	1.10	1.40		<0.20	<0.20		<0.20	<0.20		4.40	<1.00	
04U711	18-Oct-89	H24	2.70	<0.20	0.50	2.20		<0.20	<0.20		<0.20	<0.20		2.00	<1.00	
04U713	06-Jan-89	H21	7.50	<1.00	<1.00	<1.00		<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	27.00	<1.00	<1.00
04U713	23-Oct-89	H24	3.50	<2.00	0.70	2.20		<2.00	0.30		<2.00	<2.00		15.00	<10.00	
04U714	04-Jan-89	H21	4.90	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		13.00	<1.00	
04U714	18-Apr-89	H22	2.70	<0.20	<0.80	1.00		<0.20	<0.20		<0.20	<0.20		19.00	<1.00	
04U714	12-Jul-89	H23	3.10	<0.20	1.00	1.00		<0.20	0.20		<0.20	<0.20		13.00	<1.00	
04U714	13-Oct-89	H24	4.90	<0.20	1.10	0.60		<0.20	<0.20		<0.20	<0.20		26.00	<1.00	
04U802	02-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	3.20	<1.50	
04U802	21-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		2.00	<0.20	
04U802	13-May-88	H18	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		6.70	<0.20	
04U802	04-Aug-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		2.60	<0.20	
04U802	24-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.80	<1.90	
04U802	28-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		1.50	<0.50	
04U802	18-Oct-89	H24	0.60	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.40	<1.00	
04U806	02-Dec-87	F16	820.00	<99.00	110.00	160.00	<56.00	<51.00		<62.00		<88.00	<450.00	2500.00	<150.00	
04U806	12-May-88	H18	790.00	0.52	246.00	209.00		4.00	23.00		0.22	<0.20		1720.00	<0.20	
04U806	04-Aug-88	H19	608.00	0.41	105.00	169.00		3.60	32.00		<0.20	<0.20		1720.00	0.55	
04U806	21-Oct-88	H20	540.00	<0.50	73.00	92.00		3.50	35.00		<0.50	<0.50		1500.00	<0.50	
04U806	19-Apr-89	H22	130.00	<0.20	89.00	150.00		3.10	37.00		0.20	<0.20		690.00	<1.00	
04U806	16-Oct-89	H24	440.00	<10.00	170.00	110.00		<10.00	17.00		<10.00	15.00		1400.00	<50.00	
04U821	30-Nov-87	F16	170.00	<50.00	<24.00	<36.00	<28.00	<26.00		<31.00		<44.00	<220.00	950.00	<75.00	
04U832	24-Nov-87	F16	25.00	<5.00	2.80	<3.60	<2.80	<2.60		<3.10		<4.40	<22.00	100.00	<7.50	
04U832	16-Dec-88	H20	18.00	<1.00	<1.00	5.60		<1.00	<1.00		<1.00	<1.00		65.00	<1.00	
04U841	20-Oct-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.50	<0.20	
04U841	25-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
04U843	24-Nov-87	F16	1.85	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2- DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
04U843	24-Aug-88	F19	4.87	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		2.34	<1.90	
04U844	03-Dec-87	F16	170.00	<50.00	<24.00	<36.00	<28.00	<26.00		<31.00		<44.00	<220.00	950.00	<75.00	
04U844	04-May-89	F22	81.00	<10.00	19.00		<5.00	<5.00		<10.00		<10.00		310.00	<19.00	<4.10
04U844	18-Oct-89	F24	96.00	<0.99	41.00		4.76	1.65		<0.62		1.05		600.00	<1.50	<3.09
04U845	01-Dec-87	F16	<4.00	<5.00	<2.40	<3.60	<2.80	<2.60		<3.10		<4.40	<22.00	59.00	<7.50	
04U845	16-Dec-88	H20	<1.00	<1.00	<1.00	<1.00		<1.00	4.30		<1.00	<1.00		155.00	<1.00	
04U845	04-May-89	F22	<1.00	<1.00	<1.00		7.57	<0.50		<1.00		<1.00		100.00	<1.90	<0.41
04U845	20-Jul-89	F23	<8.10	<9.90	<4.90		<5.60	<5.10		<6.20		<8.80		160.00	<15.00	<30.90
04U845	20-Oct-89	F24	<8.10	<9.90	<4.90		15.00	<5.10		<6.20		<8.80		62.00	<15.00	<31.00
04U846	25-Nov-87	F16	8.54	<0.99	1.03	1.23	<0.56	<0.51		<0.62		<0.88	<4.50	22.50	<1.50	
04U846	23-Aug-88	F19	30.00	<1.00	10.00		<0.50	<0.50		<1.00		<1.00		120.00	<1.90	
04U846	28-Apr-89	F22	1.06	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		4.27	<1.90	<0.41
04U846	18-Jul-89	F23	1.21	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		9.00	<1.50	<3.09
04U846	19-Oct-89	F24	1.93	<0.99	0.82		<0.56	<0.51		<0.62		<0.88		13.70	<1.50	<3.09
04U847	30-Nov-87	F16	1000.00	<50.00	160.00	96.00	<28.00	<26.00		<31.00		<44.00	<220.00	700.00	<75.00	
04U847	23-Aug-88	F19	1100.00	<20.00	300.00		63.00	<10.00		<20.00		<20.00		970.00	<38.00	
04U847	03-May-89	F22	50.70	<1.00	8.02		0.60	<0.50		<1.00		<1.00		12.00	<1.90	<0.41
04U847	21-Jul-89	F23	200.00	<25.00	33.00		<14.00	<13.00		<16.00		<22.00		350.00	<38.00	<3.09
04U847	20-Oct-89	F24	460.00	<20.00	100.00		34.00	16.00		<12.00		<88.00		330.00	<30.00	<62.00
04U848	02-Dec-87	F16	<40.00	<50.00	<24.00	<36.00	<28.00	<26.00		<31.00		<44.00	<220.00	700.00	<75.00	
04U848	24-Aug-88	F19	<20.00	<20.00	<20.00		26.00	<10.00		<20.00		<20.00		470.00	<38.00	
04U848	03-May-89	F22	<1.00	<1.00	1.79		21.90	<0.50		<1.00		<1.00		150.00	<1.90	<0.41
04U848	20-Jul-89	F23	<40.00	<50.00	<24.00		<28.00	<26.00		<31.00		<44.00		700.00	<75.00	<150.00
04U848	19-Oct-89	F24	0.85	<0.99	0.92		13.10	<0.51		<0.62		<0.88		280.00	<1.50	<3.09
04U849	01-Dec-87	F16	85.00	<20.00	8.20	<14.00	<11.00	<10.00		<12.00		<18.00	<90.00	460.00	<30.00	
04U849	24-Aug-88	F19	13.90	<1.00	2.46		3.93	<0.50		<1.00		<1.00		41.40	<1.90	
04U850	01-Dec-87	F16	71.00	<25.00	<12.00	<18.00	<14.00	<13.00		<16.00		<22.00	<110.00	480.00	<38.00	
04U850	02-May-89	F22	10.00	<2.50	12.00		5.00	<1.30		<2.50		<2.50		110.00	<4.80	<1.00
04U850	19-Jul-89	F23	17.00	<9.90	<4.90		<5.60	<5.10		<6.20		<8.80		190.00	<15.00	<15.00
04U850	19-Oct-89	F24	15.60	<0.99	3.69		2.29	0.98		<0.62		<0.88		180.00	<1.50	<3.09
04U851	24-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	2.72	<1.50	
04U852	24-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	3.41	<1.50	
04U852	24-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.18	<1.90	
04U854	20-Oct-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	2.60		<0.20	<0.20		48.40	<0.20	
04U854	13-Nov-87	H16	<0.20	<0.20	0.40	0.70		<0.20	3.40		<0.20	<0.20		50.70	<0.20	
04U854	16-Dec-88	H20	<1.00	<1.00	<1.00	<1.00		<1.00	3.70		<1.00	<1.00		140.00	<1.00	
04U854	04-May-89	F22	<1.00	<1.00	<1.00		4.68	<0.50		<1.00		<1.00		27.30	<1.90	<0.41
04U854	20-Jul-89	F23	<16.00	<20.00	<9.80		<11.00	<10.00		<12.00		<18.00		360.00	<30.00	<62.00
04U854	17-Oct-89	F24	<0.81	<0.99	0.75		3.70	<0.51		<0.62		<0.88		89.00	<1.50	<3.09
04U855	25-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
04U859	13-Nov-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.30	<0.20	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2- DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
04U859	15-Dec-88	H20	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		8.50	<1.00	
04U860	13-Nov-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.50	<0.20	
04U860	15-Dec-88	H20	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		1.80	<1.00	
04U861	12-Nov-87	H16	0.30	<0.20	<0.20	1.00		<0.20	<0.20		<0.20	<0.20		1.50	<0.20	
04U861	16-Dec-88	H20	3.40	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		9.80	<1.00	
04U871	20-Jun-88	H18	84.00	0.42	8.40	8.60		1.20	1.80		<0.20	0.58		330.00	<0.20	
04U871	07-Jul-88	H19	70.00	<0.20	7.80	9.00		<0.20	1.60		<0.20	0.29		272.00	<0.20	
04U871	23-Aug-88	F19	110.00	<10.00	32.00		<5.00	<5.00		<10.00		<10.00		420.00	<19.00	<4.10
04U871	08-Nov-88	F20	110.00	<10.00	14.00		<5.00	<5.00		<10.00		<10.00		380.00	<19.00	
04U871	31-Jan-89	H21	4.80	<1.00	<1.00	4.50		<1.00	<1.00		<1.00	<1.00		31.00	<1.00	
04U871	05-May-89	F22		<2.00												
04U871	08-May-89	F22	5.20		2.50		<1.00	<1.00		<2.00		<2.00		33.00	<3.80	<0.82
04U871	19-Jul-89	F23	<1.60	<2.00	<0.98		<1.10	<1.00		<1.20		<1.80		24.00	<3.00	<6.20
04U871	23-Oct-89	F24	3.20	<2.00	1.60		2.60	<1.00		<1.20		<1.80		23.00	<3.00	<6.20
04U872	13-Jul-88	H19	19.00	<0.20	3.00	4.30		<0.20	0.68		<0.20	<0.20		102.00	<0.20	
04U872	24-Aug-88	F19	6.20	<5.00	6.50		<2.50	<2.50		<5.00		<5.00		53.00	<9.50	<2.10
04U872	08-Nov-88	F20	5.50	<2.00	<2.00		<1.00	<1.00		<2.00		<2.00		39.00	<3.80	
04U872	01-Feb-89	H21	2.30	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		12.00	<1.00	
04U872	08-May-89	F22	2.08	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		16.50	<1.90	<0.41
04U872	19-Jul-89	F23	0.89	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		13.20	<1.50	<3.09
04U872	23-Oct-89	F24	2.09	<0.99	0.92		1.17	<0.51		<0.62		<0.88		25.40	<1.50	<3.09
04U875	20-Jun-88	H18	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
04U875	23-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.90	<1.90	0.98
04U875	09-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
04U875	07-Feb-89	H21	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		<1.00	<1.00	
04U875	19-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
04U875	19-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.45	<1.50	<3.09
04U877	23-Aug-88	F19	93.00	<5.00	24.00		<2.50	<2.50		<5.00		<5.00		380.00	<9.50	<2.10
04U877	10-Nov-88	F20	32.00	<10.00	<10.00		<5.00	<5.00		<10.00		<10.00		180.00	<19.00	
04U877	08-Feb-89	H21	6.30	<1.00	1.50	2.60		<1.00	<1.00		<1.00	<1.00		38.00	<1.00	
04U877	02-May-89	F22	11.10	<1.00	4.83		0.67	<0.50		<1.00		<1.00		81.00	<1.90	<0.41
04U877	18-Jul-89	F23	8.10	<5.00	<2.40		<2.80	<2.60		<3.10		<4.40		89.00	<7.50	<15.00
04U877	19-Oct-89	F24	7.55	<0.99	2.01		1.38	<0.51		<0.62		<0.88		95.00	<1.50	<3.09
04U879	29-Jul-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
04U879	01-Sep-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.09	<1.90	<0.41
04U879	08-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
04U879	08-Feb-89	H21	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		<1.00	<1.00	
04U879	19-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
04U879	17-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
04U880	01-Sep-88	F19	1.43	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		8.06	<1.90	<0.41
04U880	10-Nov-88	F20	3.35	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		16.40	<1.90	
04U880	06-Feb-89	H21	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		4.00	<1.00	
04U880	18-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
04U880	19-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.47	<1.50	<3.09

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2-DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO-2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
04U881	09-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		2.70	<1.90	
04U881	07-Feb-89	H21	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		2.30	<1.00	
04U881	18-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
04U881	18-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
04U882	13-Sep-88	F19	6.36	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		27.70	<1.90	<0.41
04U882	09-Nov-88	F20	7.73	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		32.30	<1.90	
04U882	31-Jan-89	H21	3.20	<1.00	<1.00	1.30		<1.00	<1.00		<1.00	<1.00		10.00	<1.00	
04U882	03-May-89	F22	1.50	<1.00	1.15		<0.50	<0.50		<1.00		<1.00		12.70	<1.90	0.82
04U882	17-Jul-89	F23	1.73	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		15.70	<1.50	<3.09
04U882	18-Oct-89	F24	0.96	<0.99	0.80		1.18	<0.51		<0.62		<0.88		6.43	<1.50	<3.09
04U883	14-Oct-88	F19														
04U883	14-Oct-88	H20	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
04U883	09-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
04U883	08-Feb-89	H21	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		<1.00	<1.00	
04U883	17-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
04U883	18-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.47	<1.50	<3.09
134318	27-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
139035	31-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
139035	31-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
191942	30-Nov-87	F16	50.00	<25.00	<12.00	<18.00	<14.00	<13.00		<16.00		<22.00	<110.00	210.00	<38.00	
200154	31-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
200264	25-Aug-88	F19	15.90	1.31	1.68		19.50	<0.50		<1.00		15.90		7.48	<1.90	
200524	16-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		3.66	<1.90	
200803	16-Aug-88	F19	1.61	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		13.50	<1.90	
200814	31-Jul-89	F23	2.80	<2.00	<0.98		<1.10	<1.00		<1.20		<1.80		38.00	<3.00	<3.09
200814	30-Oct-89	F24	3.80	<2.00	2.00		2.40	<1.00		<1.20		<1.80		46.00	<3.00	<6.20
201082	31-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
206688	23-Oct-89	F24	1.72	<0.99	0.80		<0.56	<0.51		<0.62		<0.88		8.68	<1.50	<3.09
206787	24-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
231878	23-Oct-87	H16	0.60	<0.20	<0.20	<0.20		<0.20	4.70		<0.20	<0.20		49.90	<0.20	
233221	11-May-89	F22	2.17	<1.00	2.03		1.56	<0.50		<1.00		<1.00		29.20	<1.90	<0.41
233221	31-Jul-89	F23	4.50	<5.00	2.20		<2.80	<2.60		<3.10		<4.40		120.00	<7.50	<15.00
233221	30-Oct-89	F24	4.20	<5.00	4.00		5.90	<2.60		<3.10		<4.40		46.00	<7.50	<15.00
233222	25-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
233533	30-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2-DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO-2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
234319	26-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
234335	26-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
234337	23-Oct-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
234353	12-May-89	F22	<1.00	<1.00	<1.00		0.66	<0.50		<1.00		1.34		4.10	<1.90	<0.41
234353	31-Jul-89	F23	<0.81	<0.99	<0.49		0.82	<0.51		<0.62		<0.88		4.47	<1.50	<3.09
234356	25-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
234356	26-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
234357	10-May-89	F22	1.38	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
234357	20-Jul-89	F23	1.05	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
234357	20-Oct-89	F24	1.35	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
234425	10-May-89	F22														<21.00
234425	11-May-89	F22	810.00	<50.00	140.00		<25.00	<25.00		<50.00		<50.00		3100.00	<95.00	
234430	09-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
234430	27-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
234430	26-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
234463	08-May-89	F22	<1.00	<1.00	<1.00		<0.50	0.87		<1.00		<1.00		<0.50	<1.90	2.00
234463	03-Aug-89	F23	<0.81	<0.99	<0.49		<0.56	0.86		<0.62		<0.88		1.69	<1.50	3.45
234463	31-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		2.00	<1.50	<3.09
234547	10-May-89	F22	2.34	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		12.20	<1.90	<0.41
234547	31-Jul-89	F23	3.26	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		16.10	<1.50	<3.09
234547	30-Oct-89	F24	1.54	<0.99	0.78		1.24	<0.51		<0.62		<0.88		12.00	<1.50	<3.09
235539	26-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.49	<1.90	
235619	31-Jul-89	F23	<0.81	<0.99	<0.49		1.27	4.34		<0.62		<0.88		<1.10	<1.50	<3.09
235619	31-Oct-89	F24	<0.81	1.87	1.31		<0.56	<0.51		<0.62		<0.88		1.90	<1.50	<3.09
235735	31-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
235735	31-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
236122	12-Jul-88	H19	400.00	1.50	31.00	33.00		2.50	7.70		<0.20	2.40		1465.00	<0.20	
405651	31-Jul-89	F23	1.98	<0.99	0.55		8.57	<0.51		<0.62		<0.88		16.60	<1.50	<3.09
405651	31-Oct-89	F24	<0.81	<0.99	0.89		8.60	<0.51		<0.62		<0.88		11.30	<1.50	<3.09
409546	10-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.62	<1.90	<0.41
409546	20-Jul-89	F23	<0.81	<0.99	<0.49		1.01	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
409546	18-Oct-89	F24	<0.81	<0.99	0.77		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
409547	13-Nov-87	H16	0.50	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.90	<0.20	
409548	10-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
409548	20-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
409548	18-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2-DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO-2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
409549	17-Aug-88	F19	22.20	<1.00	10.30		7.42	1.12		<1.00		<1.00		220.00	<1.90	
409550	10-May-89	F22	47.00	5.60	11.00		2.00	<1.00		<2.00		<2.00		78.00	<3.80	<0.82
409550	20-Oct-89	F24	35.00	12.00	8.60		6.40	<2.60		<3.10		<4.40		110.00	<7.50	<15.00
409555	17-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.04	<1.90	
409556	10-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.53	<1.90	2.28
409556	21-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.42	<1.50	<3.09
409556	17-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
409557	13-Nov-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.50	<0.20	
409557	04-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.62	<1.90	<0.41
409557	21-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
409557	27-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.40	<1.50	<3.09
409595	30-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
409596	30-Nov-87	F16	6.49	<0.99	0.61	2.07	<0.56	<0.51		<0.62		<0.88	<4.50	2.30	<1.50	
409597	30-Nov-87	F16	58.00	<20.00	<10.00	<14.00	<11.00	<10.00		<12.00		<18.00	<90.00	250.00	<30.00	
409598	30-Nov-87	F16	230.00	<99.00	<49.00	<72.00	<56.00	<51.00		<62.00		<88.00	<450.00	1300.00	<150.00	
500691	17-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		2.13	<1.50	<3.09
508115	18-Oct-89	H24	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.60	<1.00	
508115	18-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.57	<1.50	<3.09
BOYLE	18-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.43	<1.50	
BOYLE	20-Oct-89	F24														<3.09
MNDOT	07-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
NB2103	13-Nov-87	H16	0.30	<0.20	0.50	0.70		<0.20	5.00		<0.20	<0.20		52.30	<0.20	
PJ#003	19-Nov-87	F16	0.85	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	6.83	<1.50	<3.09
PJ#027	20-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
PJ#074	03-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
PJ#074	19-Aug-88	F19	1.99	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		7.99	<1.90	<0.41
PJ#309	18-Nov-88	H20	138.00	<0.50	6.70	18.00		3.00	3.70		<0.50	<0.50		337.00	<0.50	
PJ#309	16-Mar-89	H21	63.00	<1.00	13.00	22.00		<1.00	6.30		<1.00	<1.00		200.00	<1.00	
PJ#309	20-Apr-89	H22	45.00	<0.20	13.00	19.00		<0.20	4.00		<0.20	<0.20		320.00	<1.00	
PJ#309	19-Jul-89	H23	48.00	<1.00	22.00	20.00		<1.00	5.30		<1.00	<1.00		190.00	<5.00	
PJ#309	23-Oct-89	H24	68.00	<2.00	21.00	28.00		<2.00	4.10		<2.00	<2.00		270.00	<10.00	
PJ#310	16-Mar-89	H21	180.00	<1.00	38.00	48.00		5.40	10.00		<1.00	<1.00		470.00	<1.00	
PJ#310	20-Apr-89	H22	150.00	0.20	47.00	30.00		0.60	8.20		<0.20	<0.20		700.00	<1.00	
PJ#310	19-Jul-89	H23	240.00	<2.00	74.00	46.00		<2.00	11.00		<2.00	<2.00		480.00	<10.00	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
PJ#310	11-Oct-89	H24	220.00	<2.00	63.00	35.00		<2.00	5.60		<2.00	<2.00		560.00	<10.00	
PJ#311	16-Mar-89	H21	36.00	<5.00	<5.00	<5.00		<5.00	<5.00		<5.00	<5.00		150.00	<5.00	
PJ#311	20-Apr-89	H22	16.00	<0.20	3.30	1.10		<0.20	0.40		<0.20	<0.20		82.00	<1.00	
PJ#311	19-Jul-89	H23	21.00	<0.40	5.00	1.10		<0.40	0.60		<0.40	<0.40		67.00	<2.00	
PJ#311	24-Oct-89	H24	15.00	<0.40	3.20	<0.40		<0.40	<0.40		<0.40	<0.40		52.00	<2.00	
PJ#313	16-Mar-89	H21	3.30	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		18.00	<1.00	
PJ#313	20-Apr-89	H22	2.90	<0.20	<1.00	0.90		<0.20	<0.20		<0.20	<0.20		27.00	<1.00	
PJ#313	19-Jul-89	H23	7.70	<0.20	2.10	0.50		<0.20	<0.20		<0.20	<0.20		25.00	<1.00	
PJ#313	23-Oct-89	H24	3.00	<0.20	0.60	0.40		<0.20	<0.20		<0.20	<0.20		15.00	<1.00	
PJ#318	24-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		4.26	<1.90	<0.41
PJ#318	09-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		3.20	<1.90	
PJ#318	06-Feb-89	H21	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		5.90	<1.00	
PJ#318	02-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.85	<1.90	1.71
PJ#318	19-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		2.70	<1.50	<3.09
PJ#318	18-Oct-89	F24	<0.81	<0.99	0.73		1.14	<0.51		<0.62		<0.88		4.47	<1.50	<3.09
PJ#502	18-Nov-87	F16	1.71	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	7.65	<1.50	<3.09
PJ#503	18-Nov-87	F16	29.00	<9.90	<4.90	<7.20	<5.60	<5.10		<6.20		<8.80	<45.00	130.00	<15.00	<3.09
PJ#506	18-Nov-87	F16														
PJ#506	19-Nov-87	F16	180.00	<50.00	<24.00	<36.00	<28.00	<26.00		<31.00		<44.00	<220.00	890.00	<75.00	<3.09
PJ#507	18-Nov-87	F16	190.00	<50.00	<24.00	<36.00	<28.00	<26.00		<31.00		<44.00	<220.00	890.00	<75.00	<3.09
PJ#508	23-Aug-88	F19	250.00	<20.00	45.00		61.00	<10.00		<20.00		<20.00		790.00	<38.00	<8.20
PJ#802	02-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
PJ#806	02-Dec-87	F16	130.00	<50.00	<24.00	<36.00	<28.00	<26.00		<31.00		<44.00	<220.00	490.00	<75.00	
PJ#806	19-Jan-88	H17	685.00	0.54	190.00	121.00		3.40	35.00		<0.20	<0.20		1870.00	0.70	
PJ#806	12-May-88	H18	209.00	<0.20	24.00	29.00		0.75	6.10		<0.20	<0.20		356.00	<0.20	
PJ#806	04-Aug-88	H19	28.00	<0.20	9.70	16.00		<0.20	4.80		<0.20	<0.20		103.00	<0.20	
PJ#806	21-Oct-88	H20	39.00	<0.50	7.70	23.00		<1.00	7.10		<0.50	<0.50		110.00	<0.50	
PJ#806	16-Oct-89	H24	71.00	<2.00	34.00	37.00		<2.00	6.90		<2.00	<2.00		250.00	<10.00	
MAX			16250.00	25.00	1800.00	3600.00	3300.00	59.00	4700.00	0.00	44.00	1000.00	0.00	120000.00	140.00	4.50
COUNT	1179		1167	1167	1167	664	679	1165	488	685	488	1167	184	1167	1167	526

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
01L811	25-Nov-87	F16	<1.80	<0.41						<1.10					
01L813	25-Nov-87	F16	<1.80	<0.41						<1.10					
01L816	25-Nov-87	F16	<1.80	<0.41						<1.10					
01L821	30-Nov-87	F16	<3.60	<0.82						<2.20					
01L822	01-Dec-87	F16	<36.00	<8.20						<22.00					
01L823	01-Dec-87	F16	<1.80	<0.41						<1.10					
01U003	27-Apr-89	F22		<0.72	<0.87				<8.28						
01U003	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U004	27-Apr-89	F22		<0.72	<0.87				<8.28						
01U004	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U004	27-Oct-89	F24		<0.41	<3.39				<1.17						
01U022	05-Apr-88	F18		<0.72	<0.87				<8.28						
01U034	11-Nov-87	F16	<1.80	<0.41	<3.39				1.20	<1.10					
01U034	14-Nov-88	F20		<0.72	<0.87				<8.28						
01U035	14-Nov-88	F20		<0.72	<0.87				<8.28						
01U036	11-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U036	14-Nov-88	F20		<0.72	<0.87				<8.28						
01U036	26-Apr-89	F22		<0.72	<0.87				<8.28						
01U036	27-Jul-89	F23		<0.41	<3.39				<1.17						
01U036	24-Oct-89	F24		0.39	31.00				<1.17						
01U037	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U038	06-Apr-88	F18		<0.72	<0.87				<8.28						
01U039	06-Apr-88	F18		<0.72	<0.87				<8.28						
01U040	05-Apr-88	F18		<0.72	<0.87				<8.28						
01U041	05-Apr-88	F18		<0.72	<0.87				<8.28						
01U045	08-Aug-88	F19		<0.72	<0.87				<8.28						
01U047	27-Apr-89	F22		<0.72	<0.87				<8.28						
01U047	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U047	25-Oct-89	F24		<0.41	<3.39				<1.17						
01U048	27-Apr-89	F22		<0.72	<0.87				<8.28						
01U048	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U048	25-Oct-89	F24		<0.41	<3.39				<1.17						
01U050	16-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10	<0.29	<0.62	<0.34	<0.13	<0.32

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
01U050	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U050	15-Aug-88	F19		<0.72	<0.87				<8.28						
01U050	21-Nov-88	F20		<0.72											
01U051	16-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U051	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U051	15-Aug-88	F19		<0.72	<0.87				<8.28						
01U051	21-Nov-88	F20		<0.72											
01U052	27-Apr-89	F22		<0.72	<0.87				<8.28						
01U052	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U052	25-Oct-89	F24		<0.41	<3.39				<1.17						
01U053	16-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U053	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U053	15-Aug-88	F19		<0.72	<0.87				<8.28						
01U053	21-Nov-88	F20		<0.72											
01U054	16-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U054	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U054	15-Aug-88	F19		<0.72	<0.87				<8.28						
01U054	21-Nov-88	F20		<0.72											
01U054	27-Apr-89	F22		<0.72	<0.87				<8.28						
01U054	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U054	26-Oct-89	F24		<0.41	<3.39				<1.17						
01U060	19-Nov-87	F16	<1.80	<0.41	22.70				<1.17	<1.10					
01U060	11-Apr-88	F18		<0.72	<0.87				<8.28						
01U060	17-Nov-88	F20		<0.72											
01U062	16-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U062	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U062	16-Aug-88	F19		<0.72	<0.87				<8.28						
01U062	21-Nov-88	F20		<0.72											
01U062	09-May-89	F22		<0.72	<0.87				<8.28						
01U062	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U062	26-Oct-89	F24		<0.41	<3.39				<1.17						
01U063	05-Apr-88	F18		<0.72	<0.87				<8.28						
01U064	12-May-89	F22		<0.72	<0.87				<8.28						
01U064	26-Jul-89	F23		<10.00	<3.39				<1.17						
01U064	27-Oct-89	F24		<10.00	<85.00				<29.00						
01U065	28-Apr-89	F22		<0.72	<0.87				<8.28						
01U065	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U065	25-Oct-89	F24		<0.41	<3.39				<1.17						
01U067	05-Apr-88	F18		<0.72	<0.87				<8.28						
01U072	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U085	11-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
01U085	10-Aug-88	F19		<0.72	<0.87				<8.28						
01U085	17-Nov-88	F20		<0.72											
01U098	19-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U098	11-Apr-88	F18		<0.72	<0.87				<8.28						
01U098	17-Nov-88	F20		<0.72											
01U100	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U101	14-Nov-88	F20		<0.72	<0.87				<8.28						
01U101	25-Apr-89	F22		<0.72	<0.87				<8.28						
01U101	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U101	24-Oct-89	F24		0.38	<3.39				<1.17						
01U102	08-Aug-88	F19		<0.72											
01U102	11-Nov-88	F20		<0.72											
01U102	25-Apr-89	F22		<0.72	<0.87				<8.28						
01U102	27-Jul-89	F23		<0.82	34.00				<2.30						
01U102	26-Oct-89	F24		<0.41	<6.80				<2.30						
01U103	11-Nov-87	F16			<3.39				1.48						
01U103	18-Nov-87	F16	<1.80	<0.41						<1.10					
01U103	08-Aug-88	F19		<0.72											
01U103	11-Nov-88	F20		<0.72											
01U103	26-Apr-89	F22		<0.72	<0.87				<8.28						
01U103	27-Jul-89	F23		<0.41	11.40				<1.17						
01U103	26-Oct-89	F24		<0.41	<3.39				<1.17						
01U107	08-Apr-88	F18		<0.72	<0.87				<8.28						
01U107	08-Aug-88	F19		<0.72											
01U107	15-Nov-88	F20		<0.72											
01U107	25-Apr-89	F22		<0.72	<0.87				<8.28						
01U107	27-Jul-89	F23		<0.41	<3.39				<1.17						
01U107	25-Oct-89	F24		<0.41	<3.39				<1.17						
01U108	16-Nov-87	F16													
01U108	17-Nov-87	F16	<45.00	<10.00	<3.39				<1.17	<28.00					
01U108	11-Apr-88	F18		<0.72	<0.87				<8.28						
01U108	25-Aug-88	F19		<14.00											
01U108	15-Nov-88	F20		<14.00											
01U108	24-Apr-89	F22		<7.20	<8.70				<83.00						
01U108	24-Oct-89	F24		<10.00	<85.00				<29.00						
01U109	08-Apr-88	F18		<0.72	<0.87				<8.28						
01U110	08-Apr-88	F18		<0.72	<0.87				<8.28						
01U115	11-Nov-87	F16	<4.50	<1.00	<3.39				<1.17	<2.80					
01U115	11-Apr-88	F18		<0.72	<0.87				<8.28						
01U115	09-Aug-88	F19		<0.72											
01U115	15-Nov-88	F20		<0.72											
01U115	24-Apr-89	F22		<0.72	<0.87				<8.28						
01U115	27-Jul-89	F23		<0.41	<3.39				<1.17						

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
01U115	27-Oct-89	F24		<0.41	<3.39				<1.17						
01U116	11-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U116	06-Apr-88	F18		<0.72	<0.87				<8.28						
01U116	09-Aug-88	F19		<0.72											
01U116	15-Nov-88	F20		<0.72											
01U116	24-Apr-89	F22		<0.72	<0.87				<8.28						
01U116	27-Jul-89	F23		<0.41	<3.39				<1.17						
01U116	27-Oct-89	F24		0.31	<3.39				<1.17						
01U117	11-Nov-87	F16	<4.50	<1.00	<3.39				<1.17	<2.80					
01U117	06-Apr-88	F18		<0.72	<0,87				<8.28						
01U117	09-Aug-88	F19		<0.72											
01U117	15-Nov-88	F20		<0.72											
01U117	25-Apr-89	F22		0.89	<0.87				<8.28						
01U117	27-Jul-89	F23		<0.41	<3.39				<1.17						
01U117	27-Oct-89	F24		<0.41	<3.39				<1.17						
01U118	11-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U118	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U118	09-Aug-88	F19		<0.72											
01U118	15-Nov-88	F20		<0.72											
01U118	25-Apr-89	F22		<0.72	<0.87				<8.28						
01U118	27-Jul-89	F23		<0.41	<3.39				<1.17						
01U118	27-Oct-89	F24		<0.41	<3.39				<1.17						
01U119	11-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U119	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U119	12-Aug-88	F19		<0.72											
01U119	15-Nov-88	F20		<0.72											
01U119	26-Apr-89	F22		<0.72	<0.87				<8.28						
01U119	27-Jul-89	F23		<0.41	<3.39				<1.17						
01U119	27-Oct-89	F24		<0.41	<3.39				<1.17						
01U120	11-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U120	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U120	12-Aug-88	F19		<0.72											
01U120	15-Nov-88	F20		<0.72											
01U120	27-Apr-89	F22		<0.72	<0.87				<8.28						
01U120	27-Jul-89	F23		<0.41	<3.39				<1.17						
01U120	27-Oct-89	F24		<0.41	<3.39				<1.17						
01U122	09-Dec-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U122	05-Apr-88	F18		<0.72	<0.87				<8.28						
01U122	08-Aug-88	F19		<0.72											
01U122	11-Nov-88	F20		<0.72											
01U125	08-Dec-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U125	11-Apr-88	F18		<0.72	<0.87				<8.28						
01U125	12-Aug-88	F19		<0.72											
01U125	17-Nov-88	F20		<0.72											
01U126	08-Dec-87	F16	<3.60	<0.82	<3.39				<1.17	<2.20					

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
01U126	06-Apr-88	F18		<0.72	<0.87				<8.28						
01U126	12-Aug-88	F19		<0.72											
01U126	17-Nov-88	F20		<0.72											
01U126	24-Apr-89	F22		<0.72	<0.87				<8.28						
01U126	27-Jul-89	F23		<0.41	<3.39				<1.17						
01U126	25-Oct-89	F24		0.33	<3.39				<1.17						
01U127	11-Dec-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U127	06-Apr-88	F18		<0.72	<0.87				<8.28						
01U127	12-Aug-88	F19		<0.72											
01U127	14-Nov-88	F20		<0.72											
01U127	26-Apr-89	F22		<0.72	<0.87				<8.28						
01U127	25-Oct-89	F24		<0.41	<3.39				<1.17						
01U128	09-Dec-87	F16	<3.60	<0.82	<3.39				<1.17	<2.20					
01U128	05-Apr-88	F18		<0.72	<0.87				<8.28						
01U128	08-Aug-88	F19		<0.72	<0.87				<8.28						
01U128	16-Nov-88	F20		<0.72	17.00				22.60						
01U130	07-Dec-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10	<0.29	<0.62	<0.34	<0.13	<0.32
01U130	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U130	15-Aug-88	F19		<0.72	<0.87				<8.28						
01U130	21-Nov-88	F20		<0.72											
01U133	11-Dec-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U133	12-Aug-88	F19		<0.72	<0.87				<8.28						
01U133	14-Nov-88	F20		<0.72											
01U135	21-Nov-88	F20		<0.72	<0.87				<8.28						
01U135	25-Apr-89	F22		<0.72	<0.87				<8.28						
01U135	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U135	25-Oct-89	F24		0.31	29.40				<1.17						
01U136	21-Nov-88	F20		<0.72	<0.87				<8.28						
01U136	25-Apr-89	F22		<0.72	<0.87				<8.28						
01U136	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U136	25-Oct-89	F24		<0.41	<3.39				<1.17						
01U524	16-Nov-87	F16													
01U524	17-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10	<0.29	<0.62	<0.34	<0.13	<0.32
01U524	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U524	16-Aug-88	F19		<0.72	<0.87				<8.28						
01U524	21-Nov-88	F20		<0.72											
01U525	16-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U525	17-Nov-87	F16													
01U525	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U525	15-Aug-88	F19		<0.72	<0.87				<8.28						
01U525	14-Nov-88	F20		<0.72											
01U525	27-Apr-89	F22		<0.72	<0.87				<8.28						
01U525	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U525	26-Oct-89	F24		<0.41	<3.39				<1.17						

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
01U526	17-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U526	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U526	15-Aug-88	F19		<0.72	<0.87				<8.28						
01U526	14-Nov-88	F20		<0.72											
01U526	09-May-89	F22		<0.72	<0.87				<8.28						
01U526	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U526	26-Oct-89	F24		<0.41	<3.39				<1.17						
01U527	17-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U527	11-Apr-88	F18		<0.72	<0.87				<8.28						
01U527	25-Aug-88	F19		<0.72	<0.87				<8.28						
01U527	21-Nov-88	F20		<0.72											
01U601	07-Dec-87	F16	<3.60	<0.82	<6.80				<2.30	<2.20					
01U604	07-Dec-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U611	08-Dec-87	F16	<9000.00	<2000.00	<17000.00				<5800.00	<5500.00					
01U615	07-Dec-87	F16	<180.00	<41.00	<3.39				<1.17	<110.00					
01U617	19-Aug-88	F19		<0.72	<0.87				<8.28						
01U618	19-Aug-88	F19		<0.72	<0.87				<8.28						
01U619	19-Aug-88	F19		<0.72	<0.87				<8.28						
01U634	12-May-89	F22		<0.72	<0.87				<8.28						
01U634	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U636	12-May-89	F22		<0.72	<0.87				<8.28						
01U636	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U639	12-May-89	F22		<0.72	<0.87				<8.28						
01U639	26-Jul-89	F23		<0.82	<3.39				<1.17						
01U640	26-Jul-89	F23		<0.82	27.50				<1.17						
01U652	12-May-89	F22		<0.72	1.24				<8.28						
01U652	26-Jul-89	F23		<0.41	5.53				<1.17						
01U652	27-Oct-89	F24		<0.41	<3.39				<1.17						
01U666	12-May-89	F22		<0.72	<0.87				<8.28						
01U901	27-Jul-89	F23		<0.41	19.70				<1.17						
01U901	20-Oct-89	F24		<0.41	<3.39				<1.17						
01U902	27-Jul-89	F23		<0.82	<3.39				<1.17						
01U902	20-Oct-89	F24		<2.00	<17.00				<5.80						
03F302	17-Nov-87	H16		11.30											
03F302	15-Dec-87	H16		26.00											
03F302	12-Jan-88	H17		18.00											

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03F302	28-Apr-88	H18		22.00											
03F302	19-Jul-88	H19		<0.20											
03F302	21-Oct-88	H20		0.50											
03F302	06-Jan-89	H21		<1.00	<1.00		<1.00	<1.00		<1.00					
03F302	16-Mar-89	H21		<10.00											
03F302	20-Apr-89	H22		0.70											
03F302	19-Jul-89	H23		<20.00		<2000.00									
03F302	24-Oct-89	H24		<20.00		<2000.00									
03F303	17-Nov-87	H16		9.20											
03F303	15-Dec-87	H16		8.90											
03F303	12-Jan-88	H17		11.00											
03F303	28-Apr-88	H18		<0.20											
03F303	19-Jul-88	H19		<0.20											
03F303	21-Oct-88	H20		<0.50											
03F303	06-Jan-89	H21		<1.00	<1.00		<1.00	<1.00		<1.00					
03F303	16-Mar-89	H21		61.00											
03F303	20-Apr-89	H22		0.80											
03F303	19-Jul-89	H23		<4.00		<400.00									
03F303	24-Oct-89	H24		<5.00		<500.00									
03F304	17-Nov-87	H16		<0.20											
03F304	15-Dec-87	H16		0.39											
03F304	12-Jan-88	H17		<0.20											
03F304	28-Apr-88	H18		<0.20											
03F304	19-Jul-88	H19		<0.20											
03F304	16-Mar-89	H21		<1.00											
03F304	20-Apr-89	H22		<0.20											
03F304	19-Jul-89	H23		<1.00		<20.00									
03F304	24-Oct-89	H24		<0.20		<20.00									
03F305	17-Nov-87	H16		0.40											
03F305	15-Dec-87	H16		0.47											
03F305	12-Jan-88	H17		0.75											
03F305	28-Apr-88	H18		<0.20											
03F305	19-Jul-88	H19		<0.20											
03F305	06-Jan-89	H21		<1.00	<1.00		<1.00	<1.00		<1.00					
03F305	16-Mar-89	H21		1.90											
03F305	20-Apr-89	H22		0.40											
03F305	19-Jul-89	H23		<1.00		<100.00									
03F305	23-Oct-89	H24		<2.00		<200.00									
03F306	17-Nov-87	H16		15.80											
03F306	15-Dec-87	H16		15.30											
03F306	12-Jan-88	H17		9.20											
03F306	28-Apr-88	H18		<0.20											
03F306	19-Jul-88	H19		<0.20											
03F306	21-Oct-88	H20		2.00											
03F306	06-Jan-89	H21		<1.00	<1.00		<1.00	<1.00		<1.00					
03F306	16-Mar-89	H21		<10.00											
03F306	20-Apr-89	H22		0.90											
03F306	19-Jul-89	H23		<5.00		<500.00									
03F306	23-Oct-89	H24		<20.00		<2000.00									

TABLE 4 - TCAAP GROUNDWATER QUALITY (ORGANICS) - ug/l

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03F307	17-Nov-87	H16		<0.20											
03F307	15-Dec-87	H16		13.10											
03F307	12-Jan-88	H17		131.00											
03F307	28-Apr-88	H18		<4.00											
03F307	19-Jul-88	H19		<0.20											
03F307	21-Oct-88	H20		2.00											
03F307	16-Mar-89	H21		<10.00											
03F307	20-Apr-89	H22		0.60											
03F307	19-Jul-89	H23		<4.00		<400.00									
03F307	23-Oct-89	H24		<20.00		<2000.00									
03F308	16-Mar-89	H21		<5.00											
03F308	20-Apr-89	H22		<0.20											
03F308	19-Jul-89	H23		<0.20		<20.00									
03F308	23-Oct-89	H24		<0.20		<20.00									
03F312	19-Dec-88	H20		<1.00											
03F312	16-Mar-89	H21		<1.00											
03F312	20-Apr-89	H22		<0.20											
03F312	19-Jul-89	H23		<0.20		<20.00									
03F312	24-Oct-89	H24		<0.20		<20.00									
03L001	16-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L001	13-Jan-88	H17		<0.20											
03L001	11-May-88	H18		<0.20											
03L001	29-Jul-88	H19		<0.20											
03L001	20-Oct-88	H20		<0.50											
03L001	18-Apr-89	H22		<0.20											
03L001	11-Jul-89	H23		<0.20		<20.00									
03L001	11-Oct-89	H24		<0.20		<20.00									
03L002	17-Nov-87	F16	<90.00	<20.00	<3.39				<1.17	<55.00					
03L002	18-Jan-88	H17		<0.20											
03L002	10-May-88	H18		2.50											
03L002	04-Aug-88	H19		3.10											
03L002	24-Oct-88	H20		5.50											
03L002	12-Oct-89	H24		<10.00		<1000.00									
03L003	19-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L003	11-Aug-88	F19		<0.72	<0.87				<8.28						
03L004	18-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L004	09-Aug-88	F19		<0.72	<0.87				<8.28						
03L005	23-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L005	10-Aug-88	F19		<0.72	<0.87				<8.28						
03L006	11-Jul-89	H23		<4.00		<400.00									
03L007	09-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L007	10-Nov-88	F20		<0.72											

TABLE 4 - TCAAP GROUNDWATER QUALITY (ORGANICS) - ug/l

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03L010	09-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L010	10-Nov-88	F20		<0.72											
03L012	09-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L012	11-Nov-88	F20		<0.72											
03L013	10-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L014	23-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L014	10-Aug-88	F19		<0.72	<0.87				<8.28						
03L017	10-Nov-87	F16	<45.00	<10.00	<3.39				<1.17	<28.00					
03L018	23-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L018	08-Apr-88	F18		<0.72	<0.87				<8.28						
03L018	22-Aug-88	F19		<0.72	<0.87				<8.28						
03L018	18-Nov-88	F20		<0.72	3.02				<8.28						
03L020	07-Dec-87	F16	<1800.00	<410.00	<3400.00				<1200.00	<1100.00					
03L020	17-Aug-88	F19		<140.00	1.27				<8.28						
03L021	13-Oct-89	H24		<0.40		<40.00									
03L029	03-Dec-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L077	04-Dec-87	F16	<180.00	<41.00	<170.00				<58.00	<110.00					
03L077	19-Jan-88	H17		1.30											
03L077	09-May-88	H18		0.36											
03L077	03-Aug-88	H19		<0.20											
03L077	21-Oct-88	H20		1.40											
03L077	11-Oct-89	H24		<40.00		<4000.00									
03L078	23-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L078	15-Jan-88	H17		<0.20											
03L078	13-May-88	H18		<0.20											
03L078	03-Aug-88	H19		<0.20											
03L078	18-Aug-88	F19		<0.72	<0.87				<8.28						
03L078	16-Oct-89	H24		<0.20		<20.00									
03L079	04-Dec-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L079	14-Jan-88	H17		<0.20											
03L079	09-May-88	H18		<0.20											
03L079	03-Aug-88	H19		<0.20											
03L079	18-Aug-88	F19		<0.72	<0.87				<8.28						
03L079	26-Oct-88	H20		<0.50											
03L079	16-Oct-89	H24		<0.20		<20.00									
03L084	08-Dec-87	F16	<3.60	<0.82	<3.39				<1.17	<2.20					
03L084	18-Jan-88	H17		<0.20											
03L084	11-May-88	H18		<0.20											
03L084	04-Aug-88	H19		<0.20											
03L084	20-Oct-88	H20		<0.50											
03L084	11-Oct-89	H24		<0.20		<20.00									

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03L086	11-Aug-88	F19		<0.72	<0.87				<8.28						
03L091	03-Dec-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10	<0.29	<0.62	<0.34	<0.13	<0.32
03L091	25-Aug-88	F19		<0.72	<0.87				<8.28						
03L113	18-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L113	06-Apr-88	F18		<0.72	<0.87				<8.28						
03L113	09-Aug-88	F19		<0.72	<0.87				<8.28						
03L113	18-Nov-88	F20		<0.72	0.98				<8.28						
03L137	17-Oct-89	F24		<0.41	<3.39				<1.17						
03L138	17-Oct-89	F24		<0.41	<3.39				<1.17						
03L306	23-Aug-88	F19		<0.72	<0.87				<8.28						
03L306	08-Nov-88	F20		<0.72											
03L306	03-May-89	F22		<0.72	<0.87				<8.28						
03L673	12-Nov-87	H16		25.00											
03L802	03-Dec-87	F16	<900.00	<200.00						<550.00					
03L802	21-Jan-88	H17		140.00											
03L802	13-May-88	H18		0.25											
03L802	04-Aug-88	H19		3.90											
03L802	28-Oct-88	H20		<0.50											
03L802	20-Apr-89	H22		<0.20											
03L802	12-Jul-89	H23		<4.00		<400.00									
03L802	18-Oct-89	H24		<0.20		<20.00									
03L806	02-Dec-87	F16	<360.00	<82.00						<220.00					
03L806	19-Jan-88	H17		<0.20											
03L806	12-May-88	H18		0.79											
03L806	04-Aug-88	H19		5.70											
03L806	25-Oct-88	H20		5.10											
03L806	16-Oct-89	H24		<10.00		<1000.00									
03L809	10-May-89	F22		<36.00	<44.00				<410.00						
03L809	20-Oct-89	F24		<41.00	<3.39				<1.17						
03L811	25-Nov-87	F16	<1.80	<0.41						<1.10					
03L811	04-May-89	F22		<0.72	1.74				<8.28						
03L811	24-Jul-89	F23		<0.41	<3.39				<1.17						
03L811	20-Oct-89	F24		<0.41	<3.39				<1.17						
03L813	25-Nov-87	F16	<1.80	<0.41						<1.10					
03L813	05-May-89	F22		<0.72	<0.87				<8.28						
03L813	24-Jul-89	F23		<0.41	<3.39				<1.17						
03L813	20-Oct-89	F24		0.27	<6.80				<2.30						
03L822	01-Dec-87	F16	<1.80	<0.41						<1.10					
03L822	05-May-89	F22		<0.72	3.34				<8.28						
03L822	24-Jul-89	F23		<0.41	<3.39				<1.17						

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03L822	23-Oct-89	F24		<0.41	<3.39				<1.17						
03L832	24-Nov-87	F16	<1.80	<0.41						<1.10					
03L832	16-Dec-88	H20		<1.00											
03L832	09-May-89	F22		<0.72	<0.87				<8.28						
03L832	24-Jul-89	F23		<0.41	<3.39				<1.17						
03L832	24-Oct-89	F24		<0.41	<3.39				<1.17						
03L841	20-Oct-87	H16		<0.20											
03L841	12-Nov-87	H16		<0.20											
03L846	18-Jul-89	F23		<0.41	<3.39				<1.17						
03L846	19-Oct-89	F24		<0.41	<3.39				<1.17						
03L848	02-Dec-87	F16	<90.00	<20.00						<55.00					
03L848	03-May-89	F22		<0.72	<0.87				<8.28						
03L848	20-Jul-89	F23		<8.20	<68.00				<23.00						
03L848	19-Oct-89	F24		0.43	<3.39				<1.17						
03L853	03-Dec-87	F16	<180.00	<41.00						<110.00					
03L853	05-May-89	F22		<0.72	<0.87				<8.28						
03L853	25-Jul-89	F23		<41.00	<340.00				<120.00						
03L853	23-Oct-89	F24		<41.00	<339.00				<117.00						
03L854	20-Oct-87	H16		<0.20											
03L854	24-Nov-87	F16	<1.80	<0.41						<1.10					
03L854	16-Dec-88	H20		<1.00											
03L854	20-Jul-89	F23		<0.41	<3.39				<1.17						
03L854	27-Oct-89	F24		<0.41	<3.39				<1.17						
03L856	24-Nov-87	F16	<1.80	<0.41						<1.10					
03L856	05-May-89	F22		<0.72	1.58				<8.28						
03L856	25-Jul-89	F23		<0.41	<3.39				<1.17						
03L856	23-Oct-89	F24		<0.41	<3.39				<1.17						
03L858	24-Nov-87	F16	<4.50	2.90						16.00					
03L858	08-May-89	F22		11.70	1.42				<8.28						
03L858	21-Jul-89	F23		7.10	<17.00				<5.80						
03L858	23-Oct-89	F24		4.90	<17.00				<5.80						
03L859	13-Nov-87	H16		<0.20											
03L859	15-Dec-88	H20		<1.00											
03L860	13-Nov-87	H16		<0.20											
03L860	15-Dec-88	H20		<1.00											
03L861	12-Nov-87	H16		<0.20											
03L861	15-Dec-88	H20		<1.00											
03M001	16-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03M002	17-Nov-87	F16	<360.00	<82.00	<3.39				<1.17	<220.00					

TABLE 4 - TCAAP GROUNDWATER QUALITY (ORGANICS) - ug/l

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03M003	19-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03M003	11-Aug-88	F19		<0.72	<0.87				<8.28						
03M004	18-Nov-87	F16	<1.80	<0.41						<1.10					
03M004	27-Jul-88	H19		<0.20											
03M004	09-Aug-88	F19		<0.72	<0.87				<8.28						
03M005	08-Dec-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03M005	14-Jan-88	H17		<0.20											
03M005	06-Apr-88	F18		<0.72	<0.87				<8.28						
03M005	16-May-88	H18		<0.20											
03M005	27-Jul-88	H19		<0.20											
03M005	11-Aug-88	F19		<0.72	<0.87				<8.28						
03M005	31-Oct-88	H20		<0.50											
03M005	10-Nov-88	F20		<0.72											
03M005	11-Oct-89	H24		<0.20		<20.00									
03M013	10-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03M017	10-Nov-87	F16	<90.00	<20.00	<3.39				<1.17	<55.00					
03M017	11-Jan-88	H17		<0.20											
03M017	12-May-88	H18		0.35											
03M017	01-Aug-88	H19		<0.20											
03M017	31-Oct-88	H20		<0.50											
03M017	13-Oct-89	H24		<10.00		<1000.00									
03M020	19-Jan-88	H17		14.00											
03M020	11-May-88	H18		<0.20											
03M020	01-Aug-88	H19		1.90											
03M020	18-Aug-88	F19		100.00	<44.00				<410.00						
03M020	25-Oct-88	H20		10.00											
03M020	11-Oct-89	H24		<50.00		<5000.00									
03M505	09-Nov-87	F16			<3.39				<1.17						
03M713	04-Jan-89	H21		<1.00											
03M802	03-Dec-87	F16	<900.00	<200.00						<550.00					
03M806	02-Dec-87	F16	<90.00	<20.00						<55.00					
03M843	24-Nov-87	F16	<1.80	<0.41						<1.10					
03M843	05-May-89	F22		<0.72	1.13				<8.28						
03M843	25-Jul-89	F23		<0.41	<3.39				<1.17						
03M843	23-Oct-89	F24		<0.41	<3.39				<1.17						
03M848	02-Dec-87	F16	<45.00	<10.00						<28.00					
03U001	16-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U002	17-Nov-87	F16	<9.00	<2.00	<3.39				<1.17	<5.50					
03U002	26-May-88	H18		<0.20											
03U002	04-Aug-88	H19		<0.20											

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03U002	24-Oct-88	H20		<0.50											
03U003	19-Nov-87	F16	<180.00	<41.00	<3.39				<1.17	<110.00	<0.29	<0.62	<0.34	<0.13	<0.32
03U003	22-Jan-88	H17		6.00											
03U003	16-May-88	H18		<0.20											
03U003	27-Jul-88	H19		<0.20											
03U003	11-Aug-88	F19		2.16	<0.87				<8.28						
03U003	26-Oct-88	H20		<0.50											
03U003	19-Apr-89	H22		1.00											
03U003	12-Jul-89	H23		4.00		<20.00									
03U004	18-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10	<0.29	<0.62	<0.34	<0.13	<0.32
03U004	13-Jan-88	H17		0.24											
03U004	18-May-88	H18		<0.20											
03U004	27-Jul-88	H19		<0.20											
03U004	09-Aug-88	F19		<0.72	<0.87				<8.28						
03U004	28-Oct-88	H20		<0.50											
03U004	25-Oct-89	H24		<0.20		<20.00									
03U005	23-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U005	14-Jan-88	H17		<0.20											
03U005	06-Apr-88	F18		<0.72	<0.87				<8.28						
03U005	16-May-88	H18		<0.20											
03U005	27-Jul-88	H19		<0.20											
03U005	10-Aug-88	F19		<0.72	<0.87				<8.28						
03U005	31-Oct-88	H20		<0.50											
03U005	10-Nov-88	F20		<0.72											
03U005	11-Oct-89	H24		<0.20		<20.00									
03U007	09-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U007	07-Nov-88	F20		<0.72											
03U008	09-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U008	10-Nov-88	F20		<0.72											
03U009	20-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U009	14-Nov-88	F20		<0.72											
03U010	09-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U010	10-Nov-88	F20		<0.72											
03U012	09-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U012	11-Nov-88	F20		<0.72											
03U013	10-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U014	04-Dec-87	F16	5400.00	<410.00	<1700.00				<580.00	<1100.00	<0.29	<0.62	<0.34	<0.13	<0.32
03U014	18-Jan-88	H17		<0.20											
03U014	18-May-88	H18		<0.20											
03U014	02-Aug-88	H19		<20.00											
03U014	17-Aug-88	F19		<140.00	<0.87				<8.28						
03U014	24-Oct-88	H20		28.00											
03U014	20-Apr-89	H22		3.50											

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03U014	19-Jul-89	H23		<40.00		<4000.00									
03U014	24-Oct-89	H24		<100.00		<10000.00									
03U015	17-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U015	05-Apr-88	F18		<0.72	<0.87				<8.28						
03U015	09-Aug-88	F19		<0.72											
03U015	16-Nov-88	F20		<0.72											
03U017	10-Nov-87	F16	<45.00	<10.00	<3.39				<1.17	<28.00					
03U018	04-Dec-87	F16	<900.00	<200.00	<1700.00				<580.00	<550.00	<0.29	<0.62	<0.34	<0.13	<0.32
03U018	22-Aug-88	F19		1.57	<0.87				<8.28						
03U018	20-Apr-89	H22		1.40											
03U018	12-Jul-89	H23		<1.00		<100.00									
03U018	20-Oct-89	H24		<20.00		<2000.00									
03U019	23-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U019	25-Jan-88	H17		<0.20											
03U019	17-May-88	H18		<0.20											
03U019	02-Aug-88	H19		<0.20											
03U019	12-Aug-88	F19		<0.72	<0.87				<8.28						
03U019	27-Oct-88	H20		<0.50											
03U019	18-Oct-89	H24		<0.20		<20.00									
03U020	07-Dec-87	F16	<900.00	<200.00	<1700.00				<580.00	<550.00					
03U020	17-Aug-88	F19		<140.00	<0.87				<8.28						
03U021	17-May-88	H18		<0.20											
03U021	29-Jul-88	H19		<0.20											
03U021	28-Oct-88	H20		<0.50											
03U021	13-Oct-89	H24		<4.00		<400.00									
03U022	05-Apr-88	F18		<0.72	<0.87				<8.28						
03U023	10-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U023	15-Nov-88	F20		<0.72	<0.87				<8.28						
03U024	10-Aug-88	F19		<0.72	<0.87				<8.28						
03U025	10-Aug-88	F19		<0.72	1.92				<8.28						
03U026	18-Nov-87	F16	<9.00	6.50	<3.39				<1.17	<5.50					
03U026	08-Apr-88	F18		21.40	<0.87				<8.28						
03U026	22-Aug-88	F19		15.30	<0.87				<8.28						
03U026	16-Nov-88	F20		35.40	4.66				<8.28						
03U027	20-Nov-87	F16	<9.00	<2.00						<5.50	<0.29	<0.62	<0.34	<0.13	<0.32
03U027	13-Jan-88	H17		2.50											
03U027	11-May-88	H18		0.95											
03U027	08-Aug-88	H19		1.10											
03U027	16-Aug-88	F19		1.90	<0.87				<8.28						
03U027	25-Oct-88	H20		0.65											
03U027	11-Oct-89	H24		2.30		<40.00									

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03U028	03-Dec-87	F16	<90.00	<20.00						<55.00	<0.29	<0.62	<0.34	<0.13	<0.32
03U028	22-Aug-88	F19		<7.20	<8.70				<83.00						
03U028	25-Oct-89	H24		<2.00		<200.00									
03U029	03-Dec-87	F16	<360.00	<82.00	<680.00				<230.00	<220.00	<0.29	<0.62	<0.34	<0.13	<0.32
03U029	26-Jan-88	H17		8.50											
03U029	17-May-88	H18		<0.20											
03U029	08-Aug-88	H19		1090.00											
03U029	17-Aug-88	F19		<36.00	<0.87				<8.28						
03U029	31-Oct-88	H20		<0.50											
03U029	18-Oct-89	H24		0.50		<20.00									
03U030	03-Dec-87	F16	<3.60	<0.82						<2.20	<0.29	<0.62	<0.34	<0.13	<0.32
03U030	26-Jan-88	H17		<0.20											
03U030	18-May-88	H18		<0.20											
03U030	08-Aug-88	H19		<0.20											
03U030	22-Aug-88	F19		<0.72	1.04				<8.28						
03U030	01-Nov-88	H20		<0.50											
03U030	25-Oct-89	H24		<0.20		<20.00									
03U031	18-Jan-88	H17		<0.20											
03U031	10-May-88	H18		<0.20											
03U031	29-Jul-88	H19		<0.20											
03U031	10-Aug-88	F19		<0.72	<0.87				<8.28						
03U031	20-Oct-88	H20		<0.50											
03U031	11-Oct-89	H24		<0.20		<20.00									
03U032	20-Nov-87	F16	<18.00	<4.10	<3.39				<1.17	<11.00					
03U032	08-Apr-88	F18		<0.72	<0.87				<8.28						
03U032	22-Aug-88	F19		<0.72	1.00				<8.28						
03U073	15-Jan-88	H17		<0.20											
03U075	10-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U075	18-Aug-88	F19		<0.72	<0.87				<8.28						
03U076	10-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U076	18-Aug-88	F19		<0.72	<0.87				<8.28						
03U077	19-Jan-88	H17		1.30						0.64					
03U077	09-May-88	H18		0.86											
03U077	03-Aug-88	H19		<0.20											
03U077	21-Oct-88	H20		<0.50											
03U077	16-Oct-89	H24		<20.00		<2000.00									
03U078	23-Nov-87	F16	<18.00	<4.10	<3.39				<1.17	<11.00	<0.29	<0.62	<0.34	<0.13	<0.32
03U078	14-Jan-88	H17		4.10											
03U078	13-May-88	H18		1.90											
03U078	03-Aug-88	H19		<0.20											
03U078	18-Aug-88	F19		3.11	2.54				<8.28						
03U078	16-Oct-89	H24		3.70		<100.00									

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03U079	04-Dec-87	F16	<900.00	<200.00	<680.00				<230.00	<550.00	<0.29	<0.62	<0.34	<0.13	<0.32
03U079	14-Jan-88	H17		<10.00											
03U079	09-May-88	H18		<2.00											
03U079	03-Aug-88	H19		<0.20											
03U079	18-Aug-88	F19		2.68	<0.87				<8.28						
03U079	26-Oct-88	H20		11.00											
03U079	16-Oct-89	H24		<20.00		<2000.00									
03U083	10-Aug-88	F19		<0.72	<0.87				<8.28						
03U084	23-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U084	18-Jan-88	H17		<0.20											
03U084	11-May-88	H18		<0.20											
03U084	04-Aug-88	H19		<0.20											
03U084	20-Oct-88	H20		<0.50											
03U084	11-Oct-89	H24		<0.20		<20.00									
03U087	20-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U087	26-Jan-88	H17		<0.20											
03U087	11-Apr-88	F18		<0.72	<0.87				<8.28						
03U087	18-May-88	H18		<0.20											
03U087	29-Jul-88	H19		<0.20											
03U087	24-Aug-88	F19		<0.72											
03U087	28-Oct-88	H20		<0.50											
03U087	17-Nov-88	F20		<0.72											
03U087	24-Oct-89	H24		<0.20		<20.00									
03U088	17-Nov-87	F16			<3.39				<1.17						
03U088	05-Apr-88	F18		<0.72	<0.87				<8.28						
03U088	08-Aug-88	F19		<0.72											
03U088	16-Nov-88	F20		<0.72											
03U089	20-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U089	05-Apr-88	F18		<0.72	<0.87				<8.28						
03U089	08-Aug-88	F19		<0.72											
03U089	17-Nov-88	F20		<0.72											
03U090	19-Nov-87	F16	<1.80	2.83	<3.39				<1.17	<1.10					
03U090	06-Apr-88	F18		10.30	<0.87				<8.28						
03U090	16-Aug-88	F19		3.33	<0.87				<8.28						
03U090	18-Nov-88	F20		4.72	1.33				<8.28						
03U092	23-Nov-87	F16	<1.80	1.13	<3.39				<1.17	<1.10	<0.29	<0.62	<0.34	<0.13	<0.32
03U092	08-Apr-88	F18		3.85	<0.87				<8.28						
03U092	25-Aug-88	F19		6.07	<0.87				<8.28						
03U092	16-Nov-88	F20		4.40	31.20				13.30						
03U093	04-Dec-87	F16	<18000.00	<4100.00	<17000.00				<5800.00	<11000.00	<0.29	<0.62	<0.34	<0.13	<0.32
03U093	26-Jan-88	H17		<0.20											
03U093	18-May-88	H18		29.00											
03U093	08-Aug-88	H19		14.00											
03U093	17-Aug-88	F19		<140.00	17.20				<8.28						
03U093	01-Nov-88	H20		23.00											

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03U093	19-Oct-89	H24		<100.00		<10000.00									
03U094	04-Dec-87	F16	<1800.00	<410.00	<1700.00				<580.00	<1100.00					
03U094	25-Aug-88	F19		<140.00	<170.00				<1700.00						
03U096	04-Dec-87	F16	<360.00	<82.00	<680.00				<230.00	<220.00	<0.29	<0.62	<0.34	<0.13	<0.32
03U096	25-Aug-88	F19		<36.00	<44.00				<410.00						
03U097	20-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U097	07-Apr-88	F18		<0.72	<0.87				<8.28						
03U097	11-Aug-88	F19		<0.72											
03U097	17-Nov-88	F20		<0.72											
03U099	19-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U099	11-Apr-88	F18		<0.72	<0.87				<8.28						
03U099	27-Jul-88	H19		<0.20											
03U099	12-Aug-88	F19		<0.72											
03U099	17-Nov-88	F20		<0.72											
03U111	20-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U111	07-Apr-88	F18		<0.72	<0.87				<8.28						
03U111	11-Aug-88	F19		<0.72											
03U111	17-Nov-88	F20		<0.72											
03U112	20-Nov-87	F16	<4.50	8.60	<3.39				<1.17	<2.80					
03U112	08-Apr-88	F18		19.60	<0.87				<8.28						
03U112	16-Aug-88	F19		27.90	<0.87				<8.28						
03U112	18-Nov-88	F20		17.70	3.69				<8.28						
03U113	18-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U113	06-Apr-88	F18		<0.72	<0.87				<8.28						
03U113	09-Aug-88	F19		<0.72	<0.87				<8.28						
03U113	18-Nov-88	F20		<0.72	4.06				<8.28						
03U114	23-Nov-87	F16	<90.00	<20.00	<3.39				<1.17	<55.00					
03U114	11-Apr-88	F18		<0.72	<0.87				<8.28						
03U114	09-Aug-88	F19		<7.20	<0.87				<8.28						
03U114	16-Nov-88	F20		<14.00	20.00				<170.00						
03U121	08-Dec-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U121	08-Apr-88	F18		<0.72	<0.87				<8.28						
03U121	16-Aug-88	F19		<0.72	<0.87				<8.28						
03U121	18-Nov-88	F20		<0.72	1.88				<8.28						
03U124	08-Apr-88	F18		<0.72	<0.87				<8.28						
03U124	18-Aug-88	F19		<0.72	<0.87				<8.28						
03U129	08-Dec-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U129	07-Apr-88	F18		<0.72	<0.87				<8.28						
03U129	11-Aug-88	F19		<0.72											
03U129	18-Nov-88	F20		<0.72											
03U301	16-Mar-89	H21		<5.00											

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03U301	20-Apr-89	H22		0.40											
03U301	19-Jul-89	H23		<5.00		<500.00									
03U301	24-Oct-89	H24		<40.00		<4000.00									
03U314	05-Jan-89	H21		10.00											
03U314	16-Mar-89	H21		<10.00											
03U314	20-Apr-89	H22		1.70											
03U314	19-Jul-89	H23		<40.00		<4000.00									
03U314	24-Oct-89	H24		<100.00		<10000.00									
03U315	05-Jan-89	H21		<1.00											
03U315	16-Mar-89	H21		11.00											
03U315	20-Apr-89	H22		0.90											
03U315	19-Jul-89	H23		<4.00		<400.00									
03U315	24-Oct-89	H24		<10.00		<1000.00									
03U316	05-Jan-89	H21		1.30											
03U316	16-Mar-89	H21		<1.00											
03U316	20-Apr-89	H22		1.70											
03U316	19-Jul-89	H23		2.00		<20.00									
03U316	24-Oct-89	H24		0.90		<40.00									
03U317	05-Jan-89	H21		<1.00											
03U317	16-Mar-89	H21		<10.00											
03U317	20-Apr-89	H22		1.30											
03U317	19-Jul-89	H23		<20.00		<2000.00									
03U317	25-Oct-89	H24		<200.00		<20000.00									
03U521	20-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U521	11-Apr-88	F18		<0.72	<0.87				<8.28						
03U521	24-Aug-88	F19		<0.72											
03U521	18-Nov-88	F20		<0.72											
03U658	27-Jul-88	H19		<0.20											
03U658	13-Oct-89	H24		<0.20		<20.00									
03U659	25-Oct-89	H24		<20.00		<2000.00									
03U671	04-Dec-87	F16	<36.00	<8.20						<22.00					
03U671	22-Jan-88	H17		12.80											
03U671	13-May-88	H18		4.00											
03U671	08-Aug-88	H19		5.80											
03U671	22-Aug-88	F19		11.00	<4.40				<41.00						
03U671	26-Oct-88	H20		3.10											
03U671	16-Oct-89	H24		<1.00		<100.00									
03U672	13-Nov-87	H16		<0.20											
03U672	14-Jan-88	H17		<0.20											
03U672	18-May-88	H18		<0.20											
03U672	27-Jul-88	H19		<0.20											
03U672	28-Oct-88	H20		<0.50											
03U672	19-Apr-89	H22		<0.20											
03U672	12-Jul-89	H23		<0.20		<20.00									

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03U672	18-Oct-89	H24		<0.20		<20.00									
03U673	13-Nov-87	H16		<0.20											
03U676	03-Nov-87	H16		<2.50											
03U701	20-Jan-88	H17		258.00											
03U701	12-May-88	H18		0.48											
03U701	02-Aug-88	H19		<0.20											
03U701	21-Oct-88	H20		1.50											
03U701	17-Oct-89	H24		<2.00		<200.00									
03U702	20-Jan-88	H17		<0.20											
03U702	13-May-88	H18		<0.20											
03U702	08-Aug-88	H19		0.70											
03U702	25-Oct-88	H20		<0.50											
03U702	13-Oct-89	H24		<0.20		<20.00									
03U703	15-Jan-88	H17		<2.00											
03U703	16-May-88	H18		<0.20											
03U703	04-Aug-88	H19		2.50											
03U703	24-Oct-88	H20		14.00											
03U703	12-Oct-89	H24		<10.00		<1000.00									
03U704	10-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U704	25-Jan-88	H17		<0.20											
03U704	05-Apr-88	F18		<0.72	<0.87				<8.28						
03U704	17-May-88	H18		<0.20											
03U704	29-Jul-88	H19		<0.20											
03U704	08-Aug-88	F19		<0.72											
03U704	27-Oct-88	H20		<0.50											
03U704	16-Nov-88	F20		<0.72											
03U704	20-Apr-89	H22		<0.20											
03U704	19-Jul-89	H23		<0.20		<20.00									
03U704	20-Oct-89	H24		<0.20		<20.00									
03U705	25-Jan-88	H17		<0.20											
03U705	17-May-88	H18		<0.20											
03U705	08-Aug-88	H19		<0.20											
03U705	12-Oct-89	H24		<0.40		<40.00									
03U706	25-Jan-88	H17		1.10											
03U706	10-May-88	H18		<0.20											
03U706	29-Jul-88	H19		<0.20											
03U706	25-Oct-88	H20		<0.50											
03U706	12-Oct-89	H24		<0.20		<20.00									
03U707	25-Jan-88	H17		<0.20											
03U707	17-May-88	H18		<0.20											
03U707	29-Jul-88	H19		<0.20											
03U707	25-Oct-88	H20		<0.50											
03U707	20-Oct-89	H24		<0.20		<20.00									

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03U708	22-Jan-88	H17		13.00											
03U708	10-May-88	H18		7.30											
03U708	04-Aug-88	H19		6.70											
03U708	24-Oct-88	H20		4.70											
03U708	31-Oct-88	H20		6.90											
03U708	12-Oct-89	H24		3.10		<40.00									
03U709	22-Jan-88	H17		1.60											
03U709	12-May-88	H18		1.50											
03U709	08-Aug-88	H19		1.30											
03U709	26-Oct-88	H20		<1.70											
03U709	17-Oct-89	H24		<1.00		<100.00									
03U710	14-Jan-88	H17		<0.20											
03U710	18-May-88	H18		<0.20											
03U710	03-Aug-88	H19		<0.20											
03U710	26-Oct-88	H20		3.10											
03U710	25-Oct-89	H24		<10.00		<1000.00									
03U711	19-Apr-89	H22		11.00											
03U711	12-Jul-89	H23		11.00		<20.00									
03U711	18-Oct-89	H24		9.70		<20.00									
03U801	03-Dec-87	F16	<360.00	<82.00						<220.00					
03U803	01-Dec-87	F16	<1.80	<0.41						<1.11					
03U803	28-Oct-88	H20		<0.50											
03U804	01-Dec-87	F16	<1.80	<0.41						<1.10					
03U804	21-Jan-88	H17		<0.20											
03U804	13-May-88	H18		<0.20											
03U804	04-Aug-88	H19		<0.20											
03U804	17-Oct-89	H24		<0.20		<20.00									
03U805	01-Dec-87	F16	<1.80	<0.41						<1.10					
03U805	21-Jan-88	H17		<0.20											
03U805	13-May-88	H18		<0.20											
03U805	09-Aug-88	H19		0.32											
03U805	01-Nov-88	H20		<0.50											
03U805	18-Oct-89	H24		<0.20		<20.00									
03U806	02-Dec-87	F16	<1.80	<0.41						<1.10					
03U811	25-Nov-87	F16	<1.80	<0.41						<1.10					
03U811	04-May-89	F22		<0.72	1.18				<8.28						
03U811	24-Jul-89	F23		<0.41	<3.39				<1.17						
03U811	20-Oct-89	F24		<0.41	<3.39				<1.17						
03U821	30-Nov-87	F16	<180.00	<41.00						<110.00					
03U821	10-May-89	F22		<3.60	<4.40				<41.00						
03U821	25-Jul-89	F23		<20.00	1100.00				<58.00						
03U821	24-Oct-89	F24		<20.00	<170.00				<58.00						

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03U822	01-Dec-87	F16	<1.80	<0.41						<1.10					
03U822	05-May-89	F22		<0.72	3.10				<8.28						
03U822	24-Jul-89	F23		<0.41	<3.39				<1.17						
03U822	23-Oct-89	F24		<0.41	<3.39				<1.17						
03U824	01-Dec-87	F16	<180.00	<41.00						<110.00					
03U831	25-Nov-87	F16	<1.80	<0.41						<1.10					
03U831	10-May-89	F22		<0.72	<0.87				<8.28						
03U831	25-Jul-89	F23		<0.41	<3.39				1.43						
03U831	24-Oct-89	F24		<0.41	<3.39				<1.17						
03U832	24-Nov-87	F16	<1.80	<0.41						<1.10					
03U832	09-May-89	F22		<0.72	<0.87				<8.28						
03U832	24-Jul-89	F23		<0.41	<3.39				<1.17						
03U832	24-Oct-89	F24		<0.41	<3.39				<1.17						
04J077	11-Oct-89	H24		<2.00		<200.00									
04J702	13-Oct-89	H24		<0.20		<20.00									
04J708	04-Jan-89	H21		<1.00											
04J708	12-Oct-89	H24		<0.20		<20.00									
04J713	04-Jan-89	H21		<1.00											
04J713	13-Oct-89	H24		<0.20		<20.00									
04J714	04-Jan-89	H21		<1.00											
04J714	18-Apr-89	H22		<0.20											
04J714	11-Jul-89	H23		<0.20		<400.00									
04J714	13-Oct-89	H24		<0.20		<20.00									
04U001	16-Nov-87	F16			<3.39				<1.17						
04U001	13-Jan-88	H17		<0.20											
04U001	11-May-88	H18		<0.20											
04U001	29-Jul-88	H19		<0.20											
04U001	23-Aug-88	F19		<0.72											
04U001	20-Oct-88	H20		<0.50											
04U001	18-Apr-89	H22		<0.20											
04U001	11-Jul-89	H23		<0.20		<20.00									
04U001	11-Oct-89	H24		<0.20		<20.00									
04U002	17-Nov-87	F16	<9.00	<2.00	<3.39				<1.17	<5.50					
04U002	18-Jan-88	H17		<0.20											
04U002	10-May-88	H18		<0.20											
04U002	04-Aug-88	H19		<0.20											
04U002	24-Oct-88	H20		0.50											
04U002	12-Oct-89	H24		<1.00		<100.00									
04U003	19-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
04U003	21-Jan-88	H17		<0.20											
04U003	16-May-88	H18		<0.20											
04U003	27-Jul-88	H19		<0.20											

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
04U003	26-Oct-88	H20		<0.50											
04U003	12-Jul-89	H23		<0.20		<20.00									
04U003	17-Oct-89	H24		<0.20		<20.00									
04U006	11-Jul-89	H23		<10.00		<20.00									
04U007	09-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
04U007	10-Nov-88	F20		<0.72											
04U012	09-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
04U012	11-Nov-88	F20		<0.72											
04U020	07-Dec-87	F16	<180.00	<41.00	<170.00				<58.00	<110.00					
04U020	19-Jan-88	H17		<0.20											
04U020	11-May-88	H18		<0.20											
04U020	01-Aug-88	H19		<0.20											
04U020	17-Aug-88	F19		<7.20	<0.87				<8.28						
04U020	25-Oct-88	H20		<0.50											
04U020	11-Oct-89	H24		<4.00		<400.00									
04U027	15-Jan-88	H17		<0.20											
04U027	10-May-88	H18		<0.20											
04U027	08-Aug-88	H19		<0.20											
04U027	25-Oct-88	H20		<0.50											
04U027	11-Oct-89	H24		<0.20		<20.00									
04U077	04-Dec-87	F16	<180.00	<41.00	<3.39				<1.17	<110.00					
04U077	19-Jan-88	H17		25.00											
04U077	09-May-88	H18		8.60											
04U077	03-Aug-88	H19		<0.20											
04U077	21-Oct-88	H20		2.00											
04U077	11-Oct-89	H24		<20.00		<2000.00									
04U510	18-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
04U510	15-Nov-88	F20		<0.72											
04U673	24-Nov-87	H16		15.30	43.10			0.97	1.10						
04U673	21-Jan-88	H17		38.00	24.00					<4.00					
04U673	16-May-88	H18		0.73											
04U673	04-Aug-88	H19		<0.20											
04U673	01-Nov-88	H20		<0.50											
04U673	03-May-89	F22		<1.40	<1.70				<17.00						
04U673	21-Jul-89	F23		<20.00	<170.00				<58.00						
04U673	19-Oct-89	H24		<10.00		<1000.00									
04U673	19-Oct-89	F24		<0.41	<3.39				<1.17						
04U701	20-Jan-88	H17		0.67											
04U701	12-May-88	H18		0.49											
04U701	02-Aug-88	H19		<0.20											
04U701	21-Oct-88	H20		<0.50											
04U701	17-Oct-89	H24		<1.00		<100.00									
04U702	20-Jan-88	H17		<0.20											

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
04U702	13-May-88	H18		<0.20											
04U702	02-Aug-88	H19		<0.20											
04U702	25-Oct-88	H20		<0.50											
04U702	13-Oct-89	H24		<0.20		<20.00									
04U708	22-Jan-88	H17		<0.20											
04U708	10-May-88	H18		<0.20											
04U708	04-Aug-88	H19		<0.20											
04U708	04-Jan-89	H21		<1.00											
04U708	12-Oct-89	H24		<0.20		<20.00									
04U709	22-Jan-88	H17		7.90											
04U709	12-May-88	H18		<0.20											
04U709	08-Aug-88	H19		0.38											
04U709	26-Oct-88	H20		<0.50											
04U709	17-Oct-89	H24		<4.00		<400.00									
04U711	19-Apr-89	H22		<0.20											
04U711	12-Jul-89	H23		<0.20		<20.00									
04U711	18-Oct-89	H24		<0.20		<20.00									
04U713	06-Jan-89	H21		<1.00	<1.00		<1.00	<1.00		<1.00					
04U713	23-Oct-89	H24		<2.00		<200.00									
04U714	04-Jan-89	H21		<1.00											
04U714	18-Apr-89	H22		<0.20											
04U714	12-Jul-89	H23		<0.20		<400.00									
04U714	13-Oct-89	H24		<0.20		<20.00									
04U802	02-Dec-87	F16	<1.80	<0.41						<1.10					
04U802	21-Jan-88	H17		<0.20											
04U802	13-May-88	H18		<0.20											
04U802	04-Aug-88	H19		<0.20											
04U802	24-Aug-88	F19		<0.72											
04U802	28-Oct-88	H20		<0.50											
04U802	18-Oct-89	H24		<0.20		<20.00									
04U806	02-Dec-87	F16	<180.00	<41.00						<110.00					
04U806	12-May-88	H18		1.50											
04U806	04-Aug-88	H19		4.10											
04U806	21-Oct-88	H20		3.70											
04U806	19-Apr-89	H22		0.70											
04U806	16-Oct-89	H24		24.00		<1000.00									
04U821	30-Nov-87	F16	<90.00	<20.00						<55.00					
04U832	24-Nov-87	F16	<9.00	<2.00						<5.50					
04U832	16-Dec-88	H20		<1.00											
04U841	20-Oct-87	H16		<0.20											
04U841	25-Nov-87	F16	<1.80	<0.41						<1.10					
04U843	24-Nov-87	F16	<1.80	<0.41						<1.10					

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
04U843	24-Aug-88	F19		<0.72											
04U844	03-Dec-87	F16	<90.00	<20.00						<55.00					
04U844	04-May-89	F22		<7.20	<8.70				<83.00						
04U844	18-Oct-89	F24		0.50	<3.39				<1.17						
04U845	01-Dec-87	F16	<9.00	<2.00						<5.50					
04U845	16-Dec-88	H20		<1.00											
04U845	04-May-89	F22		<0.72	1.24				<8.28						
04U845	20-Jul-89	F23		<4.10	<33.90				<11.70						
04U845	20-Oct-89	F24		<4.10	<34.00				<12.00						
04U846	25-Nov-87	F16	<1.80	<0.41						<1.10					
04U846	23-Aug-88	F19		<0.72											
04U846	28-Apr-89	F22		<0.72	<0.87				<8.28						
04U846	18-Jul-89	F23		<0.41	<3.39				<1.17						
04U846	19-Oct-89	F24		<0.41	<3.39				<1.17						
04U847	30-Nov-87	F16	<90.00	<20.00						<55.00					
04U847	23-Aug-88	F19		<14.00											
04U847	03-May-89	F22		<0.72	<0.87				<8.28						
04U847	21-Jul-89	F23		<10.00	4.63				4.47						
04U847	20-Oct-89	F24		5.30	<68.00				<23.00						
04U848	02-Dec-87	F16	<90.00	<20.00						<55.00					
04U848	24-Aug-88	F19		<14.00											
04U848	03-May-89	F22		<0.72	2.11				<8.28						
04U848	20-Jul-89	F23		<20.00	<170.00				<58.00						
04U848	19-Oct-89	F24		<0.41	<3.39				<1.17						
04U849	01-Dec-87	F16	<36.00	<8.20						<22.00					
04U849	24-Aug-88	F19		<0.72											
04U850	01-Dec-87	F16	<45.00	<10.00						<28.00					
04U850	02-May-89	F22		<1.80	2.50				<21.00						
04U850	19-Jul-89	F23		<4.10	<17.00				<5.80						
04U850	19-Oct-89	F24		0.27	<3.39				<1.17						
04U851	24-Nov-87	F16	<1.80	<0.41						<1.10					
04U852	24-Nov-87	F16	<1.80	<0.41						<1.10					
04U852	24-Aug-88	F19		<0.72											
04U854	20-Oct-87	H16		<0.20											
04U854	13-Nov-87	H16		0.20											
04U854	16-Dec-88	H20		<1.00											
04U854	04-May-89	F22		<0.72	1.54				<8.28						
04U854	20-Jul-89	F23		<8.20	<68.00				<23.00						
04U854	17-Oct-89	F24		<0.41	<3.39				1.18						
04U855	25-Nov-87	F16	<1.80	<0.41						<1.10					
04U859	13-Nov-87	H16		<0.20											

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
04U859	15-Dec-88	H20		<1.00											
04U860	13-Nov-87	H16		<0.20											
04U860	15-Dec-88	H20		<1.00											
04U861	12-Nov-87	H16		<0.20											
04U861	16-Dec-88	H20		<1.00											
04U871	20-Jun-88	H18		<0.20											
04U871	07-Jul-88	H19		<0.20											
04U871	23-Aug-88	F19		<7.20	<8.70				<83.00						
04U871	08-Nov-88	F20		<7.20											
04U871	31-Jan-89	H21		<1.00											
04U871	05-May-89	F22													
04U871	08-May-89	F22		<1.40	<1.70				<17.00						
04U871	19-Jul-89	F23		<0.82	10.00				2.50						
04U871	23-Oct-89	F24		<0.82	<6.80				<2.30						
04U872	13-Jul-88	H19		<0.20											
04U872	24-Aug-88	F19		<3.60	170.00				<41.00						
04U872	08-Nov-88	F20		<1.40											
04U872	01-Feb-89	H21		<1.00											
04U872	08-May-89	F22		<0.72	3.11				<8.28						
04U872	19-Jul-89	F23		<0.41	<3.39				2.03						
04U872	23-Oct-89	F24		<0.41	<3.39				<1.17						
04U875	20-Jun-88	H18		<0.20											
04U875	23-Aug-88	F19		<0.72	<0.87				<8.28						
04U875	09-Nov-88	F20		<0.72											
04U875	07-Feb-89	H21		<1.00											
04U875	19-Jul-89	F23		<0.41	<3.39				1.22						
04U875	19-Oct-89	F24		0.28	<3.39				<1.17						
04U877	23-Aug-88	F19		<3.60	13.00				<41.00						
04U877	10-Nov-88	F20		<7.20											
04U877	08-Feb-89	H21		<1.00											
04U877	02-May-89	F22		<0.72	1.87				<8.28						
04U877	18-Jul-89	F23		<2.00	<17.00				<5.80						
04U877	19-Oct-89	F24		<0.41	<3.39				<1.17						
04U879	29-Jul-88	H19		<0.20	0.39			<0.20	0.24						
04U879	01-Sep-88	F19		<0.72	26.60				<8.28						
04U879	08-Nov-88	F20		<0.72											
04U879	08-Feb-89	H21		<1.00											
04U879	19-Jul-89	F23		<0.41	<3.39				1.50						
04U879	17-Oct-89	F24		<0.41	<3.39				1.17						
04U880	01-Sep-88	F19		<0.72	<0.87				<8.28						
04U880	10-Nov-88	F20		<0.72											
04U880	06-Feb-89	H21		<1.00											
04U880	18-Jul-89	F23		<0.41	9.07				12.90						
04U880	19-Oct-89	F24		<0.41	<3.39				<1.17						

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
04U881	09-Nov-88	F20		<0.72											
04U881	07-Feb-89	H21		<1.00											
04U881	18-Jul-89	F23		<0.41	13.50				14.70						
04U881	18-Oct-89	F24		<0.41	6.02				2.53						
04U882	13-Sep-88	F19		<0.72	<0.87				<8.28						
04U882	09-Nov-88	F20		<0.72											
04U882	31-Jan-89	H21		<1.00											
04U882	03-May-89	F22		<0.72	5.80				<8.28						
04U882	17-Jul-89	F23		<0.41	6.03				1.71						
04U882	18-Oct-89	F24		<0.41	<3.39				<1.17						
04U883	14-Oct-88	F19													
04U883	14-Oct-88	H20		<0.20											
04U883	09-Nov-88	F20		<0.72											
04U883	08-Feb-89	H21		<1.00											
04U883	17-Jul-89	F23		<0.41	<3.39				<1.17						
04U883	18-Oct-89	F24		<0.41	<3.39				<1.17						
134318	27-Jul-89	F23		<0.41	<3.39				<1.17						
139035	31-Jul-89	F23		<0.41	<3.39				<1.17						
139035	31-Oct-89	F24		<0.41	<3.39				<1.17						
191942	30-Nov-87	F16	<45.00	<10.00						<28.00					
200154	31-Jul-89	F23		<0.41	<3.39				<1.17						
200264	25-Aug-88	F19		<0.72											
200524	16-Aug-88	F19		2.41											
200803	16-Aug-88	F19		<0.72											
200814	31-Jul-89	F23		<0.82	<3.39				<1.17						
200814	30-Oct-89	F24		<0.82	<6.80				<2.30						
201082	31-Oct-89	F24		<0.41	<3.39				<1.17						
206688	23-Oct-89	F24		<0.41	<3.39				<1.17						
206787	24-Oct-89	F24		<0.41	39.00				<1.17						
231878	23-Oct-87	H16		<0.20											
233221	11-May-89	F22		<0.72	<0.87				<8.28						
233221	31-Jul-89	F23		<2.00	<17.00				<5.80						
233221	30-Oct-89	F24		<2.00	<17.00				<5.80						
233222	25-Aug-88	F19		<0.72											
233533	30-Oct-89	F24		<0.41	<3.39				<1.17						

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
409549	17-Aug-88	F19		<0.72											
409550	10-May-89	F22		<1.40	<1.70				<17.00						
409550	20-Oct-89	F24		<2.00	<17.00				18.00						
409555	17-Aug-88	F19		<0.72											
409556	10-May-89	F22		<0.72	3.07				<8.28						
409556	21-Jul-89	F23		<0.41	<3.39				<1.17						
409556	17-Oct-89	F24		<0.41	<3.39				<1.17						
409557	13-Nov-87	H16		<0.20											
409557	04-May-89	F22		<0.72	<0.87				<8.28						
409557	21-Jul-89	F23		<0.41	<3.39				3.21						
409557	27-Oct-89	F24		<0.41	<3.39				<1.17						
409595	30-Nov-87	F16	<1.80	<0.41						<1.10					
409596	30-Nov-87	F16	<1.80	<0.41						<1.10					
409597	30-Nov-87	F16	<36.00	<8.20						<22.00					
409598	30-Nov-87	F16	<180.00	<41.00						<110.00					
500691	17-Oct-89	F24		<0.41	<3.39				1.82						
508115	18-Oct-89	H24		<0.20		<20.00									
508115	18-Oct-89	F24		<0.41	<3.39				<1.17						
BOYLE	18-Oct-89	F24		<0.41											
BOYLE	20-Oct-89	F24			<3.39				<1.17						
MNDOT	07-Nov-88	F20		<0.72											
NB2103	13-Nov-87	H16		0.50											
PJ#003	19-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
PJ#027	20-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
PJ#074	03-Dec-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
PJ#074	19-Aug-88	F19		<0.72	<0.87				<8.28						
PJ#309	18-Nov-88	H20		<0.50											
PJ#309	16-Mar-89	H21		<1.00											
PJ#309	20-Apr-89	H22		0.50											
PJ#309	19-Jul-89	H23		<1.00		<100.00									
PJ#309	23-Oct-89	H24		<2.00		<200.00									
PJ#310	16-Mar-89	H21		<1.00											
PJ#310	20-Apr-89	H22		0.40											
PJ#310	19-Jul-89	H23		<2.00		<200.00									

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
PJ#310	11-Oct-89	H24		<2.00		<200.00									
PJ#311	16-Mar-89	H21		<5.00											
PJ#311	20-Apr-89	H22		<0.20											
PJ#311	19-Jul-89	H23		<0.40		<40.00									
PJ#311	24-Oct-89	H24		<0.40		<40.00									
PJ#313	16-Mar-89	H21		<1.00											
PJ#313	20-Apr-89	H22		<0.20											
PJ#313	19-Jul-89	H23		0.40		<20.00									
PJ#313	23-Oct-89	H24		<0.20		<20.00									
PJ#318	24-Aug-88	F19		<0.72	<0.87				<8.28						
PJ#318	09-Nov-88	F20		<0.72											
PJ#318	06-Feb-89	H21		<1.00											
PJ#318	02-May-89	F22		<0.72	12.80				19.00						
PJ#318	19-Jul-89	F23		<0.41	<3.39				1.61						
PJ#318	18-Oct-89	F24		<0.41	<3.39				<1.17						
PJ#502	18-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
PJ#503	18-Nov-87	F16	<18.00	<4.10	<3.39				<1.17	<11.00					
PJ#506	18-Nov-87	F16													
PJ#506	19-Nov-87	F16	<90.00	<20.00	<3.39				<1.17	<55.00					
PJ#507	18-Nov-87	F16	<90.00	<20.00	<3.39				1.46	<55.00					
PJ#508	23-Aug-88	F19		<14.00	<17.00				<170.00						
PJ#802	02-Dec-87	F16	<1.80	<0.41						<1.10					
PJ#806	02-Dec-87	F16	<90.00	<20.00						<55.00					
PJ#806	19-Jan-88	H17		0.81											
PJ#806	12-May-88	H18		0.22											
PJ#806	04-Aug-88	H19		<0.20											
PJ#806	21-Oct-88	H20		<0.50											
PJ#806	16-Oct-89	H24		<2.00		<200.00									
MAX			5400.00	1090.00	1100.00	0.00	0.00	0.97	22.60	16.00	0.00	0.00	0.00	0.00	0.00
COUNT	1179		176	1167	526	118	5	7	520	183	17	17	17	17	17

TABLE 5

GROUNDWATER QUALITY - INORGANICS - ARRANGED BY NUMERICAL ORDER

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
01L811	25-Nov-87	F16									<0.70			
01L813	25-Nov-87	F16									<0.70			
01L816	25-Nov-87	F16									<0.70			
01L821	30-Nov-87	F16									<0.70			
01L822	01-Dec-87	F16									<0.70			
01L823	01-Dec-87	F16									<0.70			
01U003	27-Apr-89	F22												
01U003	26-Jul-89	F23												
01U004	27-Apr-89	F22												
01U004	26-Jul-89	F23												
01U004	27-Oct-89	F24												
01U022	05-Apr-88	F18		<6.01	570.00		<0.37	<2.50					5.02	<1.26
01U034	11-Nov-87	F16	<1.93	<4.81	<220.00	<1.47	0.19	<2.18	1.49		<0.70	910.00	<5.94	<2.65
01U034	14-Nov-88	F20		<6.01	177.00		<0.37	<2.50					8.66	<1.26
01U035	14-Nov-88	F20		<6.01	78.90		<0.37	<2.50					<5.32	<1.26
01U036	11-Nov-87	F16	<1.93	<4.81	24.50	<1.47	0.53	<2.18	1.53		<0.70	47.00	<5.94	<2.65
01U036	14-Nov-88	F20		<6.01	26.80		0.67	<2.50					<5.32	<1.26
01U036	26-Apr-89	F22												
01U036	27-Jul-89	F23												
01U036	24-Oct-89	F24												
01U037	07-Apr-88	F18		<6.01	80.10		<0.37	<2.50					<5.32	<1.26
01U038	06-Apr-88	F18		<6.01	148.00		<0.37	<2.50					<5.32	<1.26
01U039	06-Apr-88	F18		<6.01	41.50		<0.37	<2.50					<5.32	<1.26
01U040	05-Apr-88	F18		<6.01	142.00		<0.37	<2.50					5.07	<1.26
01U041	05-Apr-88	F18		<6.01	49.10		0.66	<2.50					<5.32	<1.26
01U045	08-Aug-88	F19		<6.01	160.00		0.36	<2.50					<5.32	<1.26
01U047	27-Apr-89	F22												
01U047	26-Jul-89	F23												
01U047	25-Oct-89	F24												
01U048	27-Apr-89	F22												
01U048	26-Jul-89	F23												
01U048	25-Oct-89	F24												
01U050	16-Nov-87	F16	2.13	8.25	<220.00	<1.47	0.34	<2.18	1.49	<8.35	<0.70	8500.00	<5.94	<2.65

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
01U050	07-Apr-88	F18		<6.01	200.00		<0.37	<2.50					<5.32	<1.26
01U050	15-Aug-88	F19		<6.01	190.00		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
01U050	21-Nov-88	F20												
01U051	16-Nov-87	F16	2.57	<4.81	<220.00	<1.47	0.68	3.54	1.39		<0.70	12.70	<5.94	4.18
01U051	07-Apr-88	F18		<6.01	112.00		<0.37	<2.50					<5.32	<1.26
01U051	15-Aug-88	F19		<6.01	69.50		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
01U051	21-Nov-88	F20												
01U052	27-Apr-89	F22												
01U052	26-Jul-89	F23												
01U052	25-Oct-89	F24												
01U053	16-Nov-87	F16	2.38	6.19	<220.00	<1.47	0.53	2.78	1.93	<8.35		1800.00	<5.94	3.06
01U053	07-Apr-88	F18												
01U053	15-Aug-88	F19		<6.01	99.00		0.36	<2.50		<8.17	<0.74		<5.32	<1.26
01U053	21-Nov-88	F20												
01U054	16-Nov-87	F16	<1.93	5.67	<220.00	<1.47	0.92	2.88	3.12			4000.00	<5.94	<2.65
01U054	07-Apr-88	F18												
01U054	15-Aug-88	F19		<6.01	53.50		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
01U054	21-Nov-88	F20												
01U054	27-Apr-89	F22												
01U054	26-Jul-89	F23												
01U054	26-Oct-89	F24												
01U060	19-Nov-87	F16	<1.93	10.30	270.00	<1.47	0.63	<2.18	1.44		<0.70	6000.00	14.00	<2.65
01U060	11-Apr-88	F18		<6.01	300.00		1.12	<2.50					9.44	<1.26
01U060	17-Nov-88	F20												
01U062	16-Nov-87	F16	2.38	<4.81	<220.00	<1.47	0.68	3.74	2.62		<0.70	16.00	<5.94	<2.65
01U062	07-Apr-88	F18		<6.01	130.00		<0.37	<2.50					<5.32	<1.26
01U062	16-Aug-88	F19		<6.01	150.00		0.38	<2.50		<8.17	<0.74		<5.32	<1.26
01U062	21-Nov-88	F20												
01U062	09-May-89	F22												
01U062	26-Jul-89	F23												
01U062	26-Oct-89	F24												
01U063	05-Apr-88	F18		<6.01	82.50		<0.37	<2.50		<8.17			<5.32	<1.26
01U064	12-May-89	F22												
01U064	26-Jul-89	F23												
01U064	27-Oct-89	F24												
01U065	28-Apr-89	F22												
01U065	26-Jul-89	F23												
01U065	25-Oct-89	F24												
01U067	05-Apr-88	F18		<6.01	60.50		<0.37	<2.50					<5.32	<1.26
01U072	07-Apr-88	F18		<6.01	60.00		<0.37	<2.50		<8.17			14.50	<1.26
01U085	11-Nov-87	F16	3.12	16.50	530.00	<1.47	0.19	2.73	2.08		<0.70	2000.00	<5.94	<2.65

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
01U085	10-Aug-88	F19		43.90	500.00		<0.37	<2.50					<5.32	<1.26
01U085	17-Nov-88	F20												
01U098	19-Nov-87	F16	4.01	<4.81	<220.00	<1.47	0.34	6.67	3.32		<0.70	140.00	12.90	3.47
01U098	11-Apr-88	F18		<6.01	190.00		0.71	<2.50					<5.32	<1.26
01U098	17-Nov-88	F20												
01U100	07-Apr-88	F18		<6.01	290.00		<0.37	<2.50					9.05	<1.26
01U101	14-Nov-88	F20		<6.01	177.00		0.40	<2.50					<5.32	<1.26
01U101	25-Apr-89	F22												
01U101	26-Jul-89	F23												
01U101	24-Oct-89	F24												
01U102	08-Aug-88	F19												
01U102	11-Nov-88	F20												
01U102	25-Apr-89	F22												
01U102	27-Jul-89	F23												
01U102	26-Oct-89	F24												
01U103	11-Nov-87	F16	3.91	<4.81	<220.00	<1.47	0.34	3.79	2.92		<0.70	62.00	14.50	2.86
01U103	18-Nov-87	F16												
01U103	08-Aug-88	F19												
01U103	11-Nov-88	F20												
01U103	26-Apr-89	F22												
01U103	27-Jul-89	F23												
01U103	26-Oct-89	F24												
01U107	08-Apr-88	F18		<6.01	170.00		0.58	<2.50					<5.32	<1.26
01U107	08-Aug-88	F19												
01U107	15-Nov-88	F20												
01U107	25-Apr-89	F22												
01U107	27-Jul-89	F23												
01U107	25-Oct-89	F24												
01U108	16-Nov-87	F16												
01U108	17-Nov-87	F16	<1.93	<4.81	<220.00	<1.47	<0.10	<2.18	1.98	<8.35	<0.70	2000.00	8.28	<2.65
01U108	11-Apr-88	F18		<6.01	121.00		<0.37	<2.50		<8.17			5.72	<1.26
01U108	25-Aug-88	F19												
01U108	15-Nov-88	F20												
01U108	24-Apr-89	F22												
01U108	24-Oct-89	F24												
01U109	08-Apr-88	F18		<6.01	107.00		<0.37	<2.50					<5.32	<1.26
01U110	08-Apr-88	F18		<6.01	35.00		<0.37	<2.50					<5.32	<1.26
01U115	11-Nov-87	F16	<1.93	<4.81	70.60	<1.47	<0.10	<2.18	3.61		<0.70	120.00	<5.94	2.70
01U115	11-Apr-88	F18		<6.01	25.90		<0.37	<2.50		<8.17			<5.32	<1.26
01U115	09-Aug-88	F19												
01U115	15-Nov-88	F20								<8.17				
01U115	24-Apr-89	F22												
01U115	27-Jul-89	F23												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
01U115	27-Oct-89	F24												
01U116	11-Nov-87	F16	<1.93	6.19	125.00	<1.47	<0.10	<2.18	3.17		<0.70	280.00	<5.94	3.16
01U116	06-Apr-88	F18		6.63	102.00		<0.37	<2.50					<5.32	<1.26
01U116	09-Aug-88	F19												
01U116	15-Nov-88	F20								<8.17				
01U116	24-Apr-89	F22												
01U116	27-Jul-89	F23												
01U116	27-Oct-89	F24												
01U117	11-Nov-87	F16	3.61	<4.81	<220.00	<1.47	0.19	3.74	2.97		<0.70	950.00	<5.94	<2.65
01U117	06-Apr-88	F18		<6.01	200.00		<0.37	<2.50		<8.17			<5.32	<1.26
01U117	09-Aug-88	F19												
01U117	15-Nov-88	F20								<8.17				
01U117	25-Apr-89	F22												
01U117	27-Jul-89	F23												
01U117	27-Oct-89	F24												
01U118	11-Nov-87	F16	<1.93	<4.81	83.30	<1.47	0.15	<2.18	1.93		<0.70	18.50	<5.94	<2.65
01U118	07-Apr-88	F18		<6.01	57.40		<0.37	<2.50		<8.17			<5.32	<1.26
01U118	09-Aug-88	F19												
01U118	15-Nov-88	F20								<8.17				
01U118	25-Apr-89	F22												
01U118	27-Jul-89	F23												
01U118	27-Oct-89	F24												
01U119	11-Nov-87	F16	3.51	<4.81	<220.00	<1.47	0.39	3.89	1.98		<0.70	1200.00	<5.94	2.76
01U119	07-Apr-88	F18		<6.01	140.00		<0.37	<2.50		<8.17			<5.32	<1.26
01U119	12-Aug-88	F19												
01U119	15-Nov-88	F20								<8.17				
01U119	26-Apr-89	F22												
01U119	27-Jul-89	F23												
01U119	27-Oct-89	F24												
01U120	11-Nov-87	F16	<1.93	<4.81	40.20	<1.47	0.34	<2.18	2.18		<0.70	180.00	<5.94	<2.65
01U120	07-Apr-88	F18		<6.01	31.20		<0.37	<2.50		<8.17			<5.32	<1.26
01U120	12-Aug-88	F19												
01U120	15-Nov-88	F20								<8.17				
01U120	27-Apr-89	F22												
01U120	27-Jul-89	F23												
01U120	27-Oct-89	F24												
01U122	09-Dec-87	F16	<1.93	<4.81	240.00	<1.47	0.21	<2.18	2.72		<0.70	610.00	<5.94	<2.65
01U122	05-Apr-88	F18		<6.01	128.00		<0.37	<2.50					<5.32	<1.26
01U122	08-Aug-88	F19												
01U122	11-Nov-88	F20												
01U125	08-Dec-87	F16	<1.93	<4.81	45.10	<1.47	0.15	3.54	2.03		<0.70	9.00	<5.94	<2.65
01U125	11-Apr-88	F18		<6.01	18.30		<0.37	<2.50		<8.17			<5.32	<1.26
01U125	12-Aug-88	F19												
01U125	17-Nov-88	F20								<8.17				
01U126	08-Dec-87	F16	<1.93	<4.81	98.00	<1.47	0.18	<2.18	2.62		<0.70	390.00	<5.94	<2.65

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
01U126	06-Apr-88	F18		<6.01	60.30		<0.37	<2.50		<8.17			<5.32	<1.26
01U126	12-Aug-88	F19												
01U126	17-Nov-88	F20								<8.17				
01U126	24-Apr-89	F22												
01U126	27-Jul-89	F23												
01U126	25-Oct-89	F24												
01U127	11-Dec-87	F16	<1.93	5.67	99.00	<1.47	0.23	2.53	1.98		<0.70	9.50	<5.94	<2.65
01U127	06-Apr-88	F18		<6.01	56.90		<0.37	<2.50		<8.17			<5.32	<1.26
01U127	12-Aug-88	F19												
01U127	14-Nov-88	F20								<8.17				
01U127	26-Apr-89	F22												
01U127	25-Oct-89	F24												
01U128	09-Dec-87	F16	<1.93	20.60	280.00	<1.47	0.38	2.53	1.53		<0.70	4500.00	<5.94	3.57
01U128	05-Apr-88	F18		15.10	330.00		<0.37	<2.50					<5.32	<1.26
01U128	08-Aug-88	F19		19.90	290.00		<0.37	6.01		<8.17	<0.74		<5.32	<1.26
01U128	16-Nov-88	F20												
01U130	07-Dec-87	F16	<1.93	5.15	500.00	<1.47	0.29	3.03	3.22			7500.00	7.76	<2.65
01U130	07-Apr-88	F18												
01U130	15-Aug-88	F19		<6.01	240.00		0.58	<2.50		<8.17	<0.74		<5.32	<1.26
01U130	21-Nov-88	F20												
01U133	11-Dec-87	F16	<1.93	5.67	320.00	<1.47	1.17	<2.18	5.94		<0.70	600.00	13.50	<2.65
01U133	12-Aug-88	F19		<6.01	240.00		<0.37	<2.50					<5.32	<1.26
01U133	14-Nov-88	F20								<8.17				
01U135	21-Nov-88	F20		<6.01	91.00		<0.37	<2.50		<8.17			<5.32	<1.26
01U135	25-Apr-89	F22												
01U135	26-Jul-89	F23												
01U135	25-Oct-89	F24												
01U136	21-Nov-88	F20		<6.01	490.00		1.00	<2.50		<8.17			<27.00	1.92
01U136	25-Apr-89	F22												
01U136	26-Jul-89	F23												
01U136	25-Oct-89	F24												
01U524	16-Nov-87	F16		<4.81										
01U524	17-Nov-87	F16	3.22		<220.00	<1.47	0.68	4.45	2.48	<8.35	<0.70		<5.94	2.86
01U524	07-Apr-88	F18		<6.01	130.00		<0.37	<2.50					<5.32	<1.26
01U524	16-Aug-88	F19		<6.01	200.00		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
01U524	21-Nov-88	F20												
01U525	16-Nov-87	F16	<1.93	<4.81	<220.00	<1.47	0.44	2.33	3.22			35.00	<5.94	3.06
01U525	17-Nov-87	F16									<0.70			
01U525	07-Apr-88	F18		<6.01	81.00		<0.37	<2.50					<5.32	<1.26
01U525	15-Aug-88	F19		<6.01	200.00		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
01U525	14-Nov-88	F20												
01U525	27-Apr-89	F22												
01U525	26-Jul-89	F23												
01U525	26-Oct-89	F24												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
01U526	17-Nov-87	F16	2.92	<4.81	<220.00	<1.47	0.92	5.46	2.57	10.50	<0.70	20.00	6.21	<2.65
01U526	07-Apr-88	F18		<6.01	84.00		<0.37	<2.50					<5.32	<1.26
01U526	15-Aug-88	F19		<6.01	69.90		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
01U526	14-Nov-88	F20												
01U526	09-May-89	F22												
01U526	26-Jul-89	F23												
01U526	26-Oct-89	F24												
01U527	17-Nov-87	F16	<1.93	<4.81	270.00	<1.47	0.19	3.29	1.63			42.00	<5.94	<2.65
01U527	11-Apr-88	F18		<6.01	420.00		<0.37	<2.50					<5.32	<1.26
01U527	25-Aug-88	F19		<6.01	260.00		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
01U527	21-Nov-88	F20												
01U601	07-Dec-87	F16	<1.93	9.28	120.00	<1.47	0.20	<2.18	14.90		<0.70	150.00	6.73	<2.65
01U604	07-Dec-87	F16	<1.93	<4.81	310.00	<1.47	0.46	5.06	3.37	<8.35	<0.70	4500.00	98.00	5.10
01U611	08-Dec-87	F16	<1.93	7.73	250.00	<1.47	0.28	2.53	2.67		<0.70	290.00	9.32	<2.65
01U615	07-Dec-87	F16	<1.93	<4.81	193.00	<1.47	<0.10	<2.18	2.87		<0.70	960.00	7.25	<2.65
01U617	19-Aug-88	F19		<6.01	134.00		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
01U618	19-Aug-88	F19		<6.01	106.00		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
01U619	19-Aug-88	F19		<6.01	49.40		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
01U634	12-May-89	F22												
01U634	26-Jul-89	F23												
01U636	12-May-89	F22												
01U636	26-Jul-89	F23												
01U639	12-May-89	F22												
01U639	26-Jul-89	F23												
01U640	26-Jul-89	F23												
01U652	12-May-89	F22												
01U652	26-Jul-89	F23												
01U652	27-Oct-89	F24												
01U666	12-May-89	F22												
01U901	27-Jul-89	F23												
01U901	20-Oct-89	F24												
01U902	27-Jul-89	F23												
01U902	20-Oct-89	F24												
03F302	17-Nov-87	H16												
03F302	15-Dec-87	H16												
03F302	12-Jan-88	H17												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03F302	28-Apr-88	H18												
03F302	19-Jul-88	H19												
03F302	21-Oct-88	H20												
03F302	06-Jan-89	H21												
03F302	16-Mar-89	H21												
03F302	20-Apr-89	H22		<3.00	<200.00		<0.10	<1.00	<10.00	<10.00	<0.20		<50.00	8.00
03F302	19-Jul-89	H23		<2.00	<200.00		<0.10	<1.00	<10.00	<10.00	<0.20		<50.00	7.00
03F302	24-Oct-89	H24		<5.00	70.00		<8.00	<9.00	<4.00	<10.00	<0.20		<16.00	2.00
03F303	17-Nov-87	H16												
03F303	15-Dec-87	H16												
03F303	12-Jan-88	H17												
03F303	28-Apr-88	H18												
03F303	19-Jul-88	H19												
03F303	21-Oct-88	H20												
03F303	06-Jan-89	H21												
03F303	16-Mar-89	H21												
03F303	20-Apr-89	H22		<3.00	<200.00		<0.10	<1.00	710.00	<10.00	<0.20		<50.00	91.00
03F303	19-Jul-89	H23		3.00	<200.00		1.10	1.00	<10.00	<10.00	<0.20		<50.00	12.00
03F303	24-Oct-89	H24		<5.00	57.00		<8.00	<9.00	<4.00	<10.00	<0.20		<16.00	2.00
03F304	17-Nov-87	H16												
03F304	15-Dec-87	H16												
03F304	12-Jan-88	H17												
03F304	28-Apr-88	H18												
03F304	19-Jul-88	H19												
03F304	16-Mar-89	H21												
03F304	20-Apr-89	H22		<3.00	<200.00		<0.10	<1.00	<10.00	<10.00	<0.20		<50.00	<1.00
03F304	19-Jul-89	H23		<2.00	<200.00		0.10	<1.00	30.00	<10.00	<0.20		<50.00	2.00
03F304	24-Oct-89	H24		<5.00	92.00		<8.00	<9.00	<4.00	<10.00	<0.20		<16.00	<1.00
03F305	17-Nov-87	H16												
03F305	15-Dec-87	H16												
03F305	12-Jan-88	H17												
03F305	28-Apr-88	H18												
03F305	19-Jul-88	H19												
03F305	06-Jan-89	H21												
03F305	16-Mar-89	H21												
03F305	20-Apr-89	H22		<3.00	<200.00		<0.10	<1.00	10.00	<10.00	<0.20		<50.00	12.00
03F305	19-Jul-89	H23		<2.00	<200.00		0.20	<1.00	100.00	<10.00	<0.20		<50.00	32.00
03F305	23-Oct-89	H24		<5.00	100.00		<8.00	<9.00	<4.00	<10.00	<0.20		<16.00	16.00
03F306	17-Nov-87	H16												
03F306	15-Dec-87	H16												
03F306	12-Jan-88	H17												
03F306	28-Apr-88	H18												
03F306	19-Jul-88	H19												
03F306	21-Oct-88	H20												
03F306	06-Jan-89	H21												
03F306	16-Mar-89	H21												
03F306	20-Apr-89	H22		<3.00	<200.00		<0.10	<1.00	<10.00	<10.00	<0.20		<50.00	12.00
03F306	19-Jul-89	H23		<2.00	<200.00		0.20	<1.00	40.00	<10.00	<0.20		<50.00	24.00
03F306	23-Oct-89	H24		<5.00	45.00		<8.00	<9.00	<4.00	<10.00	<0.20		<16.00	3.00

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03F307	17-Nov-87	H16												
03F307	15-Dec-87	H16												
03F307	12-Jan-88	H17												
03F307	28-Apr-88	H18												
03F307	19-Jul-88	H19												
03F307	21-Oct-88	H20												
03F307	16-Mar-89	H21												
03F307	20-Apr-89	H22		<3.00	<200.00		<0.10	<1.00	<10.00	<10.00	<0.20		<50.00	57.00
03F307	19-Jul-89	H23		<2.00	<200.00		0.40	<1.00	10.00	<10.00	<0.20		<50.00	31.00
03F307	23-Oct-89	H24		<5.00	81.00		<8.00	<9.00	<4.00	<10.00	<0.20		<16.00	5.00
03F308	16-Mar-89	H21												
03F308	20-Apr-89	H22		<3.00	<200.00		<0.10	<1.00	10.00	<10.00	<0.20		<50.00	4.00
03F308	19-Jul-89	H23		<2.00	<200.00		<0.10	<1.00	50.00	<10.00	<0.20		<50.00	4.00
03F308	23-Oct-89	H24		<5.00	81.00		<8.00	<9.00	<4.00	<10.00	<0.20		<16.00	<1.00
03F312	19-Dec-88	H20												
03F312	16-Mar-89	H21												
03F312	20-Apr-89	H22		<3.00	<200.00		<0.10	<1.00	<10.00	<10.00	<0.20		<50.00	7.00
03F312	19-Jul-89	H23		<2.00	<200.00		<0.10	<1.00	<10.00	<10.00	<0.20		<50.00	<1.00
03F312	24-Oct-89	H24		<5.00	130.00		<8.00	<9.00	92.00	<10.00	<0.20		<16.00	110.00
03L001	16-Nov-87	F16	<1.93	<4.81	<40.00	<1.47	<0.10	<2.18	1.14		<0.70	280.00	<5.94	<2.65
03L001	13-Jan-88	H17												
03L001	11-May-88	H18												
03L001	29-Jul-88	H19												
03L001	20-Oct-88	H20												
03L001	18-Apr-89	H22												
03L001	11-Jul-89	H23												
03L001	11-Oct-89	H24												
03L002	17-Nov-87	F16	<1.93	<4.81	<220.00	<1.47	<0.10	<2.18	1.39		<0.70	1800.00	<5.94	<2.65
03L002	18-Jan-88	H17												
03L002	10-May-88	H18												
03L002	04-Aug-88	H19												
03L002	24-Oct-88	H20												
03L002	12-Oct-89	H24												
03L003	19-Nov-87	F16	<1.93	<4.81	170.00	<1.47	<0.10	<2.18	1.14		<0.70	520.00	<5.94	<2.65
03L003	11-Aug-88	F19		<6.01	101.00		<0.37	<2.50					<5.32	<1.26
03L004	18-Nov-87	F16	<1.93	<4.81	86.00	<1.47	<0.10	<2.18	1.14		<0.70	580.00	<5.94	<2.65
03L004	09-Aug-88	F19		<6.01	78.80		<0.37	<2.50					<5.32	<1.26
03L005	23-Nov-87	F16	<1.93	<4.81	160.00	<1.47	<0.10	<2.18	1.49		<0.70	700.00	<5.94	<2.65
03L005	10-Aug-88	F19		<6.01	73.40		<0.37	<2.50					<5.32	<1.26
03L006	11-Jul-89	H23												
03L007	09-Nov-87	F16	<1.93	6.19	240.00	<1.47	<0.10	<2.18	2.08		<0.70	380.00	<5.94	<2.65
03L007	10-Nov-88	F20												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03L010	09-Nov-87	F16	<1.93	<4.81	31.40	<1.47	<0.10	<2.18	1.09		<0.70	2.65	<5.94	<2.65
03L010	10-Nov-88	F20												
03L012	09-Nov-87	F16	<1.93	<4.81	164.00	<1.47	<0.10	<2.18	1.34		<0.70	800.00	<5.94	<2.65
03L012	11-Nov-88	F20												
03L013	10-Nov-87	F16	<1.93	<4.81	190.00	<1.47	<0.10	<2.18	1.49		<0.70	960.00	<5.94	3.47
03L014	23-Nov-87	F16	<1.93	<4.81	180.00	<1.47	0.12	<2.18	15.80	<8.35	<0.70	900.00	<5.94	<2.65
03L014	10-Aug-88	F19		<6.01	111.00		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
03L017	10-Nov-87	F16	<1.93	<4.81	124.00	<1.47	<0.10	<2.18	1.49		<0.70	360.00	<5.94	<2.65
03L018	23-Nov-87	F16	<1.93	<4.81	130.00	<1.47	<0.10	<2.18	2.08	<8.35	<0.70	470.00	<5.94	<2.65
03L018	08-Apr-88	F18		<6.01	67.00		<0.37	<2.50		<8.17			<5.32	<1.26
03L018	22-Aug-88	F19		<6.01	91.10		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
03L018	18-Nov-88	F20												
03L020	07-Dec-87	F16	<1.93	33.50	440.00	<1.47	<0.10	3.03	1.29		<0.70	2250.00	<5.94	<2.65
03L020	17-Aug-88	F19		29.30	320.00		<0.37	<2.50					<5.32	<1.26
03L021	13-Oct-89	H24												
03L029	03-Dec-87	F16	<1.93	<4.81	270.00	<1.47	<0.10	<2.18	1.44		<0.70	380.00	<5.94	<2.65
03L077	04-Dec-87	F16	<1.93	<4.81	220.00	<1.47	<0.10	<2.18	1.40		<0.70	160.00	<5.94	<2.65
03L077	19-Jan-88	H17												
03L077	09-May-88	H18												
03L077	03-Aug-88	H19												
03L077	21-Oct-88	H20												
03L077	11-Oct-89	H24												
03L078	23-Nov-87	F16	<1.93	<4.81	150.00	<1.47	<0.10	<2.18	13.40		<0.70	500.00	<5.94	<2.65
03L078	15-Jan-88	H17												
03L078	13-May-88	H18												
03L078	03-Aug-88	H19												
03L078	18-Aug-88	F19		<6.01	93.90		<0.37	<2.50					<5.32	<1.26
03L078	16-Oct-89	H24												
03L079	04-Dec-87	F16	<1.93	<4.81	220.00	<1.47	<0.10	<2.18	1.59		<0.70	430.00	<5.94	<2.65
03L079	14-Jan-88	H17												
03L079	09-May-88	H18												
03L079	03-Aug-88	H19												
03L079	18-Aug-88	F19		<6.01	93.90		<0.37	<2.50					<5.32	<1.26
03L079	26-Oct-88	H20												
03L079	16-Oct-89	H24												
03L084	08-Dec-87	F16	<1.93	<4.81	250.00	<1.47	<0.10	2.53	1.40		<0.70	200.00	<5.94	<2.65
03L084	18-Jan-88	H17												
03L084	11-May-88	H18												
03L084	04-Aug-88	H19												
03L084	20-Oct-88	H20												
03L084	11-Oct-89	H24												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03L086	11-Aug-88	F19		<6.01	81.00		<0.37	<2.50					<5.32	<1.26
03L091	03-Dec-87	F16	<1.93	<4.81	175.00	<1.47	0.14	<2.18	1.34	<8.35	<0.70	230.00	<5.94	<2.65
03L091	25-Aug-88	F19		<6.01	75.30		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
03L113	18-Nov-87	F16	<1.93	<4.81	67.60	<1.47	<0.10	<2.18	0.94	<8.35	<0.70	350.00	<5.94	<2.65
03L113	06-Apr-88	F18		<6.01	39.70		<0.37	<2.50		<8.17			<5.32	<1.26
03L113	09-Aug-88	F19		<6.01	41.00		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
03L113	18-Nov-88	F20												
03L137	17-Oct-89	F24		<4.81	98.00		1.27	17.60					7.58	4.45
03L138	17-Oct-89	F24		9.28	240.00		0.13	11.60					<5.94	8.37
03L306	23-Aug-88	F19												
03L306	08-Nov-88	F20												
03L306	03-May-89	F22												
03L673	12-Nov-87	H16												
03L802	03-Dec-87	F16												
03L802	21-Jan-88	H17												
03L802	13-May-88	H18												
03L802	04-Aug-88	H19												
03L802	28-Oct-88	H20												
03L802	20-Apr-89	H22												
03L802	12-Jul-89	H23												
03L802	18-Oct-89	H24												
03L806	02-Dec-87	F16									<0.70			
03L806	19-Jan-88	H17												
03L806	12-May-88	H18												
03L806	04-Aug-88	H19												
03L806	25-Oct-88	H20												
03L806	16-Oct-89	H24												
03L809	10-May-89	F22												
03L809	20-Oct-89	F24												
03L811	25-Nov-87	F16									<0.70			
03L811	04-May-89	F22												
03L811	24-Jul-89	F23												
03L811	20-Oct-89	F24												
03L813	25-Nov-87	F16									<0.70			
03L813	05-May-89	F22												
03L813	24-Jul-89	F23												
03L813	20-Oct-89	F24												
03L822	01-Dec-87	F16									<0.70			
03L822	05-May-89	F22												
03L822	24-Jul-89	F23												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03L822	23-Oct-89	F24												
03L832	24-Nov-87	F16									<0.70			
03L832	16-Dec-88	H20												
03L832	09-May-89	F22												
03L832	24-Jul-89	F23												
03L832	24-Oct-89	F24												
03L841	20-Oct-87	H16												
03L841	12-Nov-87	H16												
03L846	18-Jul-89	F23												
03L846	19-Oct-89	F24												
03L848	02-Dec-87	F16												
03L848	03-May-89	F22												
03L848	20-Jul-89	F23												
03L848	19-Oct-89	F24												
03L853	03-Dec-87	F16												
03L853	05-May-89	F22												
03L853	25-Jul-89	F23												
03L853	23-Oct-89	F24												
03L854	20-Oct-87	H16												
03L854	24-Nov-87	F16												
03L854	16-Dec-88	H20												
03L854	20-Jul-89	F23												
03L854	27-Oct-89	F24												
03L856	24-Nov-87	F16												
03L856	05-May-89	F22												
03L856	25-Jul-89	F23												
03L856	23-Oct-89	F24												
03L858	24-Nov-87	F16												
03L858	08-May-89	F22												
03L858	21-Jul-89	F23												
03L858	23-Oct-89	F24												
03L859	13-Nov-87	H16												
03L859	15-Dec-88	H20												
03L860	13-Nov-87	H16												
03L860	15-Dec-88	H20												
03L861	12-Nov-87	H16												
03L861	15-Dec-88	H20												
03M001	16-Nov-87	F16	<1.93	<4.81	26.50	<1.47	0.15	<2.18	0.57		<0.70		<5.94	<2.65
03M002	17-Nov-87	F16	<1.93	<4.81	111.00	<1.47	0.15	4.15	2.08		<0.70	2.55	7.25	<2.65

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03M003	19-Nov-87	F16	<1.93	<4.81	100.00	<1.47	<0.10	<2.18	1.73		<0.70	200.00	<5.94	<2.65
03M003	11-Aug-88	F19		<6.01	81.60		<0.37	<2.50					<5.32	<1.26
03M004	18-Nov-87	F16	<1.93	<4.81	<220.00	<1.47	<0.10	<2.18	1.44		<0.70	540.00	<5.94	<2.65
03M004	27-Jul-88	H19												
03M004	09-Aug-88	F19		<6.01	120.00		<0.37	<2.50					<5.32	<1.26
03M005	08-Dec-87	F16	<1.93	<4.81	250.00	<1.47	<0.10	3.03	2.03		<0.70	410.00	<5.94	<2.65
03M005	14-Jan-88	H17												
03M005	06-Apr-88	F18		<6.01	110.00		<0.37	<2.50					<5.32	<1.26
03M005	16-May-88	H18												
03M005	27-Jul-88	H19												
03M005	11-Aug-88	F19		<6.01	106.00		<0.37	<2.50					<5.32	<1.26
03M005	31-Oct-88	H20												
03M005	10-Nov-88	F20												
03M005	11-Oct-89	H24												
03M013	10-Nov-87	F16	<1.93	<4.81	142.00	<1.47	<0.10	<2.18	1.49		<0.70	400.00	<5.94	<2.65
03M017	10-Nov-87	F16	<1.93	<4.81	63.70	<1.47	<0.10	2.63	2.28		<0.70	5.50	<5.94	<2.65
03M017	11-Jan-88	H17												
03M017	12-May-88	H18												
03M017	01-Aug-88	H19												
03M017	31-Oct-88	H20												
03M017	13-Oct-89	H24												
03M020	19-Jan-88	H17												
03M020	11-May-88	H18												
03M020	01-Aug-88	H19												
03M020	18-Aug-88	F19		<6.01	167.00		<0.37	<2.50					<5.32	<1.26
03M020	25-Oct-88	H20												
03M020	11-Oct-89	H24												
03M505	09-Nov-87	F16	<1.93	<4.81	122.00	<1.47	<0.10	<2.18	1.24		<0.70	220.00	<5.94	<2.65
03M713	04-Jan-89	H21												
03M802	03-Dec-87	F16												
03M806	02-Dec-87	F16												
03M843	24-Nov-87	F16												
03M843	05-May-89	F22												
03M843	25-Jul-89	F23												
03M843	23-Oct-89	F24												
03M848	02-Dec-87	F16												
03U001	16-Nov-87	F16	<1.93	<4.81	59.80	<1.47	<0.10	<2.18	1.24		<0.70	14.00	<5.94	<2.65
03U002	17-Nov-87	F16	2.62	<4.81	<220.00	<1.47	<0.10	2.48	1.78		<0.70	1000.00	<5.94	4.49
03U002	26-May-88	H18												
03U002	04-Aug-88	H19												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03U002	24-Oct-88	H20												
03U003	19-Nov-87	F16	<1.93	<4.81	99.00	<1.47	<0.10	3.19	1.68		<0.70	190.00	<5.94	<2.65
03U003	22-Jan-88	H17												
03U003	16-May-88	H18												
03U003	27-Jul-88	H19												
03U003	11-Aug-88	F19		<6.01	57.10		<0.37	<2.50					<5.32	<1.26
03U003	26-Oct-88	H20												
03U003	19-Apr-89	H22												
03U003	12-Jul-89	H23												
03U004	18-Nov-87	F16	2.08	<4.81	65.70	<1.47	<0.10	2.93	1.68		<0.70	2.60	<5.94	<2.65
03U004	13-Jan-88	H17												
03U004	18-May-88	H18												
03U004	27-Jul-88	H19												
03U004	09-Aug-88	F19		<6.01	27.00		<0.37	<2.50					<5.32	<1.26
03U004	28-Oct-88	H20												
03U004	25-Oct-89	H24												
03U005	23-Nov-87	F16	3.22	26.80	340.00	<1.47	0.11	<2.18	16.30		<0.70	750.00	<5.94	<2.65
03U005	14-Jan-88	H17												
03U005	06-Apr-88	F18		21.30	180.00		<0.37	<2.50					<5.32	<1.26
03U005	16-May-88	H18												
03U005	27-Jul-88	H19												
03U005	10-Aug-88	F19		13.90	160.00		<0.37	<2.50					<5.32	<1.26
03U005	31-Oct-88	H20												
03U005	10-Nov-88	F20												
03U005	11-Oct-89	H24												
03U007	09-Nov-87	F16	<1.93	6.19	280.00	<1.47	<0.10	<2.18	1.78		<0.70	320.00	<5.94	<2.65
03U007	07-Nov-88	F20												
03U008	09-Nov-87	F16	<1.93	20.60	370.00	<1.47	<0.10	<2.18	1.53		<0.70	760.00	<5.94	<2.65
03U008	10-Nov-88	F20												
03U009	20-Nov-87	F16	<1.93	<4.81	190.00	<1.47	<0.10	<2.18	14.80		<0.70	110.00	6.73	<2.65
03U009	14-Nov-88	F20												
03U010	09-Nov-87	F16	<1.93	<4.81	125.00	<1.47	<0.10	<2.18	1.68		<0.70	200.00	<5.94	2.70
03U010	10-Nov-88	F20												
03U012	09-Nov-87	F16	1.98	6.19	220.00	<1.47	<0.10	3.49	3.56		<0.70	200.00	<5.94	6.43
03U012	11-Nov-88	F20												
03U013	10-Nov-87	F16	<1.93	7.73	120.00	<1.47	<0.10	<2.18	2.52		<0.70	160.00	<5.94	<2.65
03U014	04-Dec-87	F16	<1.93	<4.81	180.00	<1.47	0.11	3.03	1.40	<8.35	<0.70	8.50	<5.94	<2.65
03U014	18-Jan-88	H17												
03U014	18-May-88	H18												
03U014	02-Aug-88	H19												
03U014	17-Aug-88	F19		<6.01	138.00		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
03U014	24-Oct-88	H20												
03U014	20-Apr-89	H22												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03U014	19-Jul-89	H23												
03U014	24-Oct-89	H24												
03U015	17-Nov-87	F16	<1.93	<4.81	59.80	<1.47	0.15	4.15	2.33	<8.35	<0.70	2.70	<5.94	<2.65
03U015	05-Apr-88	F18		<6.01	40.00		<0.37	<2.50		<8.17			<5.32	<1.26
03U015	09-Aug-88	F19												
03U015	16-Nov-88	F20												
03U017	10-Nov-87	F16	<1.93	<4.81	51.50	<1.47	<0.10	3.19	2.43		<0.70	9.60	<5.94	4.59
03U018	04-Dec-87	F16	<1.93	<4.81	89.20	<1.47	0.17	3.03	2.13	<8.35	<0.70	2.20	6.15	<2.65
03U018	22-Aug-88	F19		<6.01	46.00		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
03U018	20-Apr-89	H22												
03U018	12-Jul-89	H23												
03U018	20-Oct-89	H24												
03U019	23-Nov-87	F16	2.67	<4.81	110.00	<1.47	0.13	3.03	18.30	<8.35	<0.70	7.00	<5.94	<2.65
03U019	25-Jan-88	H17												
03U019	17-May-88	H18												
03U019	02-Aug-88	H19												
03U019	12-Aug-88	F19		<6.01	95.80		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
03U019	27-Oct-88	H20												
03U019	18-Oct-89	H24												
03U020	07-Dec-87	F16	<1.93	<4.81	179.00	<1.47	0.13	4.04	1.58		<0.70	3.60	<5.94	<2.65
03U020	17-Aug-88	F19		<6.01	81.60		<0.37	<2.50					<5.32	<1.26
03U021	17-May-88	H18												
03U021	29-Jul-88	H19												
03U021	28-Oct-88	H20												
03U021	13-Oct-89	H24												
03U022	05-Apr-88	F18		<6.01	129.00		0.56	<2.50					<5.32	<1.26
03U023	10-Nov-87	F16	<1.93	<4.81	58.80	<1.47	<0.10	<2.18	0.79		<0.70	12.50	<5.94	<2.65
03U023	15-Nov-88	F20		<6.01	38.40		<0.37	<2.50					<5.32	<1.26
03U024	10-Aug-88	F19		<6.01	173.00		<0.37	<2.50					<5.32	<1.26
03U025	10-Aug-88	F19		<6.01	118.00		<0.37	<2.50					<5.32	<1.26
03U026	18-Nov-87	F16	3.32	<4.81	80.00	<1.47	<0.10	4.25	1.93	<8.35	<0.70	4.45	<5.94	<2.65
03U026	08-Apr-88	F18		<6.01	55.70		<0.37	<2.50		<8.17			<5.32	<1.26
03U026	22-Aug-88	F19		<6.01	66.20		<0.37	4.10		<8.17	<0.74		<5.32	<1.26
03U026	16-Nov-88	F20												
03U027	20-Nov-87	F16	2.97	<4.81	240.00	<1.47	<0.10	2.53	1.39			350.00	9.32	4.08
03U027	13-Jan-88	H17												
03U027	11-May-88	H18												
03U027	08-Aug-88	H19												
03U027	16-Aug-88	F19		<6.01	154.00		<0.37	<2.50					<5.32	<1.26
03U027	25-Oct-88	H20												
03U027	11-Oct-89	H24												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03U028	03-Dec-87	F16	<1.93	<4.81	72.50	<1.47	0.22	4.04	3.42			2.20	<5.94	<2.65
03U028	22-Aug-88	F19		<6.01	39.40		<0.37	2.90		<8.17	<0.74		<5.32	<1.26
03U028	25-Oct-89	H24												
03U029	03-Dec-87	F16	<1.93	<4.81	81.40	<1.47	<0.10	<2.18	2.62		<0.70	7.20	<5.94	<2.65
03U029	26-Jan-88	H17												
03U029	17-May-88	H18												
03U029	08-Aug-88	H19												
03U029	17-Aug-88	F19		<6.01	53.90		<0.37	<2.50		8.67	<0.74		<5.32	<1.26
03U029	31-Oct-88	H20												
03U029	18-Oct-89	H24												
03U030	03-Dec-87	F16	<1.93	<4.81	220.00	<1.47	0.12	3.03	1.33			75.00	<5.94	<2.65
03U030	26-Jan-88	H17												
03U030	18-May-88	H18												
03U030	08-Aug-88	H19												
03U030	22-Aug-88	F19		<6.01	260.00		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
03U030	01-Nov-88	H20												
03U030	25-Oct-89	H24												
03U031	18-Jan-88	H17												
03U031	10-May-88	H18												
03U031	29-Jul-88	H19												
03U031	10-Aug-88	F19		<6.01	50.20		<0.37	<2.50					<5.32	<1.26
03U031	20-Oct-88	H20												
03U031	11-Oct-89	H24												
03U032	20-Nov-87	F16	<1.93	<4.81	29.40	<1.47	0.11	3.03	3.02		<0.70	3.15	<5.94	<2.65
03U032	08-Apr-88	F18		<6.01	20.50		<0.37	<2.50					<5.32	<1.26
03U032	22-Aug-88	F19		<6.01	<9.10		<0.37	3.53		<8.17	<0.74		<5.32	<1.26
03U073	15-Jan-88	H17												
03U075	10-Nov-87	F16	<1.93	<4.81	51.00	<1.47	<0.10	<2.18	0.99		<0.70	6.40	<5.94	<2.65
03U075	18-Aug-88	F19		<6.01	45.10		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
03U076	10-Nov-87	F16	<1.93	<4.81	133.00	<1.47	<0.10	<2.18	1.24	<8.35	<0.70	110.00	<5.94	<2.65
03U076	18-Aug-88	F19		<6.01	61.40		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
03U077	19-Jan-88	H17												
03U077	09-May-88	H18												
03U077	03-Aug-88	H19												
03U077	21-Oct-88	H20												
03U077	16-Oct-89	H24												
03U078	23-Nov-87	F16	6.53	<4.81	100.00	<1.47	<0.10	5.06	1.53		<0.70	6.50	6.21	<2.65
03U078	14-Jan-88	H17												
03U078	13-May-88	H18												
03U078	03-Aug-88	H19												
03U078	18-Aug-88	F19		<6.01	47.40		<0.37	<2.50					<5.32	<1.26
03U078	16-Oct-89	H24												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03U079	04-Dec-87	F16	<1.93	<4.81	82.40	<1.47	<0.10	<2.18	1.44		<0.70	5.20	<5.94	<2.65
03U079	14-Jan-88	H17												
03U079	09-May-88	H18												
03U079	03-Aug-88	H19												
03U079	18-Aug-88	F19		<6.01	41.50		<0.37	<2.50					<5.32	<1.26
03U079	26-Oct-88	H20												
03U079	16-Oct-89	H24												
03U083	10-Aug-88	F19		<6.01	98.80		<0.37	<2.50					<5.32	<1.26
03U084	23-Nov-87	F16	<1.93	<4.81	177.00	<1.47	<0.10	<2.18	2.48		<0.70	160.00	<5.94	<2.65
03U084	18-Jan-88	H17												
03U084	11-May-88	H18												
03U084	04-Aug-88	H19												
03U084	20-Oct-88	H20												
03U084	11-Oct-89	H24												
03U087	20-Nov-87	F16	<1.93	<4.81	67.60	<1.47	<0.10	4.04	2.87		<0.70	<1.19	<5.94	<2.65
03U087	26-Jan-88	H17												
03U087	11-Apr-88	F18		<6.01	24.70		<0.37	<2.50					<5.32	<1.26
03U087	18-May-88	H18												
03U087	29-Jul-88	H19												
03U087	24-Aug-88	F19												
03U087	28-Oct-88	H20												
03U087	17-Nov-88	F20		<6.01	45.60		<0.37	2.64					<5.32	<1.26
03U087	24-Oct-89	H24												
03U088	17-Nov-87	F16	2.72	<4.81	98.00	<1.47	0.15	5.61	2.08	<8.35	<0.70	4.30	<5.94	<2.65
03U088	05-Apr-88	F18		<6.01	54.60		<0.37	3.51		<8.17			<5.32	<1.26
03U088	08-Aug-88	F19												
03U088	16-Nov-88	F20												
03U089	20-Nov-87	F16	3.66	<4.81	80.40	<1.47	0.12	28.00	1.44	<8.35	<0.70	5.50	8.80	<2.65
03U089	05-Apr-88	F18		<6.01	88.20		<0.37	44.40		<8.17			<5.32	<1.26
03U089	08-Aug-88	F19												
03U089	17-Nov-88	F20												
03U090	19-Nov-87	F16	1.93	<4.81	61.80	<1.47	<0.10	4.04	1.88	<8.35	<0.70	1.50	<5.94	<2.65
03U090	06-Apr-88	F18		<6.01	40.20		<0.37	<2.50		<8.17			<5.32	<1.26
03U090	16-Aug-88	F19		<6.01	53.00		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
03U090	18-Nov-88	F20												
03U092	23-Nov-87	F16	2.97	<4.81	220.00	<1.47	<0.10	<2.18	2.28	<8.35	<0.70	190.00	<5.94	<2.65
03U092	08-Apr-88	F18		<6.01	115.00		<0.37	<2.50		<8.17			<5.32	<1.26
03U092	25-Aug-88	F19		<6.01	144.00		<0.37	<2.50		16.70	<0.74		<5.32	<1.26
03U092	16-Nov-88	F20												
03U093	04-Dec-87	F16	<1.93	<4.81	220.00	<1.47	0.19	<2.18	1.29	<8.35	<0.70	1800.00	6.21	<2.65
03U093	26-Jan-88	H17												
03U093	18-May-88	H18												
03U093	08-Aug-88	H19												
03U093	17-Aug-88	F19		<6.01	100.00		0.54	<2.50		<8.17	<0.74		<5.32	<1.26
03U093	01-Nov-88	H20												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03U093	19-Oct-89	H24												
03U094	04-Dec-87	F16	<1.93	<4.81	240.00	<1.47	0.14	3.03	1.39	<8.35	<0.70	66.00	<5.94	<2.65
03U094	25-Aug-88	F19		<6.01	92.90		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
03U096	04-Dec-87	F16	<1.93	<4.81	41.20	<1.47	0.11	3.54	1.87	<8.35	<0.70	2.20	<5.94	<2.65
03U096	25-Aug-88	F19		<6.01	34.10		<0.37	3.21		<8.17	<0.74		<5.32	<1.26
03U097	20-Nov-87	F16	<1.93	<4.81	290.00	<1.47	<0.10	<2.18	1.63		<0.70	380.00	7.25	<2.65
03U097	07-Apr-88	F18		<6.01	130.00		<0.37	<2.50		<8.17			<5.32	<1.26
03U097	11-Aug-88	F19												
03U097	17-Nov-88	F20												
03U099	19-Nov-87	F16	3.32	<4.81	46.10	<1.47	<0.10	2.78	2.03		<0.70	350.00	<5.94	<2.65
03U099	11-Apr-88	F18		<6.01	32.80		<0.37	<2.50					<5.32	<1.26
03U099	27-Jul-88	H19												
03U099	12-Aug-88	F19												
03U099	17-Nov-88	F20												
03U111	20-Nov-87	F16	<1.93	10.80	470.00	<1.47	0.13	<2.18	3.66		<0.70	850.00		<2.65
03U111	07-Apr-88	F18		9.84	320.00		<0.37	<2.50		<8.17			<5.32	<1.26
03U111	11-Aug-88	F19												
03U111	17-Nov-88	F20												
03U112	20-Nov-87	F16	2.48	<4.81	82.40	<1.47	<0.10	4.04	2.08	<8.35	<0.70	3.75	6.73	<2.65
03U112	08-Apr-88	F18		<6.01	51.30		<0.37	<2.50		17.40			<5.32	<1.26
03U112	16-Aug-88	F19		<6.01	61.20		<0.37	2.65		<8.17	<0.74		<5.32	<1.26
03U112	18-Nov-88	F20												
03U113	18-Nov-87	F16	<1.93	<4.81	53.90	<1.47	<0.10	<2.18	2.23	<8.35	<0.70	7.20	<5.94	2.76
03U113	06-Apr-88	F18		<6.01	36.40		<0.37	<2.50		<8.17			<5.32	<1.26
03U113	09-Aug-88	F19		<6.01	25.90		<0.37	2.55		<8.17	<0.74		<5.32	<1.26
03U113	18-Nov-88	F20												
03U114	23-Nov-87	F16	<1.93	<4.81	52.90	<1.47	0.33	4.04	12.40	<8.35	<0.70	2.25	<5.94	5.10
03U114	11-Apr-88	F18		<6.01	25.20		<0.37	<2.50		<8.17			22.90	<1.26
03U114	09-Aug-88	F19		<6.01	33.90		<0.37	2.93		<8.17	<0.74		<5.32	<1.26
03U114	16-Nov-88	F20												
03U121	08-Dec-87	F16	<1.93	<4.81	33.30	<1.47	<0.10	<2.18	2.52	<8.35	<0.70	100.00	<5.94	<2.65
03U121	08-Apr-88	F18		<6.01	29.90		<0.37	<2.50		<8.17			<5.32	<1.26
03U121	16-Aug-88	F19		<6.01	39.40		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
03U121	18-Nov-88	F20												
03U124	08-Apr-88	F18		<6.01	25.80		<0.37	<2.50			<0.74		<5.32	<1.26
03U124	18-Aug-88	F19		<6.01	38.00		<0.37	4.88		<8.17	<0.74		<5.32	<1.26
03U129	08-Dec-87	F16	<1.93	9.28	370.00	<1.47	0.17	<2.18	4.95		<0.70	380.00	<5.94	<2.65
03U129	07-Apr-88	F18		<6.01	160.00		<0.37	<2.50		<8.17			<5.32	<1.26
03U129	11-Aug-88	F19												
03U129	18-Nov-88	F20												
03U301	16-Mar-89	H21												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03U301	20-Apr-89	H22		<3.00	<200.00		<0.10	<1.00	<10.00	60.00	<0.20		<50.00	<1.00
03U301	19-Jul-89	H23		<2.00	<200.00		<0.10	<1.00	30.00	10.00	<0.20		<50.00	3.00
03U301	24-Oct-89	H24		<5.00	35.00		<8.00	<9.00	26.00	10.00	<0.20		<16.00	2.00
03U314	05-Jan-89	H21												
03U314	16-Mar-89	H21												
03U314	20-Apr-89	H22		8.00	200.00		<0.10	<1.00	<10.00	<10.00	<0.20		<50.00	<1.00
03U314	19-Jul-89	H23		11.00	<200.00		0.10	<1.00	<10.00	<10.00	<0.20		<50.00	2.00
03U314	24-Oct-89	H24		11.00	230.00		<8.00	<9.00	<4.00	<10.00	<0.20		<16.00	1.00
03U315	05-Jan-89	H21												
03U315	16-Mar-89	H21												
03U315	20-Apr-89	H22		<3.00	<200.00		<0.10	<1.00	50.00	<10.00	<0.20		<50.00	9.00
03U315	19-Jul-89	H23		<2.00	<200.00		<0.10	<1.00	30.00	<10.00	<0.20		<50.00	3.00
03U315	24-Oct-89	H24		<5.00	100.00		<8.00	<9.00	<4.00	<10.00	<0.20		<16.00	3.00
03U316	05-Jan-89	H21												
03U316	16-Mar-89	H21												
03U316	20-Apr-89	H22		<3.00	<200.00		0.20	2.00	300.00	<10.00	<0.20		<50.00	66.00
03U316	19-Jul-89	H23		<2.00	<200.00		0.10	<1.00	70.00	<10.00	<0.20		<50.00	22.00
03U316	24-Oct-89	H24		<5.00	90.00		<8.00	<9.00	<4.00	<10.00	<0.20		<16.00	4.00
03U317	05-Jan-89	H21												
03U317	16-Mar-89	H21												
03U317	20-Apr-89	H22		<3.00	<200.00		<0.10	1.00	50.00	10.00	<0.20		<50.00	30.00
03U317	19-Jul-89	H23		<2.00	<200.00		<0.10	<1.00	30.00	<10.00	<0.20		<50.00	15.00
03U317	25-Oct-89	H24		<5.00	110.00		<8.00	<9.00		<10.00	<0.20			2.00
03U521	20-Nov-87	F16	1.98	<4.81	33.30	<1.47	<0.10	2.53	2.97		<0.70	4.45	6.21	4.59
03U521	11-Apr-88	F18		<6.01	19.40		<0.37	<2.50					<5.32	<1.26
03U521	24-Aug-88	F19												
03U521	18-Nov-88	F20		<6.01	16.80		<0.37	<2.50					<5.32	<1.26
03U658	27-Jul-88	H19												
03U658	13-Oct-89	H24												
03U659	25-Oct-89	H24												
03U671	04-Dec-87	F16	<1.93	<4.81	95.10	<1.47	<0.10	3.54	2.03			14.80	<5.94	<2.65
03U671	22-Jan-88	H17												
03U671	13-May-88	H18												
03U671	08-Aug-88	H19												
03U671	22-Aug-88	F19		<6.01	42.10		<0.37	<2.50					<5.32	<1.26
03U671	26-Oct-88	H20												
03U671	16-Oct-89	H24												
03U672	13-Nov-87	H16												
03U672	14-Jan-88	H17												
03U672	18-May-88	H18												
03U672	27-Jul-88	H19												
03U672	28-Oct-88	H20												
03U672	19-Apr-89	H22												
03U672	12-Jul-89	H23												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03U672	18-Oct-89	H24												
03U673	13-Nov-87	H16												
03U676	03-Nov-87	H16												
03U701	20-Jan-88	H17												
03U701	12-May-88	H18												
03U701	02-Aug-88	H19												
03U701	21-Oct-88	H20												
03U701	17-Oct-89	H24												
03U702	20-Jan-88	H17												
03U702	13-May-88	H18												
03U702	08-Aug-88	H19												
03U702	25-Oct-88	H20												
03U702	13-Oct-89	H24												
03U703	15-Jan-88	H17												
03U703	16-May-88	H18												
03U703	04-Aug-88	H19												
03U703	24-Oct-88	H20												
03U703	12-Oct-89	H24												
03U704	10-Nov-87	F16	<1.93	<4.81	45.10	<1.47	1.46	<2.18	1.93	<8.35	<0.70	140.00	<5.94	<2.65
03U704	25-Jan-88	H17												
03U704	05-Apr-88	F18		<6.01	30.10		<0.37	<2.50		<8.17			<5.32	<1.26
03U704	17-May-88	H18												
03U704	29-Jul-88	H19												
03U704	08-Aug-88	F19												
03U704	27-Oct-88	H20												
03U704	16-Nov-88	F20												
03U704	20-Apr-89	H22												
03U704	19-Jul-89	H23												
03U704	20-Oct-89	H24												
03U705	25-Jan-88	H17												
03U705	17-May-88	H18												
03U705	08-Aug-88	H19												
03U705	12-Oct-89	H24												
03U706	25-Jan-88	H17												
03U706	10-May-88	H18												
03U706	29-Jul-88	H19												
03U706	25-Oct-88	H20												
03U706	12-Oct-89	H24												
03U707	25-Jan-88	H17												
03U707	17-May-88	H18												
03U707	29-Jul-88	H19												
03U707	25-Oct-88	H20												
03U707	20-Oct-89	H24												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03U708	22-Jan-88	H17												
03U708	10-May-88	H18												
03U708	04-Aug-88	H19												
03U708	24-Oct-88	H20												
03U708	31-Oct-88	H20												
03U708	12-Oct-89	H24												
03U709	22-Jan-88	H17												
03U709	12-May-88	H18												
03U709	08-Aug-88	H19												
03U709	26-Oct-88	H20												
03U709	17-Oct-89	H24												
03U710	14-Jan-88	H17												
03U710	18-May-88	H18												
03U710	03-Aug-88	H19												
03U710	26-Oct-88	H20												
03U710	25-Oct-89	H24												
03U711	19-Apr-89	H22												
03U711	12-Jul-89	H23												
03U711	18-Oct-89	H24												
03U801	03-Dec-87	F16									<0.70			
03U803	01-Dec-87	F16									<0.70			
03U803	28-Oct-88	H20												
03U804	01-Dec-87	F16									<0.70			
03U804	21-Jan-88	H17												
03U804	13-May-88	H18												
03U804	04-Aug-88	H19												
03U804	17-Oct-89	H24												
03U805	01-Dec-87	F16									<0.70			
03U805	21-Jan-88	H17												
03U805	13-May-88	H18												
03U805	09-Aug-88	H19												
03U805	01-Nov-88	H20												
03U805	18-Oct-89	H24												
03U806	02-Dec-87	F16									<0.70			
03U811	25-Nov-87	F16									<0.70			
03U811	04-May-89	F22												
03U811	24-Jul-89	F23												
03U811	20-Oct-89	F24												
03U821	30-Nov-87	F16									<0.70			
03U821	10-May-89	F22												
03U821	25-Jul-89	F23												
03U821	24-Oct-89	F24												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03U822	01-Dec-87	F16									<0.70			
03U822	05-May-89	F22												
03U822	24-Jul-89	F23												
03U822	23-Oct-89	F24												
03U824	01-Dec-87	F16									<0.70			
03U831	25-Nov-87	F16									<0.70			
03U831	10-May-89	F22												
03U831	25-Jul-89	F23												
03U831	24-Oct-89	F24												
03U832	24-Nov-87	F16									<0.70			
03U832	09-May-89	F22												
03U832	24-Jul-89	F23												
03U832	24-Oct-89	F24												
04J077	11-Oct-89	H24												
04J702	13-Oct-89	H24												
04J708	04-Jan-89	H21												
04J708	12-Oct-89	H24												
04J713	04-Jan-89	H21												
04J713	13-Oct-89	H24												
04J714	04-Jan-89	H21												
04J714	18-Apr-89	H22												
04J714	11-Jul-89	H23												
04J714	13-Oct-89	H24												
04U001	16-Nov-87	F16	<1.93	<4.81	<220.00	<1.47	<0.10	<2.18	1.19		<0.70	280.00	<5.94	<2.65
04U001	13-Jan-88	H17												
04U001	11-May-88	H18												
04U001	29-Jul-88	H19												
04U001	23-Aug-88	F19												
04U001	20-Oct-88	H20												
04U001	18-Apr-89	H22												
04U001	11-Jul-89	H23												
04U001	11-Oct-89	H24												
04U002	17-Nov-87	F16	<1.93	<4.81	<220.00	<1.47	<0.10	<2.18	0.79		<0.70	360.00	<5.94	<2.65
04U002	18-Jan-88	H17												
04U002	10-May-88	H18												
04U002	04-Aug-88	H19												
04U002	24-Oct-88	H20												
04U002	12-Oct-89	H24												
04U003	19-Nov-87	F16	<1.93	<4.81	130.00	<1.47	<0.10	<2.18	0.99		<0.70	210.00	<5.94	<2.65
04U003	21-Jan-88	H17												
04U003	16-May-88	H18												
04U003	27-Jul-88	H19												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
04U003	26-Oct-88	H20												
04U003	12-Jul-89	H23												
04U003	17-Oct-89	H24												
04U006	11-Jul-89	H23												
04U007	09-Nov-87	F16	<1.93	<4.81	186.00	<1.47	<0.10	<2.18	1.68		<0.70	400.00	<5.94	<2.65
04U007	10-Nov-88	F20												
04U012	09-Nov-87	F16	<1.93	<4.81	490.00	<1.47	<0.10	2.33	1.24		<0.70	520.00	<5.94	<2.65
04U012	11-Nov-88	F20												
04U020	07-Dec-87	F16	<1.93	21.10	910.00	<1.47	<0.10	<2.18	1.53		<0.70	1100.00	<5.94	<2.65
04U020	19-Jan-88	H17												
04U020	11-May-88	H18												
04U020	01-Aug-88	H19												
04U020	17-Aug-88	F19		21.20	570.00		<0.37	<2.50					<5.32	1.84
04U020	25-Oct-88	H20												
04U020	11-Oct-89	H24												
04U027	15-Jan-88	H17												
04U027	10-May-88	H18												
04U027	08-Aug-88	H19												
04U027	25-Oct-88	H20												
04U027	11-Oct-89	H24												
04U077	04-Dec-87	F16	<1.93	<4.81	240.00	<1.47	<0.10	<2.18	1.34		<0.70	200.00	<5.94	<2.65
04U077	19-Jan-88	H17												
04U077	09-May-88	H18												
04U077	03-Aug-88	H19												
04U077	21-Oct-88	H20												
04U077	11-Oct-89	H24												
04U510	18-Nov-87	F16	<1.93	<4.81	<220.00	<1.47	<0.10	<2.18	2.28		<0.70	270.00	<5.94	3.78
04U510	15-Nov-88	F20												
04U673	24-Nov-87	H16												
04U673	21-Jan-88	H17												
04U673	16-May-88	H18												
04U673	04-Aug-88	H19												
04U673	01-Nov-88	H20												
04U673	03-May-89	F22												
04U673	21-Jul-89	F23												
04U673	19-Oct-89	H24												
04U673	19-Oct-89	F24												
04U701	20-Jan-88	H17												
04U701	12-May-88	H18												
04U701	02-Aug-88	H19												
04U701	21-Oct-88	H20												
04U701	17-Oct-89	H24												
04U702	20-Jan-88	H17												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
04U702	13-May-88	H18												
04U702	02-Aug-88	H19												
04U702	25-Oct-88	H20												
04U702	13-Oct-89	H24												
04U708	22-Jan-88	H17												
04U708	10-May-88	H18												
04U708	04-Aug-88	H19												
04U708	04-Jan-89	H21												
04U708	12-Oct-89	H24												
04U709	22-Jan-88	H17												
04U709	12-May-88	H18												
04U709	08-Aug-88	H19												
04U709	26-Oct-88	H20												
04U709	17-Oct-89	H24												
04U711	19-Apr-89	H22												
04U711	12-Jul-89	H23												
04U711	18-Oct-89	H24												
04U713	06-Jan-89	H21												
04U713	23-Oct-89	H24												
04U714	04-Jan-89	H21												
04U714	18-Apr-89	H22												
04U714	12-Jul-89	H23												
04U714	13-Oct-89	H24												
04U802	02-Dec-87	F16												
04U802	21-Jan-88	H17												
04U802	13-May-88	H18												
04U802	04-Aug-88	H19												
04U802	24-Aug-88	F19												
04U802	28-Oct-88	H20												
04U802	18-Oct-89	H24												
04U806	02-Dec-87	F16									<0.70			
04U806	12-May-88	H18												
04U806	04-Aug-88	H19												
04U806	21-Oct-88	H20												
04U806	19-Apr-89	H22												
04U806	16-Oct-89	H24												
04U821	30-Nov-87	F16									<0.70			
04U832	24-Nov-87	F16									<0.70			
04U832	16-Dec-88	H20												
04U841	20-Oct-87	H16												
04U841	25-Nov-87	F16												
04U843	24-Nov-87	F16												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
04U843	24-Aug-88	F19												
04U844	03-Dec-87	F16												
04U844	04-May-89	F22												
04U844	18-Oct-89	F24												
04U845	01-Dec-87	F16												
04U845	16-Dec-88	H20												
04U845	04-May-89	F22												
04U845	20-Jul-89	F23												
04U845	20-Oct-89	F24												
04U846	25-Nov-87	F16												
04U846	23-Aug-88	F19												
04U846	28-Apr-89	F22												
04U846	18-Jul-89	F23												
04U846	19-Oct-89	F24												
04U847	30-Nov-87	F16												
04U847	23-Aug-88	F19												
04U847	03-May-89	F22												
04U847	21-Jul-89	F23												
04U847	20-Oct-89	F24												
04U848	02-Dec-87	F16												
04U848	24-Aug-88	F19												
04U848	03-May-89	F22												
04U848	20-Jul-89	F23												
04U848	19-Oct-89	F24												
04U849	01-Dec-87	F16												
04U849	24-Aug-88	F19												
04U850	01-Dec-87	F16												
04U850	02-May-89	F22												
04U850	19-Jul-89	F23												
04U850	19-Oct-89	F24												
04U851	24-Nov-87	F16												
04U852	24-Nov-87	F16												
04U852	24-Aug-88	F19												
04U854	20-Oct-87	H16												
04U854	13-Nov-87	H16												
04U854	16-Dec-88	H20												
04U854	04-May-89	F22												
04U854	20-Jul-89	F23												
04U854	17-Oct-89	F24												
04U855	25-Nov-87	F16												
04U859	13-Nov-87	H16												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
04U859	15-Dec-88	H20												
04U860	13-Nov-87	H16												
04U860	15-Dec-88	H20												
04U861	12-Nov-87	H16												
04U861	16-Dec-88	H20												
04U871	20-Jun-88	H18												
04U871	07-Jul-88	H19												
04U871	23-Aug-88	F19												
04U871	08-Nov-88	F20												
04U871	31-Jan-89	H21												
04U871	05-May-89	F22												
04U871	08-May-89	F22												
04U871	19-Jul-89	F23												
04U871	23-Oct-89	F24												
04U872	13-Jul-88	H19												
04U872	24-Aug-88	F19												
04U872	08-Nov-88	F20												
04U872	01-Feb-89	H21												
04U872	08-May-89	F22												
04U872	19-Jul-89	F23												
04U872	23-Oct-89	F24												
04U875	20-Jun-88	H18												
04U875	23-Aug-88	F19												
04U875	09-Nov-88	F20												
04U875	07-Feb-89	H21												
04U875	19-Jul-89	F23												
04U875	19-Oct-89	F24												
04U877	23-Aug-88	F19												
04U877	10-Nov-88	F20												
04U877	08-Feb-89	H21												
04U877	02-May-89	F22												
04U877	18-Jul-89	F23												
04U877	19-Oct-89	F24												
04U879	29-Jul-88	H19												
04U879	01-Sep-88	F19												
04U879	08-Nov-88	F20												
04U879	08-Feb-89	H21												
04U879	19-Jul-89	F23												
04U879	17-Oct-89	F24												
04U880	01-Sep-88	F19												
04U880	10-Nov-88	F20												
04U880	06-Feb-89	H21												
04U880	18-Jul-89	F23												
04U880	19-Oct-89	F24												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
04U881	09-Nov-88	F20												
04U881	07-Feb-89	H21												
04U881	18-Jul-89	F23												
04U881	18-Oct-89	F24												
04U882	13-Sep-88	F19												
04U882	09-Nov-88	F20												
04U882	31-Jan-89	H21												
04U882	03-May-89	F22												
04U882	17-Jul-89	F23												
04U882	18-Oct-89	F24												
04U883	14-Oct-88	F19												
04U883	14-Oct-88	H20												
04U883	09-Nov-88	F20												
04U883	08-Feb-89	H21												
04U883	17-Jul-89	F23												
04U883	18-Oct-89	F24												
134318	27-Jul-89	F23												
139035	31-Jul-89	F23												
139035	31-Oct-89	F24												
191942	30-Nov-87	F16									<0.70			
200154	31-Jul-89	F23												
200264	25-Aug-88	F19												
200524	16-Aug-88	F19												
200803	16-Aug-88	F19												
200814	31-Jul-89	F23												
200814	30-Oct-89	F24												
201082	31-Oct-89	F24												
206688	23-Oct-89	F24												
206787	24-Oct-89	F24												
231878	23-Oct-87	H16												
233221	11-May-89	F22												
233221	31-Jul-89	F23												
233221	30-Oct-89	F24												
233222	25-Aug-88	F19												
233533	30-Oct-89	F24												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
234319	26-Aug-88	F19												
234335	26-Aug-88	F19												
234337	23-Oct-87	H16												
234353	12-May-89	F22												
234353	31-Jul-89	F23												
234356	25-Jul-89	F23												
234356	26-Oct-89	F24												
234357	10-May-89	F22												
234357	20-Jul-89	F23												
234357	20-Oct-89	F24												
234425	10-May-89	F22												
234425	11-May-89	F22												
234430	09-May-89	F22												
234430	27-Jul-89	F23												
234430	26-Oct-89	F24												
234463	08-May-89	F22												
234463	03-Aug-89	F23												
234463	31-Oct-89	F24												
234547	10-May-89	F22												
234547	31-Jul-89	F23												
234547	30-Oct-89	F24												
235539	26-Aug-88	F19												
235619	31-Jul-89	F23												
235619	31-Oct-89	F24												
235735	31-Jul-89	F23												
235735	31-Oct-89	F24												
236122	12-Jul-88	H19												
405651	31-Jul-89	F23												
405651	31-Oct-89	F24												
409546	10-May-89	F22												
409546	20-Jul-89	F23												
409546	18-Oct-89	F24												
409547	13-Nov-87	H16												
409548	10-May-89	F22												
409548	20-Jul-89	F23												
409548	18-Oct-89	F24												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
409549	17-Aug-88	F19												
409550	10-May-89	F22												
409550	20-Oct-89	F24												
409555	17-Aug-88	F19												
409556	10-May-89	F22												
409556	21-Jul-89	F23												
409556	17-Oct-89	F24												
409557	13-Nov-87	H16												
409557	04-May-89	F22												
409557	21-Jul-89	F23												
409557	27-Oct-89	F24												
409595	30-Nov-87	F16									<0.70			
409596	30-Nov-87	F16									<0.70			
409597	30-Nov-87	F16									<0.70			
409598	30-Nov-87	F16									<0.70			
500691	17-Oct-89	F24												
508115	18-Oct-89	H24												
508115	18-Oct-89	F24												
BOYLE	18-Oct-89	F24												
BOYLE	20-Oct-89	F24												
MNDOT	07-Nov-88	F20												
NB2103	13-Nov-87	H16												
PJ#003	19-Nov-87	F16	<1.93	<4.81	130.00	<1.47	<0.10	<2.18	0.94		<0.70	330.00	<5.94	<2.65
PJ#027	20-Nov-87	F16	<1.93	<4.81	190.00	<1.47	<0.10	<2.18	1.49		<0.70	250.00	6.21	<2.65
PJ#074	03-Dec-87	F16	<1.93	<4.81	220.00	<1.47	0.15	<2.18	1.10		<0.70	410.00	<5.94	<2.65
PJ#074	19-Aug-88	F19		<6.01	134.00		<0.37	<2.50					<5.32	<1.26
PJ#309	18-Nov-88	H20												
PJ#309	16-Mar-89	H21												
PJ#309	20-Apr-89	H22		<3.00	<200.00		<0.10	<1.00	20.00	<10.00	<0.20		<50.00	8.00
PJ#309	19-Jul-89	H23		<2.00	<200.00		0.20	<1.00	100.00	<10.00	<0.20		<50.00	42.00
PJ#309	23-Oct-89	H24		<5.00	140.00		<8.00	<9.00	7.00	<10.00	<0.20		<16.00	7.00
PJ#310	16-Mar-89	H21												
PJ#310	20-Apr-89	H22		<3.00	<200.00		<0.10	<1.00	<10.00	<10.00	<0.20		<50.00	24.00
PJ#310	19-Jul-89	H23		<2.00	200.00		0.20	<1.00	80.00	<10.00	<0.20		<50.00	26.00

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
PJ#310	11-Oct-89	H24		<5.00	140.00		<8.00	<9.00	<4.00	<10.00	<0.20		<16.00	1.00
PJ#311	16-Mar-89	H21												
PJ#311	20-Apr-89	H22		<3.00	<200.00		<0.10	2.00	20.00	<10.00	<0.20		<50.00	50.00
PJ#311	19-Jul-89	H23		<2.00	<200.00		<0.10	<1.00	<10.00	<10.00	<0.20		<50.00	2.00
PJ#311	24-Oct-89	H24		<5.00	120.00		<8.00	<9.00	<4.00	<10.00	<0.20		<16.00	2.00
PJ#313	16-Mar-89	H21												
PJ#313	20-Apr-89	H22		<3.00	<200.00		<0.10	<1.00	<10.00	<10.00	<0.20		<50.00	<1.00
PJ#313	19-Jul-89	H23		<2.00	<200.00		<0.10	<1.00	50.00	<10.00	<0.20		<50.00	4.00
PJ#313	23-Oct-89	H24		<5.00	64.00		<8.00	<9.00	19.00	<10.00	<0.20		<16.00	2.00
PJ#318	24-Aug-88	F19												
PJ#318	09-Nov-88	F20												
PJ#318	06-Feb-89	H21												
PJ#318	02-May-89	F22												
PJ#318	19-Jul-89	F23												
PJ#318	18-Oct-89	F24												
PJ#502	18-Nov-87	F16	<1.93	<4.81	<220.00	<1.47	<0.10	<2.18	1.73		<0.70	240.00	<5.94	<2.65
PJ#503	18-Nov-87	F16	<1.93	<4.81	<220.00	<1.47	<0.10	<2.18	1.53		<0.70	360.00	<5.94	<2.65
PJ#506	18-Nov-87	F16						<2.18				560.00		
PJ#506	19-Nov-87	F16	<1.93	<4.81	<220.00	<1.47	<0.10		0.89		<0.70		<5.94	<2.65
PJ#507	18-Nov-87	F16	<1.93	<4.81	<220.00	<1.47	<0.10	<2.18	1.39		<0.70	680.00	<5.94	<2.65
PJ#508	23-Aug-88	F19		8.53	360.00		<0.37	<2.50					<5.32	<1.26
PJ#802	02-Dec-87	F16												
PJ#806	02-Dec-87	F16									<0.70			
PJ#806	19-Jan-88	H17												
PJ#806	12-May-88	H18												
PJ#806	04-Aug-88	H19												
PJ#806	21-Oct-88	H20												
PJ#806	16-Oct-89	H24												
MAX			6.53	43.90	910.00	0.00	1.46	44.40	710.00	60.00	0.00	8500.00	98.00	110.00
COUNT	1179		124	311	311	124	311	311	174	156	237	122	309	311

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
01L811	25-Nov-87	F16									
01L813	25-Nov-87	F16									
01L816	25-Nov-87	F16									
01L821	30-Nov-87	F16									
01L822	01-Dec-87	F16									
01L823	01-Dec-87	F16									
01U003	27-Apr-89	F22									
01U003	26-Jul-89	F23									
01U004	27-Apr-89	F22									
01U004	26-Jul-89	F23									
01U004	27-Oct-89	F24									
01U022	05-Apr-88	F18									
01U034	11-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
01U034	14-Nov-88	F20									
01U035	14-Nov-88	F20									
01U036	11-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
01U036	14-Nov-88	F20									
01U036	26-Apr-89	F22									
01U036	27-Jul-89	F23									
01U036	24-Oct-89	F24									
01U037	07-Apr-88	F18									
01U038	06-Apr-88	F18									
01U039	06-Apr-88	F18									
01U040	05-Apr-88	F18									
01U041	05-Apr-88	F18									
01U045	08-Aug-88	F19				<25.00					
01U047	27-Apr-89	F22									
01U047	26-Jul-89	F23									
01U047	25-Oct-89	F24									
01U048	27-Apr-89	F22									
01U048	26-Jul-89	F23									
01U048	25-Oct-89	F24									
01U050	16-Nov-87	F16	<10.00	<3.06	<2.70			<1.00	6.00		

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
01U050	07-Apr-88	F18									
01U050	15-Aug-88	F19				<25.00					
01U050	21-Nov-88	F20									
01U051	16-Nov-87	F16	<10.00	<3.06	3.94	<29.40					
01U051	07-Apr-88	F18									
01U051	15-Aug-88	F19				<25.00					
01U051	21-Nov-88	F20									
01U052	27-Apr-89	F22									
01U052	26-Jul-89	F23									
01U052	25-Oct-89	F24									
01U053	16-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
01U053	07-Apr-88	F18									
01U053	15-Aug-88	F19				<25.00					
01U053	21-Nov-88	F20									
01U054	16-Nov-87	F16	<10.00	<3.06	<2.70			<1.00	<1.00		
01U054	07-Apr-88	F18									
01U054	15-Aug-88	F19				<25.00					
01U054	21-Nov-88	F20									
01U054	27-Apr-89	F22									
01U054	26-Jul-89	F23									
01U054	26-Oct-89	F24									
01U060	19-Nov-87	F16	<10.00	<3.06	<2.70	67.10					
01U060	11-Apr-88	F18									
01U060	17-Nov-88	F20									
01U062	16-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
01U062	07-Apr-88	F18									
01U062	16-Aug-88	F19				<25.00					
01U062	21-Nov-88	F20									
01U062	09-May-89	F22									
01U062	26-Jul-89	F23									
01U062	26-Oct-89	F24									
01U063	05-Apr-88	F18									
01U064	12-May-89	F22									
01U064	26-Jul-89	F23									
01U064	27-Oct-89	F24									
01U065	28-Apr-89	F22									
01U065	26-Jul-89	F23									
01U065	25-Oct-89	F24									
01U067	05-Apr-88	F18									
01U072	07-Apr-88	F18									
01U085	11-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
01U085	10-Aug-88	F19				25.00					
01U085	17-Nov-88	F20									
01U098	19-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
01U098	11-Apr-88	F18									
01U098	17-Nov-88	F20									
01U100	07-Apr-88	F18									
01U101	14-Nov-88	F20									
01U101	25-Apr-89	F22									
01U101	26-Jul-89	F23									
01U101	24-Oct-89	F24									
01U102	08-Aug-88	F19									
01U102	11-Nov-88	F20									
01U102	25-Apr-89	F22									
01U102	27-Jul-89	F23									
01U102	26-Oct-89	F24									
01U103	11-Nov-87	F16	14.60	6.38	<2.70	<29.40					
01U103	18-Nov-87	F16									
01U103	08-Aug-88	F19									
01U103	11-Nov-88	F20									
01U103	26-Apr-89	F22									
01U103	27-Jul-89	F23									
01U103	26-Oct-89	F24									
01U107	08-Apr-88	F18									
01U107	08-Aug-88	F19									
01U107	15-Nov-88	F20									
01U107	25-Apr-89	F22									
01U107	27-Jul-89	F23									
01U107	25-Oct-89	F24									
01U108	16-Nov-87	F16				<29.40					
01U108	17-Nov-87	F16	<10.00	<3.06	<2.70						
01U108	11-Apr-88	F18									
01U108	25-Aug-88	F19									
01U108	15-Nov-88	F20									
01U108	24-Apr-89	F22									
01U108	24-Oct-89	F24									
01U109	08-Apr-88	F18									
01U110	08-Apr-88	F18									
01U115	11-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
01U115	11-Apr-88	F18									
01U115	09-Aug-88	F19									
01U115	15-Nov-88	F20									
01U115	24-Apr-89	F22									
01U115	27-Jul-89	F23									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA. RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
01U115	27-Oct-89	F24									
01U116	11-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
01U116	06-Apr-88	F18									
01U116	09-Aug-88	F19									
01U116	15-Nov-88	F20									
01U116	24-Apr-89	F22									
01U116	27-Jul-89	F23									
01U116	27-Oct-89	F24									
01U117	11-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
01U117	06-Apr-88	F18									
01U117	09-Aug-88	F19									
01U117	15-Nov-88	F20									
01U117	25-Apr-89	F22									
01U117	27-Jul-89	F23									
01U117	27-Oct-89	F24									
01U118	11-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
01U118	07-Apr-88	F18									
01U118	09-Aug-88	F19									
01U118	15-Nov-88	F20									
01U118	25-Apr-89	F22									
01U118	27-Jul-89	F23									
01U118	27-Oct-89	F24									
01U119	11-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
01U119	07-Apr-88	F18									
01U119	12-Aug-88	F19									
01U119	15-Nov-88	F20									
01U119	26-Apr-89	F22									
01U119	27-Jul-89	F23									
01U119	27-Oct-89	F24									
01U120	11-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
01U120	07-Apr-88	F18									
01U120	12-Aug-88	F19									
01U120	15-Nov-88	F20									
01U120	27-Apr-89	F22									
01U120	27-Jul-89	F23									
01U120	27-Oct-89	F24									
01U122	09-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
01U122	05-Apr-88	F18									
01U122	08-Aug-88	F19									
01U122	11-Nov-88	F20									
01U125	08-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
01U125	11-Apr-88	F18									
01U125	12-Aug-88	F19									
01U125	17-Nov-88	F20									
01U126	08-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
01U126	06-Apr-88	F18									
01U126	12-Aug-88	F19									
01U126	17-Nov-88	F20									
01U126	24-Apr-89	F22									
01U126	27-Jul-89	F23									
01U126	25-Oct-89	F24									
01U127	11-Dec-87	F16	10.80	<3.06	<2.70	<29.40					
01U127	06-Apr-88	F18									
01U127	12-Aug-88	F19									
01U127	14-Nov-88	F20									
01U127	26-Apr-89	F22									
01U127	25-Oct-89	F24									
01U128	09-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
01U128	05-Apr-88	F18				25.80					
01U128	08-Aug-88	F19				<25.00					
01U128	16-Nov-88	F20				41.40					
01U130	07-Dec-87	F16	<10.00	<3.06	<2.70	<29.40		1.60	1.50		
01U130	07-Apr-88	F18									
01U130	15-Aug-88	F19				<25.00					
01U130	21-Nov-88	F20									
01U133	11-Dec-87	F16	12.30	<3.06	<2.70	85.20					
01U133	12-Aug-88	F19									
01U133	14-Nov-88	F20									
01U135	21-Nov-88	F20									
01U135	25-Apr-89	F22									
01U135	26-Jul-89	F23									
01U135	25-Oct-89	F24									
01U136	21-Nov-88	F20									
01U136	25-Apr-89	F22									
01U136	26-Jul-89	F23									
01U136	25-Oct-89	F24									
01U524	16-Nov-87	F16									
01U524	17-Nov-87	F16	<10.00	<3.06	3.83	<29.40		3.50	4.40		
01U524	07-Apr-88	F18									
01U524	16-Aug-88	F19				<25.00					
01U524	21-Nov-88	F20									
01U525	16-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
01U525	17-Nov-87	F16									
01U525	07-Apr-88	F18									
01U525	15-Aug-88	F19				<25.00					
01U525	14-Nov-88	F20									
01U525	27-Apr-89	F22									
01U525	26-Jul-89	F23									
01U525	26-Oct-89	F24									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
01U526	17-Nov-87	F16	<10.00	4.32	<2.70	<29.40		2.50	6.80		
01U526	07-Apr-88	F18									
01U526	15-Aug-88	F19				<25.00					
01U526	14-Nov-88	F20									
01U526	09-May-89	F22									
01U526	26-Jul-89	F23									
01U526	26-Oct-89	F24									
01U527	17-Nov-87	F16	<10.00	<3.06	5.11	<29.40					
01U527	11-Apr-88	F18									
01U527	25-Aug-88	F19				<25.00					
01U527	21-Nov-88	F20									
01U601	07-Dec-87	F16	<10.00	<3.06	<2.70	1010.00					
01U604	07-Dec-87	F16	<10.00	<3.06	<2.70	1440.00					
01U611	08-Dec-87	F16	<10.00	<3.06	<2.70	50.10					
01U615	07-Dec-87	F16	<10.00	<3.06	<2.70	50.10					
01U617	19-Aug-88	F19				<25.00					
01U618	19-Aug-88	F19				<25.00					
01U619	19-Aug-88	F19				<25.00					
01U634	12-May-89	F22									
01U634	26-Jul-89	F23									
01U636	12-May-89	F22									
01U636	26-Jul-89	F23									
01U639	12-May-89	F22									
01U639	26-Jul-89	F23									
01U640	26-Jul-89	F23									
01U652	12-May-89	F22									
01U652	26-Jul-89	F23									
01U652	27-Oct-89	F24									
01U666	12-May-89	F22									
01U901	27-Jul-89	F23									
01U901	20-Oct-89	F24									
01U902	27-Jul-89	F23									
01U902	20-Oct-89	F24									
03F302	17-Nov-87	H16									
03F302	15-Dec-87	H16									
03F302	12-Jan-88	H17									

TABLE 5 - TCAAP GROUNDWATER QUALITY (INORGANICS) - ug/l

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHOSPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOSPHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03F302	28-Apr-88	H18									
03F302	19-Jul-88	H19									
03F302	21-Oct-88	H20									
03F302	06-Jan-89	H21									
03F302	16-Mar-89	H21									
03F302	20-Apr-89	H22				<0.01					
03F302	19-Jul-89	H23				<10.00	50.00				30.00
03F302	24-Oct-89	H24				29.00	50.00				40.00
03F303	17-Nov-87	H16									
03F303	15-Dec-87	H16									
03F303	12-Jan-88	H17									
03F303	28-Apr-88	H18									
03F303	19-Jul-88	H19									
03F303	21-Oct-88	H20									
03F303	06-Jan-89	H21									
03F303	16-Mar-89	H21									
03F303	20-Apr-89	H22				70.00					
03F303	19-Jul-89	H23				720.00	280.00				40.00
03F303	24-Oct-89	H24				<20.00	60.00				40.00
03F304	17-Nov-87	H16									
03F304	15-Dec-87	H16									
03F304	12-Jan-88	H17									
03F304	28-Apr-88	H18									
03F304	19-Jul-88	H19									
03F304	16-Mar-89	H21									
03F304	20-Apr-89	H22				<0.01					
03F304	19-Jul-89	H23				50.00	140.00				70.00
03F304	24-Oct-89	H24				20.00	100.00				70.00
03F305	17-Nov-87	H16									
03F305	15-Dec-87	H16									
03F305	12-Jan-88	H17									
03F305	28-Apr-88	H18									
03F305	19-Jul-88	H19									
03F305	06-Jan-89	H21									
03F305	16-Mar-89	H21									
03F305	20-Apr-89	H22				20.00					
03F305	19-Jul-89	H23				120.00	160.00				60.00
03F305	23-Oct-89	H24				60.00	80.00				70.00
03F306	17-Nov-87	H16									
03F306	15-Dec-87	H16									
03F306	12-Jan-88	H17									
03F306	28-Apr-88	H18									
03F306	19-Jul-88	H19									
03F306	21-Oct-88	H20									
03F306	06-Jan-89	H21									
03F306	16-Mar-89	H21									
03F306	20-Apr-89	H22				<0.01					
03F306	19-Jul-89	H23				120.00	210.00				80.00
03F306	23-Oct-89	H24				<4.00	110.00				90.00

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHOSPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOSPHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03F307	17-Nov-87	H16									
03F307	15-Dec-87	H16									
03F307	12-Jan-88	H17									
03F307	28-Apr-88	H18									
03F307	19-Jul-88	H19									
03F307	21-Oct-88	H20									
03F307	16-Mar-89	H21									
03F307	20-Apr-89	H22				<0.01					
03F307	19-Jul-89	H23				30.00	100.00				20.00
03F307	23-Oct-89	H24				11.00	<50.00				30.00
03F308	16-Mar-89	H21									
03F308	20-Apr-89	H22				10.00					
03F308	19-Jul-89	H23				80.00	80.00				20.00
03F308	23-Oct-89	H24				25.00	100.00				20.00
03F312	19-Dec-88	H20									
03F312	16-Mar-89	H21									
03F312	20-Apr-89	H22				<0.01					
03F312	19-Jul-89	H23				20.00	60.00				40.00
03F312	24-Oct-89	H24				210.00	60.00				40.00
03L001	16-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03L001	13-Jan-88	H17									
03L001	11-May-88	H18									
03L001	29-Jul-88	H19									
03L001	20-Oct-88	H20									
03L001	18-Apr-89	H22									
03L001	11-Jul-89	H23									
03L001	11-Oct-89	H24									
03L002	17-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03L002	18-Jan-88	H17									
03L002	10-May-88	H18									
03L002	04-Aug-88	H19									
03L002	24-Oct-88	H20									
03L002	12-Oct-89	H24									
03L003	19-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03L003	11-Aug-88	F19									
03L004	18-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03L004	09-Aug-88	F19									
03L005	23-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03L005	10-Aug-88	F19									
03L006	11-Jul-89	H23									
03L007	09-Nov-87	F16	<10.00	<3.06	5.32	<29.40					
03L007	10-Nov-88	F20									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHOSPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOSPHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03L010	09-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03L010	10-Nov-88	F20									
03L012	09-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03L012	11-Nov-88	F20									
03L013	10-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03L014	23-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03L014	10-Aug-88	F19				<25.00					
03L017	10-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03L018	23-Nov-87	F16	<10.00	<3.06	<2.70	30.10					
03L018	08-Apr-88	F18									
03L018	22-Aug-88	F19				<25.00					
03L018	18-Nov-88	F20									
03L020	07-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03L020	17-Aug-88	F19									
03L021	13-Oct-89	H24									
03L029	03-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03L077	04-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03L077	19-Jan-88	H17									
03L077	09-May-88	H18									
03L077	03-Aug-88	H19									
03L077	21-Oct-88	H20									
03L077	11-Oct-89	H24									
03L078	23-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03L078	15-Jan-88	H17									
03L078	13-May-88	H18									
03L078	03-Aug-88	H19									
03L078	18-Aug-88	F19									
03L078	16-Oct-89	H24									
03L079	04-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03L079	14-Jan-88	H17									
03L079	09-May-88	H18									
03L079	03-Aug-88	H19									
03L079	18-Aug-88	F19									
03L079	26-Oct-88	H20									
03L079	16-Oct-89	H24									
03L084	08-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03L084	18-Jan-88	H17									
03L084	11-May-88	H18									
03L084	04-Aug-88	H19									
03L084	20-Oct-88	H20									
03L084	11-Oct-89	H24									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03L086	11-Aug-88	F19									
03L091	03-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03L091	25-Aug-88	F19				<25.00					
03L113	18-Nov-87	F16	<10.00	<3.06		<29.40					
03L113	06-Apr-88	F18									
03L113	09-Aug-88	F19				<25.00					
03L113	18-Nov-88	F20									
03L137	17-Oct-89	F24									
03L138	17-Oct-89	F24									
03L306	23-Aug-88	F19									34.00
03L306	08-Nov-88	F20									
03L306	03-May-89	F22									
03L673	12-Nov-87	H16									
03L802	03-Dec-87	F16									
03L802	21-Jan-88	H17									
03L802	13-May-88	H18									
03L802	04-Aug-88	H19									
03L802	28-Oct-88	H20									
03L802	20-Apr-89	H22									
03L802	12-Jul-89	H23									
03L802	18-Oct-89	H24									
03L806	02-Dec-87	F16									
03L806	19-Jan-88	H17									
03L806	12-May-88	H18									
03L806	04-Aug-88	H19									
03L806	25-Oct-88	H20									
03L806	16-Oct-89	H24									
03L809	10-May-89	F22									
03L809	20-Oct-89	F24									
03L811	25-Nov-87	F16									
03L811	04-May-89	F22									
03L811	24-Jul-89	F23									
03L811	20-Oct-89	F24									
03L813	25-Nov-87	F16									
03L813	05-May-89	F22									
03L813	24-Jul-89	F23									
03L813	20-Oct-89	F24									
03L822	01-Dec-87	F16									
03L822	05-May-89	F22									
03L822	24-Jul-89	F23									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03L822	23-Oct-89	F24									
03L832	24-Nov-87	F16									
03L832	16-Dec-88	H20									
03L832	09-May-89	F22									
03L832	24-Jul-89	F23									
03L832	24-Oct-89	F24									
03L841	20-Oct-87	H16									
03L841	12-Nov-87	H16									
03L846	18-Jul-89	F23					63.10				<12.10
03L846	19-Oct-89	F24					52.00				<12.10
03L848	02-Dec-87	F16									
03L848	03-May-89	F22									
03L848	20-Jul-89	F23									
03L848	19-Oct-89	F24									
03L853	03-Dec-87	F16									
03L853	05-May-89	F22									
03L853	25-Jul-89	F23									
03L853	23-Oct-89	F24									
03L854	20-Oct-87	H16									
03L854	24-Nov-87	F16									
03L854	16-Dec-88	H20									
03L854	20-Jul-89	F23									
03L854	27-Oct-89	F24									
03L856	24-Nov-87	F16									
03L856	05-May-89	F22									
03L856	25-Jul-89	F23									
03L856	23-Oct-89	F24									
03L858	24-Nov-87	F16									
03L858	08-May-89	F22									
03L858	21-Jul-89	F23									
03L858	23-Oct-89	F24									
03L859	13-Nov-87	H16									
03L859	15-Dec-88	H20									
03L860	13-Nov-87	H16									
03L860	15-Dec-88	H20									
03L861	12-Nov-87	H16									
03L861	15-Dec-88	H20									
03M001	16-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03M002	17-Nov-87	F16	<10.00	3.86	<2.70	<29.40					

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHOSPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOSPHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03M003	19-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03M003	11-Aug-88	F19									
03M004	18-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03M004	27-Jul-88	H19									
03M004	09-Aug-88	F19									
03M005	08-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03M005	14-Jan-88	H17									
03M005	06-Apr-88	F18									
03M005	16-May-88	H18									
03M005	27-Jul-88	H19									
03M005	11-Aug-88	F19									
03M005	31-Oct-88	H20									
03M005	10-Nov-88	F20									
03M005	11-Oct-89	H24									
03M013	10-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03M017	10-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03M017	11-Jan-88	H17									
03M017	12-May-88	H18									
03M017	01-Aug-88	H19									
03M017	31-Oct-88	H20									
03M017	13-Oct-89	H24									
03M020	19-Jan-88	H17									
03M020	11-May-88	H18									
03M020	01-Aug-88	H19									
03M020	18-Aug-88	F19									
03M020	25-Oct-88	H20									
03M020	11-Oct-89	H24									
03M505	09-Nov-87	F16	<10.00	<3.06	3.19	<29.40					
03M713	04-Jan-89	H21									
03M802	03-Dec-87	F16									
03M806	02-Dec-87	F16									
03M843	24-Nov-87	F16									
03M843	05-May-89	F22									
03M843	25-Jul-89	F23									
03M843	23-Oct-89	F24									
03M848	02-Dec-87	F16									
03U001	16-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U002	17-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U002	26-May-88	H18									
03U002	04-Aug-88	H19									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03U002	24-Oct-88	H20									
03U003	19-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U003	22-Jan-88	H17									
03U003	16-May-88	H18									
03U003	27-Jul-88	H19									
03U003	11-Aug-88	F19									
03U003	26-Oct-88	H20									
03U003	19-Apr-89	H22									
03U003	12-Jul-89	H23									
03U004	18-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U004	13-Jan-88	H17									
03U004	18-May-88	H18									
03U004	27-Jul-88	H19									
03U004	09-Aug-88	F19									
03U004	28-Oct-88	H20									
03U004	25-Oct-89	H24									
03U005	23-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U005	14-Jan-88	H17									
03U005	06-Apr-88	F18									
03U005	16-May-88	H18									
03U005	27-Jul-88	H19									
03U005	10-Aug-88	F19									
03U005	31-Oct-88	H20									
03U005	10-Nov-88	F20									
03U005	11-Oct-89	H24									
03U007	09-Nov-87	F16	<10.00	5.14	47.90	<29.40					
03U007	07-Nov-88	F20									
03U008	09-Nov-87	F16	<10.00	<3.06	4.26	<29.40					
03U008	10-Nov-88	F20									
03U009	20-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U009	14-Nov-88	F20									
03U010	09-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U010	10-Nov-88	F20									
03U012	09-Nov-87	F16	<10.00	<3.06	5.32	<29.40					
03U012	11-Nov-88	F20									
03U013	10-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U014	04-Dec-87	F16	<10.00	<3.06	<2.70	<29.40		<3.00	1.70		
03U014	18-Jan-88	H17									
03U014	18-May-88	H18									
03U014	02-Aug-88	H19									
03U014	17-Aug-88	F19				<25.00					
03U014	24-Oct-88	H20									
03U014	20-Apr-89	H22									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03U014	19-Jul-89	H23									
03U014	24-Oct-89	H24									
03U015	17-Nov-87	F16	<10.00	3.29	<2.70	<29.40					
03U015	05-Apr-88	F18									
03U015	09-Aug-88	F19									
03U015	16-Nov-88	F20									
03U017	10-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U018	04-Dec-87	F16	<10.00	<3.06	<2.70	<29.40		<1.70	<1.00	<10.00	
03U018	22-Aug-88	F19				<25.00					
03U018	20-Apr-89	H22									
03U018	12-Jul-89	H23									
03U018	20-Oct-89	H24									
03U019	23-Nov-87	F16	<10.00	<3.06	<2.70	30.10					
03U019	25-Jan-88	H17									
03U019	17-May-88	H18									
03U019	02-Aug-88	H19									
03U019	12-Aug-88	F19				<25.00					
03U019	27-Oct-88	H20									
03U019	18-Oct-89	H24									
03U020	07-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03U020	17-Aug-88	F19									
03U021	17-May-88	H18									
03U021	29-Jul-88	H19									
03U021	28-Oct-88	H20									
03U021	13-Oct-89	H24									
03U022	05-Apr-88	F18									
03U023	10-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U023	15-Nov-88	F20									
03U024	10-Aug-88	F19									
03U025	10-Aug-88	F19				<25.00					
03U026	18-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U026	08-Apr-88	F18									
03U026	22-Aug-88	F19				<25.00					
03U026	16-Nov-88	F20									
03U027	20-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U027	13-Jan-88	H17									
03U027	11-May-88	H18									
03U027	08-Aug-88	H19									
03U027	16-Aug-88	F19									
03U027	25-Oct-88	H20									
03U027	11-Oct-89	H24									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHOSPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOSPHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03U028	03-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03U028	22-Aug-88	F19				<25.00					
03U028	25-Oct-89	H24									
03U029	03-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03U029	26-Jan-88	H17									
03U029	17-May-88	H18									
03U029	08-Aug-88	H19									
03U029	17-Aug-88	F19				<25.00					
03U029	31-Oct-88	H20									
03U029	18-Oct-89	H24									
03U030	03-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03U030	26-Jan-88	H17									
03U030	18-May-88	H18									
03U030	08-Aug-88	H19									
03U030	22-Aug-88	F19				<25.00					
03U030	01-Nov-88	H20									
03U030	25-Oct-89	H24									
03U031	18-Jan-88	H17									
03U031	10-May-88	H18									
03U031	29-Jul-88	H19									
03U031	10-Aug-88	F19									
03U031	20-Oct-88	H20									
03U031	11-Oct-89	H24									
03U032	20-Nov-87	F16	<10.00	<3.06	<2.70	<29.40		2.80	3.50		
03U032	08-Apr-88	F18									
03U032	22-Aug-88	F19				<25.00					
03U073	15-Jan-88	H17									
03U075	10-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U075	18-Aug-88	F19				<25.00					
03U076	10-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U076	18-Aug-88	F19				<25.00					
03U077	19-Jan-88	H17									
03U077	09-May-88	H18									
03U077	03-Aug-88	H19									
03U077	21-Oct-88	H20									
03U077	16-Oct-89	H24									
03U078	23-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U078	14-Jan-88	H17									
03U078	13-May-88	H18									
03U078	03-Aug-88	H19									
03U078	18-Aug-88	F19									
03U078	16-Oct-89	H24									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03U079	04-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03U079	14-Jan-88	H17									
03U079	09-May-88	H18									
03U079	03-Aug-88	H19									
03U079	18-Aug-88	F19									
03U079	26-Oct-88	H20									
03U079	16-Oct-89	H24									
03U083	10-Aug-88	F19									
03U084	23-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U084	18-Jan-88	H17									
03U084	11-May-88	H18									
03U084	04-Aug-88	H19									
03U084	20-Oct-88	H20									
03U084	11-Oct-89	H24									
03U087	20-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U087	26-Jan-88	H17									
03U087	11-Apr-88	F18									
03U087	18-May-88	H18									
03U087	29-Jul-88	H19									
03U087	24-Aug-88	F19									
03U087	28-Oct-88	H20									
03U087	17-Nov-88	F20									
03U087	24-Oct-89	H24									
03U088	17-Nov-87	F16	<10.00	4.27	<2.70	<29.40					
03U088	05-Apr-88	F18									
03U088	08-Aug-88	F19									
03U088	16-Nov-88	F20									
03U089	20-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U089	05-Apr-88	F18									
03U089	08-Aug-88	F19									
03U089	17-Nov-88	F20									
03U090	19-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U090	06-Apr-88	F18									
03U090	16-Aug-88	F19				<25.00					
03U090	18-Nov-88	F20									
03U092	23-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U092	08-Apr-88	F18									
03U092	25-Aug-88	F19				<25.00					
03U092	16-Nov-88	F20									
03U093	04-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03U093	26-Jan-88	H17									
03U093	18-May-88	H18									
03U093	08-Aug-88	H19									
03U093	17-Aug-88	F19				<25.00					
03U093	01-Nov-88	H20									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03U093	19-Oct-89	H24									
03U094	04-Dec-87	F16	<10.00	<3.06	<2.70	<29.40		<3.60	<2.20		
03U094	25-Aug-88	F19				<25.00					
03U096	04-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03U096	25-Aug-88	F19				<25.00					
03U097	20-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U097	07-Apr-88	F18									
03U097	11-Aug-88	F19									
03U097	17-Nov-88	F20									
03U099	19-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U099	11-Apr-88	F18									
03U099	27-Jul-88	H19									
03U099	12-Aug-88	F19									
03U099	17-Nov-88	F20									
03U111	20-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U111	07-Apr-88	F18									
03U111	11-Aug-88	F19									
03U111	17-Nov-88	F20									
03U112	20-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U112	08-Apr-88	F18									
03U112	16-Aug-88	F19				<25.00					
03U112	18-Nov-88	F20									
03U113	18-Nov-87	F16	<10.00	<3.06	<2.70	<29.40		4.20	2.70		
03U113	06-Apr-88	F18									
03U113	09-Aug-88	F19				<25.00					
03U113	18-Nov-88	F20									
03U114	23-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U114	11-Apr-88	F18									
03U114	09-Aug-88	F19				<25.00					
03U114	16-Nov-88	F20									
03U121	08-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03U121	08-Apr-88	F18									
03U121	16-Aug-88	F19				<25.00					
03U121	18-Nov-88	F20									
03U124	08-Apr-88	F18				<25.00		<0.70	2.20		
03U124	18-Aug-88	F19				<25.00					
03U129	08-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03U129	07-Apr-88	F18									
03U129	11-Aug-88	F19									
03U129	18-Nov-88	F20									
03U301	16-Mar-89	H21									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHOSPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOSPHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03U301	20-Apr-89	H22				10.00					
03U301	19-Jul-89	H23				20.00	90.00				20.00
03U301	24-Oct-89	H24				30.00	<50.00				20.00
03U314	05-Jan-89	H21									
03U314	16-Mar-89	H21									
03U314	20-Apr-89	H22				80.00					
03U314	19-Jul-89	H23				80.00	230.00				160.00
03U314	24-Oct-89	H24				15.00	260.00				140.00
03U315	05-Jan-89	H21									
03U315	16-Mar-89	H21									
03U315	20-Apr-89	H22				80.00					
03U315	19-Jul-89	H23				60.00	150.00				140.00
03U315	24-Oct-89	H24				53.00	160.00				150.00
03U316	05-Jan-89	H21									
03U316	16-Mar-89	H21									
03U316	20-Apr-89	H22				1700.00					
03U316	19-Jul-89	H23				180.00	70.00				20.00
03U316	24-Oct-89	H24				22.00	<50.00				20.00
03U317	05-Jan-89	H21									
03U317	16-Mar-89	H21									
03U317	20-Apr-89	H22				110.00					
03U317	19-Jul-89	H23				400.00	50.00				30.00
03U317	25-Oct-89	H24				<4.00	80.00				30.00
03U521	20-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U521	11-Apr-88	F18									
03U521	24-Aug-88	F19									
03U521	18-Nov-88	F20									
03U658	27-Jul-88	H19									
03U658	13-Oct-89	H24									
03U659	25-Oct-89	H24									
03U671	04-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03U671	22-Jan-88	H17									
03U671	13-May-88	H18									
03U671	08-Aug-88	H19									
03U671	22-Aug-88	F19									
03U671	26-Oct-88	H20									
03U671	16-Oct-89	H24									
03U672	13-Nov-87	H16									
03U672	14-Jan-88	H17									
03U672	18-May-88	H18									
03U672	27-Jul-88	H19									
03U672	28-Oct-88	H20									
03U672	19-Apr-89	H22									
03U672	12-Jul-89	H23									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03U672	18-Oct-89	H24									
03U673	13-Nov-87	H16									
03U676	03-Nov-87	H16									
03U701	20-Jan-88	H17									
03U701	12-May-88	H18									
03U701	02-Aug-88	H19									
03U701	21-Oct-88	H20									
03U701	17-Oct-89	H24									
03U702	20-Jan-88	H17									
03U702	13-May-88	H18									
03U702	08-Aug-88	H19									
03U702	25-Oct-88	H20									
03U702	13-Oct-89	H24									
03U703	15-Jan-88	H17									
03U703	16-May-88	H18									
03U703	04-Aug-88	H19									
03U703	24-Oct-88	H20									
03U703	12-Oct-89	H24									
03U704	10-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U704	25-Jan-88	H17									
03U704	05-Apr-88	F18									
03U704	17-May-88	H18									
03U704	29-Jul-88	H19									
03U704	08-Aug-88	F19									
03U704	27-Oct-88	H20									
03U704	16-Nov-88	F20									
03U704	20-Apr-89	H22									
03U704	19-Jul-89	H23									
03U704	20-Oct-89	H24									
03U705	25-Jan-88	H17									
03U705	17-May-88	H18									
03U705	08-Aug-88	H19									
03U705	12-Oct-89	H24									
03U706	25-Jan-88	H17									
03U706	10-May-88	H18									
03U706	29-Jul-88	H19									
03U706	25-Oct-88	H20									
03U706	12-Oct-89	H24									
03U707	25-Jan-88	H17									
03U707	17-May-88	H18									
03U707	29-Jul-88	H19									
03U707	25-Oct-88	H20									
03U707	20-Oct-89	H24									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03U708	22-Jan-88	H17									
03U708	10-May-88	H18									
03U708	04-Aug-88	H19									
03U708	24-Oct-88	H20									
03U708	31-Oct-88	H20									
03U708	12-Oct-89	H24									
03U709	22-Jan-88	H17									
03U709	12-May-88	H18									
03U709	08-Aug-88	H19									
03U709	26-Oct-88	H20									
03U709	17-Oct-89	H24									
03U710	14-Jan-88	H17									
03U710	18-May-88	H18									
03U710	03-Aug-88	H19									
03U710	26-Oct-88	H20									
03U710	25-Oct-89	H24									
03U711	19-Apr-89	H22									
03U711	12-Jul-89	H23									
03U711	18-Oct-89	H24									
03U801	03-Dec-87	F16									
03U803	01-Dec-87	F16									
03U803	28-Oct-88	H20									
03U804	01-Dec-87	F16									
03U804	21-Jan-88	H17									
03U804	13-May-88	H18									
03U804	04-Aug-88	H19									
03U804	17-Oct-89	H24									
03U805	01-Dec-87	F16									
03U805	21-Jan-88	H17									
03U805	13-May-88	H18									
03U805	09-Aug-88	H19									
03U805	01-Nov-88	H20									
03U805	18-Oct-89	H24									
03U806	02-Dec-87	F16									
03U811	25-Nov-87	F16									
03U811	04-May-89	F22									
03U811	24-Jul-89	F23									
03U811	20-Oct-89	F24									
03U821	30-Nov-87	F16									
03U821	10-May-89	F22									
03U821	25-Jul-89	F23									
03U821	24-Oct-89	F24									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03U822	01-Dec-87	F16									
03U822	05-May-89	F22									
03U822	24-Jul-89	F23									
03U822	23-Oct-89	F24									
03U824	01-Dec-87	F16									
03U831	25-Nov-87	F16									
03U831	10-May-89	F22									
03U831	25-Jul-89	F23									
03U831	24-Oct-89	F24									
03U832	24-Nov-87	F16									
03U832	09-May-89	F22									
03U832	24-Jul-89	F23									
03U832	24-Oct-89	F24									
04J077	11-Oct-89	H24									
04J702	13-Oct-89	H24									
04J708	04-Jan-89	H21									
04J708	12-Oct-89	H24									
04J713	04-Jan-89	H21									
04J713	13-Oct-89	H24									
04J714	04-Jan-89	H21									
04J714	18-Apr-89	H22									
04J714	11-Jul-89	H23									
04J714	13-Oct-89	H24									
04U001	16-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
04U001	13-Jan-88	H17									
04U001	11-May-88	H18									
04U001	29-Jul-88	H19									
04U001	23-Aug-88	F19									
04U001	20-Oct-88	H20									
04U001	18-Apr-89	H22									
04U001	11-Jul-89	H23									
04U001	11-Oct-89	H24									
04U002	17-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
04U002	18-Jan-88	H17									
04U002	10-May-88	H18									
04U002	04-Aug-88	H19									
04U002	24-Oct-88	H20									
04U002	12-Oct-89	H24									
04U003	19-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
04U003	21-Jan-88	H17									
04U003	16-May-88	H18									
04U003	27-Jul-88	H19									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHOSPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOSPHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
04U003	26-Oct-88	H20									
04U003	12-Jul-89	H23									
04U003	17-Oct-89	H24									
04U006	11-Jul-89	H23									
04U007	09-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
04U007	10-Nov-88	F20									
04U012	09-Nov-87	F16	<10.00	<3.06	5.22	<29.40					
04U012	11-Nov-88	F20									
04U020	07-Dec-87	F16	<10.00	<3.06	<2.70	<29.40		<1.60	<1.00	<10.00	
04U020	19-Jan-88	H17									
04U020	11-May-88	H18									
04U020	01-Aug-88	H19									
04U020	17-Aug-88	F19									
04U020	25-Oct-88	H20									
04U020	11-Oct-89	H24									
04U027	15-Jan-88	H17									
04U027	10-May-88	H18									
04U027	08-Aug-88	H19									
04U027	25-Oct-88	H20									
04U027	11-Oct-89	H24									
04U077	04-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
04U077	19-Jan-88	H17									
04U077	09-May-88	H18									
04U077	03-Aug-88	H19									
04U077	21-Oct-88	H20									
04U077	11-Oct-89	H24									
04U510	18-Nov-87	F16	<10.00	<3.06	<2.70	71.10					
04U510	15-Nov-88	F20									
04U673	24-Nov-87	H16									
04U673	21-Jan-88	H17									
04U673	16-May-88	H18									
04U673	04-Aug-88	H19									
04U673	01-Nov-88	H20									
04U673	03-May-89	F22									
04U673	21-Jul-89	F23									
04U673	19-Oct-89	H24									
04U673	19-Oct-89	F24									
04U701	20-Jan-88	H17									
04U701	12-May-88	H18									
04U701	02-Aug-88	H19									
04U701	21-Oct-88	H20									
04U701	17-Oct-89	H24									
04U702	20-Jan-88	H17									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
04U702	13-May-88	H18									
04U702	02-Aug-88	H19									
04U702	25-Oct-88	H20									
04U702	13-Oct-89	H24									
04U708	22-Jan-88	H17									
04U708	10-May-88	H18									
04U708	04-Aug-88	H19									
04U708	04-Jan-89	H21									
04U708	12-Oct-89	H24									
04U709	22-Jan-88	H17									
04U709	12-May-88	H18									
04U709	08-Aug-88	H19									
04U709	26-Oct-88	H20									
04U709	17-Oct-89	H24									
04U711	19-Apr-89	H22									
04U711	12-Jul-89	H23									
04U711	18-Oct-89	H24									
04U713	06-Jan-89	H21									
04U713	23-Oct-89	H24									
04U714	04-Jan-89	H21									
04U714	18-Apr-89	H22									
04U714	12-Jul-89	H23									
04U714	13-Oct-89	H24									
04U802	02-Dec-87	F16									
04U802	21-Jan-88	H17									
04U802	13-May-88	H18									
04U802	04-Aug-88	H19									
04U802	24-Aug-88	F19									
04U802	28-Oct-88	H20									
04U802	18-Oct-89	H24									
04U806	02-Dec-87	F16									
04U806	12-May-88	H18									
04U806	04-Aug-88	H19									
04U806	21-Oct-88	H20									
04U806	19-Apr-89	H22									
04U806	16-Oct-89	H24									
04U821	30-Nov-87	F16									
04U832	24-Nov-87	F16									
04U832	16-Dec-88	H20									
04U841	20-Oct-87	H16									
04U841	25-Nov-87	F16									
04U843	24-Nov-87	F16									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
04U843	24-Aug-88	F19									
04U844	03-Dec-87	F16									
04U844	04-May-89	F22									
04U844	18-Oct-89	F24									
04U845	01-Dec-87	F16									
04U845	16-Dec-88	H20									
04U845	04-May-89	F22									
04U845	20-Jul-89	F23									
04U845	20-Oct-89	F24									
04U846	25-Nov-87	F16									
04U846	23-Aug-88	F19									
04U846	28-Apr-89	F22									
04U846	18-Jul-89	F23									
04U846	19-Oct-89	F24									
04U847	30-Nov-87	F16									
04U847	23-Aug-88	F19									
04U847	03-May-89	F22									
04U847	21-Jul-89	F23									
04U847	20-Oct-89	F24									
04U848	02-Dec-87	F16									
04U848	24-Aug-88	F19									
04U848	03-May-89	F22									
04U848	20-Jul-89	F23									
04U848	19-Oct-89	F24									
04U849	01-Dec-87	F16									
04U849	24-Aug-88	F19									
04U850	01-Dec-87	F16									
04U850	02-May-89	F22					23.80				<10.30
04U850	19-Jul-89	F23					79.80				<12.10
04U850	19-Oct-89	F24					35.10				<12.10
04U851	24-Nov-87	F16									
04U852	24-Nov-87	F16									
04U852	24-Aug-88	F19									
04U854	20-Oct-87	H16									
04U854	13-Nov-87	H16									
04U854	16-Dec-88	H20									
04U854	04-May-89	F22									
04U854	20-Jul-89	F23									
04U854	17-Oct-89	F24									
04U855	25-Nov-87	F16									
04U859	13-Nov-87	H16									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHOSPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOSPHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
04U859	15-Dec-88	H20									
04U860	13-Nov-87	H16									
04U860	15-Dec-88	H20									
04U861	12-Nov-87	H16									
04U861	16-Dec-88	H20									
04U871	20-Jun-88	H18									
04U871	07-Jul-88	H19									
04U871	23-Aug-88	F19									28.50
04U871	08-Nov-88	F20									
04U871	31-Jan-89	H21									
04U871	05-May-89	F22									
04U871	08-May-89	F22					19.70				17.40
04U871	19-Jul-89	F23					42.60				<12.10
04U871	23-Oct-89	F24					45.30				<12.10
04U872	13-Jul-88	H19									
04U872	24-Aug-88	F19									<10.30
04U872	08-Nov-88	F20									
04U872	01-Feb-89	H21									
04U872	08-May-89	F22					13.90				<10.30
04U872	19-Jul-89	F23					35.00				<12.10
04U872	23-Oct-89	F24					24.60				<12.10
04U875	20-Jun-88	H18									
04U875	23-Aug-88	F19									10.20
04U875	09-Nov-88	F20									
04U875	07-Feb-89	H21									
04U875	19-Jul-89	F23					44.40				<12.10
04U875	19-Oct-89	F24					53.90				<12.10
04U877	23-Aug-88	F19									34.70
04U877	10-Nov-88	F20									
04U877	08-Feb-89	H21									
04U877	02-May-89	F22					15.60				<10.30
04U877	18-Jul-89	F23					61.10				<12.10
04U877	19-Oct-89	F24					50.20				<12.10
04U879	29-Jul-88	H19									
04U879	01-Sep-88	F19									
04U879	08-Nov-88	F20									
04U879	08-Feb-89	H21									
04U879	19-Jul-89	F23					36.90				<12.10
04U879	17-Oct-89	F24					16.30				<12.10
04U880	01-Sep-88	F19									
04U880	10-Nov-88	F20									
04U880	06-Feb-89	H21									
04U880	18-Jul-89	F23					61.10				<12.10
04U880	19-Oct-89	F24					52.00				<12.10

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
04U881	09-Nov-88	F20									
04U881	07-Feb-89	H21									
04U881	18-Jul-89	F23					46.30				<12.10
04U881	18-Oct-89	F24					38.90				<12.10
04U882	13-Sep-88	F19									
04U882	09-Nov-88	F20									
04U882	31-Jan-89	H21									
04U882	03-May-89	F22									
04U882	17-Jul-89	F23					63.10				<12.10
04U882	18-Oct-89	F24					29.40				<12.10
04U883	14-Oct-88	F19					82.40				
04U883	14-Oct-88	H20									
04U883	09-Nov-88	F20									
04U883	08-Feb-89	H21									
04U883	17-Jul-89	F23					29.40				<12.10
04U883	18-Oct-89	F24					21.90				<12.10
134318	27-Jul-89	F23									
139035	31-Jul-89	F23									
139035	31-Oct-89	F24									
191942	30-Nov-87	F16									
200154	31-Jul-89	F23									
200264	25-Aug-88	F19									
200524	16-Aug-88	F19									
200803	16-Aug-88	F19									
200814	31-Jul-89	F23									
200814	30-Oct-89	F24									
201082	31-Oct-89	F24									
206688	23-Oct-89	F24					45.30				<12.10
206787	24-Oct-89	F24									
231878	23-Oct-87	H16									
233221	11-May-89	F22									
233221	31-Jul-89	F23									
233221	30-Oct-89	F24									
233222	25-Aug-88	F19									
233533	30-Oct-89	F24									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
234319	26-Aug-88	F19									
234335	26-Aug-88	F19									
234337	23-Oct-87	H16									
234353	12-May-89	F22									
234353	31-Jul-89	F23									
234356	25-Jul-89	F23									
234356	26-Oct-89	F24									
234357	10-May-89	F22									
234357	20-Jul-89	F23									
234357	20-Oct-89	F24									
234425	10-May-89	F22									
234425	11-May-89	F22									
234430	09-May-89	F22									
234430	27-Jul-89	F23									
234430	26-Oct-89	F24									
234463	08-May-89	F22									
234463	03-Aug-89	F23									
234463	31-Oct-89	F24									
234547	10-May-89	F22									
234547	31-Jul-89	F23									
234547	30-Oct-89	F24									
235539	26-Aug-88	F19									
235619	31-Jul-89	F23									
235619	31-Oct-89	F24									
235735	31-Jul-89	F23									
235735	31-Oct-89	F24									
236122	12-Jul-88	H19									
405651	31-Jul-89	F23									
405651	31-Oct-89	F24									
409546	10-May-89	F22									
409546	20-Jul-89	F23									
409546	18-Oct-89	F24									
409547	13-Nov-87	H16									
409548	10-May-89	F22									
409548	20-Jul-89	F23									
409548	18-Oct-89	F24									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
409549	17-Aug-88	F19									
409550	10-May-89	F22									
409550	20-Oct-89	F24									
409555	17-Aug-88	F19									
409556	10-May-89	F22									
409556	21-Jul-89	F23									
409556	17-Oct-89	F24									
409557	13-Nov-87	H16									
409557	04-May-89	F22									
409557	21-Jul-89	F23									
409557	27-Oct-89	F24									
409595	30-Nov-87	F16									
409596	30-Nov-87	F16									
409597	30-Nov-87	F16									
409598	30-Nov-87	F16									
500691	17-Oct-89	F24					52.00				<12.10
508115	18-Oct-89	H24									
508115	18-Oct-89	F24					65.20				<12.10
BOYLE	18-Oct-89	F24									
BOYLE	20-Oct-89	F24									
MNDOT	07-Nov-88	F20									
NB2103	13-Nov-87	H16									
PJ#003	19-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
PJ#027	20-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
PJ#074	03-Dec-87	F16	<10.00	<3.06	<2.70	<29.40		3.50	5.30		
PJ#074	19-Aug-88	F19									
PJ#309	18-Nov-88	H20									
PJ#309	16-Mar-89	H21									
PJ#309	20-Apr-89	H22				40.00					
PJ#309	19-Jul-89	H23				340.00	90.00				20.00
PJ#309	23-Oct-89	H24				53.00	<50.00				30.00
PJ#310	16-Mar-89	H21									
PJ#310	20-Apr-89	H22				20.00					
PJ#310	19-Jul-89	H23				270.00	70.00				20.00

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
PJ#310	11-Oct-89	H24				28.00	1100.00				<20.00
PJ#311	16-Mar-89	H21									
PJ#311	20-Apr-89	H22				180.00					
PJ#311	19-Jul-89	H23				50.00	<50.00				20.00
PJ#311	24-Oct-89	H24				37.00	<50.00				20.00
PJ#313	16-Mar-89	H21									
PJ#313	20-Apr-89	H22				<0.01					
PJ#313	19-Jul-89	H23				60.00	80.00				<20.00
PJ#313	23-Oct-89	H24				36.00	50.00				20.00
PJ#318	24-Aug-88	F19									<10.30
PJ#318	09-Nov-88	F20									
PJ#318	06-Feb-89	H21									
PJ#318	02-May-89	F22					32.80				<10.30
PJ#318	19-Jul-89	F23					33.10				<12.10
PJ#318	18-Oct-89	F24					12.60				<12.10
PJ#502	18-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
PJ#503	18-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
PJ#506	18-Nov-87	F16									
PJ#506	19-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
PJ#507	18-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
PJ#508	23-Aug-88	F19									
PJ#802	02-Dec-87	F16									
PJ#806	02-Dec-87	F16									
PJ#806	19-Jan-88	H17									
PJ#806	12-May-88	H18									
PJ#806	04-Aug-88	H19									
PJ#806	21-Oct-88	H20									
PJ#806	16-Oct-89	H24									
MAX			14.60	6.38	47.90	1700.00	1100.00	4.20	6.80	0.00	160.00
COUNT	1179		124	124	123	217	67	13	13	2	72

TABLE 6

GROUNDWATER QUALITY - ORGANICS - ARRANGED BY WELL NEST

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03U001	16-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03M001	16-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03L001	16-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	1.69	<1.50	<3.09
03L001	13-Jan-88	H17	<0.20	<0.20	<0.20	<0.20			<0.20		<0.20	<0.20		1.00	<0.20	
03L001	11-May-88	H18	0.73	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		2.40	<0.20	
03L001	29-Jul-88	H19	0.23	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.41	<0.20	
03L001	20-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<1.00	<0.50		<0.50	<0.50	
03L001	18-Apr-89	H22	<0.20	<0.20	<0.30	<0.20		<0.20	<0.20		<0.20	<0.20		<0.40	<1.00	
03L001	11-Jul-89	H23	0.70	<0.20	0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.70	<1.00	
03L001	11-Oct-89	H24	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.40	<1.00	
04U001	16-Nov-87	F16														<3.09
04U001	13-Jan-88	H17	2.80	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		6.90	<0.20	
04U001	11-May-88	H18	5.80	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		11.00	<0.20	
04U001	29-Jul-88	H19	5.40	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		9.30	<0.20	
04U001	23-Aug-88	F19	5.63	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		13.20	<1.90	
04U001	20-Oct-88	H20	3.90	<0.50	<0.50	<1.00		<1.00	<0.50		<1.00	<0.50		9.40	<0.50	
04U001	18-Apr-89	H22	0.50	<0.20	<0.20	0.20		<0.20	<0.20		<0.20	<0.20		4.20	<1.00	
04U001	11-Jul-89	H23	4.00	<0.20	1.40	0.40		<0.20	<0.20		<0.20	<0.20		11.00	<1.00	
04U001	11-Oct-89	H24	0.70	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		2.50	<1.00	
03U002	17-Nov-87	F16	45.00	<5.00	<2.40	<3.60	<2.80	<2.60		<3.10		<4.40	<22.00	16.00	<7.50	<3.09
03U002	26-May-88	H18	51.00	1.30	7.50	0.48		<0.20	0.26		<0.20	<0.20		46.00	<0.20	
03U002	04-Aug-88	H19	36.00	2.90	7.40	<0.20		<0.20	0.55		<0.20	<0.20		104.00	<0.20	
03U002	24-Oct-88	H20	34.00	1.50	2.10	<1.00		<1.00	<0.50		<0.50	<0.50		49.00	<0.50	
03M002	17-Nov-87	F16	1500.00	<200.00	200.00	220.00	170.00	<100.00		<120.00		<180.00	<900.00	4100.00	<300.00	<3.09
03L002	17-Nov-87	F16	260.00	<50.00	61.00	190.00	38.00	<26.00		<31.00		<44.00	<220.00	1100.00	<75.00	<3.09
03L002	18-Jan-88	H17	660.00	0.63	24.00	312.00		3.40	68.00		<0.20	<0.20		2450.00	1.60	
03L002	10-May-88	H18	613.00	<2.00	<159.00	270.00		<0.20	66.00		<2.00	<2.00		2000.00	<2.00	
03L002	04-Aug-88	H19	510.00	0.58	154.00	255.00		3.40	72.00		<0.20	<0.20		2280.00	0.63	
03L002	24-Oct-88	H20	588.00	0.47	139.00	410.00		8.40	144.00		<0.50	<0.50		2670.00	<1.00	
03L002	12-Oct-89	H24	68.00	<10.00	42.00	52.00		<10.00	<10.00		<10.00	<10.00		1100.00	<50.00	
04U002	17-Nov-87	F16	8.10	<5.00	<2.40	<3.60	<2.80	<2.60		<3.10		<4.40	<22.00	43.00	<7.50	<3.09
04U002	18-Jan-88	H17	56.40	<0.20	8.40	8.60		<0.20	4.00		<0.20	<0.20		220.00	<0.20	
04U002	10-May-88	H18	41.00	<0.20	4.60	6.80		<0.20	2.40		<0.20	<0.20		179.00	<0.20	
04U002	04-Aug-88	H19	25.00	<0.20	1.00	4.80		0.48	2.10		<0.20	<0.20		108.00	<0.20	
04U002	24-Oct-88	H20	<0.50	<0.50	4.50	11.00		0.07	5.10		<0.50	<0.50		185.00	<0.50	
04U002	12-Oct-89	H24	31.00	<1.00	5.10	4.20		<1.00	28.00		<1.00	<1.00		110.00	<5.00	
01U003	27-Apr-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U003	26-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03U003	19-Nov-87	F16	95.00	<99.00	<49.00	<72.00	<56.00	<51.00		<62.00		<88.00	<450.00	1300.00	<150.00	<3.09
03U003	22-Jan-88	H17	16.10	<0.20	14.60	12.40		0.50	11.10		<0.20	<0.20		337.00	<0.20	
03U003	16-May-88	H18	32.00	1.30	6.70	17.00		<0.20	8.30		<0.20	<0.20		640.00	<0.20	
03U003	27-Jul-88	H19	18.00	0.74	5.90	8.20		8.50	11.00		<0.20	<0.20		264.00	<0.20	
03U003	11-Aug-88	F19	51.90	<1.00	22.90		24.40	1.72		<1.00		<1.00		540.00	<1.90	<0.41
03U003	26-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		3.80	<0.50	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2-DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO-2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03U003	19-Apr-89	H22	36.00	3.10	14.00	22.00		3.00	28.00		<0.20	<0.20		280.00	<1.00	
03U003	12-Jul-89	H23	270.00	7.40	110.00	62.00		6.20	84.00		<0.40	<0.40		900.00	<2.00	
03M003	19-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03M003	11-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03L003	19-Nov-87	F16	4.75	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03L003	11-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
04U003	19-Nov-87	F16	1.11	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	1.66	<1.50	<3.09
04U003	21-Jan-88	H17	0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.81	<0.20	
04U003	16-May-88	H18	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		2.90	<0.20	
04U003	27-Jul-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
04U003	26-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		4.70	<0.50	
04U003	12-Jul-89	H23	<0.20	<0.20	0.30	<0.20		<0.20	<0.20		<0.20	<0.20		0.40	<1.00	
04U003	17-Oct-89	H24	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.70	<1.00	
PJ#003	19-Nov-87	F16	0.85	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	6.83	<1.50	<3.09
01U004	27-Apr-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U004	26-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U004	27-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03U004	18-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	0.93	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U004	13-Jan-88	H17	<0.20	<0.20	<0.20	0.45		<0.20	0.92		<0.20	<0.20		1.00	<0.20	
03U004	18-May-88	H18	3.00	<0.20	<0.20	0.55		<0.20	2.10		<0.20	<0.20		16.00	<0.20	
03U004	27-Jul-88	H19	0.22	<0.20	<0.20	0.24		<0.20	0.46		<0.20	<0.20		0.66	<0.20	
03U004	09-Aug-88	F19	3.44	<1.00	<1.00		3.02	<0.50		<1.00		<1.00		1.59	<1.90	<0.41
03U004	28-Oct-88	H20	2.10	<0.50	<0.50	0.63		<1.00	1.50		<0.50	<0.50		17.00	<0.50	
03U004	25-Oct-89	H24	1.10	<0.20	<0.20	0.50		<0.20	0.90		<0.20	<0.20		5.80	<1.00	
03M004	18-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03M004	27-Jul-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
03M004	09-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		1.68		<0.50	<1.90	<0.41
03L004	18-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03L004	09-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U005	23-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	4.21	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U005	14-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	6.00		<0.20	<0.20		5.00	<0.20	
03U005	06-Apr-88	F18	<1.00	<1.00	<1.00		4.95	<0.50		<1.00		<1.00		3.61	<1.90	<0.41
03U005	16-May-88	H18	0.62	<0.20	<0.20	<0.20		<0.20	3.40		<0.20	<0.20		8.40	<0.20	
03U005	27-Jul-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	1.00		<0.20	<0.20		1.10	<0.20	
03U005	10-Aug-88	F19	<1.00	<1.00	<1.00		2.00	<0.50		<1.00		<1.00		0.65	<1.90	<0.41
03U005	31-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	6.20		<0.50	<0.50		2.30	<0.50	
03U005	10-Nov-88	F20	<1.00	<1.00	<1.00		4.80	<0.50		<1.00		<1.00		2.11	<1.90	
03U005	11-Oct-89	H24	<0.20	<0.20	<0.20	<0.20		<0.20	3.40		<0.20	<0.20		0.30	<1.00	
03M005	08-Dec-87	F16	0.98	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	8.49	<1.50	<3.09
03M005	14-Jan-88	H17	0.42	<0.20	<0.20	<0.20		<0.20	0.54		<0.20	<0.20		33.00	<0.20	
03M005	06-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.27	<1.90	<0.41
03M005	16-May-88	H18	1.50	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		7.10	<0.20	
03M005	27-Jul-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03M005	11-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03M005	31-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		2.00	<0.50	
03M005	10-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.87	<1.90	
03M005	11-Oct-89	H24	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<1.00	
03L005	23-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03L005	10-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03L006	11-Jul-89	H23	150.00	<4.00	130.00	240.00		4.10	110.00		<4.00	<4.00		540.00	<20.00	
04U006	11-Jul-89	H23	760.00	<10.00	290.00	210.00		<10.00	40.00		<10.00	<10.00		2200.00	<50.00	
03U007	09-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U007	07-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03L007	09-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03L007	10-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
04U007	09-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
04U007	10-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U008	09-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		1.06	<4.50	<1.10	<1.50	<3.09
03U008	10-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U009	20-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U009	14-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U010	09-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U010	10-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03L010	09-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03L010	10-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U012	09-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U012	11-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03L012	09-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03L012	11-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
04U012	09-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
04U012	11-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U013	10-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03M013	10-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03L013	10-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U014	04-Dec-87	F16	6400.00	<990.00	<490.00	<720.00	1500.00	<510.00		<620.00		<880.00	<4500.00	13000.00	<1500.00	<1500.00
03U014	18-Jan-88	H17	2938.00	4.80	122.00	636.00		15.80	1538.00		<0.20	<0.20		5250.00	<0.20	
03U014	18-May-88	H18	6000.00	3.50	815.00	795.00		10.00	1575.00		4.10	2.60		11300.00	0.40	
03U014	02-Aug-88	H19	8850.00	<20.00	392.00	1460.00		<20.00	3330.00		<20.00	<20.00		13500.00	<20.00	
03U014	17-Aug-88	F19	9500.00	<200.00	670.00		3300.00	<100.00		<200.00		<200.00		12000.00	<380.00	<0.41

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2-DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO-2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03U014	24-Oct-88	H20	6000.00	5.20	6.60	1050.00		57.00	2250.00		<0.50	7.60		14000.00	0.90	
03U014	20-Apr-89	H22	6100.00	6.60	1200.00	1200.00		22.00	2200.00		6.30	6.70		14000.00	2.10	
03U014	19-Jul-89	H23	7700.00	<40.00	1800.00	1200.00		<40.00	2300.00		<40.00	<40.00		12000.00	<200.00	
03U014	24-Oct-89	H24	10000.00	<100.00	1600.00	1300.00		<100.00	2300.00		<100.00	<100.00		17000.00	<500.00	
03L014	23-Nov-87	F16	2.34	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	2.77	<1.50	<3.09
03L014	10-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U015	17-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U015	05-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U015	09-Aug-88	F19	<1.00	<1.00	<1.00		48.80	<0.50		<1.00		44.90		20.70	<1.90	
03U015	16-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U017	10-Nov-87	F16	480.00	<25.00	20.00	<18.00	<14.00	<13.00		<16.00		<22.00	<110.00	600.00	<38.00	<3.09
03M017	10-Nov-87	F16	860.00	<50.00	40.00	<36.00	<28.00	<26.00		<31.00		<44.00	<220.00	1300.00	<75.00	<3.09
03M017	11-Jan-88	H17	1040.00	<0.20	71.00	19.00		<0.20	4.60		<0.20	<0.20		1540.00	<0.20	
03M017	12-May-88	H18	835.00	<0.20	38.00	8.90		<0.20	3.10		<0.20	<0.20		965.00	<0.20	
03M017	01-Aug-88	H19	2320.00	<0.20	90.00	9.20		<0.20	7.40		<0.20	0.24		2380.00	<0.20	
03M017	31-Oct-88	H20	1160.00	<0.50	66.00	6.00		<1.00	4.40		<0.50	<0.50		1480.00	<0.50	
03M017	13-Oct-89	H24	990.00	<10.00	210.00	<10.00		<10.00	<10.00		<10.00	<10.00		1400.00	<50.00	
03L017	10-Nov-87	F16	200.00	<25.00	<12.00	<18.00	<14.00	<13.00		<16.00		<22.00	<110.00	540.00	<38.00	<3.09
03U018	04-Dec-87	F16	3300.00	<500.00	<240.00	<360.00	<280.00	<260.00		<310.00		<440.00	<2200.00	11000.00	<750.00	<1500.00
03U018	22-Aug-88	F19	2100.00	1.68	103.00		26.70	<0.50		<1.00		<1.00		3600.00	<1.90	<0.41
03U018	20-Apr-89	H22	410.00	<0.20	97.00	22.00		<0.20	14.00		<0.20	0.20		1500.00	<1.00	
03U018	12-Jul-89	H23	3100.00	<1.00	750.00	280.00		<1.00	70.00		<1.00	<1.00		9900.00	<5.00	
03U018	20-Oct-89	H24	1200.00	<20.00	210.00	590.00		<20.00	<20.00		<20.00	<20.00		4000.00	<100.00	
03L018	23-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	2.54	<1.50	<3.09
03L018	08-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.06	<1.90	<0.41
03L018	22-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		2.70	<1.90	<0.41
03L018	18-Nov-88	F20	1.64	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		6.52	<1.90	<0.41
03U019	23-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U019	25-Jan-88	H17	0.73	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.95	<0.20	
03U019	17-May-88	H18	2.10	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.30	<0.20	
03U019	02-Aug-88	H19	2.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		2.30	<0.20	
03U019	12-Aug-88	F19	1.29	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U019	27-Oct-88	H20	2.90	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		2.60	<0.50	
03U019	18-Oct-89	H24	1.10	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.40	<1.00	
03U020	07-Dec-87	F16	6000.00	<500.00	250.00	<360.00	<280.00	<260.00		<310.00		<440.00	<2200.00	11000.00	<750.00	<1500.00
03U020	17-Aug-88	F19	4100.00	<200.00	450.00		740.00	<100.00		<200.00		<200.00		5200.00	<380.00	<0.41
03M020	19-Jan-88	H17	2780.00	4.20	240.00	468.00		10.00	84.20		<4.00	<4.00		5400.00	<4.00	
03M020	11-May-88	H18	3000.00	<0.20	240.00	600.00		7.90	53.00		0.87	1.20		5900.00	<0.20	
03M020	01-Aug-88	H19	5950.00	2.20	333.00	728.00		<0.20	95.00		1.10	1.30		2380.00	1.00	
03M020	18-Aug-88	F19	3700.00	<50.00	420.00		260.00	<25.00		<50.00		<50.00		7700.00	<95.00	<21.00
03M020	25-Oct-88	H20	4500.00	2.00	430.00	810.00		33.00	220.00		<0.50	1.50		10500.00	1.70	
03M020	11-Oct-89	H24	4900.00	<50.00	1200.00	840.00		<50.00	93.00		<50.00	<50.00		11000.00	<250.00	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2-DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO-2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03L020	07-Dec-87	F16	4200.00	<990.00	<490.00	<720.00	<560.00	<510.00		<620.00		<880.00	<4500.00	14000.00	<1500.00	<3100.00
03L020	17-Aug-88	F19	1300.00	<200.00	280.00		520.00	<100.00		<200.00		<200.00		4700.00	<380.00	<0.41
04U020	07-Dec-87	F16	210.00	<99.00	<49.00	130.00	<56.00	<51.00		<62.00		<88.00	<450.00	1500.00	<150.00	<150.00
04U020	19-Jan-88	H17	295.00	0.51	100.00	203.00		1.80	45.00		<0.20	<0.20		1525.00	0.90	
04U020	11-May-88	H18	294.00	0.34	30.00	193.00		1.60	19.00		<0.20	<0.20		946.00	<0.20	
04U020	01-Aug-88	H19	314.00	<0.20	32.00	190.00		1.20	42.00		<0.20	<0.20		1235.00	<0.20	
04U020	17-Aug-88	F19	130.00	<10.00	67.00		84.00	<5.00		<10.00		<10.00		710.00	<19.00	<0.41
04U020	25-Oct-88	H20	240.00	<0.50	29.00	13.00		1.10	19.00		<0.50	<0.50		460.00	<0.50	
04U020	11-Oct-89	H24	81.00	<4.00	26.00	88.00		<4.00	13.00		<4.00	<4.00		550.00	<20.00	
03U021	17-May-88	H18	2.00	<0.20	<0.20	0.60		<0.20	<0.20		<0.20	<0.20		7.40	<0.20	
03U021	29-Jul-88	H19	0.38	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.90	<0.20	
03U021	28-Oct-88	H20	0.59	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		3.30	<0.50	
03U021	13-Oct-89	H24	380.00	<4.00	120.00	9.00		<4.00	<4.00		<4.00	<4.00		340.00	<20.00	
03L021	13-Oct-89	H24	20.00	<0.40	11.00	42.00		<0.40	2.20		<0.40	<0.40		10.00	<2.00	
01U022	05-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U022	05-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U023	10-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U023	15-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U024	10-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U025	10-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U026	18-Nov-87	F16	42.00	<5.00	<2.40	<3.60	<2.80	<2.60		<3.10		<4.40	<22.00	36.00	<7.50	<3.09
03U026	08-Apr-88	F18	35.70	<1.00	2.44		<0.50	<0.50		<1.00		<1.00		23.10	<1.90	<0.41
03U026	22-Aug-88	F19	32.20	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		31.10	<1.90	<0.41
03U026	16-Nov-88	F20	36.00	<1.00	1.97		<0.50	<0.50		<1.00		<1.00		29.40	<1.90	<0.41
03U027	20-Nov-87	F16	21.00	23.00	<2.40	<3.60	<2.80	<2.60		<3.10		<4.40	<22.00	46.00	<7.50	
03U027	13-Jan-88	H17	<0.20	12.00	5.85	<0.20		<0.20	0.28		<0.20	<0.20		49.00	<0.20	
03U027	11-May-88	H18	18.00	8.00	5.40	0.67		<0.20	<0.20		<0.20	<0.20		41.00	<0.20	
03U027	08-Aug-88	H19	28.00	17.00	4.60	<0.20		0.27	0.35		<0.20	<0.20		97.00	<0.20	
03U027	16-Aug-88	F19	24.50	16.10	4.91		1.50	<0.50		<1.00		<1.00		40.10	<1.90	<0.41
03U027	25-Oct-88	H20	24.00	5.50	2.40	1.30		0.59	<0.50		<0.50	0.70		55.00	<0.50	
03U027	11-Oct-89	H24	75.00	22.00	<0.40	<0.40		<0.40	1.70		<0.40	<0.40		43.00	<2.00	
PJ#027	20-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
04U027	15-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
04U027	10-May-88	H18	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.29	<0.20	
04U027	08-Aug-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.34	<0.20	
04U027	25-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		1.40	<0.50	
04U027	11-Oct-89	H24	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<1.00	
03U028	03-Dec-87	F16	<40.00	<50.00	<24.00	<36.00	<28.00	<26.00		<31.00		<44.00	<220.00	310.00	<75.00	
03U028	22-Aug-88	F19	76.00	<10.00	<10.00		44.00	<5.00		<10.00		<10.00		540.00	<19.00	<4.10
03U028	25-Oct-89	H24	34.00	<2.00	5.40	<2.00		<2.00	4.20		<2.00	<2.00		280.00	<10.00	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03U029	03-Dec-87	F16	<160.00	<200.00	<100.00	<140.00	<110.00	<100.00		<120.00		<180.00	<900.00	1400.00	<300.00	<620.00
03U029	26-Jan-88	H17	91.60	<0.20	<0.20	<0.20		<0.20	143.00		<0.20	<0.20		1030.00	<0.20	
03U029	17-May-88	H18	46.00	<0.20	0.67	1.90		<0.20	115.00		0.91	0.61		1125.00	<0.20	
03U029	08-Aug-88	H19	435.00	0.51	24.00	9.40		<0.20	395.00		6.50	4.30		5700.00	<0.20	
03U029	17-Aug-88	F19	180.00	<50.00	<50.00		390.00	<25.00		<50.00		<50.00		2100.00	<95.00	<0.41
03U029	31-Oct-88	H20	200.00	<0.50	12.00	4.80		<1.00	390.00		2.60	2.20		1720.00	<0.50	
03U029	18-Oct-89	H24	130.00	<0.20	33.00	6.80		<0.20	230.00		1.50	0.80		1900.00	<1.00	
03L029	03-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U030	03-Dec-87	F16	<1.60	<2.00	<1.00	<1.40	<1.10	<1.00		<1.20		<1.80	<9.00	25.00	<3.00	
03U030	26-Jan-88	H17	0.26	<0.20	<0.20	<0.20		<0.20	0.41		<0.20	<0.20		6.50	<0.20	
03U030	18-May-88	H18	0.59	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		17.00	<0.20	
03U030	08-Aug-88	H19	0.67	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		7.70	<0.20	
03U030	22-Aug-88	F19	1.64	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		11.50	<1.90	2.47
03U030	01-Nov-88	H20	1.40	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		11.00	<0.50	
03U030	25-Oct-89	H24	0.60	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		7.10	<1.00	
03U031	18-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.68	<0.20	
03U031	10-May-88	H18	1.00	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		6.00	<0.20	
03U031	29-Jul-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.53	<0.20	
03U031	10-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.63	<1.90	<0.41
03U031	20-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<1.00	<0.50		<0.50	<0.50	
03U031	11-Oct-89	H24	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<1.00	
03U032	20-Nov-87	F16	16.00	<9.90	<4.90	<7.20	<5.60	<5.10		<6.20		<8.80	<45.00	15.00	<15.00	<3.09
03U032	08-Apr-88	F18	9.60	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		2.99	<1.90	<0.41
03U032	22-Aug-88	F19	25.50	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		37.90	<1.90	<0.41
01U034	11-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U034	14-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U035	14-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U036	11-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U036	14-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U036	26-Apr-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		1.41		0.75	<1.90	<0.41
01U036	27-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U036	24-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U037	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U038	06-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	1.61
01U039	06-Apr-88	F18	<1.00	<1.00	<1.00		0.93	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U040	05-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U041	05-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U045	08-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2-DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO-2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
01U047	27-Apr-89	F22	<1.00	<1.00	<1.00		23.10	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U047	26-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U047	25-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U048	27-Apr-89	F22	<1.00	<1.00	<1.00		9.89	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U048	26-Jul-89	F23	<0.81	<0.99	<0.49		5.75	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U048	25-Oct-89	F24	<0.81	<0.99	<0.49		2.89	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U050	16-Nov-87	F16	2.26	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	6.88	<1.50	<3.09
01U050	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U050	15-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U050	21-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U051	16-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	2.39	<1.50	<3.09
01U051	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U051	15-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U051	21-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U052	27-Apr-89	F22	<1.00	<1.00	<1.00		1.24	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U052	26-Jul-89	F23	<0.81	<0.99	<0.49		1.75	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U052	25-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U053	16-Nov-87	F16	<0.81	<0.99	0.94	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U053	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U053	15-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U053	21-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U054	16-Nov-87	F16	5.92	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	16.10	<1.50	<3.09
01U054	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U054	15-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U054	21-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U054	27-Apr-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U054	26-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U054	26-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U060	19-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U060	11-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U060	17-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U062	16-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U062	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U062	16-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U062	21-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U062	09-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U062	26-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U062	26-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U063	05-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U064	12-May-89	F22	7.15	<1.00	2.96		150.00	1.42		<1.00		<1.00		5.42	3.58	<0.41
01U064	26-Jul-89	F23	<20.00	<25.00	<12.00		430.00	<13.00		<16.00		<22.00		<28.00	<38.00	<3.09
01U064	27-Oct-89	F24	22.00	<25.00	<12.00		430.00	<13.00		<16.00		<22.00		41.00	<38.00	<77.00

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2-DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO-2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
01U065	28-Apr-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U065	26-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U065	25-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U067	05-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U072	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U073	15-Jan-88	H17	24.00	<0.20	57.00	66.00		<0.20	102.00		<0.20	30.00		1130.00	<0.20	
PJ#074	03-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
PJ#074	19-Aug-88	F19	1.99	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		7.99	<1.90	<0.41
03U075	10-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U075	18-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.04	<1.90	<0.41
03U076	10-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U076	18-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.03	<1.90	<0.41
03U077	19-Jan-88	H17	31.00	<0.20	5.40	2.20		<0.20	0.31		<0.20	<0.20		25.00	<0.20	
03U077	09-May-88	H18	22.00	<0.20	1.80	0.89		<0.20	<0.20		<0.20	0.33		27.00	<0.20	
03U077	03-Aug-88	H19	12.00	<0.20	<0.20	0.86		<0.20	<0.20		<0.20	<0.20		6.90	<0.20	
03U077	21-Oct-88	H20	8.90	<0.50	1.20	1.90		<0.10	<0.50		<0.50	<0.50		9.90	<0.50	
03U077	16-Oct-89	H24	1600.00	<20.00	360.00	<20.00		<20.00	<20.00		<20.00	<20.00		3000.00	<100.00	
03L077	04-Dec-87	F16	610.00	<99.00	61.00	<72.00	<56.00	<51.00		<62.00		<88.00	<450.00	1600.00	<150.00	<150.00
03L077	19-Jan-88	H17	350.00	0.32	63.00	53.00		1.10	10.00		<0.20	<0.20		875.00	0.70	
03L077	09-May-88	H18	103.00	<0.20	12.00	12.00		0.44	3.00		<0.20	<0.20		287.00	<0.20	
03L077	03-Aug-88	H19	163.00	<0.20	8.00	15.00		<0.20	7.00		<0.20	<0.20		458.00	<0.20	
03L077	21-Oct-88	H20	310.00	<0.50	32.00	41.00		<1.00	7.00		<0.50	<0.50		1000.00	<0.50	
03L077	11-Oct-89	H24	1600.00	<40.00	440.00	<40.00		<40.00	<40.00		<40.00	<40.00		5600.00	<200.00	
04U077	04-Dec-87	F16	490.00	<99.00	46.00	82.00	<56.00	<51.00		<62.00		<88.00	<450.00	1800.00	<150.00	<3.09
04U077	19-Jan-88	H17	670.00	0.65	160.00	116.00		1.50	20.00		<0.20	0.26		1900.00	1.00	
04U077	09-May-88	H18	500.00	<4.00	85.00	103.00			18.00		<4.00	<4.00		1280.00	<4.00	
04U077	03-Aug-88	H19	526.00	0.51	40.00	121.00		13.00	23.00		0.25	<0.20		1400.00	<0.20	
04U077	21-Oct-88	H20	1070.00	<0.50	130.00	390.00		11.00	29.00		<0.50	<0.50		2600.00	<0.50	
04U077	11-Oct-89	H24	710.00	<20.00	200.00	73.00		<20.00	<20.00		<20.00	<20.00		2400.00	<100.00	
04J077	11-Oct-89	H24	71.00	<2.00	19.00	18.00		<2.00	<2.00		<2.00	<2.00		220.00	<10.00	
03U078	23-Nov-87	F16	<8.10	<9.90	<4.90	<7.20	8.30	<5.10		<6.20		27.00	<45.00	100.00	<15.00	<3.09
03U078	14-Jan-88	H17	<0.20	<0.20	5.70	4.10		<0.20	30.00		<0.20	47.00		150.00	<0.20	
03U078	13-May-88	H18	16.00	<0.20	3.60	1.30		<0.20	11.00		<0.20	33.00		130.00	<0.20	
03U078	03-Aug-88	H19	11.00	<0.20	0.54	0.39		<0.20	9.30		<0.20	20.00		68.00	<0.20	
03U078	18-Aug-88	F19	8.44	<1.00	1.44		12.30	<0.50		<1.00		22.30		49.80	<1.90	<0.41
03U078	16-Oct-89	H24	25.00	<1.00	7.40	1.90		<1.00	15.00		<1.00	34.00		170.00	<5.00	
03L078	23-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03L078	15-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.62	<0.20	
03L078	13-May-88	H18	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.30	<0.20	
03L078	03-Aug-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
03L078	18-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		2.69	<1.90	<0.41

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2-DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO-2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03L078	16-Oct-89	H24	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.50	<1.00	
03U079	04-Dec-87	F16	<400.00	<500.00	<240.00	<360.00	<280.00	<260.00		<310.00		<440.00	<2200.00	7000.00	<750.00	<620.00
03U079	14-Jan-88	H17	41.00	<10.00	<10.00	24.00		<10.00	380.00		<10.00	<10.00		10350.00	<10.00	
03U079	09-May-88	H18	11.00	<2.00	<2.00	6.80		<2.00	62.00		<2.00	<2.00		2900.00	<2.00	
03U079	03-Aug-88	H19	31.00	1.20	8.30	18.00		<0.20	564.00		2.10	0.73		8400.00	<0.20	
03U079	18-Aug-88	F19	28.70	<1.00	13.00		290.00	<0.50		<1.00		<1.00		11000.00	<1.90	<0.41
03U079	26-Oct-88	H20	84.00	1.10	14.00	17.00		1.10	198.00		<0.50	<0.50		5800.00	<0.50	
03U079	16-Oct-89	H24	86.00	<20.00	28.00	<20.00		<20.00	<20.00		<20.00	<20.00		2300.00	<100.00	
03L079	04-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03L079	14-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
03L079	09-May-88	H18	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		2.40	<0.20	
03L079	03-Aug-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.00	<0.20	
03L079	18-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.84	<1.90	0.69
03L079	26-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		1.00	<0.50	
03L079	16-Oct-89	H24	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.50	<1.00	
03U083	10-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U084	23-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U084	18-Jan-88	H17	0.51	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.40	<0.20	
03U084	11-May-88	H18	2.70	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		7.20	<0.20	
03U084	04-Aug-88	H19	0.28	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		2.00	<0.20	
03U084	20-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<1.00	<0.50		<0.50	<0.50	
03U084	11-Oct-89	H24	0.90	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		5.70	<1.00	
03L084	08-Dec-87	F16	7.10	<2.00	<1.00	<1.40	<1.10	<1.00		<1.20		<1.80	<9.00	30.00	<3.00	<3.09
03L084	18-Jan-88	H17	11.50	<0.20	0.76	0.36		<0.20	<0.20		<0.20	<0.20		42.00	<0.20	
03L084	11-May-88	H18	8.10	<0.20	<0.20	0.61		<0.20	<0.20		<0.20	<0.20		23.00	<0.20	
03L084	04-Aug-88	H19	6.80	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		27.00	<0.20	
03L084	20-Oct-88	H20	4.20	<0.50	<0.50	<1.00		<1.00	<0.50		<1.00	<0.50		18.00	<0.50	
03L084	11-Oct-89	H24	4.30	<0.20	1.70	<0.20		<0.20	<0.20		<0.20	<0.20		15.00	<1.00	
01U085	11-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U085	10-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U085	17-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03L086	11-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U087	20-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U087	26-Jan-88	H17	0.81	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		6.00	<0.20	
03U087	11-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.90	<1.90	<0.41
03U087	18-May-88	H18	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
03U087	29-Jul-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
03U087	24-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.67	<1.90	
03U087	28-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		0.84	<0.50	
03U087	17-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.41	<1.90	
03U087	24-Oct-89	H24	0.30	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		5.20	<1.00	
03U088	17-Nov-87	F16														<3.09
03U088	05-Apr-88	F18	1.57	<1.00	<1.00		<0.50	<0.50		<1.00		1.34		5.86	<1.90	<0.41
03U088	08-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		4.16		<0.50	<1.90	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2-DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO-2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03U088	16-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		3.87		0.55	<1.90	
03U089	20-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		0.91	<4.50	<1.10	<1.50	<3.09
03U089	05-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		2.08		1.68	<1.90	<0.41
03U089	08-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		2.00		0.95	<1.90	
03U089	17-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		1.58		1.20	<1.90	
03U090	19-Nov-87	F16	1.95	<0.99	<0.49	<0.72	9.45	<0.51		<0.62		<0.88	<4.50	6.17	<1.50	<3.09
03U090	06-Apr-88	F18	2.17	<1.00	<1.00		8.51	<0.50		<1.00		<1.00		1.15	<1.90	<0.41
03U090	16-Aug-88	F19	1.59	<1.00	<1.00		10.40	<0.50		<1.00		<1.00		0.66	<1.90	<0.41
03U090	18-Nov-88	F20	2.08	<1.00	<1.00		11.20	<0.50		<1.00		<1.00		0.75	<1.90	<0.41
03L091	03-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03L091	25-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U092	23-Nov-87	F16	16.50	<0.99	0.63	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	13.80	<1.50	<3.09
03U092	08-Apr-88	F18	29.60	<1.00	3.24		<0.50	<0.50		<1.00		<1.00		21.50	<1.90	<0.41
03U092	25-Aug-88	F19	17.70	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		8.32	<1.90	<0.41
03U092	16-Nov-88	F20	24.90	<1.00	1.21		<0.50	<0.50		<1.00		<1.00		12.10	<1.90	2.43
03U093	04-Dec-87	F16	9300.00	<9900.00	<4900.00	<7200.00	<5600.00	<5100.00		<6200.00		<8800.00	<45000.00	79000.00	<15000.00	<15000.00
03U093	26-Jan-88	H17	7670.00	24.00	405.00	38.00		<0.20	197.00		44.00	<0.20		34200.00	<0.20	
03U093	18-May-88	H18	16250.00	25.00	1630.00	292.00		41.00	420.00		<0.20	3.40		65400.00	<0.20	
03U093	08-Aug-88	H19	7750.00	16.00	600.00	180.00		24.00	31.00		<0.20	17.00		35000.00	<0.20	
03U093	17-Aug-88	F19	8700.00	<200.00	480.00		630.00	<100.00		<200.00		<200.00		30000.00	<380.00	<82.00
03U093	01-Nov-88	H20	8000.00	14.00	300.00	60.00		50.00	440.00		3.40	58.00		33000.00	<0.50	
03U093	19-Oct-89	H24	13000.00	<100.00	1800.00	<100.00		<100.00	360.00		<100.00	<100.00		43000.00	<500.00	
03U094	04-Dec-87	F16	9100.00	<990.00	<490.00	830.00	2300.00	<510.00		<620.00		<880.00	<4500.00	18000.00	<1500.00	<1500.00
03U094	25-Aug-88	F19	5600.00	<200.00	<200.00		1200.00	<100.00		<200.00		<200.00		6900.00	<380.00	<82.00
03U096	04-Dec-87	F16	830.00	<200.00	<100.00	<140.00	<110.00	<100.00		<120.00		<180.00	<900.00	1200.00	<300.00	<620.00
03U096	25-Aug-88	F19	2500.00	<50.00	110.00		<25.00	<25.00		<50.00		<50.00		2300.00	<95.00	<21.00
03U097	20-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	8.85	<1.50	<3.09
03U097	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.73	<1.90	<0.41
03U097	11-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U097	17-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U098	19-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U098	11-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U098	17-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U099	19-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U099	11-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U099	27-Jul-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
03U099	12-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U099	17-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U100	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U101	14-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U101	25-Apr-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2-DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO-2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
01U101	26-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U101	24-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U102	08-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U102	11-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U102	25-Apr-89	F22	<1.00	<1.00	<1.00		9.60	<0.50		<1.00		41.60		31.00	<1.90	0.84
01U102	27-Jul-89	F23	<1.60	<2.00	<0.98		47.00	<1.00		<1.20		<1.80		2.80	<3.00	<6.20
01U102	26-Oct-89	F24	<0.81	<0.99	<0.49		80.00	<0.51		<0.62		64.00		200.00	<1.50	<6.20
01U103	11-Nov-87	F16														<3.09
01U103	18-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
01U103	08-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U103	11-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U103	26-Apr-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U103	27-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U103	26-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U107	08-Apr-88	F18	<1.00	<1.00	<1.00		1.49	<0.50		<1.00		<1.00		0.54	<1.90	<0.41
01U107	08-Aug-88	F19	<1.00	<1.00	<1.00		1.04	<0.50		<1.00		<1.00		<0.50	<1.90	
01U107	15-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		2.42		0.94	<1.90	
01U107	25-Apr-89	F22	<1.00	<1.00	1.29		0.69	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U107	27-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U107	25-Oct-89	F24	<0.81	<0.99	<0.49		1.23	<0.51		<0.62		<0.88		1.43	<1.50	<3.09
01U108	16-Nov-87	F16														
01U108	17-Nov-87	F16	<20.00	<25.00	<12.00	<18.00	670.00	<13.00		<16.00		260.00	<110.00	150.00	<38.00	<3.09
01U108	11-Apr-88	F18	<1.00	<1.00	<1.00		870.00	<0.50		<1.00		990.00		590.00	<1.90	4.50
01U108	25-Aug-88	F19	<20.00	<20.00	<20.00		720.00	<10.00		<20.00		1000.00		750.00	<38.00	
01U108	15-Nov-88	F20	<20.00	<20.00	<20.00		300.00	<10.00		<20.00		640.00		480.00	<38.00	
01U108	24-Apr-89	F22	<10.00	<10.00	12.00		120.00	<5.00		<10.00		420.00		300.00	<19.00	<4.10
01U108	24-Oct-89	F24	<20.00	<25.00	<12.00		100.00	<13.00		<16.00		180.00		160.00	<38.00	<77.00
01U109	08-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U110	08-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U111	20-Nov-87	F16	0.85	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	3.98	<1.50	<3.09
03U111	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.41	<1.90	<0.41
03U111	11-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U111	17-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U112	20-Nov-87	F16	11.00	<2.50	<1.20	<1.80	<1.40	<1.30		<1.60		<2.20	<11.00	35.00	<3.80	<3.09
03U112	08-Apr-88	F18	25.20	<1.00	1.60		<0.50	<0.50		<1.00		<1.00		29.10	<1.90	<0.41
03U112	16-Aug-88	F19	25.20	<1.00	2.16		<0.50	<0.50		<1.00		<1.00		43.60	<1.90	<0.41
03U112	18-Nov-88	F20	21.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		27.70	<1.90	<0.41
03U113	18-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U113	06-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.68	<1.90	<0.41
03U113	09-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U113	18-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03L113	18-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03L113	06-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.76	<1.90	<0.41

WELL	DATE	QTR	1,1,1-TRICHLOROETHANE 111TCE	1,1,2-TRICHLOROETHANE 112TCE	1,1-DICHLOROETHENE 11DCE	1,1-DICHLOROETHANE 11DCLE	1,2-DICHLOROETHENE 12DCE	1,2-DICHLOROETHANE 12DCLE	CIS-1,2-DICHLOROETHENE C12DCE	1,2-DICHLOROPROPANE 12DCLP	TRANS-1,2-DICHLOROETHENE T12DCE	TETRACHLOROETHENE TCLEE	1,1,2-TRICHLORO-2,2,1-TRIFLUOROETHANE TCLTFE	TRICHLOROETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03L113	09-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03L113	18-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U114	23-Nov-87	F16	860.00	<50.00	29.00	<36.00	<28.00	<26.00		<31.00		<44.00	<220.00	150.00	<75.00	<3.09
03U114	11-Apr-88	F18	680.00	<1.00	66.00		<0.50	<0.50		<1.00		<1.00		110.00	<1.90	<0.41
03U114	09-Aug-88	F19	1100.00	<10.00	120.00		<5.00	<5.00		<10.00		<10.00		240.00	<19.00	<0.41
03U114	16-Nov-88	F20	1200.00	<20.00	95.00		<10.00	<10.00		<20.00		<20.00		260.00	<38.00	<8.20
01U115	11-Nov-87	F16	<2.00	<2.50	<1.20	<1.80	43.00	<1.30		<1.60		<2.20	<11.00	12.00	<3.80	<3.09
01U115	11-Apr-88	F18	<1.00	<1.00	<1.00		35.60	<0.50		<1.00		<1.00		14.10	<1.90	<0.41
01U115	09-Aug-88	F19	<1.00	<1.00	<1.00		24.40	<0.50		<1.00		<1.00		6.04	<1.90	
01U115	15-Nov-88	F20	<1.00	<1.00	<1.00		20.30	<0.50		<1.00		1.34		10.40	<1.90	
01U115	24-Apr-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U115	27-Jul-89	F23	<0.81	<0.99	<0.49		15.30	<0.51		<0.62		<0.88		8.29	<1.50	<3.09
01U115	27-Oct-89	F24	<0.81	<0.99	<0.49		9.84	<0.51		<0.62		<0.88		5.32	<1.50	<3.09
01U116	11-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	24.70	<0.51		<0.62		<0.88	<4.50	2.65	<1.50	<3.09
01U116	06-Apr-88	F18	<1.00	<1.00	<1.00		11.20	<0.50		<1.00		<1.00		2.38	<1.90	<0.41
01U116	09-Aug-88	F19	<1.00	<1.00	<1.00		9.12	<0.50		<1.00		<1.00		4.15	<1.90	
01U116	15-Nov-88	F20	<1.00	<1.00	<1.00		4.59	<0.50		<1.00		<1.00		4.60	<1.90	
01U116	24-Apr-89	F22	<1.00	<1.00	1.11		0.66	<0.50		<1.00		<1.00		0.85	<1.90	<0.41
01U116	27-Jul-89	F23	<0.81	<0.99	<0.49		1.65	<0.51		<0.62		<0.88		4.31	<1.50	<3.09
01U116	27-Oct-89	F24	<0.81	<0.99	<0.49		1.93	<0.51		<0.62		<0.88		3.36	<1.50	<3.09
01U117	11-Nov-87	F16	<2.00	<2.50	<1.20	<1.80	51.00	<1.30		<1.60		14.00	<11.00	7.00	<3.80	<3.09
01U117	06-Apr-88	F18	<1.00	<1.00	<1.00		48.40	<0.50		<1.00		55.40		24.60	<1.90	<0.41
01U117	09-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U117	15-Nov-88	F20	<1.00	<1.00	<1.00		43.50	<0.50		<1.00		58.40		23.40	<1.90	
01U117	25-Apr-89	F22	<1.00	<1.00	1.41		1.72	<0.50		<1.00		86.30		18.50	<1.90	1.37
01U117	27-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		12.10		4.01	<1.50	<3.09
01U117	27-Oct-89	F24	<0.81	<0.99	<0.49		64.00	<0.51		<0.62		9.21		12.80	<1.50	<3.09
01U118	11-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U118	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.41	<1.90	<0.41
01U118	09-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U118	15-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U118	25-Apr-89	F22	<1.00	<1.00	1.38		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U118	27-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U118	27-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U119	11-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U119	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.82	<1.90	<0.41
01U119	12-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U119	15-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U119	26-Apr-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U119	27-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U119	27-Oct-89	F24	<0.81	<0.99	<0.49		1.18	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U120	11-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U120	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		2.39	<1.90	<0.41
01U120	12-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U120	15-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U120	27-Apr-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2-DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO-2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
01U120	27-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.41	<1.50	<3.09
01U120	27-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03U121	08-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	5.51	<1.50	<3.09
03U121	08-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U121	16-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U121	18-Nov-88	F20	61.60	<1.00	1.63		<0.50	<0.50		<1.00		<1.00		12.20	<1.90	<0.41
01U122	09-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U122	05-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U122	08-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.11	<1.90	
01U122	11-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U124	08-Apr-88	F18	57.00	<1.00	3.28		<0.50	<0.50		<1.00		<1.00		13.60	<1.90	<0.41
03U124	18-Aug-88	F19	130.00	<1.00	4.28		<0.50	<0.50		<1.00		<1.00		31.40	<1.90	<0.41
01U125	08-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U125	11-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U125	12-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U125	17-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U126	08-Dec-87	F16	<1.60	<2.00	<1.00	<1.40	<1.10	<1.00		<1.20		25.00	<9.00	<2.20	<3.00	<3.09
01U126	06-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		41.50		0.85	<1.90	<0.41
01U126	12-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		30.80		<0.50	<1.90	
01U126	17-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		34.70		2.11	<1.90	
01U126	24-Apr-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		5.41		0.70	<1.90	<0.41
01U126	27-Jul-89	F23	<0.81	<0.99	<0.49		1.29	<0.51		<0.62		3.82		1.76	<1.50	<3.09
01U126	25-Oct-89	F24	<0.81	<0.99	<0.49		1.37	<0.51		<0.62		2.29		2.14	<1.50	<3.09
01U127	11-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U127	06-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U127	12-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U127	14-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U127	26-Apr-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U127	25-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.45	<1.50	<3.09
01U128	09-Dec-87	F16	<1.60	<2.00	<1.00	<1.40	41.00	<1.00		<1.20		<1.80	<9.00	<2.20	<3.00	<3.09
01U128	05-Apr-88	F18	<1.00	<1.00	<1.00		34.00	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U128	08-Aug-88	F19	<1.00	<1.00	<1.00		41.30	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U128	16-Nov-88	F20	<1.00	<1.00	<1.00		30.70	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U129	08-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	2.49	<1.50	<3.09
03U129	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.44	<1.90	<0.41
03U129	11-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U129	18-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U130	07-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U130	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U130	15-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U130	21-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U133	11-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U133	12-Aug-88	F19	<1.00	<1.00	<1.00		0.67	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2-DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO-2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
01U133	14-Nov-88	F20	<1.00	<1.00	<1.00		0.62	<0.50		<1.00		<1.00		<0.50	<1.90	
01U135	21-Nov-88	F20	<1.00	<1.00	<1.00		0.66	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U135	25-Apr-89	F22	<1.00	<1.00	<1.00		1.17	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U135	26-Jul-89	F23	<0.81	<0.99	<0.49		0.76	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U135	25-Oct-89	F24	<0.81	<0.99	<0.49		1.46	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U136	21-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U136	25-Apr-89	F22	<1.00	<1.00	1.36		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U136	26-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U136	25-Oct-89	F24	<0.81	<0.99	<0.49		1.16	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03L137	17-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03L138	17-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03U301	16-Mar-89	H21	88.00	<1.00	11.00	7.60		<1.00	225.00		4.70	<1.00		2755.00	<1.00	
03U301	20-Apr-89	H22	25.00	0.30	18.00	4.00		<0.20	160.00		1.10	0.60		1100.00	<1.00	
03U301	19-Jul-89	H23	61.00	<5.00	18.00	<5.00		<5.00	160.00		<5.00	<5.00		1100.00	<25.00	
03U301	24-Oct-89	H24	120.00	<40.00	<40.00	<40.00		<40.00	200.00		<40.00	<40.00		3000.00	<200.00	
03F302	17-Nov-87	H16	9.70	0.30	3.80	5.00		<0.02	51.40		<0.20	0.60		1040.00	<0.20	
03F302	15-Dec-87	H16	23.20	0.28	12.30	12.80		<0.20	177.00		1.10	1.50		2120.00	<0.20	
03F302	12-Jan-88	H17	23.00	<4.00	12.00	20.00		<4.00	182.00		<4.00	<4.00		2580.00	<4.00	
03F302	28-Apr-88	H18	41.00	<10.00	12.00	14.00		<10.00	124.00		<10.00	<10.00		2895.00	<10.00	
03F302	19-Jul-88	H19	24.00	0.49	7.50	18.00		<0.20	234.00		1.20	2.70		4300.00	<0.20	
03F302	21-Oct-88	H20	24.00	<0.50	10.00	14.00		<1.00	135.00		0.66	2.20		4800.00	<0.50	
03F302	06-Jan-89	H21	35.00	<1.00	16.00	18.00		<1.00	158.00	<1.00	<1.00	2.40	<1.00	2850.00	<1.00	<1.00
03F302	16-Mar-89	H21	31.00	<10.00	<10.00	11.00		<10.00	130.00		<10.00	<10.00		5800.00	<10.00	
03F302	20-Apr-89	H22	27.00	0.60	14.00	13.00		<0.20	100.00		0.70	1.60		4500.00	<1.00	
03F302	19-Jul-89	H23	44.00	<20.00	22.00	<20.00		<20.00	120.00		<20.00	<20.00		2700.00	<100.00	
03F302	24-Oct-89	H24	62.00	<20.00	<20.00	<20.00		<20.00	67.00		<20.00	<20.00		2300.00	<100.00	
03F303	17-Nov-87	H16	18.10	<0.20	9.90	9.00		<0.20	31.50		<0.20	6.70		190.00	<0.20	
03F303	15-Dec-87	H16	19.10	<0.20	8.10	10.20		<0.20	28.90		0.30	8.90		282.00	<0.20	
03F303	12-Jan-88	H17	27.00	<0.20	11.00	17.00		<0.20	60.00		<0.20	16.00		390.00	<0.20	
03F303	28-Apr-88	H18	18.50	<0.20	8.20	10.30		<0.20	41.90		<0.20	10.70		274.00	<0.20	
03F303	19-Jul-88	H19	28.00	<0.20	5.00	13.00		<0.20	48.00		<0.20	18.00		700.00	<0.20	
03F303	21-Oct-88	H20	22.00	<0.50	5.20	7.60		<1.00	32.00		<0.50	14.00		1000.00	<0.50	
03F303	06-Jan-89	H21	20.00	<1.00	7.60	11.00		<1.00	61.00	<1.00	<1.00	13.00	<1.00	61.00	<1.00	<1.00
03F303	16-Mar-89	H21	<10.00	<10.00	<10.00	<10.00		<10.00	<10.00		<10.00	11.00		1200.00	<10.00	
03F303	20-Apr-89	H22	14.00	<0.20	6.90	5.70		<0.20	38.00		0.30	11.00		1100.00	<1.00	
03F303	19-Jul-89	H23	20.00	<4.00	9.00	6.80		<4.00	48.00		<4.00	17.00		860.00	<20.00	
03F303	24-Oct-89	H24	19.00	<5.00	<5.00	<5.00		<5.00	28.00		<5.00	12.00		850.00	<25.00	
03F304	17-Nov-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		5.10	<0.20	
03F304	15-Dec-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	1.11		<0.20	<0.20		8.33	<0.20	
03F304	12-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	1.10		<0.20	<0.20		8.20	<0.20	
03F304	28-Apr-88	H18	1.26	<0.20	<0.20	<0.20		<0.20	1.16		<0.20	<0.20		8.02	<0.20	
03F304	19-Jul-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		9.50	<0.20	
03F304	16-Mar-89	H21	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		6.00	<1.00	
03F304	20-Apr-89	H22	0.20	<0.20	<0.30	0.20		<0.20	0.50		<0.20	<0.20		11.00	<1.00	
03F304	19-Jul-89	H23	<0.20	<0.20	0.20	<0.20		<1.00	0.40		<0.20	<0.20		4.60	<5.00	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2-DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO-2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03F304	24-Oct-89	H24	0.50	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		5.40	<1.00	
03F305	17-Nov-87	H16	17.60	2.40	2.20	2.00		<0.20	0.80		<0.20	0.80		22.90	<0.20	
03F305	15-Dec-87	H16	31.00	3.10	4.10	6.14		<0.20	1.55		<0.20	1.10		54.00	<0.20	
03F305	12-Jan-88	H17	39.00	2.30	3.60	5.50		<0.20	1.60		<0.20	0.86		61.00	<0.20	
03F305	28-Apr-88	H18	34.90	1.86	4.19	2.49		<0.20	1.38		<0.20	0.82		26.30	<0.20	
03F305	19-Jul-88	H19	85.00	8.60	2.40	1.80		<0.20	0.73		<0.20	6.50		38.00	<0.20	
03F305	06-Jan-89	H21	44.00	2.30	4.70	3.60		<1.00	<1.00	<1.00	<1.00	1.10	<1.00	21.00	<1.00	<1.00
03F305	16-Mar-89	H21	68.00	1.80	8.20	14.00		1.30	<1.00		11.00	2.00		68.00	<1.00	
03F305	20-Apr-89	H22	58.00	1.60	15.00	19.00		<0.20	3.30		<0.20	1.40		100.00	<1.00	
03F305	19-Jul-89	H23	110.00	2.60	49.00	34.00		<1.00	7.80		<1.00	1.30		140.00	<5.00	
03F305	23-Oct-89	H24	240.00	<2.00	77.00	67.00		<2.00	13.00		<2.00	<2.00		430.00	<10.00	
03L306	23-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		2.01	<1.90	<0.41
03L306	08-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03L306	03-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03F306	17-Nov-87	H16	845.00	1.30	130.00	90.00		2.50	17.00		<0.20	0.40		1500.00	0.20	
03F306	15-Dec-87	H16	1150.00	1.46	48.80	143.00		4.40	27.40		0.60	0.36		2130.00	<0.20	
03F306	12-Jan-88	H17	1224.00	<4.00	171.00	185.00		<4.00	5.70		<4.00	<4.00		2420.00	<4.00	
03F306	28-Apr-88	H18	100.00	<0.20	160.00	120.00		<0.20	38.00		<0.20	<0.20		530.00	<0.20	
03F306	19-Jul-88	H19	1500.00	3.80	135.00	236.00		8.00	34.00		<0.20	<0.20		2920.00	<0.20	
03F306	21-Oct-88	H20	475.00	2.00	90.00	55.00		<1.00	25.00		<0.50	1.10		1400.00	<0.50	
03F306	06-Jan-89	H21	450.00	1.30	55.00	75.00		3.60	18.00	<1.00	<1.00	1.50	<1.00	300.00	<1.00	<1.00
03F306	16-Mar-89	H21	1200.00	<10.00	170.00	150.00		<10.00	33.00		<10.00	<10.00		2800.00	<10.00	
03F306	20-Apr-89	H22	1400.00	2.00	330.00	200.00		3.20	100.00		0.40	0.80		2800.00	1.30	
03F306	19-Jul-89	H23	800.00	<5.00	300.00	130.00		<5.00	30.00		<5.00	<5.00		2200.00	<25.00	
03F306	23-Oct-89	H24	940.00	<20.00	290.00	130.00		<20.00	<20.00		<20.00	<20.00		2700.00	<100.00	
03F307	17-Nov-87	H16	480.00	3.00	60.00	48.00		<0.20	18.00		<0.20	3.00		2370.00	<0.20	
03F307	15-Dec-87	H16	90.80	1.80	110.00	45.00		4.10	16.30		0.40	1.70		3275.00	<0.20	
03F307	12-Jan-88	H17	786.00	<4.00	61.40	103.00		<4.00	27.00		<4.00	<4.00		3300.00	<4.00	
03F307	28-Apr-88	H18	550.00	<4.00	100.00	75.00		<4.00	31.00		<4.00	<4.00		3400.00	<4.00	
03F307	19-Jul-88	H19	893.00	2.00	76.00	82.00		5.00	22.00		<0.20	2.30		3020.00	<0.20	
03F307	21-Oct-88	H20	605.00	1.20	70.00	70.00		3.20	18.00		<0.50	1.50		3200.00	<0.50	
03F307	16-Mar-89	H21	900.00	<10.00	64.00	98.00		<10.00	59.00		<10.00	<10.00		4174.00	<10.00	
03F307	20-Apr-89	H22	530.00	2.00	150.00	83.00		3.90	23.00		0.20	2.20		3600.00	1.00	
03F307	19-Jul-89	H23	640.00	<4.00	210.00	100.00		<4.00	25.00		<4.00	<4.00		2400.00	<20.00	
03F307	23-Oct-89	H24	590.00	<20.00	170.00	82.00		<20.00	<20.00		<20.00	<20.00		3300.00	<100.00	
03F308	16-Mar-89	H21	15.00	<5.00	<5.00	<5.00		<5.00	<5.00		<5.00	<5.00		75.00	<5.00	
03F308	20-Apr-89	H22	5.00	<0.20	<1.70	1.30		<0.20	0.30		<0.20	<0.20		44.00	<1.00	
03F308	19-Jul-89	H23	4.50	<0.20	1.40	0.80		<0.20	0.30		<0.20	<0.20		29.00	<1.00	
03F308	23-Oct-89	H24	5.30	<0.20	1.10	0.80		<0.20	<0.20		<0.20	<0.20		32.00	<1.00	
PJ#309	18-Nov-88	H20	138.00	<0.50	6.70	18.00		3.00	3.70		<0.50	<0.50		337.00	<0.50	
PJ#309	16-Mar-89	H21	63.00	<1.00	13.00	22.00		<1.00	6.30		<1.00	<1.00		200.00	<1.00	
PJ#309	20-Apr-89	H22	45.00	<0.20	13.00	19.00		<0.20	4.00		<0.20	<0.20		320.00	<1.00	
PJ#309	19-Jul-89	H23	48.00	<1.00	22.00	20.00		<1.00	5.30		<1.00	<1.00		190.00	<5.00	
PJ#309	23-Oct-89	H24	68.00	<2.00	21.00	28.00		<2.00	4.10		<2.00	<2.00		270.00	<10.00	
PJ#310	16-Mar-89	H21	180.00	<1.00	38.00	48.00		5.40	10.00		<1.00	<1.00		470.00	<1.00	
PJ#310	20-Apr-89	H22	150.00	0.20	47.00	30.00		0.60	8.20		<0.20	<0.20		700.00	<1.00	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2-DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO-2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
PJ#310	19-Jul-89	H23	240.00	<2.00	74.00	46.00		<2.00	11.00		<2.00	<2.00		480.00	<10.00	
PJ#310	11-Oct-89	H24	220.00	<2.00	63.00	35.00		<2.00	5.60		<2.00	<2.00		560.00	<10.00	
PJ#311	16-Mar-89	H21	36.00	<5.00	<5.00	<5.00		<5.00	<5.00		<5.00	<5.00		150.00	<5.00	
PJ#311	20-Apr-89	H22	16.00	<0.20	3.30	1.10		<0.20	0.40		<0.20	<0.20		82.00	<1.00	
PJ#311	19-Jul-89	H23	21.00	<0.40	5.00	1.10		<0.40	0.60		<0.40	<0.40		67.00	<2.00	
PJ#311	24-Oct-89	H24	15.00	<0.40	3.20	<0.40		<0.40	<0.40		<0.40	<0.40		52.00	<2.00	
03F312	19-Dec-88	H20	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		<1.00	<1.00	
03F312	16-Mar-89	H21	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		1.30	<1.00	
03F312	20-Apr-89	H22	1.70	<0.20	<0.80	0.80		<0.20	0.40		<0.20	<0.20		6.30	<1.00	
03F312	19-Jul-89	H23	3.60	<0.20	1.90	2.80		<0.20	0.80		<0.20	<0.20		10.00	<1.00	
03F312	24-Oct-89	H24	3.70	<0.20	2.10	3.70		<0.20	1.70		<0.20	<0.20		31.00	<1.00	
PJ#313	16-Mar-89	H21	3.30	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		18.00	<1.00	
PJ#313	20-Apr-89	H22	2.90	<0.20	<1.00	0.90		<0.20	<0.20		<0.20	<0.20		27.00	<1.00	
PJ#313	19-Jul-89	H23	7.70	<0.20	2.10	0.50		<0.20	<0.20		<0.20	<0.20		25.00	<1.00	
PJ#313	23-Oct-89	H24	3.00	<0.20	0.60	0.40		<0.20	<0.20		<0.20	<0.20		15.00	<1.00	
03U314	05-Jan-89	H21	10500.00	19.00	850.00	3600.00		59.00	4700.00		12.00	<1.00		37000.00	16.00	
03U314	16-Mar-89	H21	6200.00	11.00	370.00	950.00		<10.00	1000.00		<100.00	12.00		12000.00	<10.00	
03U314	20-Apr-89	H22	3400.00	8.30	630.00	530.00		19.00	610.00		2.40	3.00		11000.00	3.50	
03U314	19-Jul-89	H23	3500.00	<40.00	870.00	510.00		<40.00	730.00		<40.00	<40.00		8900.00	<200.00	
03U314	24-Oct-89	H24	3500.00	<100.00	<100.00	<100.00		<100.00	<100.00		<100.00	<100.00		8600.00	<500.00	
03U315	05-Jan-89	H21	65.00	<1.00	5.60	5.60		<1.00	<1.00		<1.00	<1.00		58.00	<1.00	
03U315	16-Mar-89	H21	610.00	<10.00	58.00	44.00		32.00	<10.00		<10.00	<10.00		870.00	<10.00	
03U315	20-Apr-89	H22	490.00	<0.20	100.00	45.00		<0.20	<0.20		<0.20	<0.20		1300.00	<1.00	
03U315	19-Jul-89	H23	620.00	<4.00	150.00	51.00		<4.00	15.00		<4.00	<4.00		940.00	<20.00	
03U315	24-Oct-89	H24	890.00	<10.00	160.00	58.00		<10.00	<10.00		<10.00	<10.00		1700.00	<50.00	
03U316	05-Jan-89	H21	14.00	<1.00	1.60	3.50		<1.00	<1.00		<1.00	<1.00		<1.00	<1.00	
03U316	16-Mar-89	H21	31.00	<1.00	3.20	1.70		<1.00	<1.00		<1.00	<1.00		2.90	<1.00	
03U316	20-Apr-89	H22	28.00	<0.20	4.90	2.50		<0.20	<0.20		<0.20	<0.20		4.90	<1.00	
03U316	19-Jul-89	H23	29.00	<0.20	9.20	2.10		<0.20	<0.20		<0.20	<0.20		4.20	<1.00	
03U316	24-Oct-89	H24	35.00	<0.40	8.70	3.00		<0.40	<0.40		<0.40	<0.40		5.50	<2.00	
03U317	05-Jan-89	H21	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		<1.00	<1.00	
03U317	16-Mar-89	H21	1100.00	<10.00	66.00	19.00		24.00	19.00		<10.00	<10.00		3200.00	<10.00	
03U317	20-Apr-89	H22	2800.00	<0.20	660.00	27.00		4.20	27.00		<0.20	13.00		13000.00	<1.00	
03U317	19-Jul-89	H23	5800.00	<20.00	1200.00	47.00		<20.00	66.00		<20.00	<20.00		12000.00	<100.00	
03U317	25-Oct-89	H24	7000.00	<200.00	760.00	<200.00		<200.00	<200.00		<200.00	<200.00		19000.00	<1000.00	
PJ#318	24-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		4.26	<1.90	<0.41
PJ#318	09-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		3.20	<1.90	
PJ#318	06-Feb-89	H21	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		5.90	<1.00	
PJ#318	02-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.85	<1.90	1.71
PJ#318	19-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		2.70	<1.50	<3.09
PJ#318	18-Oct-89	F24	<0.81	<0.99	0.73		1.14	<0.51		<0.62		<0.88		4.47	<1.50	<3.09
PJ#502	18-Nov-87	F16	1.71	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	7.65	<1.50	<3.09
PJ#503	18-Nov-87	F16	29.00	<9.90	<4.90	<7.20	<5.60	<5.10		<6.20		<8.80	<45.00	130.00	<15.00	<3.09

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03M505	09-Nov-87	F16														<3.09
PJ#506	18-Nov-87	F16														
PJ#506	19-Nov-87	F16	180.00	<50.00	<24.00	<36.00	<28.00	<26.00		<31.00		<44.00	<220.00	890.00	<75.00	<3.09
PJ#507	18-Nov-87	F16	190.00	<50.00	<24.00	<36.00	<28.00	<26.00		<31.00		<44.00	<220.00	890.00	<75.00	<3.09
PJ#508	23-Aug-88	F19	250.00	<20.00	45.00		61.00	<10.00		<20.00		<20.00		790.00	<38.00	<8.20
04U510	18-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
04U510	15-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U521	20-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	2.70	<1.50	<3.09
03U521	11-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U521	24-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.66	<1.90	
03U521	18-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U524	16-Nov-87	F16														
01U524	17-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U524	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U524	16-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U524	21-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U525	16-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U525	17-Nov-87	F16														
01U525	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U525	15-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U525	14-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U525	27-Apr-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U525	26-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U525	26-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U526	17-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	2.80	<1.50	<3.09
01U526	07-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.99	<1.90	<0.41
01U526	15-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.16	<1.90	<0.41
01U526	14-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.74	<1.90	
01U526	09-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.93	<1.90	<0.41
01U526	26-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.95	<1.50	<3.09
01U526	26-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		2.50	<1.50	<3.09
01U527	17-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U527	11-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U527	25-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U527	21-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
01U601	07-Dec-87	F16	<1.60	<2.00	<1.00	<1.40	<1.10	<1.00		<1.20		<1.80	<9.00	3.60	<3.00	<6.20
01U604	07-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
01U611	08-Dec-87	F16	<4000.00	<5000.00	<2400.00	<3600.00	<2800.00	<2600.00		<3100.00		<4400.00	<22000.00	120000.00	<7500.00	<15000.00
01U615	07-Dec-87	F16	<81.00	<99.00	<49.00	<72.00	490.00	<51.00		<62.00		<88.00	<450.00	1500.00	<150.00	<3.09

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2-DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO-2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
01U617	19-Aug-88	F19	<1.00	<1.00	<1.00		6.29	<0.50		<1.00		<1.00		1.72	<1.90	<0.41
01U618	19-Aug-88	F19	<1.00	<1.00	<1.00		1.21	<0.50		<1.00		<1.00		3.96	<1.90	<0.41
01U619	19-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.74	<1.90	<0.41
01U634	12-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U634	26-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U636	12-May-89	F22	1.75	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.82	<1.90	<0.41
01U636	26-Jul-89	F23	3.56	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		3.31	<1.50	<3.09
01U639	12-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.85	<1.90	<0.41
01U639	26-Jul-89	F23	<1.60	<2.00	<0.98		<1.10	<1.00		<1.20		<1.80		41.00	4.70	<3.09
01U640	26-Jul-89	F23	2.60	<2.00	<0.98		<1.10	<1.00		<1.20		<1.80		30.00	7.90	<3.09
01U652	12-May-89	F22	<1.00	<1.00	<1.00		37.30	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
01U652	26-Jul-89	F23	<0.81	<0.99	<0.49		28.50	<0.51		<0.62		<0.88		<1.10	2.20	<3.09
01U652	27-Oct-89	F24	<0.81	<0.99	<0.49		18.70	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03U658	27-Jul-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.25	<0.20	
03U658	13-Oct-89	H24	0.90	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		7.20	<1.00	
03U659	25-Oct-89	H24	280.00	<20.00	43.00	<20.00		<20.00	370.00		<20.00	<20.00		3600.00	<100.00	
01U666	12-May-89	F22	<1.00	<1.00	<1.00		18.70	<0.50		<1.00		<1.00		77.00	<1.90	<0.41
03U671	04-Dec-87	F16	30.00	<20.00	<10.00	<14.00	<11.00	<10.00		<12.00		15.00	<90.00	280.00	<30.00	
03U671	22-Jan-88	H17	60.00	<0.20	12.00	2.10		<0.20	10.50		<0.20	47.00		341.00	<0.20	
03U671	13-May-88	H18	40.00	0.47	8.70	2.60		<0.20	6.40		<0.20	18.00		266.00	<0.20	
03U671	08-Aug-88	H19	82.00	0.25	12.00	2.80		<0.20	11.00		<0.20	40.00		540.00	<0.20	
03U671	22-Aug-88	F19	50.00	<5.00	9.20		13.00	<2.50		<5.00		29.00		230.00	<9.50	<2.10
03U671	26-Oct-88	H20	30.00	<0.50	4.60	1.90		<1.00	4.20		<0.50	15.00		205.00	<0.50	
03U671	16-Oct-89	H24	17.00	<1.00	3.80	<1.00		<1.00	<1.00		<1.00	6.30		130.00	<5.00	
03U672	13-Nov-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.30	<0.20	
03U672	14-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
03U672	18-May-88	H18	9.40	<0.20	<0.20	<0.20		<0.20	0.25		<0.20	<0.20		92.00	<0.20	
03U672	27-Jul-88	H19	0.52	<0.20	<0.20	0.21		<0.20	<0.20		<0.20	<0.20		5.70	<0.20	
03U672	28-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		0.91	<0.50	
03U672	19-Apr-89	H22	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.10	<1.00	
03U672	12-Jul-89	H23	0.30	<0.20	0.90	<0.20		<0.20	<0.20		<0.20	<0.20		1.80	<1.00	
03U672	18-Oct-89	H24	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.30	<1.00	
03U673	13-Nov-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.30	<0.20	
03L673	12-Nov-87	H16	<0.20	<0.20	5.00	7.00		<0.20	77.00		<0.20	<0.20		1200.00	<0.20	
04U673	24-Nov-87	H16	<0.20	0.65	4.61	6.30		<0.20	<0.20		<0.20	<0.20	<0.20	145.00	<0.20	0.65
04U673	21-Jan-88	H17	<4.00	<4.00	5.10	4.30		<4.00	105.00	<4.00	<4.00	<4.00	<4.00	580.00	<4.00	<4.00
04U673	16-May-88	H18	0.33	0.50	3.30	5.60		<0.20	82.00		<0.20	<0.20		560.00	<0.20	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2-DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO-2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
04U673	04-Aug-88	H19	1.70	0.31	2.10	5.20		<0.20	70.00		<0.20	<0.20		253.00	<0.20	
04U673	01-Nov-88	H20	2.00	<0.50	<0.50	13.00		<1.00	220.00		<0.50	<0.50		1700.00	<0.50	
04U673	03-May-89	F22	<2.00	<2.00	5.80		170.00	<1.00		<2.00		<2.00		700.00	<3.80	<0.82
04U673	21-Jul-89	F23	<40.00	<50.00	<24.00		86.00	<26.00		<31.00		<44.00		1200.00	<75.00	<150.00
04U673	19-Oct-89	H24	<10.00	<10.00	<10.00	<10.00		<10.00	62.00		<10.00	<10.00		1100.00	<50.00	
04U673	19-Oct-89	F24	25.10	<0.99	3.59		100.00	<0.51		<0.62		<0.88		1900.00	<1.50	<3.09
03U676	03-Nov-87	H16	74.00	<5.00	<1.50	11.00		<1.00	160.00		<1.50	5.30		220.00	<2.50	
03U701	20-Jan-88	H17	258.00	0.67	86.20	90.20		0.49	20.00		<0.20	15.00		1200.00	<0.20	
03U701	12-May-88	H18	334.00	0.31	15.00	10.00		0.72	6.60		<0.20	13.00		635.00	<0.20	
03U701	02-Aug-88	H19	499.00	0.57	16.00	23.00		<0.20	16.00		<0.20	20.00		1220.00	<0.20	
03U701	21-Oct-88	H20	110.00	<0.50	10.00	20.00		<1.00	12.00		<0.50	11.00		500.00	<0.50	
03U701	17-Oct-89	H24	130.00	<2.00	25.00	<2.00		<2.00	<2.00		<2.00	5.40		190.00	<10.00	
04U701	20-Jan-88	H17	51.00	<0.20	8.40	5.00		<0.20	1.10		<0.20	<0.20		155.00	<0.20	
04U701	12-May-88	H18	38.00	<0.20	6.80	5.00		<0.20	<0.20		<0.20	<0.20		411.00	<0.20	
04U701	02-Aug-88	H19	42.00	<0.20	3.00	6.80		<0.20	2.00		<0.20	<0.20		160.00	<0.20	
04U701	21-Oct-88	H20	19.00	<0.50	5.00	13.00		<1.00	4.40		<0.50	<0.50		80.00	<0.50	
04U701	17-Oct-89	H24	37.00	<1.00	7.80	2.30		<1.00	<1.00		<1.00	<1.00		130.00	<5.00	
03U702	20-Jan-88	H17	143.00	<0.20	20.00	<0.20		<0.20	0.40		<0.20	0.80		170.00	<0.20	
03U702	13-May-88	H18	120.00	<0.20	6.90	<0.20		<0.20	<0.20		<0.20	0.54		120.00	<0.20	
03U702	08-Aug-88	H19	164.00	<0.20	10.00	<0.20		1.20	0.55		<0.20	0.85		365.00	<0.20	
03U702	25-Oct-88	H20	45.00	<0.50	5.70	0.86		<1.00	<0.50		<0.50	<0.50		80.00	<0.50	
03U702	13-Oct-89	H24	27.00	<0.20	9.00	0.60		<0.20	<0.20		<0.20	<0.20		36.00	<1.00	
04U702	20-Jan-88	H17	31.60	<0.20	4.00	2.20		<0.20	0.90		<0.20	<0.20		97.70	<0.20	
04U702	13-May-88	H18	33.00	<0.20	5.40	5.00		<0.20	1.30		<0.20	<0.20		200.00	<0.20	
04U702	02-Aug-88	H19	38.00	<0.20	1.60	4.10		<0.20	1.40		<0.20	<0.20		133.00	<0.20	
04U702	25-Oct-88	H20	27.00	<0.50	2.60	4.30		<1.00	1.60		<0.50	<0.50		100.00	<0.50	
04U702	13-Oct-89	H24	11.00	<0.20	2.20	1.70		<0.20	0.30		<0.20	<0.20		38.00	<1.00	
04J702	13-Oct-89	H24	10.00	<0.20	2.90	2.80		<0.20	<0.20		<0.20	<0.20		30.00	<1.00	
03U703	15-Jan-88	H17	24.00	<2.00	57.00	66.00		<2.00	102.00		<2.00	30.00		1130.00	<2.00	
03U703	16-May-88	H18	60.00	<0.20	30.00	49.00		<0.20	52.00		1.10	5.90		840.00	<0.20	
03U703	04-Aug-88	H19	81.00	0.43	31.00	45.00		<0.20	100.00		0.65	5.80		632.00	<0.20	
03U703	24-Oct-88	H20	25.00	0.55	25.00	<1.00		<1.00	257.00		<0.50	3.30		4500.00	<0.50	
03U703	12-Oct-89	H24	19.00	<10.00	<10.00	<10.00		<10.00	57.00		<10.00	<10.00		900.00	<50.00	
03U704	10-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	<3.09
03U704	25-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.50	<0.20	
03U704	05-Apr-88	F18	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		4.36	<1.90	<0.41
03U704	17-May-88	H18	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		3.90	<0.20	
03U704	29-Jul-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
03U704	08-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
03U704	27-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		3.30	<0.50	
03U704	16-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.09	<1.90	
03U704	20-Apr-89	H22	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		6.90	<1.00	
03U704	19-Jul-89	H23	0.30	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		3.70	<1.00	
03U704	20-Oct-89	H24	2.90	<0.20	0.30	<0.20		<0.20	<0.20		<0.20	<0.20		38.00	<1.00	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03U705	25-Jan-88	H17	3.10	<0.20	<0.20	<0.20		0.27	0.42		<0.20	<0.20		14.00	<0.20	
03U705	17-May-88	H18	<0.20	<0.20	<0.20	<0.20		1.20	<0.20		<0.20	<0.20		2.00	<0.20	
03U705	08-Aug-88	H19	2.60	<0.20	<0.20	<0.20		<0.20	0.42		<0.20	<0.20		26.00	<0.20	
03U705	12-Oct-89	H24	14.00	<0.40	2.20	<0.40		<0.40	<0.40		<0.40	<0.40		71.00	<2.00	
03U706	25-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.50	<0.20	
03U706	10-May-88	H18	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		3.17	<0.20	
03U706	29-Jul-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
03U706	25-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		1.00	<0.50	
03U706	12-Oct-89	H24	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		2.40	<1.00	
03U707	25-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.28	<0.20	
03U707	17-May-88	H18	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.20	<0.20	
03U707	29-Jul-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.23	<0.20	
03U707	25-Oct-88	H20	0.80	<0.50	<0.50	1.00		<1.00	<0.50		<0.50	<0.50		5.30	<0.50	
03U707	20-Oct-89	H24	1.10	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		13.00	<1.00	
03U708	22-Jan-88	H17	11.00	<0.20	2.70	0.51		<0.20	0.78		<0.20	21.00		72.00	<0.20	
03U708	10-May-88	H18	10.00	<0.20	2.10	2.00		<0.20	7.60		<0.20	12.00		38.00	<0.20	
03U708	04-Aug-88	H19	36.00	<0.20	7.40	0.94		<0.20	15.00		<0.20	44.00		152.00	<0.20	
03U708	24-Oct-88	H20	20.00	<0.50	2.40	1.40		<1.00	12.40		<0.50	6.10		125.00	<0.50	
03U708	31-Oct-88	H20	42.00	<0.50	5.50	0.98		<1.00	16.00		<0.50	33.00		145.00	<0.50	
03U708	12-Oct-89	H24	10.00	<0.40	3.00	1.30		<0.40	7.20		<0.40	14.00		57.00	<2.00	
04U708	22-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	0.22		<0.20	<0.20		1.00	<0.20	
04U708	10-May-88	H18	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.25	<0.20	
04U708	04-Aug-88	H19	0.24	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
04U708	04-Jan-89	H21	1.20	<1.00	<1.00	1.10		<1.00	<1.00		<1.00	<1.00		<1.00	<1.00	
04U708	12-Oct-89	H24	1.50	<0.20	0.70	1.60		<0.20	<0.20		<0.20	<0.20		8.60	<1.00	
04J708	04-Jan-89	H21	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		3.30	<1.00	
04J708	12-Oct-89	H24	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.60	<1.00	
03U709	22-Jan-88	H17	2.30	<0.20	<0.20	<0.20		<0.20	0.32		<0.20	11.80		420.00	<0.20	
03U709	12-May-88	H18	3.40	2.00	<0.20	<0.20		<0.20	<0.20		<0.20	7.30		270.00	<0.20	
03U709	08-Aug-88	H19	4.00	3.20	<0.20	<0.20		<0.20	1.10		<0.20	9.40		440.00	<0.20	
03U709	26-Oct-88	H20	7.10	3.40	<0.50	<1.00		<1.00	<0.50		<0.50	7.60		225.00	<0.50	
03U709	17-Oct-89	H24	22.00	13.00	4.40	<1.00		<1.00	<1.00		<1.00	5.80		140.00	<5.00	
04U709	22-Jan-88	H17	73.00	<0.20	19.40	32.00		0.32	6.00		<0.20	<0.20		275.00	<0.20	
04U709	12-May-88	H18	16.00	<0.20	7.60	22.00		0.47	4.70		<0.20	<0.20		117.00	<0.20	
04U709	08-Aug-88	H19	14.00	<0.20	7.50	28.00		1.00	7.80		<0.20	<0.20		100.00	<0.20	
04U709	26-Oct-88	H20	19.00	<0.50	5.10	25.00		0.79	7.50		<0.50	<0.50		95.00	<0.50	
04U709	17-Oct-89	H24	80.00	<4.00	29.00	51.00		<4.00	7.70		<4.00	<4.00		370.00	<20.00	
03U710	14-Jan-88	H17	34.00	<0.20	23.00	26.00		<0.20	47.00		<0.20	<0.20		1780.00	<0.20	
03U710	18-May-88	H18	130.00	1.90	50.00	42.00		1.70	66.00		0.36	<0.20		2920.00	<0.20	
03U710	03-Aug-88	H19	216.00	2.80	18.00	38.00		4.40	68.00		0.62	<0.20		3340.00	<0.20	
03U710	26-Oct-88	H20	120.00	1.50	25.00	31.00		4.10	48.00		3.60	<0.50		1440.00	<0.50	
03U710	25-Oct-89	H24	90.00	<10.00	40.00	21.00		<10.00	24.00		<10.00	<10.00		1100.00	<50.00	
03U711	19-Apr-89	H22	6.70	<0.20	<2.00	0.50		<0.20	6.20		<0.20	17.00		23.00	<1.00	
03U711	12-Jul-89	H23	6.50	<0.20	3.30	0.90		<0.20	7.90		<0.20	26.00		28.00	<1.00	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03U711	18-Oct-89	H24	9.80	<0.20	2.50	0.50		<0.20	7.60		<0.20	31.00		45.00	<1.00	
04U711	19-Apr-89	H22	1.40	<0.20	<0.50	0.70		<0.20	0.30		<0.20	<0.20		<2.00	<1.00	
04U711	12-Jul-89	H23	5.00	<0.20	1.10	1.40		<0.20	<0.20		<0.20	<0.20		4.40	<1.00	
04U711	18-Oct-89	H24	2.70	<0.20	0.50	2.20		<0.20	<0.20		<0.20	<0.20		2.00	<1.00	
03M713	04-Jan-89	H21	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		<1.00	<1.00	
04U713	06-Jan-89	H21	7.50	<1.00	<1.00	<1.00		<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	27.00	<1.00	<1.00
04U713	23-Oct-89	H24	3.50	<2.00	0.70	2.20		<2.00	0.30		<2.00	<2.00		15.00	<10.00	
04J713	04-Jan-89	H21	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		42.00	<1.00	
04J713	13-Oct-89	H24	2.60	<0.20	0.60	0.70		<0.20	<0.20		<0.20	<0.20		9.60	<1.00	
04U714	04-Jan-89	H21	4.90	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		13.00	<1.00	
04U714	18-Apr-89	H22	2.70	<0.20	<0.80	1.00		<0.20	<0.20		<0.20	<0.20		19.00	<1.00	
04U714	12-Jul-89	H23	3.10	<0.20	1.00	1.00		<0.20	0.20		<0.20	<0.20		13.00	<1.00	
04U714	13-Oct-89	H24	4.90	<0.20	1.10	0.60		<0.20	<0.20		<0.20	<0.20		26.00	<1.00	
04J714	04-Jan-89	H21	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		6.10	<1.00	
04J714	18-Apr-89	H22	1.50	<0.20	<1.00	0.40		<0.20	<0.20		<0.20	<0.20		12.00	<1.00	
04J714	11-Jul-89	H23	2.30	<0.20	1.00	1.10		<0.20	0.20		<0.20	<0.20		9.30	<1.00	
04J714	13-Oct-89	H24	1.20	<0.20	<0.20	0.50		<0.20	<0.20		<0.20	<0.20		5.00	<1.00	
03U801	03-Dec-87	F16	<160.00	<200.00	<100.00	<140.00	<110.00	<100.00		<120.00		<180.00	<900.00	4800.00	<300.00	
03M802	03-Dec-87	F16	<400.00	<500.00	<240.00	<360.00	<280.00	<260.00		<310.00		<440.00	<2200.00	8900.00	<750.00	
03L802	03-Dec-87	F16	<400.00	<500.00	<240.00	<360.00	<280.00	<260.00		<310.00		<440.00	<2200.00	13000.00	<750.00	
03L802	21-Jan-88	H17	30.00	<5.00	33.00	50.00		<5.00	325.00		<5.00	<5.00		11500.00	<5.00	
03L802	13-May-88	H18	50.00	1.40	22.00	26.00		1.30	168.00		0.60	0.59		7540.00	<0.20	
03L802	04-Aug-88	H19	27.00	1.10	17.00	23.00		0.28	147.00		0.24	0.38		3180.00	<0.20	
03L802	28-Oct-88	H20	6.30	<0.50	7.50	16.00		<1.00	90.00		<0.50	<0.50		2200.00	<0.50	
03L802	20-Apr-89	H22	3.20	<0.20	5.00	8.50		<0.20	27.00		<0.20	<0.20		7.30	<1.00	
03L802	12-Jul-89	H23	4.80	<4.00	<4.00	12.00		<4.00	32.00		<4.00	<4.00		810.00	<20.00	
03L802	18-Oct-89	H24	8.80	<0.20	5.30	6.30		<0.20	12.00		<0.20	<0.20		350.00	<1.00	
PJ#802	02-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
04U802	02-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	3.20	<1.50	
04U802	21-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		2.00	<0.20	
04U802	13-May-88	H18	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		6.70	<0.20	
04U802	04-Aug-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		2.60	<0.20	
04U802	24-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.80	<1.90	
04U802	28-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		1.50	<0.50	
04U802	18-Oct-89	H24	0.60	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.40	<1.00	
03U803	01-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03U803	28-Oct-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		1.60	<0.50	
03U804	01-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03U804	21-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		2.40	<0.20	
03U804	13-May-88	H18	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03U804	04-Aug-88	H19	0.55	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		3.70	<0.20	
03U804	17-Oct-89	H24	1.40	<0.20	0.20	<0.20		<0.20	<0.20		<0.20	<0.20		8.20	<1.00	
03U805	01-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03U805	21-Jan-88	H17	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.30	<0.20	
03U805	13-May-88	H18	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.65	<0.20	
03U805	09-Aug-88	H19	0.36	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.40	<0.20	
03U805	01-Nov-88	H20	<0.50	<0.50	<0.50	<1.00		<1.00	<0.50		<0.50	<0.50		1.60	<0.50	
03U805	18-Oct-89	H24	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.60	<1.00	
03U806	02-Dec-87	F16	18.60	<0.99	2.88	15.50	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03M806	02-Dec-87	F16	140.00	<50.00	27.00	47.00	<28.00	<26.00		<31.00		<44.00	<220.00	890.00	<75.00	
03L806	02-Dec-87	F16	1700.00	<200.00	260.00	340.00	<110.00	<100.00		<120.00		<180.00	<900.00	5100.00	<300.00	
03L806	19-Jan-88	H17	1250.00	2.60	262.00	370.00		8.30	67.00		<0.20	<0.20		3500.00	<0.20	
03L806	12-May-88	H18	378.00	0.66	134.00	304.00		6.10	66.00		0.24	<0.20		740.00	0.25	
03L806	04-Aug-88	H19	810.00	0.71	232.00	403.00		7.80	124.00		<0.20	<0.20		2065.00	0.68	
03L806	25-Oct-88	H20	1170.00	0.73	150.00	300.00		6.60	120.00		<0.50	<0.50		3890.00	<0.50	
03L806	16-Oct-89	H24	590.00	<10.00	230.00	130.00		<10.00	27.00		<10.00	<10.00		2000.00	<50.00	
PJ#806	02-Dec-87	F16	130.00	<50.00	<24.00	<36.00	<28.00	<26.00		<31.00		<44.00	<220.00	490.00	<75.00	
PJ#806	19-Jan-88	H17	685.00	0.54	190.00	121.00		3.40	35.00		<0.20	<0.20		1870.00	0.70	
PJ#806	12-May-88	H18	209.00	<0.20	24.00	29.00		0.75	6.10		<0.20	<0.20		356.00	<0.20	
PJ#806	04-Aug-88	H19	28.00	<0.20	9.70	16.00		<0.20	4.80		<0.20	<0.20		103.00	<0.20	
PJ#806	21-Oct-88	H20	39.00	<0.50	7.70	23.00		<1.00	7.10		<0.50	<0.50		110.00	<0.50	
PJ#806	16-Oct-89	H24	71.00	<2.00	34.00	37.00		<2.00	6.90		<2.00	<2.00		250.00	<10.00	
04U806	02-Dec-87	F16	820.00	<99.00	110.00	160.00	<56.00	<51.00		<62.00		<88.00	<450.00	2500.00	<150.00	
04U806	12-May-88	H18	790.00	0.52	246.00	209.00		4.00	23.00		0.22	<0.20		1720.00	<0.20	
04U806	04-Aug-88	H19	608.00	0.41	105.00	169.00		3.60	32.00		<0.20	<0.20		1720.00	0.55	
04U806	21-Oct-88	H20	540.00	<0.50	73.00	92.00		3.50	35.00		<0.50	<0.50		1500.00	<0.50	
04U806	19-Apr-89	H22	130.00	<0.20	89.00	150.00		3.10	37.00		0.20	<0.20		690.00	<1.00	
04U806	16-Oct-89	H24	440.00	<10.00	170.00	110.00		<10.00	17.00		<10.00	15.00		1400.00	<50.00	
03L809	10-May-89	F22	1030.00	<50.00	230.00		45.00	<25.00		<50.00		<50.00		1900.00	<95.00	<21.00
03L809	20-Oct-89	F24	380.00	<99.00	150.00		140.00	<51.00		<62.00		<88.00		1800.00	<150.00	<3.09
01L811	25-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03U811	25-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03U811	04-May-89	F22	14.90	<1.00	5.50		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U811	24-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03U811	20-Oct-89	F24	1.01	<0.99	0.74		<0.56	<0.51		<0.62		<0.88		4.18	<1.50	<3.09
03L811	25-Nov-87	F16	16.80	<0.99	0.55	4.58	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03L811	04-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.87	<1.90	<0.41
03L811	24-Jul-89	F23	11.60	<0.99	3.74		0.60	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03L811	20-Oct-89	F24	4.75	<0.99	2.84		1.39	<0.51		<0.62		<0.88		2.89	<1.50	<3.09
01L813	25-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03L813	25-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
03L813	05-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.64	<1.90	<0.41
03L813	24-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03L813	20-Oct-89	F24	0.98	<0.99	0.73		<0.56	<0.51		<0.62		<0.88		6.24	<1.50	<6.20
01L816	25-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
01L821	30-Nov-87	F16	<1.60	<2.00	<1.00	15.00	39.00	3.00		<1.20		<1.80	<9.00	2.80	110.00	
03U821	30-Nov-87	F16	230.00	<99.00	<49.00	<72.00	<56.00	<51.00		<62.00		<88.00	<450.00	1300.00	<150.00	
03U821	10-May-89	F22	62.00	<5.00	17.00		9.20	<2.50		<5.00		<5.00		210.00	<9.50	<2.10
03U821	25-Jul-89	F23	140.00	<50.00	<24.00		<28.00	<26.00		<31.00		<44.00		950.00	140.00	<150.00
03U821	24-Oct-89	F24	66.00	<50.00	39.00		59.00	<26.00		<31.00		<44.00		380.00	<75.00	<150.00
04U821	30-Nov-87	F16	170.00	<50.00	<24.00	<36.00	<28.00	<26.00		<31.00		<44.00	<220.00	950.00	<75.00	
01L822	01-Dec-87	F16	<16.00	<20.00	<10.00	<14.00	43.00	<10.00		<12.00		<18.00	<90.00	<22.00	<30.00	
03U822	01-Dec-87	F16	19.70	<0.99	0.62	2.90	<0.56	<0.51		<0.62		<0.88	<4.50	1.65	<1.50	
03U822	05-May-89	F22	14.30	<1.00	2.77		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	0.48
03U822	24-Jul-89	F23	10.50	<0.99	1.66		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03U822	23-Oct-89	F24	6.29	<0.99	2.03		1.46	<0.51		<0.62		<0.88		1.40	<1.50	<3.09
03L822	01-Dec-87	F16	18.00	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03L822	05-May-89	F22	11.20	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.96	<1.90	0.68
03L822	24-Jul-89	F23	19.30	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03L822	23-Oct-89	F24	19.00	<0.99	1.08		<0.56	<0.51		<0.62		<0.88		14.80	<1.50	<3.09
01L823	01-Dec-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03U824	01-Dec-87	F16	260.00	<99.00	<49.00	<72.00	<56.00	<51.00		<62.00		<88.00	<450.00	1300.00	<150.00	
03U831	25-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03U831	10-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U831	25-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03U831	24-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03U832	24-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03U832	09-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03U832	24-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03U832	24-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.78	<1.50	<3.09
03L832	24-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03L832	16-Dec-88	H20	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		<1.00	<1.00	
03L832	09-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03L832	24-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03L832	24-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.42	<1.50	<3.09
04U832	24-Nov-87	F16	25.00	<5.00	2.80	<3.60	<2.80	<2.60		<3.10		<4.40	<22.00	100.00	<7.50	
04U832	16-Dec-88	H20	18.00	<1.00	<1.00	5.60		<1.00	<1.00		<1.00	<1.00		65.00	<1.00	
03L841	20-Oct-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		1.00	<0.20	
03L841	12-Nov-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.50	<0.20	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
04U841	20-Oct-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.50	<0.20	
04U841	25-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03M843	24-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03M843	05-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03M843	25-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03M843	23-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.45	<1.50	<3.09
04U843	24-Nov-87	F16	1.85	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
04U843	24-Aug-88	F19	4.87	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		2.34	<1.90	
04U844	03-Dec-87	F16	170.00	<50.00	<24.00	<36.00	<28.00	<26.00		<31.00		<44.00	<220.00	950.00	<75.00	
04U844	04-May-89	F22	81.00	<10.00	19.00		<5.00	<5.00		<10.00		<10.00		310.00	<19.00	<4.10
04U844	18-Oct-89	F24	96.00	<0.99	41.00		4.76	1.65		<0.62		1.05		600.00	<1.50	<3.09
04U845	01-Dec-87	F16	<4.00	<5.00	<2.40	<3.60	<2.80	<2.60		<3.10		<4.40	<22.00	59.00	<7.50	
04U845	16-Dec-88	H20	<1.00	<1.00	<1.00	<1.00		<1.00	4.30		<1.00	<1.00		155.00	<1.00	
04U845	04-May-89	F22	<1.00	<1.00	<1.00		7.57	<0.50		<1.00		<1.00		100.00	<1.90	<0.41
04U845	20-Jul-89	F23	<8.10	<9.90	<4.90		<5.60	<5.10		<6.20		<8.80		160.00	<15.00	<30.90
04U845	20-Oct-89	F24	<8.10	<9.90	<4.90		15.00	<5.10		<6.20		<8.80		62.00	<15.00	<31.00
03L846	18-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03L846	19-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
04U846	25-Nov-87	F16	8.54	<0.99	1.03	1.23	<0.56	<0.51		<0.62		<0.88	<4.50	22.50	<1.50	
04U846	23-Aug-88	F19	30.00	<1.00	10.00		<0.50	<0.50		<1.00		<1.00		120.00	<1.90	
04U846	28-Apr-89	F22	1.06	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		4.27	<1.90	<0.41
04U846	18-Jul-89	F23	1.21	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		9.00	<1.50	<3.09
04U846	19-Oct-89	F24	1.93	<0.99	0.82		<0.56	<0.51		<0.62		<0.88		13.70	<1.50	<3.09
04U847	30-Nov-87	F16	1000.00	<50.00	160.00	96.00	<28.00	<26.00		<31.00		<44.00	<220.00	700.00	<75.00	
04U847	23-Aug-88	F19	1100.00	<20.00	300.00		63.00	<10.00		<20.00		<20.00		970.00	<38.00	
04U847	03-May-89	F22	50.70	<1.00	8.02		0.60	<0.50		<1.00		<1.00		12.00	<1.90	<0.41
04U847	21-Jul-89	F23	200.00	<25.00	33.00		<14.00	<13.00		<16.00		<22.00		350.00	<38.00	<3.09
04U847	20-Oct-89	F24	460.00	<20.00	100.00		34.00	16.00		<12.00		<88.00		330.00	<30.00	<62.00
03M848	02-Dec-87	F16	<20.00	<25.00	<12.00	<18.00	110.00	<13.00		<16.00		<22.00	<110.00	440.00	<38.00	
03L848	02-Dec-87	F16	<40.00	<50.00	<24.00	<36.00	<28.00	<26.00		<31.00		<44.00	<220.00	570.00	<75.00	
03L848	03-May-89	F22	1.56	<1.00	2.64		24.90	<0.50		<1.00		<1.00		270.00	<1.90	<0.41
03L848	20-Jul-89	F23	<16.00	<20.00	<9.80		<11.00	<10.00		<12.00		<18.00		130.00	<30.00	<62.00
03L848	19-Oct-89	F24	1.56	<0.99	1.16		21.60	<0.51		<0.62		<0.88		610.00	<1.50	<3.09
04U848	02-Dec-87	F16	<40.00	<50.00	<24.00	<36.00	<28.00	<26.00		<31.00		<44.00	<220.00	700.00	<75.00	
04U848	24-Aug-88	F19	<20.00	<20.00	<20.00		26.00	<10.00		<20.00		<20.00		470.00	<38.00	
04U848	03-May-89	F22	<1.00	<1.00	1.79		21.90	<0.50		<1.00		<1.00		150.00	<1.90	<0.41
04U848	20-Jul-89	F23	<40.00	<50.00	<24.00		<28.00	<26.00		<31.00		<44.00		700.00	<75.00	<150.00
04U848	19-Oct-89	F24	0.85	<0.99	0.92		13.10	<0.51		<0.62		<0.88		280.00	<1.50	<3.09
04U849	01-Dec-87	F16	85.00	<20.00	8.20	<14.00	<11.00	<10.00		<12.00		<18.00	<90.00	460.00	<30.00	
04U849	24-Aug-88	F19	13.90	<1.00	2.46		3.93	<0.50		<1.00		<1.00		41.40	<1.90	
04U850	01-Dec-87	F16	71.00	<25.00	<12.00	<18.00	<14.00	<13.00		<16.00		<22.00	<110.00	480.00	<38.00	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2-DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO-2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
04U850	02-May-89	F22	10.00	<2.50	12.00		5.00	<1.30		<2.50		<2.50		110.00	<4.80	<1.00
04U850	19-Jul-89	F23	17.00	<9.90	<4.90		<5.60	<5.10		<6.20		<8.80		190.00	<15.00	<15.00
04U850	19-Oct-89	F24	15.60	<0.99	3.69		2.29	0.98		<0.62		<0.88		180.00	<1.50	<3.09
04U851	24-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	2.72	<1.50	
04U852	24-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	3.41	<1.50	
04U852	24-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.18	<1.90	
03L853	03-Dec-87	F16	440.00	<99.00	<49.00	<72.00	<56.00	<51.00		<62.00		<88.00	<450.00	2500.00	<150.00	
03L853	05-May-89	F22	320.00	<1.00	56.00		10.80	1.96		<1.00		3.90		1200.00	<1.90	<0.41
03L853	25-Jul-89	F23	190.00	<99.00	<49.00		<56.00	<51.00		<62.00		<88.00		1300.00	<150.00	<310.00
03L853	23-Oct-89	F24	280.00	<99.00	90.00		<56.00	<51.00		<62.00		<88.00		1900.00	<150.00	<309.00
03L854	20-Oct-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
03L854	24-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03L854	16-Dec-88	H20	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		<1.00	<1.00	
03L854	20-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03L854	27-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
04U854	20-Oct-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	2.60		<0.20	<0.20		48.40	<0.20	
04U854	13-Nov-87	H16	<0.20	<0.20	0.40	0.70		<0.20	3.40		<0.20	<0.20		50.70	<0.20	
04U854	16-Dec-88	H20	<1.00	<1.00	<1.00	<1.00		<1.00	3.70		<1.00	<1.00		140.00	<1.00	
04U854	04-May-89	F22	<1.00	<1.00	<1.00		4.68	<0.50		<1.00		<1.00		27.30	<1.90	<0.41
04U854	20-Jul-89	F23	<16.00	<20.00	<9.80		<11.00	<10.00		<12.00		<18.00		360.00	<30.00	<62.00
04U854	17-Oct-89	F24	<0.81	<0.99	0.75		3.70	<0.51		<0.62		<0.88		89.00	<1.50	<3.09
04U855	25-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03L856	24-Nov-87	F16	6.90	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
03L856	05-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
03L856	25-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
03L856	23-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.47	<1.50	<3.09
03L858	24-Nov-87	F16	<2.00	<2.50	<1.20	<1.80	<1.40	<1.30		<1.60		<2.20	<11.00	7.90	<3.80	
03L858	08-May-89	F22	43.50	<1.00	<1.00		3.10	<0.50		<1.00		<1.00		5.26	<1.90	<0.41
03L858	21-Jul-89	F23	46.00	<5.00	<2.40		<2.80	<2.60		<3.10		<4.40		7.60	<7.50	<15.00
03L858	23-Oct-89	F24	<4.00	<5.00	<2.40		6.40	<2.60		<3.10		<4.40		11.00	<7.50	<15.00
03L859	13-Nov-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	0.40		<0.20	<0.20	
03L859	15-Dec-88	H20	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		<1.00	<1.00	
04U859	13-Nov-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.30	<0.20	
04U859	15-Dec-88	H20	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		8.50	<1.00	
03L860	13-Nov-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
03L860	15-Dec-88	H20	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		<1.00	<1.00	
04U860	13-Nov-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.50	<0.20	
04U860	15-Dec-88	H20	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		1.80	<1.00	
03L861	12-Nov-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
03L861	15-Dec-88	H20	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		<1.00	<1.00	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2-DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO-2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
04U861	12-Nov-87	H16	0.30	<0.20	<0.20	1.00		<0.20	<0.20		<0.20	<0.20		1.50	<0.20	
04U861	16-Dec-88	H20	3.40	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		9.80	<1.00	
04U871	20-Jun-88	H18	84.00	0.42	8.40	8.60		1.20	1.80		<0.20	0.58		330.00	<0.20	
04U871	07-Jul-88	H19	70.00	<0.20	7.80	9.00		<0.20	1.60		<0.20	0.29		272.00	<0.20	
04U871	23-Aug-88	F19	110.00	<10.00	32.00		<5.00	<5.00		<10.00		<10.00		420.00	<19.00	<4.10
04U871	08-Nov-88	F20	110.00	<10.00	14.00		<5.00	<5.00		<10.00		<10.00		380.00	<19.00	
04U871	31-Jan-89	H21	4.80	<1.00	<1.00	4.50		<1.00	<1.00		<1.00	<1.00		31.00	<1.00	
04U871	05-May-89	F22		<2.00												
04U871	08-May-89	F22	5.20		2.50		<1.00	<1.00		<2.00		<2.00		33.00	<3.80	<0.82
04U871	19-Jul-89	F23	<1.60	<2.00	<0.98		<1.10	<1.00		<1.20		<1.80		24.00	<3.00	<6.20
04U871	23-Oct-89	F24	3.20	<2.00	1.60		2.60	<1.00		<1.20		<1.80		23.00	<3.00	<6.20
04U872	13-Jul-88	H19	19.00	<0.20	3.00	4.30		<0.20	0.68		<0.20	<0.20		102.00	<0.20	
04U872	24-Aug-88	F19	6.20	<5.00	6.50		<2.50	<2.50		<5.00		<5.00		53.00	<9.50	<2.10
04U872	08-Nov-88	F20	5.50	<2.00	<2.00		<1.00	<1.00		<2.00		<2.00		39.00	<3.80	
04U872	01-Feb-89	H21	2.30	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		12.00	<1.00	
04U872	08-May-89	F22	2.08	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		16.50	<1.90	<0.41
04U872	19-Jul-89	F23	0.89	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		13.20	<1.50	<3.09
04U872	23-Oct-89	F24	2.09	<0.99	0.92		1.17	<0.51		<0.62		<0.88		25.40	<1.50	<3.09
04U875	20-Jun-88	H18	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
04U875	23-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.90	<1.90	0.98
04U875	09-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
04U875	07-Feb-89	H21	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		<1.00	<1.00	
04U875	19-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
04U875	19-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.45	<1.50	<3.09
04U877	23-Aug-88	F19	93.00	<5.00	24.00		<2.50	<2.50		<5.00		<5.00		380.00	<9.50	<2.10
04U877	10-Nov-88	F20	32.00	<10.00	<10.00		<5.00	<5.00		<10.00		<10.00		180.00	<19.00	
04U877	08-Feb-89	H21	6.30	<1.00	1.50	2.60		<1.00	<1.00		<1.00	<1.00		38.00	<1.00	
04U877	02-May-89	F22	11.10	<1.00	4.83		0.67	<0.50		<1.00		<1.00		81.00	<1.90	<0.41
04U877	18-Jul-89	F23	8.10	<5.00	<2.40		<2.80	<2.60		<3.10		<4.40		89.00	<7.50	<15.00
04U877	19-Oct-89	F24	7.55	<0.99	2.01		1.38	<0.51		<0.62		<0.88		95.00	<1.50	<3.09
04U879	29-Jul-88	H19	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
04U879	01-Sep-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.09	<1.90	<0.41
04U879	08-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
04U879	08-Feb-89	H21	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		<1.00	<1.00	
04U879	19-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
04U879	17-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
04U880	01-Sep-88	F19	1.43	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		8.06	<1.90	<0.41
04U880	10-Nov-88	F20	3.35	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		16.40	<1.90	
04U880	06-Feb-89	H21	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		4.00	<1.00	
04U880	18-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
04U880	19-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.47	<1.50	<3.09
04U881	09-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		2.70	<1.90	
04U881	07-Feb-89	H21	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		2.30	<1.00	
04U881	18-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
04U881	18-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2-DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO-2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
04U882	13-Sep-88	F19	6.36	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		27.70	<1.90	<0.41
04U882	09-Nov-88	F20	7.73	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		32.30	<1.90	
04U882	31-Jan-89	H21	3.20	<1.00	<1.00	1.30		<1.00	<1.00		<1.00	<1.00		10.00	<1.00	
04U882	03-May-89	F22	1.50	<1.00	1.15		<0.50	<0.50		<1.00		<1.00		12.70	<1.90	0.82
04U882	17-Jul-89	F23	1.73	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		15.70	<1.50	<3.09
04U882	18-Oct-89	F24	0.96	<0.99	0.80		1.18	<0.51		<0.62		<0.88		6.43	<1.50	<3.09
04U883	14-Oct-88	F19														
04U883	14-Oct-88	H20	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
04U883	09-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
04U883	08-Feb-89	H21	<1.00	<1.00	<1.00	<1.00		<1.00	<1.00		<1.00	<1.00		<1.00	<1.00	
04U883	17-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
04U883	18-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.47	<1.50	<3.09
01U901	27-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U901	20-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
01U902	27-Jul-89	F23	<1.60	<2.00	<0.98		70.00	<1.00		<1.20		35.00		62.00	<3.00	<3.09
01U902	20-Oct-89	F24	<4.00	<5.00	<2.40		54.00	<2.60		<3.10		<4.40		8.90	<7.50	<15.00
134318	27-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
139035	31-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
139035	31-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
191942	30-Nov-87	F16	50.00	<25.00	<12.00	<18.00	<14.00	<13.00		<16.00		<22.00	<110.00	210.00	<38.00	
200154	31-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
200264	25-Aug-88	F19	15.90	1.31	1.68		19.50	<0.50		<1.00		15.90		7.48	<1.90	
200524	16-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		3.66	<1.90	
200803	16-Aug-88	F19	1.61	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		13.50	<1.90	
200814	31-Jul-89	F23	2.80	<2.00	<0.98		<1.10	<1.00		<1.20		<1.80		38.00	<3.00	<3.09
200814	30-Oct-89	F24	3.80	<2.00	2.00		2.40	<1.00		<1.20		<1.80		46.00	<3.00	<6.20
201082	31-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
206688	23-Oct-89	F24	1.72	<0.99	0.80		<0.56	<0.51		<0.62		<0.88		8.68	<1.50	<3.09
206787	24-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
231878	23-Oct-87	H16	0.60	<0.20	<0.20	<0.20		<0.20	4.70		<0.20	<0.20		49.90	<0.20	
233221	11-May-89	F22	2.17	<1.00	2.03		1.56	<0.50		<1.00		<1.00		29.20	<1.90	<0.41
233221	31-Jul-89	F23	4.50	<5.00	2.20		<2.80	<2.60		<3.10		<4.40		120.00	<7.50	<15.00
233221	30-Oct-89	F24	4.20	<5.00	4.00		5.90	<2.60		<3.10		<4.40		46.00	<7.50	<15.00
233222	25-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
233533	30-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
234319	26-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
234335	26-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
234337	23-Oct-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		<0.20	<0.20	
234353	12-May-89	F22	<1.00	<1.00	<1.00		0.66	<0.50		<1.00		1.34		4.10	<1.90	<0.41
234353	31-Jul-89	F23	<0.81	<0.99	<0.49		0.82	<0.51		<0.62		<0.88		4.47	<1.50	<3.09
234356	25-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
234356	26-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
234357	10-May-89	F22	1.38	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
234357	20-Jul-89	F23	1.05	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
234357	20-Oct-89	F24	1.35	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
234425	10-May-89	F22														<21.00
234425	11-May-89	F22	810.00	<50.00	140.00		<25.00	<25.00		<50.00		<50.00		3100.00	<95.00	
234430	09-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41
234430	27-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
234430	26-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
234463	08-May-89	F22	<1.00	<1.00	<1.00		<0.50	0.87		<1.00		<1.00		<0.50	<1.90	2.00
234463	03-Aug-89	F23	<0.81	<0.99	<0.49		<0.56	0.86		<0.62		<0.88		1.69	<1.50	3.45
234463	31-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		2.00	<1.50	<3.09
234547	10-May-89	F22	2.34	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		12.20	<1.90	<0.41
234547	31-Jul-89	F23	3.26	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		16.10	<1.50	<3.09
234547	30-Oct-89	F24	1.54	<0.99	0.78		1.24	<0.51		<0.62		<0.88		12.00	<1.50	<3.09
235539	26-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.49	<1.90	
235619	31-Jul-89	F23	<0.81	<0.99	<0.49		1.27	4.34		<0.62		<0.88		<1.10	<1.50	<3.09
235619	31-Oct-89	F24	<0.81	1.87	1.31		<0.56	<0.51		<0.62		<0.88		1.90	<1.50	<3.09
235735	31-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
235735	31-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
236122	12-Jul-88	H19	400.00	1.50	31.00	33.00		2.50	7.70		<0.20	2.40		1465.00	<0.20	
405651	31-Jul-89	F23	1.98	<0.99	0.55		8.57	<0.51		<0.62		<0.88		16.60	<1.50	<3.09
405651	31-Oct-89	F24	<0.81	<0.99	0.89		8.60	<0.51		<0.62		<0.88		11.30	<1.50	<3.09
409546	10-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.62	<1.90	<0.41
409546	20-Jul-89	F23	<0.81	<0.99	<0.49		1.01	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
409546	18-Oct-89	F24	<0.81	<0.99	0.77		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
409547	13-Nov-87	H16	0.50	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.90	<0.20	
409548	10-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	<0.41

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2- DICHLORO ETHENE C12DCE	1,2-DI CHLORO PROPANE 12DCLP	TRANS-1,2 -DICHLORO ETHENE T12DCE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6
RAL			200	14	7.0	810	70	3.8	70	5.6	70	6.6	21E4	31	0.15	7.0
409548	20-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
409548	18-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
409549	17-Aug-88	F19	22.20	<1.00	10.30		7.42	1.12		<1.00		<1.00		220.00	<1.90	
409550	10-May-89	F22	47.00	5.60	11.00		2.00	<1.00		<2.00		<2.00		78.00	<3.80	<0.82
409550	20-Oct-89	F24	35.00	12.00	8.60		6.40	<2.60		<3.10		<4.40		110.00	<7.50	<15.00
409555	17-Aug-88	F19	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.04	<1.90	
409556	10-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		1.53	<1.90	2.28
409556	21-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.42	<1.50	<3.09
409556	17-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
409557	13-Nov-87	H16	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.50	<0.20	
409557	04-May-89	F22	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		0.62	<1.90	<0.41
409557	21-Jul-89	F23	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		<1.10	<1.50	<3.09
409557	27-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.40	<1.50	<3.09
409595	30-Nov-87	F16	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51		<0.62		<0.88	<4.50	<1.10	<1.50	
409596	30-Nov-87	F16	6.49	<0.99	0.61	2.07	<0.56	<0.51		<0.62		<0.88	<4.50	2.30	<1.50	
409597	30-Nov-87	F16	58.00	<20.00	<10.00	<14.00	<11.00	<10.00		<12.00		<18.00	<90.00	250.00	<30.00	
409598	30-Nov-87	F16	230.00	<99.00	<49.00	<72.00	<56.00	<51.00		<62.00		<88.00	<450.00	1300.00	<150.00	
500691	17-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		2.13	<1.50	<3.09
508115	18-Oct-89	H24	<0.20	<0.20	<0.20	<0.20		<0.20	<0.20		<0.20	<0.20		0.60	<1.00	
508115	18-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.57	<1.50	<3.09
BOYLE	18-Oct-89	F24	<0.81	<0.99	<0.49		<0.56	<0.51		<0.62		<0.88		1.43	<1.50	
BOYLE	20-Oct-89	F24														<3.09
MNDOT	07-Nov-88	F20	<1.00	<1.00	<1.00		<0.50	<0.50		<1.00		<1.00		<0.50	<1.90	
NB2103	13-Nov-87	H16	0.30	<0.20	0.50	0.70		<0.20	5.00		<0.20	<0.20		52.30	<0.20	
MAX			16250.00	25.00	1800.00	3600.00	3300.00	59.00	4700.00	0.00	44.00	1000.00	0.00	120000.00	140.00	4.50
COUNT	1179		1167	1167	1167	664	679	1165	488	685	488	1167	184	1167	1167	526

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03U001	16-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03M001	16-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L001	16-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L001	13-Jan-88	H17		<0.20											
03L001	11-May-88	H18		<0.20											
03L001	29-Jul-88	H19		<0.20											
03L001	20-Oct-88	H20		<0.50											
03L001	18-Apr-89	H22		<0.20											
03L001	11-Jul-89	H23		<0.20		<20.00									
03L001	11-Oct-89	H24		<0.20		<20.00									
04U001	16-Nov-87	F16			<3.39				<1.17						
04U001	13-Jan-88	H17		<0.20											
04U001	11-May-88	H18		<0.20											
04U001	29-Jul-88	H19		<0.20											
04U001	23-Aug-88	F19		<0.72											
04U001	20-Oct-88	H20		<0.50											
04U001	18-Apr-89	H22		<0.20											
04U001	11-Jul-89	H23		<0.20		<20.00									
04U001	11-Oct-89	H24		<0.20		<20.00									
03U002	17-Nov-87	F16	<9.00	<2.00	<3.39				<1.17	<5.50					
03U002	26-May-88	H18		<0.20											
03U002	04-Aug-88	H19		<0.20											
03U002	24-Oct-88	H20		<0.50											
03M002	17-Nov-87	F16	<360.00	<82.00	<3.39				<1.17	<220.00					
03L002	17-Nov-87	F16	<90.00	<20.00	<3.39				<1.17	<55.00					
03L002	18-Jan-88	H17		<0.20											
03L002	10-May-88	H18		2.50											
03L002	04-Aug-88	H19		3.10											
03L002	24-Oct-88	H20		5.50											
03L002	12-Oct-89	H24		<10.00		<1000.00									
04U002	17-Nov-87	F16	<9.00	<2.00	<3.39				<1.17	<5.50					
04U002	18-Jan-88	H17		<0.20											
04U002	10-May-88	H18		<0.20											
04U002	04-Aug-88	H19		<0.20											
04U002	24-Oct-88	H20		0.50											
04U002	12-Oct-89	H24		<1.00		<100.00									
01U003	27-Apr-89	F22		<0.72	<0.87				<8.28						
01U003	26-Jul-89	F23		<0.41	<3.39				<1.17						
03U003	19-Nov-87	F16	<180.00	<41.00	<3.39				<1.17	<110.00	<0.29	<0.62	<0.34	<0.13	<0.32
03U003	22-Jan-88	H17		6.00											
03U003	16-May-88	H18		<0.20											
03U003	27-Jul-88	H19		<0.20											
03U003	11-Aug-88	F19		2.16	<0.87				<8.28						
03U003	26-Oct-88	H20		<0.50											

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03U003	19-Apr-89	H22		1.00											
03U003	12-Jul-89	H23		4.00		<20.00									
03M003	19-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03M003	11-Aug-88	F19		<0.72	<0.87				<8.28						
03L003	19-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L003	11-Aug-88	F19		<0.72	<0.87				<8.28						
04U003	19-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
04U003	21-Jan-88	H17		<0.20											
04U003	16-May-88	H18		<0.20											
04U003	27-Jul-88	H19		<0.20											
04U003	26-Oct-88	H20		<0.50											
04U003	12-Jul-89	H23		<0.20		<20.00									
04U003	17-Oct-89	H24		<0.20		<20.00									
PJ#003	19-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U004	27-Apr-89	F22		<0.72	<0.87				<8.28						
01U004	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U004	27-Oct-89	F24		<0.41	<3.39				<1.17						
03U004	18-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10	<0.29	<0.62	<0.34	<0.13	<0.32
03U004	13-Jan-88	H17		0.24											
03U004	18-May-88	H18		<0.20											
03U004	27-Jul-88	H19		<0.20											
03U004	09-Aug-88	F19		<0.72	<0.87				<8.28						
03U004	28-Oct-88	H20		<0.50											
03U004	25-Oct-89	H24		<0.20		<20.00									
03M004	18-Nov-87	F16	<1.80	<0.41						<1.10					
03M004	27-Jul-88	H19		<0.20											
03M004	09-Aug-88	F19		<0.72	<0.87				<8.28						
03L004	18-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L004	09-Aug-88	F19		<0.72	<0.87				<8.28						
03U005	23-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U005	14-Jan-88	H17		<0.20											
03U005	06-Apr-88	F18		<0.72	<0.87				<8.28						
03U005	16-May-88	H18		<0.20											
03U005	27-Jul-88	H19		<0.20											
03U005	10-Aug-88	F19		<0.72	<0.87				<8.28						
03U005	31-Oct-88	H20		<0.50											
03U005	10-Nov-88	F20		<0.72											
03U005	11-Oct-89	H24		<0.20		<20.00									
03M005	08-Dec-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03M005	14-Jan-88	H17		<0.20											
03M005	06-Apr-88	F18		<0.72	<0.87				<8.28						
03M005	16-May-88	H18		<0.20											
03M005	27-Jul-88	H19		<0.20											

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03M005	11-Aug-88	F19		<0.72	<0.87				<8.28						
03M005	31-Oct-88	H20		<0.50											
03M005	10-Nov-88	F20		<0.72											
03M005	11-Oct-89	H24		<0.20		<20.00									
03L005	23-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L005	10-Aug-88	F19		<0.72	<0.87				<8.28						
03L006	11-Jul-89	H23		<4.00		<400.00									
04U006	11-Jul-89	H23		<10.00		<20.00									
03U007	09-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U007	07-Nov-88	F20		<0.72											
03L007	09-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L007	10-Nov-88	F20		<0.72											
04U007	09-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
04U007	10-Nov-88	F20		<0.72											
03U008	09-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U008	10-Nov-88	F20		<0.72											
03U009	20-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U009	14-Nov-88	F20		<0.72											
03U010	09-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U010	10-Nov-88	F20		<0.72											
03L010	09-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L010	10-Nov-88	F20		<0.72											
03U012	09-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U012	11-Nov-88	F20		<0.72											
03L012	09-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L012	11-Nov-88	F20		<0.72											
04U012	09-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
04U012	11-Nov-88	F20		<0.72											
03U013	10-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03M013	10-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L013	10-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U014	04-Dec-87	F16	5400.00	<410.00	<1700.00				<580.00	<1100.00	<0.29	<0.62	<0.34	<0.13	<0.32
03U014	18-Jan-88	H17		<0.20											
03U014	18-May-88	H18		<0.20											
03U014	02-Aug-88	H19		<20.00											
03U014	17-Aug-88	F19		<140.00	<0.87				<8.28						

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03U014	24-Oct-88	H20		28.00											
03U014	20-Apr-89	H22		3.50											
03U014	19-Jul-89	H23		<40.00		<4000.00									
03U014	24-Oct-89	H24		<100.00		<10000.00									
03L014	23-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L014	10-Aug-88	F19		<0.72	<0.87				<8.28						
03U015	17-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U015	05-Apr-88	F18		<0.72	<0.87				<8.28						
03U015	09-Aug-88	F19		<0.72											
03U015	16-Nov-88	F20		<0.72											
03U017	10-Nov-87	F16	<45.00	<10.00	<3.39				<1.17	<28.00					
03M017	10-Nov-87	F16	<90.00	<20.00	<3.39				<1.17	<55.00					
03M017	11-Jan-88	H17		<0.20											
03M017	12-May-88	H18		0.35											
03M017	01-Aug-88	H19		<0.20											
03M017	31-Oct-88	H20		<0.50											
03M017	13-Oct-89	H24		<10.00		<1000.00									
03L017	10-Nov-87	F16	<45.00	<10.00	<3.39				<1.17	<28.00					
03U018	04-Dec-87	F16	<900.00	<200.00	<1700.00				<580.00	<550.00	<0.29	<0.62	<0.34	<0.13	<0.32
03U018	22-Aug-88	F19		1.57	<0.87				<8.28						
03U018	20-Apr-89	H22		1.40											
03U018	12-Jul-89	H23		<1.00		<100.00									
03U018	20-Oct-89	H24		<20.00		<2000.00									
03L018	23-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L018	08-Apr-88	F18		<0.72	<0.87				<8.28						
03L018	22-Aug-88	F19		<0.72	<0.87				<8.28						
03L018	18-Nov-88	F20		<0.72	3.02				<8.28						
03U019	23-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U019	25-Jan-88	H17		<0.20											
03U019	17-May-88	H18		<0.20											
03U019	02-Aug-88	H19		<0.20											
03U019	12-Aug-88	F19		<0.72	<0.87				<8.28						
03U019	27-Oct-88	H20		<0.50											
03U019	18-Oct-89	H24		<0.20		<20.00									
03U020	07-Dec-87	F16	<900.00	<200.00	<1700.00				<580.00	<550.00					
03U020	17-Aug-88	F19		<140.00	<0.87				<8.28						
03M020	19-Jan-88	H17		14.00											
03M020	11-May-88	H18		<0.20											
03M020	01-Aug-88	H19		1.90											
03M020	18-Aug-88	F19		100.00	<44.00				<410.00						
03M020	25-Oct-88	H20		10.00											
03M020	11-Oct-89	H24		<50.00		<5000.00									

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03L020	07-Dec-87	F16	<1800.00	<410.00	<3400.00				<1200.00	<1100.00					
03L020	17-Aug-88	F19		<140.00	1.27				<8.28						
04U020	07-Dec-87	F16	<180.00	<41.00	<170.00				<58.00	<110.00					
04U020	19-Jan-88	H17		<0.20											
04U020	11-May-88	H18		<0.20											
04U020	01-Aug-88	H19		<0.20											
04U020	17-Aug-88	F19		<7.20	<0.87				<8.28						
04U020	25-Oct-88	H20		<0.50											
04U020	11-Oct-89	H24		<4.00		<400.00									
03U021	17-May-88	H18		<0.20											
03U021	29-Jul-88	H19		<0.20											
03U021	28-Oct-88	H20		<0.50											
03U021	13-Oct-89	H24		<4.00		<400.00									
03L021	13-Oct-89	H24		<0.40		<40.00									
01U022	05-Apr-88	F18		<0.72	<0.87				<8.28						
03U022	05-Apr-88	F18		<0.72	<0.87				<8.28						
03U023	10-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U023	15-Nov-88	F20		<0.72	<0.87				<8.28						
03U024	10-Aug-88	F19		<0.72	<0.87				<8.28						
03U025	10-Aug-88	F19		<0.72	1.92				<8.28						
03U026	18-Nov-87	F16	<9.00	6.50	<3.39				<1.17	<5.50					
03U026	08-Apr-88	F18		21.40	<0.87				<8.28						
03U026	22-Aug-88	F19		15.30	<0.87				<8.28						
03U026	16-Nov-88	F20		35.40	4.66				<8.28						
03U027	20-Nov-87	F16	<9.00	<2.00						<5.50	<0.29	<0.62	<0.34	<0.13	<0.32
03U027	13-Jan-88	H17		2.50											
03U027	11-May-88	H18		0.95											
03U027	08-Aug-88	H19		1.10											
03U027	16-Aug-88	F19		1.90	<0.87				<8.28						
03U027	25-Oct-88	H20		0.65											
03U027	11-Oct-89	H24		2.30		<40.00									
PJ#027	20-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
04U027	15-Jan-88	H17		<0.20											
04U027	10-May-88	H18		<0.20											
04U027	08-Aug-88	H19		<0.20											
04U027	25-Oct-88	H20		<0.50											
04U027	11-Oct-89	H24		<0.20		<20.00									
03U028	03-Dec-87	F16	<90.00	<20.00						<55.00	<0.29	<0.62	<0.34	<0.13	<0.32
03U028	22-Aug-88	F19		<7.20	<8.70				<83.00						
03U028	25-Oct-89	H24		<2.00		<200.00									

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03U029	03-Dec-87	F16	<360.00	<82.00	<680.00				<230.00	<220.00	<0.29	<0.62	<0.34	<0.13	<0.32
03U029	26-Jan-88	H17		8.50											
03U029	17-May-88	H18		<0.20											
03U029	08-Aug-88	H19		1090.00											
03U029	17-Aug-88	F19		<36.00	<0.87				<8.28						
03U029	31-Oct-88	H20		<0.50											
03U029	18-Oct-89	H24		0.50		<20.00									
03L029	03-Dec-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U030	03-Dec-87	F16	<3.60	<0.82						<2.20	<0.29	<0.62	<0.34	<0.13	<0.32
03U030	26-Jan-88	H17		<0.20											
03U030	18-May-88	H18		<0.20											
03U030	08-Aug-88	H19		<0.20											
03U030	22-Aug-88	F19		<0.72	1.04				<8.28						
03U030	01-Nov-88	H20		<0.50											
03U030	25-Oct-89	H24		<0.20		<20.00									
03U031	18-Jan-88	H17		<0.20											
03U031	10-May-88	H18		<0.20											
03U031	29-Jul-88	H19		<0.20											
03U031	10-Aug-88	F19		<0.72	<0.87				<8.28						
03U031	20-Oct-88	H20		<0.50											
03U031	11-Oct-89	H24		<0.20		<20.00									
03U032	20-Nov-87	F16	<18.00	<4.10	<3.39				<1.17	<11.00					
03U032	08-Apr-88	F18		<0.72	<0.87				<8.28						
03U032	22-Aug-88	F19		<0.72	1.00				<8.28						
01U034	11-Nov-87	F16	<1.80	<0.41	<3.39				1.20	<1.10					
01U034	14-Nov-88	F20		<0.72	<0.87				<8.28						
01U035	14-Nov-88	F20		<0.72	<0.87				<8.28						
01U036	11-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U036	14-Nov-88	F20		<0.72	<0.87				<8.28						
01U036	26-Apr-89	F22		<0.72	<0.87				<8.28						
01U036	27-Jul-89	F23		<0.41	<3.39				<1.17						
01U036	24-Oct-89	F24		0.39	31.00				<1.17						
01U037	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U038	06-Apr-88	F18		<0.72	<0.87				<8.28						
01U039	06-Apr-88	F18		<0.72	<0.87				<8.28						
01U040	05-Apr-88	F18		<0.72	<0.87				<8.28						
01U041	05-Apr-88	F18		<0.72	<0.87				<8.28						
01U045	08-Aug-88	F19		<0.72	<0.87				<8.28						

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
01U047	27-Apr-89	F22		<0.72	<0.87				<8.28						
01U047	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U047	25-Oct-89	F24		<0.41	<3.39				<1.17						
01U048	27-Apr-89	F22		<0.72	<0.87				<8.28						
01U048	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U048	25-Oct-89	F24		<0.41	<3.39				<1.17						
01U050	16-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10	<0.29	<0.62	<0.34	<0.13	<0.32
01U050	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U050	15-Aug-88	F19		<0.72	<0.87				<8.28						
01U050	21-Nov-88	F20		<0.72											
01U051	16-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U051	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U051	15-Aug-88	F19		<0.72	<0.87				<8.28						
01U051	21-Nov-88	F20		<0.72											
01U052	27-Apr-89	F22		<0.72	<0.87				<8.28						
01U052	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U052	25-Oct-89	F24		<0.41	<3.39				<1.17						
01U053	16-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U053	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U053	15-Aug-88	F19		<0.72	<0.87				<8.28						
01U053	21-Nov-88	F20		<0.72											
01U054	16-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U054	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U054	15-Aug-88	F19		<0.72	<0.87				<8.28						
01U054	21-Nov-88	F20		<0.72											
01U054	27-Apr-89	F22		<0.72	<0.87				<8.28						
01U054	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U054	26-Oct-89	F24		<0.41	<3.39				<1.17						
01U060	19-Nov-87	F16	<1.80	<0.41	22.70				<1.17	<1.10					
01U060	11-Apr-88	F18		<0.72	<0.87				<8.28						
01U060	17-Nov-88	F20		<0.72											
01U062	16-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U062	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U062	16-Aug-88	F19		<0.72	<0.87				<8.28						
01U062	21-Nov-88	F20		<0.72											
01U062	09-May-89	F22		<0.72	<0.87				<8.28						
01U062	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U062	26-Oct-89	F24		<0.41	<3.39				<1.17						
01U063	05-Apr-88	F18		<0.72	<0.87				<8.28						
01U064	12-May-89	F22		<0.72	<0.87				<8.28						
01U064	26-Jul-89	F23		<10.00	<3.39				<1.17						
01U064	27-Oct-89	F24		<10.00	<85.00				<29.00						

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
01U065	28-Apr-89	F22		<0.72	<0.87				<8.28						
01U065	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U065	25-Oct-89	F24		<0.41	<3.39				<1.17						
01U067	05-Apr-88	F18		<0.72	<0.87				<8.28						
01U072	07-Apr-88	F18		<0.72	<0.87				<8.28						
03U073	15-Jan-88	H17		<0.20											
PJ#074	03-Dec-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
PJ#074	19-Aug-88	F19		<0.72	<0.87				<8.28						
03U075	10-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U075	18-Aug-88	F19		<0.72	<0.87				<8.28						
03U076	10-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U076	18-Aug-88	F19		<0.72	<0.87				<8.28						
03U077	19-Jan-88	H17		1.30						0.64					
03U077	09-May-88	H18		0.86											
03U077	03-Aug-88	H19		<0.20											
03U077	21-Oct-88	H20		<0.50											
03U077	16-Oct-89	H24		<20.00		<2000.00									
03L077	04-Dec-87	F16	<180.00	<41.00	<170.00				<58.00	<110.00					
03L077	19-Jan-88	H17		1.30											
03L077	09-May-88	H18		0.36											
03L077	03-Aug-88	H19		<0.20											
03L077	21-Oct-88	H20		1.40											
03L077	11-Oct-89	H24		<40.00		<4000.00									
04U077	04-Dec-87	F16	<180.00	<41.00	<3.39				<1.17	<110.00					
04U077	19-Jan-88	H17		25.00											
04U077	09-May-88	H18		8.60											
04U077	03-Aug-88	H19		<0.20											
04U077	21-Oct-88	H20		2.00											
04U077	11-Oct-89	H24		<20.00		<2000.00									
04J077	11-Oct-89	H24		<2.00		<200.00									
03U078	23-Nov-87	F16	<18.00	<4.10	<3.39				<1.17	<11.00	<0.29	<0.62	<0.34	<0.13	<0.32
03U078	14-Jan-88	H17		4.10											
03U078	13-May-88	H18		1.90											
03U078	03-Aug-88	H19		<0.20											
03U078	18-Aug-88	F19		3.11	2.54				<8.28						
03U078	16-Oct-89	H24		3.70		<100.00									
03L078	23-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L078	15-Jan-88	H17		<0.20											
03L078	13-May-88	H18		<0.20											
03L078	03-Aug-88	H19		<0.20											
03L078	18-Aug-88	F19		<0.72	<0.87				<8.28						

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03L078	16-Oct-89	H24		<0.20		<20.00									
03U079	04-Dec-87	F16	<900.00	<200.00	<680.00				<230.00	<550.00	<0.29	<0.62	<0.34	<0.13	<0.32
03U079	14-Jan-88	H17		<10.00											
03U079	09-May-88	H18		<2.00											
03U079	03-Aug-88	H19		<0.20											
03U079	18-Aug-88	F19		2.68	<0.87				<8.28						
03U079	26-Oct-88	H20		11.00											
03U079	16-Oct-89	H24		<20.00		<2000.00									
03L079	04-Dec-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L079	14-Jan-88	H17		<0.20											
03L079	09-May-88	H18		<0.20											
03L079	03-Aug-88	H19		<0.20											
03L079	18-Aug-88	F19		<0.72	<0.87				<8.28						
03L079	26-Oct-88	H20		<0.50											
03L079	16-Oct-89	H24		<0.20		<20.00									
03U083	10-Aug-88	F19		<0.72	<0.87				<8.28						
03U084	23-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U084	18-Jan-88	H17		<0.20											
03U084	11-May-88	H18		<0.20											
03U084	04-Aug-88	H19		<0.20											
03U084	20-Oct-88	H20		<0.50											
03U084	11-Oct-89	H24		<0.20		<20.00									
03L084	08-Dec-87	F16	<3.60	<0.82	<3.39				<1.17	<2.20					
03L084	18-Jan-88	H17		<0.20											
03L084	11-May-88	H18		<0.20											
03L084	04-Aug-88	H19		<0.20											
03L084	20-Oct-88	H20		<0.50											
03L084	11-Oct-89	H24		<0.20		<20.00									
01U085	11-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U085	10-Aug-88	F19		<0.72	<0.87				<8.28						
01U085	17-Nov-88	F20		<0.72											
03L086	11-Aug-88	F19		<0.72	<0.87				<8.28						
03U087	20-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U087	26-Jan-88	H17		<0.20											
03U087	11-Apr-88	F18		<0.72	<0.87				<8.28						
03U087	18-May-88	H18		<0.20											
03U087	29-Jul-88	H19		<0.20											
03U087	24-Aug-88	F19		<0.72											
03U087	28-Oct-88	H20		<0.50											
03U087	17-Nov-88	F20		<0.72											
03U087	24-Oct-89	H24		<0.20		<20.00									
03U088	17-Nov-87	F16			<3.39				<1.17						
03U088	05-Apr-88	F18		<0.72	<0.87				<8.28						
03U088	08-Aug-88	F19		<0.72											

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03U088	16-Nov-88	F20		<0.72											
03U089	20-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U089	05-Apr-88	F18		<0.72	<0.87				<8.28						
03U089	08-Aug-88	F19		<0.72											
03U089	17-Nov-88	F20		<0.72											
03U090	19-Nov-87	F16	<1.80	2.83	<3.39				<1.17	<1.10					
03U090	06-Apr-88	F18		10.30	<0.87				<8.28						
03U090	16-Aug-88	F19		3.33	<0.87				<8.28						
03U090	18-Nov-88	F20		4.72	1.33				<8.28						
03L091	03-Dec-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10	<0.29	<0.62	<0.34	<0.13	<0.32
03L091	25-Aug-88	F19		<0.72	<0.87				<8.28						
03U092	23-Nov-87	F16	<1.80	1.13	<3.39				<1.17	<1.10	<0.29	<0.62	<0.34	<0.13	<0.32
03U092	08-Apr-88	F18		3.85	<0.87				<8.28						
03U092	25-Aug-88	F19		6.07	<0.87				<8.28						
03U092	16-Nov-88	F20		4.40	31.20				13.30						
03U093	04-Dec-87	F16	<18000.00	<4100.00	<17000.00				<5800.00	<11000.00	<0.29	<0.62	<0.34	<0.13	<0.32
03U093	26-Jan-88	H17		<0.20											
03U093	18-May-88	H18		29.00											
03U093	08-Aug-88	H19		14.00											
03U093	17-Aug-88	F19		<140.00	17.20				<8.28						
03U093	01-Nov-88	H20		23.00											
03U093	19-Oct-89	H24		<100.00		<10000.00									
03U094	04-Dec-87	F16	<1800.00	<410.00	<1700.00				<580.00	<1100.00					
03U094	25-Aug-88	F19		<140.00	<170.00				<1700.00						
03U096	04-Dec-87	F16	<360.00	<82.00	<680.00				<230.00	<220.00	<0.29	<0.62	<0.34	<0.13	<0.32
03U096	25-Aug-88	F19		<36.00	<44.00				<410.00						
03U097	20-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U097	07-Apr-88	F18		<0.72	<0.87				<8.28						
03U097	11-Aug-88	F19		<0.72											
03U097	17-Nov-88	F20		<0.72											
01U098	19-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U098	11-Apr-88	F18		<0.72	<0.87				<8.28						
01U098	17-Nov-88	F20		<0.72											
03U099	19-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U099	11-Apr-88	F18		<0.72	<0.87				<8.28						
03U099	27-Jul-88	H19		<0.20											
03U099	12-Aug-88	F19		<0.72											
03U099	17-Nov-88	F20		<0.72											
01U100	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U101	14-Nov-88	F20		<0.72	<0.87				<8.28						
01U101	25-Apr-89	F22		<0.72	<0.87				<8.28						

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
01U101	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U101	24-Oct-89	F24		0.38	<3.39				<1.17						
01U102	08-Aug-88	F19		<0.72											
01U102	11-Nov-88	F20		<0.72											
01U102	25-Apr-89	F22		<0.72	<0.87				<8.28						
01U102	27-Jul-89	F23		<0.82	34.00				<2.30						
01U102	26-Oct-89	F24		<0.41	<6.80				<2.30						
01U103	11-Nov-87	F16			<3.39				1.48						
01U103	18-Nov-87	F16	<1.80	<0.41						<1.10					
01U103	08-Aug-88	F19		<0.72											
01U103	11-Nov-88	F20		<0.72											
01U103	26-Apr-89	F22		<0.72	<0.87				<8.28						
01U103	27-Jul-89	F23		<0.41	11.40				<1.17						
01U103	26-Oct-89	F24		<0.41	<3.39				<1.17						
01U107	08-Apr-88	F18		<0.72	<0.87				<8.28						
01U107	08-Aug-88	F19		<0.72											
01U107	15-Nov-88	F20		<0.72											
01U107	25-Apr-89	F22		<0.72	<0.87				<8.28						
01U107	27-Jul-89	F23		<0.41	<3.39				<1.17						
01U107	25-Oct-89	F24		<0.41	<3.39				<1.17						
01U108	16-Nov-87	F16													
01U108	17-Nov-87	F16	<45.00	<10.00	<3.39				<1.17	<28.00					
01U108	11-Apr-88	F18		<0.72	<0.87				<8.28						
01U108	25-Aug-88	F19		<14.00											
01U108	15-Nov-88	F20		<14.00											
01U108	24-Apr-89	F22		<7.20	<8.70				<83.00						
01U108	24-Oct-89	F24		<10.00	<85.00				<29.00						
01U109	08-Apr-88	F18		<0.72	<0.87				<8.28						
01U110	08-Apr-88	F18		<0.72	<0.87				<8.28						
03U111	20-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U111	07-Apr-88	F18		<0.72	<0.87				<8.28						
03U111	11-Aug-88	F19		<0.72											
03U111	17-Nov-88	F20		<0.72											
03U112	20-Nov-87	F16	<4.50	8.60	<3.39				<1.17	<2.80					
03U112	08-Apr-88	F18		19.60	<0.87				<8.28						
03U112	16-Aug-88	F19		27.90	<0.87				<8.28						
03U112	18-Nov-88	F20		17.70	3.69				<8.28						
03U113	18-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U113	06-Apr-88	F18		<0.72	<0.87				<8.28						
03U113	09-Aug-88	F19		<0.72	<0.87				<8.28						
03U113	18-Nov-88	F20		<0.72	4.06				<8.28						
03L113	18-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03L113	06-Apr-88	F18		<0.72	<0.87				<8.28						

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03L113	09-Aug-88	F19		<0.72	<0.87				<8.28						
03L113	18-Nov-88	F20		<0.72	0.98				<8.28						
03U114	23-Nov-87	F16	<90.00	<20.00	<3.39				<1.17	<55.00					
03U114	11-Apr-88	F18		<0.72	<0.87				<8.28						
03U114	09-Aug-88	F19		<7.20	<0.87				<8.28						
03U114	16-Nov-88	F20		<14.00	20.00				<170.00						
01U115	11-Nov-87	F16	<4.50	<1.00	<3.39				<1.17	<2.80					
01U115	11-Apr-88	F18		<0.72	<0.87				<8.28						
01U115	09-Aug-88	F19		<0.72											
01U115	15-Nov-88	F20		<0.72											
01U115	24-Apr-89	F22		<0.72	<0.87				<8.28						
01U115	27-Jul-89	F23		<0.41	<3.39				<1.17						
01U115	27-Oct-89	F24		<0.41	<3.39				<1.17						
01U116	11-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U116	06-Apr-88	F18		<0.72	<0.87				<8.28						
01U116	09-Aug-88	F19		<0.72											
01U116	15-Nov-88	F20		<0.72											
01U116	24-Apr-89	F22		<0.72	<0.87				<8.28						
01U116	27-Jul-89	F23		<0.41	<3.39				<1.17						
01U116	27-Oct-89	F24		0.31	<3.39				<1.17						
01U117	11-Nov-87	F16	<4.50	<1.00	<3.39				<1.17	<2.80					
01U117	06-Apr-88	F18		<0.72	<0.87				<8.28						
01U117	09-Aug-88	F19		<0.72											
01U117	15-Nov-88	F20		<0.72											
01U117	25-Apr-89	F22		0.89	<0.87				<8.28						
01U117	27-Jul-89	F23		<0.41	<3.39				<1.17						
01U117	27-Oct-89	F24		<0.41	<3.39				<1.17						
01U118	11-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U118	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U118	09-Aug-88	F19		<0.72											
01U118	15-Nov-88	F20		<0.72											
01U118	25-Apr-89	F22		<0.72	<0.87				<8.28						
01U118	27-Jul-89	F23		<0.41	<3.39				<1.17						
01U118	27-Oct-89	F24		<0.41	<3.39				<1.17						
01U119	11-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U119	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U119	12-Aug-88	F19		<0.72											
01U119	15-Nov-88	F20		<0.72											
01U119	26-Apr-89	F22		<0.72	<0.87				<8.28						
01U119	27-Jul-89	F23		<0.41	<3.39				<1.17						
01U119	27-Oct-89	F24		<0.41	<3.39				<1.17						
01U120	11-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U120	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U120	12-Aug-88	F19		<0.72											
01U120	15-Nov-88	F20		<0.72											
01U120	27-Apr-89	F22		<0.72	<0.87				<8.28						

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
01U120	27-Jul-89	F23		<0.41	<3.39				<1.17						
01U120	27-Oct-89	F24		<0.41	<3.39				<1.17						
03U121	08-Dec-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U121	08-Apr-88	F18		<0.72	<0.87				<8.28						
03U121	16-Aug-88	F19		<0.72	<0.87				<8.28						
03U121	18-Nov-88	F20		<0.72	1.88				<8.28						
01U122	09-Dec-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U122	05-Apr-88	F18		<0.72	<0.87				<8.28						
01U122	08-Aug-88	F19		<0.72											
01U122	11-Nov-88	F20		<0.72											
03U124	08-Apr-88	F18		<0.72	<0.87				<8.28						
03U124	18-Aug-88	F19		<0.72	<0.87				<8.28						
01U125	08-Dec-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U125	11-Apr-88	F18		<0.72	<0.87				<8.28						
01U125	12-Aug-88	F19		<0.72											
01U125	17-Nov-88	F20		<0.72											
01U126	08-Dec-87	F16	<3.60	<0.82	<3.39				<1.17	<2.20					
01U126	06-Apr-88	F18		<0.72	<0.87				<8.28						
01U126	12-Aug-88	F19		<0.72											
01U126	17-Nov-88	F20		<0.72											
01U126	24-Apr-89	F22		<0.72	<0.87				<8.28						
01U126	27-Jul-89	F23		<0.41	<3.39				<1.17						
01U126	25-Oct-89	F24		0.33	<3.39				<1.17						
01U127	11-Dec-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U127	06-Apr-88	F18		<0.72	<0.87				<8.28						
01U127	12-Aug-88	F19		<0.72											
01U127	14-Nov-88	F20		<0.72											
01U127	26-Apr-89	F22		<0.72	<0.87				<8.28						
01U127	25-Oct-89	F24		<0.41	<3.39				<1.17						
01U128	09-Dec-87	F16	<3.60	<0.82	<3.39				<1.17	<2.20					
01U128	05-Apr-88	F18		<0.72	<0.87				<8.28						
01U128	08-Aug-88	F19		<0.72	<0.87				<8.28						
01U128	16-Nov-88	F20		<0.72	17.00				22.60						
03U129	08-Dec-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U129	07-Apr-88	F18		<0.72	<0.87				<8.28						
03U129	11-Aug-88	F19		<0.72											
03U129	18-Nov-88	F20		<0.72											
01U130	07-Dec-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10	<0.29	<0.62	<0.34	<0.13	<0.32
01U130	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U130	15-Aug-88	F19		<0.72	<0.87				<8.28						
01U130	21-Nov-88	F20		<0.72											
01U133	11-Dec-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U133	12-Aug-88	F19		<0.72	<0.87				<8.28						

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
01U133	14-Nov-88	F20		<0.72											
01U135	21-Nov-88	F20		<0.72	<0.87				<8.28						
01U135	25-Apr-89	F22		<0.72	<0.87				<8.28						
01U135	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U135	25-Oct-89	F24		0.31	29.40				<1.17						
01U136	21-Nov-88	F20		<0.72	<0.87				<8.28						
01U136	25-Apr-89	F22		<0.72	<0.87				<8.28						
01U136	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U136	25-Oct-89	F24		<0.41	<3.39				<1.17						
03L137	17-Oct-89	F24		<0.41	<3.39				<1.17						
03L138	17-Oct-89	F24		<0.41	<3.39				<1.17						
03U301	16-Mar-89	H21		<5.00											
03U301	20-Apr-89	H22		0.40											
03U301	19-Jul-89	H23		<5.00		<500.00									
03U301	24-Oct-89	H24		<40.00		<4000.00									
03F302	17-Nov-87	H16		11.30											
03F302	15-Dec-87	H16		26.00											
03F302	12-Jan-88	H17		18.00											
03F302	28-Apr-88	H18		22.00											
03F302	19-Jul-88	H19		<0.20											
03F302	21-Oct-88	H20		0.50											
03F302	06-Jan-89	H21		<1.00	<1.00		<1.00	<1.00		<1.00					
03F302	16-Mar-89	H21		<10.00											
03F302	20-Apr-89	H22		0.70											
03F302	19-Jul-89	H23		<20.00		<2000.00									
03F302	24-Oct-89	H24		<20.00		<2000.00									
03F303	17-Nov-87	H16		9.20											
03F303	15-Dec-87	H16		8.90											
03F303	12-Jan-88	H17		11.00											
03F303	28-Apr-88	H18		<0.20											
03F303	19-Jul-88	H19		<0.20											
03F303	21-Oct-88	H20		<0.50											
03F303	06-Jan-89	H21		<1.00	<1.00		<1.00	<1.00		<1.00					
03F303	16-Mar-89	H21		61.00											
03F303	20-Apr-89	H22		0.80											
03F303	19-Jul-89	H23		<4.00		<400.00									
03F303	24-Oct-89	H24		<5.00		<500.00									
03F304	17-Nov-87	H16		<0.20											
03F304	15-Dec-87	H16		0.39											
03F304	12-Jan-88	H17		<0.20											
03F304	28-Apr-88	H18		<0.20											
03F304	19-Jul-88	H19		<0.20											
03F304	16-Mar-89	H21		<1.00											
03F304	20-Apr-89	H22		<0.20											
03F304	19-Jul-89	H23		<1.00		<20.00									

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03F304	24-Oct-89	H24		<0.20		<20.00									
03F305	17-Nov-87	H16		0.40											
03F305	15-Dec-87	H16		0.47											
03F305	12-Jan-88	H17		0.75											
03F305	28-Apr-88	H18		<0.20											
03F305	19-Jul-88	H19		<0.20											
03F305	06-Jan-89	H21		<1.00	<1.00		<1.00	<1.00		<1.00					
03F305	16-Mar-89	H21		1.90											
03F305	20-Apr-89	H22		0.40											
03F305	19-Jul-89	H23		<1.00		<100.00									
03F305	23-Oct-89	H24		<2.00		<200.00									
03L306	23-Aug-88	F19		<0.72	<0.87				<8.28						
03L306	08-Nov-88	F20		<0.72											
03L306	03-May-89	F22		<0.72	<0.87				<8.28						
03F306	17-Nov-87	H16		15.80											
03F306	15-Dec-87	H16		15.30											
03F306	12-Jan-88	H17		9.20											
03F306	28-Apr-88	H18		<0.20											
03F306	19-Jul-88	H19		<0.20											
03F306	21-Oct-88	H20		2.00											
03F306	06-Jan-89	H21		<1.00	<1.00		<1.00	<1.00		<1.00					
03F306	16-Mar-89	H21		<10.00											
03F306	20-Apr-89	H22		0.90											
03F306	19-Jul-89	H23		<5.00		<500.00									
03F306	23-Oct-89	H24		<20.00		<2000.00									
03F307	17-Nov-87	H16		<0.20											
03F307	15-Dec-87	H16		13.10											
03F307	12-Jan-88	H17		131.00											
03F307	28-Apr-88	H18		<4.00											
03F307	19-Jul-88	H19		<0.20											
03F307	21-Oct-88	H20		2.00											
03F307	16-Mar-89	H21		<10.00											
03F307	20-Apr-89	H22		0.60											
03F307	19-Jul-89	H23		<4.00		<400.00									
03F307	23-Oct-89	H24		<20.00		<2000.00									
03F308	16-Mar-89	H21		<5.00											
03F308	20-Apr-89	H22		<0.20											
03F308	19-Jul-89	H23		<0.20		<20.00									
03F308	23-Oct-89	H24		<0.20		<20.00									
PJ#309	18-Nov-88	H20		<0.50											
PJ#309	16-Mar-89	H21		<1.00											
PJ#309	20-Apr-89	H22		0.50											
PJ#309	19-Jul-89	H23		<1.00		<100.00									
PJ#309	23-Oct-89	H24		<2.00		<200.00									
PJ#310	16-Mar-89	H21		<1.00											
PJ#310	20-Apr-89	H22		0.40											

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
PJ#310	19-Jul-89	H23		<2.00		<200.00									
PJ#310	11-Oct-89	H24		<2.00		<200.00									
PJ#311	16-Mar-89	H21		<5.00											
PJ#311	20-Apr-89	H22		<0.20											
PJ#311	19-Jul-89	H23		<0.40		<40.00									
PJ#311	24-Oct-89	H24		<0.40		<40.00									
03F312	19-Dec-88	H20		<1.00											
03F312	16-Mar-89	H21		<1.00											
03F312	20-Apr-89	H22		<0.20											
03F312	19-Jul-89	H23		<0.20		<20.00									
03F312	24-Oct-89	H24		<0.20		<20.00									
PJ#313	16-Mar-89	H21		<1.00											
PJ#313	20-Apr-89	H22		<0.20											
PJ#313	19-Jul-89	H23		0.40		<20.00									
PJ#313	23-Oct-89	H24		<0.20		<20.00									
03U314	05-Jan-89	H21		10.00											
03U314	16-Mar-89	H21		<10.00											
03U314	20-Apr-89	H22		1.70											
03U314	19-Jul-89	H23		<40.00		<4000.00									
03U314	24-Oct-89	H24		<100.00		<10000.00									
03U315	05-Jan-89	H21		<1.00											
03U315	16-Mar-89	H21		11.00											
03U315	20-Apr-89	H22		0.90											
03U315	19-Jul-89	H23		<4.00		<400.00									
03U315	24-Oct-89	H24		<10.00		<1000.00									
03U316	05-Jan-89	H21		1.30											
03U316	16-Mar-89	H21		<1.00											
03U316	20-Apr-89	H22		1.70											
03U316	19-Jul-89	H23		2.00		<20.00									
03U316	24-Oct-89	H24		0.90		<40.00									
03U317	05-Jan-89	H21		<1.00											
03U317	16-Mar-89	H21		<10.00											
03U317	20-Apr-89	H22		1.30											
03U317	19-Jul-89	H23		<20.00		<2000.00									
03U317	25-Oct-89	H24		<200.00		<20000.00									
PJ#318	24-Aug-88	F19		<0.72	<0.87				<8.28						
PJ#318	09-Nov-88	F20		<0.72											
PJ#318	06-Feb-89	H21		<1.00											
PJ#318	02-May-89	F22		<0.72	12.80				19.00						
PJ#318	19-Jul-89	F23		<0.41	<3.39				1.61						
PJ#318	18-Oct-89	F24		<0.41	<3.39				<1.17						
PJ#502	18-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
PJ#503	18-Nov-87	F16	<18.00	<4.10	<3.39				<1.17	<11.00					

WELLS ARRANGED BY WELL NEST

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03M505	09-Nov-87	F16			<3.39				<1.17						
PJ#506	18-Nov-87	F16													
PJ#506	19-Nov-87	F16	<90.00	<20.00	<3.39				<1.17	<55.00					
PJ#507	18-Nov-87	F16	<90.00	<20.00	<3.39				1.46	<55.00					
PJ#508	23-Aug-88	F19		<14.00	<17.00				<170.00						
04U510	18-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
04U510	15-Nov-88	F20		<0.72											
03U521	20-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U521	11-Apr-88	F18		<0.72	<0.87				<8.28						
03U521	24-Aug-88	F19		<0.72											
03U521	18-Nov-88	F20		<0.72											
01U524	16-Nov-87	F16													
01U524	17-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10	<0.29	<0.62	<0.34	<0.13	<0.32
01U524	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U524	16-Aug-88	F19		<0.72	<0.87				<8.28						
01U524	21-Nov-88	F20		<0.72											
01U525	16-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U525	17-Nov-87	F16													
01U525	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U525	15-Aug-88	F19		<0.72	<0.87				<8.28						
01U525	14-Nov-88	F20		<0.72											
01U525	27-Apr-89	F22		<0.72	<0.87				<8.28						
01U525	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U525	26-Oct-89	F24		<0.41	<3.39				<1.17						
01U526	17-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U526	07-Apr-88	F18		<0.72	<0.87				<8.28						
01U526	15-Aug-88	F19		<0.72	<0.87				<8.28						
01U526	14-Nov-88	F20		<0.72											
01U526	09-May-89	F22		<0.72	<0.87				<8.28						
01U526	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U526	26-Oct-89	F24		<0.41	<3.39				<1.17						
01U527	17-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U527	11-Apr-88	F18		<0.72	<0.87				<8.28						
01U527	25-Aug-88	F19		<0.72	<0.87				<8.28						
01U527	21-Nov-88	F20		<0.72											
01U601	07-Dec-87	F16	<3.60	<0.82	<6.80				<2.30	<2.20					
01U604	07-Dec-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
01U611	08-Dec-87	F16	<9000.00	<2000.00	<17000.00				<5800.00	<5500.00					
01U615	07-Dec-87	F16	<180.00	<41.00	<3.39				<1.17	<110.00					

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
01U617	19-Aug-88	F19		<0.72	<0.87				<8.28						
01U618	19-Aug-88	F19		<0.72	<0.87				<8.28						
01U619	19-Aug-88	F19		<0.72	<0.87				<8.28						
01U634	12-May-89	F22		<0.72	<0.87				<8.28						
01U634	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U636	12-May-89	F22		<0.72	<0.87				<8.28						
01U636	26-Jul-89	F23		<0.41	<3.39				<1.17						
01U639	12-May-89	F22		<0.72	<0.87				<8.28						
01U639	26-Jul-89	F23		<0.82	<3.39				<1.17						
01U640	26-Jul-89	F23		<0.82	27.50				<1.17						
01U652	12-May-89	F22		<0.72	1.24				<8.28						
01U652	26-Jul-89	F23		<0.41	5.53				<1.17						
01U652	27-Oct-89	F24		<0.41	<3.39				<1.17						
03U658	27-Jul-88	H19		<0.20											
03U658	13-Oct-89	H24		<0.20		<20.00									
03U659	25-Oct-89	H24		<20.00		<2000.00									
01U666	12-May-89	F22		<0.72	<0.87				<8.28						
03U671	04-Dec-87	F16	<36.00	<8.20						<22.00					
03U671	22-Jan-88	H17		12.80											
03U671	13-May-88	H18		4.00											
03U671	08-Aug-88	H19		5.80											
03U671	22-Aug-88	F19		11.00	<4.40				<41.00						
03U671	26-Oct-88	H20		3.10											
03U671	16-Oct-89	H24		<1.00		<100.00									
03U672	13-Nov-87	H16		<0.20											
03U672	14-Jan-88	H17		<0.20											
03U672	18-May-88	H18		<0.20											
03U672	27-Jul-88	H19		<0.20											
03U672	28-Oct-88	H20		<0.50											
03U672	19-Apr-89	H22		<0.20											
03U672	12-Jul-89	H23		<0.20		<20.00									
03U672	18-Oct-89	H24		<0.20		<20.00									
03U673	13-Nov-87	H16		<0.20											
03L673	12-Nov-87	H16		25.00											
04U673	24-Nov-87	H16		15.30	43.10			0.97	1.10						
04U673	21-Jan-88	H17		38.00	24.00					<4.00					
04U673	16-May-88	H18		0.73											

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
04U673	04-Aug-88	H19		<0.20											
04U673	01-Nov-88	H20		<0.50											
04U673	03-May-89	F22		<1.40	<1.70				<17.00						
04U673	21-Jul-89	F23		<20.00	<170.00				<58.00						
04U673	19-Oct-89	H24		<10.00		<1000.00									
04U673	19-Oct-89	F24		<0.41	<3.39				<1.17						
03U676	03-Nov-87	H16		<2.50											
03U701	20-Jan-88	H17		258.00											
03U701	12-May-88	H18		0.48											
03U701	02-Aug-88	H19		<0.20											
03U701	21-Oct-88	H20		1.50											
03U701	17-Oct-89	H24		<2.00		<200.00									
04U701	20-Jan-88	H17		0.67											
04U701	12-May-88	H18		0.49											
04U701	02-Aug-88	H19		<0.20											
04U701	21-Oct-88	H20		<0.50											
04U701	17-Oct-89	H24		<1.00		<100.00									
03U702	20-Jan-88	H17		<0.20											
03U702	13-May-88	H18		<0.20											
03U702	08-Aug-88	H19		0.70											
03U702	25-Oct-88	H20		<0.50											
03U702	13-Oct-89	H24		<0.20		<20.00									
04U702	20-Jan-88	H17		<0.20											
04U702	13-May-88	H18		<0.20											
04U702	02-Aug-88	H19		<0.20											
04U702	25-Oct-88	H20		<0.50											
04U702	13-Oct-89	H24		<0.20		<20.00									
04J702	13-Oct-89	H24		<0.20		<20.00									
03U703	15-Jan-88	H17		<2.00											
03U703	16-May-88	H18		<0.20											
03U703	04-Aug-88	H19		2.50											
03U703	24-Oct-88	H20		14.00											
03U703	12-Oct-89	H24		<10.00		<1000.00									
03U704	10-Nov-87	F16	<1.80	<0.41	<3.39				<1.17	<1.10					
03U704	25-Jan-88	H17		<0.20											
03U704	05-Apr-88	F18		<0.72	<0.87				<8.28						
03U704	17-May-88	H18		<0.20											
03U704	29-Jul-88	H19		<0.20											
03U704	08-Aug-88	F19		<0.72											
03U704	27-Oct-88	H20		<0.50											
03U704	16-Nov-88	F20		<0.72											
03U704	20-Apr-89	H22		<0.20											
03U704	19-Jul-89	H23		<0.20		<20.00									
03U704	20-Oct-89	H24		<0.20		<20.00									

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03U705	25-Jan-88	H17		<0.20											
03U705	17-May-88	H18		<0.20											
03U705	08-Aug-88	H19		<0.20											
03U705	12-Oct-89	H24		<0.40		<40.00									
03U706	25-Jan-88	H17		1.10											
03U706	10-May-88	H18		<0.20											
03U706	29-Jul-88	H19		<0.20											
03U706	25-Oct-88	H20		<0.50											
03U706	12-Oct-89	H24		<0.20		<20.00									
03U707	25-Jan-88	H17		<0.20											
03U707	17-May-88	H18		<0.20											
03U707	29-Jul-88	H19		<0.20											
03U707	25-Oct-88	H20		<0.50											
03U707	20-Oct-89	H24		<0.20		<20.00									
03U708	22-Jan-88	H17		13.00											
03U708	10-May-88	H18		7.30											
03U708	04-Aug-88	H19		6.70											
03U708	24-Oct-88	H20		4.70											
03U708	31-Oct-88	H20		6.90											
03U708	12-Oct-89	H24		3.10		<40.00									
04U708	22-Jan-88	H17		<0.20											
04U708	10-May-88	H18		<0.20											
04U708	04-Aug-88	H19		<0.20											
04U708	04-Jan-89	H21		<1.00											
04U708	12-Oct-89	H24		<0.20		<20.00									
04J708	04-Jan-89	H21		<1.00											
04J708	12-Oct-89	H24		<0.20		<20.00									
03U709	22-Jan-88	H17		1.60											
03U709	12-May-88	H18		1.50											
03U709	08-Aug-88	H19		1.30											
03U709	26-Oct-88	H20		<1.70											
03U709	17-Oct-89	H24		<1.00		<100.00									
04U709	22-Jan-88	H17		7.90											
04U709	12-May-88	H18		<0.20											
04U709	08-Aug-88	H19		0.38											
04U709	26-Oct-88	H20		<0.50											
04U709	17-Oct-89	H24		<4.00		<400.00									
03U710	14-Jan-88	H17		<0.20											
03U710	18-May-88	H18		<0.20											
03U710	03-Aug-88	H19		<0.20											
03U710	26-Oct-88	H20		3.10											
03U710	25-Oct-89	H24		<10.00		<1000.00									
03U711	19-Apr-89	H22		11.00											
03U711	12-Jul-89	H23		11.00		<20.00									

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03U711	18-Oct-89	H24		9.70		<20.00									
04U711	19-Apr-89	H22		<0.20											
04U711	12-Jul-89	H23		<0.20		<20.00									
04U711	18-Oct-89	H24		<0.20		<20.00									
03M713	04-Jan-89	H21		<1.00											
04U713	06-Jan-89	H21		<1.00	<1.00		<1.00	<1.00		<1.00					
04U713	23-Oct-89	H24		<2.00		<200.00									
04J713	04-Jan-89	H21		<1.00											
04J713	13-Oct-89	H24		<0.20		<20.00									
04U714	04-Jan-89	H21		<1.00											
04U714	18-Apr-89	H22		<0.20											
04U714	12-Jul-89	H23		<0.20		<400.00									
04U714	13-Oct-89	H24		<0.20		<20.00									
04J714	04-Jan-89	H21		<1.00											
04J714	18-Apr-89	H22		<0.20											
04J714	11-Jul-89	H23		<0.20		<400.00									
04J714	13-Oct-89	H24		<0.20		<20.00									
03U801	03-Dec-87	F16	<360.00	<82.00						<220.00					
03M802	03-Dec-87	F16	<900.00	<200.00						<550.00					
03L802	03-Dec-87	F16	<900.00	<200.00						<550.00					
03L802	21-Jan-88	H17		140.00											
03L802	13-May-88	H18		0.25											
03L802	04-Aug-88	H19		3.90											
03L802	28-Oct-88	H20		<0.50											
03L802	20-Apr-89	H22		<0.20											
03L802	12-Jul-89	H23		<4.00		<400.00									
03L802	18-Oct-89	H24		<0.20		<20.00									
PJ#802	02-Dec-87	F16	<1.80	<0.41						<1.10					
04U802	02-Dec-87	F16	<1.80	<0.41						<1.10					
04U802	21-Jan-88	H17		<0.20											
04U802	13-May-88	H18		<0.20											
04U802	04-Aug-88	H19		<0.20											
04U802	24-Aug-88	F19		<0.72											
04U802	28-Oct-88	H20		<0.50											
04U802	18-Oct-89	H24		<0.20		<20.00									
03U803	01-Dec-87	F16	<1.80	<0.41						<1.11					
03U803	28-Oct-88	H20		<0.50											
03U804	01-Dec-87	F16	<1.80	<0.41						<1.10					
03U804	21-Jan-88	H17		<0.20											
03U804	13-May-88	H18		<0.20											

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03U804	04-Aug-88	H19		<0.20											
03U804	17-Oct-89	H24		<0.20		<20.00									
03U805	01-Dec-87	F16	<1.80	<0.41						<1.10					
03U805	21-Jan-88	H17		<0.20											
03U805	13-May-88	H18		<0.20											
03U805	09-Aug-88	H19		0.32											
03U805	01-Nov-88	H20		<0.50											
03U805	18-Oct-89	H24		<0.20		<20.00									
03U806	02-Dec-87	F16	<1.80	<0.41						<1.10					
03M806	02-Dec-87	F16	<90.00	<20.00						<55.00					
03L806	02-Dec-87	F16	<360.00	<82.00						<220.00					
03L806	19-Jan-88	H17		<0.20											
03L806	12-May-88	H18		0.79											
03L806	04-Aug-88	H19		5.70											
03L806	25-Oct-88	H20		5.10											
03L806	16-Oct-89	H24		<10.00		<1000.00									
PJ#806	02-Dec-87	F16	<90.00	<20.00						<55.00					
PJ#806	19-Jan-88	H17		0.81											
PJ#806	12-May-88	H18		0.22											
PJ#806	04-Aug-88	H19		<0.20											
PJ#806	21-Oct-88	H20		<0.50											
PJ#806	16-Oct-89	H24		<2.00		<200.00									
04U806	02-Dec-87	F16	<180.00	<41.00						<110.00					
04U806	12-May-88	H18		1.50											
04U806	04-Aug-88	H19		4.10											
04U806	21-Oct-88	H20		3.70											
04U806	19-Apr-89	H22		0.70											
04U806	16-Oct-89	H24		24.00		<1000.00									
03L809	10-May-89	F22		<36.00	<44.00				<410.00						
03L809	20-Oct-89	F24		<41.00	<3.39				<1.17						
01L811	25-Nov-87	F16	<1.80	<0.41						<1.10					
03U811	25-Nov-87	F16	<1.80	<0.41						<1.10					
03U811	04-May-89	F22		<0.72	1.18				<8.28						
03U811	24-Jul-89	F23		<0.41	<3.39				<1.17						
03U811	20-Oct-89	F24		<0.41	<3.39				<1.17						
03L811	25-Nov-87	F16	<1.80	<0.41						<1.10					
03L811	04-May-89	F22		<0.72	1.74				<8.28						
03L811	24-Jul-89	F23		<0.41	<3.39				<1.17						
03L811	20-Oct-89	F24		<0.41	<3.39				<1.17						
01L813	25-Nov-87	F16	<1.80	<0.41						<1.10					
03L813	25-Nov-87	F16	<1.80	<0.41						<1.10					

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
03L813	05-May-89	F22		<0.72	<0.87				<8.28						
03L813	24-Jul-89	F23		<0.41	<3.39				<1.17						
03L813	20-Oct-89	F24		0.27	<6.80				<2.30						
01L816	25-Nov-87	F16	<1.80	<0.41						<1.10					
01L821	30-Nov-87	F16	<3.60	<0.82						<2.20					
03U821	30-Nov-87	F16	<180.00	<41.00						<110.00					
03U821	10-May-89	F22		<3.60	<4.40				<41.00						
03U821	25-Jul-89	F23		<20.00	1100.00				<58.00						
03U821	24-Oct-89	F24		<20.00	<170.00				<58.00						
04U821	30-Nov-87	F16	<90.00	<20.00						<55.00					
01L822	01-Dec-87	F16	<36.00	<8.20						<22.00					
03U822	01-Dec-87	F16	<1.80	<0.41						<1.10					
03U822	05-May-89	F22		<0.72	3.10				<8.28						
03U822	24-Jul-89	F23		<0.41	<3.39				<1.17						
03U822	23-Oct-89	F24		<0.41	<3.39				<1.17						
03L822	01-Dec-87	F16	<1.80	<0.41						<1.10					
03L822	05-May-89	F22		<0.72	3.34				<8.28						
03L822	24-Jul-89	F23		<0.41	<3.39				<1.17						
03L822	23-Oct-89	F24		<0.41	<3.39				<1.17						
01L823	01-Dec-87	F16	<1.80	<0.41						<1.10					
03U824	01-Dec-87	F16	<180.00	<41.00						<110.00					
03U831	25-Nov-87	F16	<1.80	<0.41						<1.10					
03U831	10-May-89	F22		<0.72	<0.87				<8.28						
03U831	25-Jul-89	F23		<0.41	<3.39				1.43						
03U831	24-Oct-89	F24		<0.41	<3.39				<1.17						
03U832	24-Nov-87	F16	<1.80	<0.41						<1.10					
03U832	09-May-89	F22		<0.72	<0.87				<8.28						
03U832	24-Jul-89	F23		<0.41	<3.39				<1.17						
03U832	24-Oct-89	F24		<0.41	<3.39				<1.17						
03L832	24-Nov-87	F16	<1.80	<0.41						<1.10					
03L832	16-Dec-88	H20		<1.00											
03L832	09-May-89	F22		<0.72	<0.87				<8.28						
03L832	24-Jul-89	F23		<0.41	<3.39				<1.17						
03L832	24-Oct-89	F24		<0.41	<3.39				<1.17						
04U832	24-Nov-87	F16	<9.00	<2.00						<5.50					
04U832	16-Dec-88	H20		<1.00											
03L841	20-Oct-87	H16		<0.20											
03L841	12-Nov-87	H16		<0.20											

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
04U841	20-Oct-87	H16		<0.20											
04U841	25-Nov-87	F16	<1.80	<0.41						<1.10					
03M843	24-Nov-87	F16	<1.80	<0.41						<1.10					
03M843	05-May-89	F22		<0.72	1.13				<8.28						
03M843	25-Jul-89	F23		<0.41	<3.39				<1.17						
03M843	23-Oct-89	F24		<0.41	<3.39				<1.17						
04U843	24-Nov-87	F16	<1.80	<0.41						<1.10					
04U843	24-Aug-88	F19		<0.72											
04U844	03-Dec-87	F16	<90.00	<20.00						<55.00					
04U844	04-May-89	F22		<7.20	<8.70				<83.00						
04U844	18-Oct-89	F24		0.50	<3.39				<1.17						
04U845	01-Dec-87	F16	<9.00	<2.00						<5.50					
04U845	16-Dec-88	H20		<1.00											
04U845	04-May-89	F22		<0.72	1.24				<8.28						
04U845	20-Jul-89	F23		<4.10	<33.90				<11.70						
04U845	20-Oct-89	F24		<4.10	<34.00				<12.00						
03L846	18-Jul-89	F23		<0.41	<3.39				<1.17						
03L846	19-Oct-89	F24		<0.41	<3.39				<1.17						
04U846	25-Nov-87	F16	<1.80	<0.41						<1.10					
04U846	23-Aug-88	F19		<0.72											
04U846	28-Apr-89	F22		<0.72	<0.87				<8.28						
04U846	18-Jul-89	F23		<0.41	<3.39				<1.17						
04U846	19-Oct-89	F24		<0.41	<3.39				<1.17						
04U847	30-Nov-87	F16	<90.00	<20.00						<55.00					
04U847	23-Aug-88	F19		<14.00											
04U847	03-May-89	F22		<0.72	<0.87				<8.28						
04U847	21-Jul-89	F23		<10.00	4.63				4.47						
04U847	20-Oct-89	F24		5.30	<68.00				<23.00						
03M848	02-Dec-87	F16	<45.00	<10.00						<28.00					
03L848	02-Dec-87	F16	<90.00	<20.00						<55.00					
03L848	03-May-89	F22		<0.72	<0.87				<8.28						
03L848	20-Jul-89	F23		<8.20	<68.00				<23.00						
03L848	19-Oct-89	F24		0.43	<3.39				<1.17						
04U848	02-Dec-87	F16	<90.00	<20.00						<55.00					
04U848	24-Aug-88	F19		<14.00											
04U848	03-May-89	F22		<0.72	2.11				<8.28						
04U848	20-Jul-89	F23		<20.00	<170.00				<58.00						
04U848	19-Oct-89	F24		<0.41	<3.39				<1.17						
04U849	01-Dec-87	F16	<36.00	<8.20						<22.00					
04U849	24-Aug-88	F19		<0.72											
04U850	01-Dec-87	F16	<45.00	<10.00						<28.00					

TABLE 6 - TCAAP GROUNDWATER QUALITY (ORGANICS) - ug/l

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
04U850	02-May-89	F22		<1.80	2.50				<21.00						
04U850	19-Jul-89	F23		<4.10	<17.00				<5.80						
04U850	19-Oct-89	F24		0.27	<3.39				<1.17						
04U851	24-Nov-87	F16	<1.80	<0.41						<1.10					
04U852	24-Nov-87	F16	<1.80	<0.41						<1.10					
04U852	24-Aug-88	F19		<0.72											
03L853	03-Dec-87	F16	<180.00	<41.00						<110.00					
03L853	05-May-89	F22		<0.72	<0.87				<8.28						
03L853	25-Jul-89	F23		<41.00	<340.00				<120.00						
03L853	23-Oct-89	F24		<41.00	<339.00				<117.00						
03L854	20-Oct-87	H16		<0.20											
03L854	24-Nov-87	F16	<1.80	<0.41						<1.10					
03L854	16-Dec-88	H20		<1.00											
03L854	20-Jul-89	F23		<0.41	<3.39				<1.17						
03L854	27-Oct-89	F24		<0.41	<3.39				<1.17						
04U854	20-Oct-87	H16		<0.20											
04U854	13-Nov-87	H16		0.20											
04U854	16-Dec-88	H20		<1.00											
04U854	04-May-89	F22		<0.72	1.54				<8.28						
04U854	20-Jul-89	F23		<8.20	<68.00				<23.00						
04U854	17-Oct-89	F24		<0.41	<3.39				1.18						
04U855	25-Nov-87	F16	<1.80	<0.41						<1.10					
03L856	24-Nov-87	F16	<1.80	<0.41						<1.10					
03L856	05-May-89	F22		<0.72	1.58				<8.28						
03L856	25-Jul-89	F23		<0.41	<3.39				<1.17						
03L856	23-Oct-89	F24		<0.41	<3.39				<1.17						
03L858	24-Nov-87	F16	<4.50	2.90						16.00					
03L858	08-May-89	F22		11.70	1.42				<8.28						
03L858	21-Jul-89	F23		7.10	<17.00				<5.80						
03L858	23-Oct-89	F24		4.90	<17.00				<5.80						
03L859	13-Nov-87	H16		<0.20											
03L859	15-Dec-88	H20		<1.00											
04U859	13-Nov-87	H16		<0.20											
04U859	15-Dec-88	H20		<1.00											
03L860	13-Nov-87	H16		<0.20											
03L860	15-Dec-88	H20		<1.00											
04U860	13-Nov-87	H16		<0.20											
04U860	15-Dec-88	H20		<1.00											
03L861	12-Nov-87	H16		<0.20											
03L861	15-Dec-88	H20		<1.00											

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
04U861	12-Nov-87	H16		<0.20											
04U861	16-Dec-88	H20		<1.00											
04U871	20-Jun-88	H18		<0.20											
04U871	07-Jul-88	H19		<0.20											
04U871	23-Aug-88	F19		<7.20	<8.70				<83.00						
04U871	08-Nov-88	F20		<7.20											
04U871	31-Jan-89	H21		<1.00											
04U871	05-May-89	F22													
04U871	08-May-89	F22		<1.40	<1.70				<17.00						
04U871	19-Jul-89	F23		<0.82	10.00				2.50						
04U871	23-Oct-89	F24		<0.82	<6.80				<2.30						
04U872	13-Jul-88	H19		<0.20											
04U872	24-Aug-88	F19		<3.60	170.00				<41.00						
04U872	08-Nov-88	F20		<1.40											
04U872	01-Feb-89	H21		<1.00											
04U872	08-May-89	F22		<0.72	3.11				<8.28						
04U872	19-Jul-89	F23		<0.41	<3.39				2.03						
04U872	23-Oct-89	F24		<0.41	<3.39				<1.17						
04U875	20-Jun-88	H18		<0.20											
04U875	23-Aug-88	F19		<0.72	<0.87				<8.28						
04U875	09-Nov-88	F20		<0.72											
04U875	07-Feb-89	H21		<1.00											
04U875	19-Jul-89	F23		<0.41	<3.39				1.22						
04U875	19-Oct-89	F24		0.28	<3.39				<1.17						
04U877	23-Aug-88	F19		<3.60	13.00				<41.00						
04U877	10-Nov-88	F20		<7.20											
04U877	08-Feb-89	H21		<1.00											
04U877	02-May-89	F22		<0.72	1.87				<8.28						
04U877	18-Jul-89	F23		<2.00	<17.00				<5.80						
04U877	19-Oct-89	F24		<0.41	<3.39				<1.17						
04U879	29-Jul-88	H19		<0.20	0.39			<0.20	0.24						
04U879	01-Sep-88	F19		<0.72	26.60				<8.28						
04U879	08-Nov-88	F20		<0.72											
04U879	08-Feb-89	H21		<1.00											
04U879	19-Jul-89	F23		<0.41	<3.39				1.50						
04U879	17-Oct-89	F24		<0.41	<3.39				1.17						
04U880	01-Sep-88	F19		<0.72	<0.87				<8.28						
04U880	10-Nov-88	F20		<0.72											
04U880	06-Feb-89	H21		<1.00											
04U880	18-Jul-89	F23		<0.41	9.07				12.90						
04U880	19-Oct-89	F24		<0.41	<3.39				<1.17						
04U881	09-Nov-88	F20		<0.72											
04U881	07-Feb-89	H21		<1.00											
04U881	18-Jul-89	F23		<0.41	13.50				14.70						
04U881	18-Oct-89	F24		<0.41	6.02				2.53						

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
04U882	13-Sep-88	F19		<0.72	<0.87				<8.28						
04U882	09-Nov-88	F20		<0.72											
04U882	31-Jan-89	H21		<1.00											
04U882	03-May-89	F22		<0.72	5.80				<8.28						
04U882	17-Jul-89	F23		<0.41	6.03				1.71						
04U882	18-Oct-89	F24		<0.41	<3.39				<1.17						
04U883	14-Oct-88	F19													
04U883	14-Oct-88	H20		<0.20											
04U883	09-Nov-88	F20		<0.72											
04U883	08-Feb-89	H21		<1.00											
04U883	17-Jul-89	F23		<0.41	<3.39				<1.17						
04U883	18-Oct-89	F24		<0.41	<3.39				<1.17						
01U901	27-Jul-89	F23		<0.41	19.70				<1.17						
01U901	20-Oct-89	F24		<0.41	<3.39				<1.17						
01U902	27-Jul-89	F23		<0.82	<3.39				<1.17						
01U902	20-Oct-89	F24		<2.00	<17.00				<5.80						
134318	27-Jul-89	F23		<0.41	<3.39				<1.17						
139035	31-Jul-89	F23		<0.41	<3.39				<1.17						
139035	31-Oct-89	F24		<0.41	<3.39				<1.17						
191942	30-Nov-87	F16	<45.00	<10.00						<28.00					
200154	31-Jul-89	F23		<0.41	<3.39				<1.17						
200264	25-Aug-88	F19		<0.72											
200524	16-Aug-88	F19		2.41											
200803	16-Aug-88	F19		<0.72											
200814	31-Jul-89	F23		<0.82	<3.39				<1.17						
200814	30-Oct-89	F24		<0.82	<6.80				<2.30						
201082	31-Oct-89	F24		<0.41	<3.39				<1.17						
206688	23-Oct-89	F24		<0.41	<3.39				<1.17						
206787	24-Oct-89	F24		<0.41	39.00				<1.17						
231878	23-Oct-87	H16		<0.20											
233221	11-May-89	F22		<0.72	<0.87				<8.28						
233221	31-Jul-89	F23		<2.00	<17.00				<5.80						
233221	30-Oct-89	F24		<2.00	<17.00				<5.80						
233222	25-Aug-88	F19		<0.72											

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
233533	30-Oct-89	F24		<0.41	<3.39				<1.17						
234319	26-Aug-88	F19		<0.72											
234335	26-Aug-88	F19		<0.72											
234337	23-Oct-87	H16		<0.20											
234353	12-May-89	F22		<0.72	<0.87				<8.28						
234353	31-Jul-89	F23		<0.41	<3.39				<1.17						
234356	25-Jul-89	F23		<0.41	<3.39				<1.17						
234356	26-Oct-89	F24		<0.41	<3.39				<1.17						
234357	10-May-89	F22		<0.72	<0.87				<8.28						
234357	20-Jul-89	F23		<0.41	<3.39				<1.17						
234357	20-Oct-89	F24		<0.41	<3.39				<1.17						
234425	10-May-89	F22			<44.00				<410.00						
234425	11-May-89	F22		<36.00											
234430	09-May-89	F22		<0.72	3.21				<8.28						
234430	27-Jul-89	F23		<0.41	<3.39				<1.17						
234430	26-Oct-89	F24		<0.41	<3.39				<1.17						
234463	08-May-89	F22		<0.72	<0.87				<8.28						
234463	03-Aug-89	F23		<0.41	<3.39				<1.17						
234463	31-Oct-89	F24		<0.41	<3.39				<1.17						
234547	10-May-89	F22		<0.72	<0.87				<8.28						
234547	31-Jul-89	F23		<0.41	<3.39				<1.17						
234547	30-Oct-89	F24		<0.41	<3.39				<1.17						
235539	26-Aug-88	F19		<0.72											
235619	31-Jul-89	F23		0.27	<3.39				<1.17						
235619	31-Oct-89	F24		14.00	<3.39				<1.17						
235735	31-Jul-89	F23		<0.41	13.20				<1.17						
235735	31-Oct-89	F24		3.00	<3.39				<1.17						
236122	12-Jul-88	H19		0.23											
405651	31-Jul-89	F23		<0.41	7.22				<1.17						
405651	31-Oct-89	F24		<0.41	<3.39				<1.17						
409546	10-May-89	F22		<0.72	<0.87				<8.28						
409546	20-Jul-89	F23		<0.41	<3.39				2.23						
409546	18-Oct-89	F24		<0.41	<3.39				<1.17						
409547	13-Nov-87	H16		<0.20											
409548	10-May-89	F22		<0.72	1.05				<8.28						

WELL	DATE	QTR	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5	METHYL ETHYL KETONE MEK	META& PARA XYLENE M&PXYL	ORTHO XYLENE OXYLEN	TOTAL XYLENES TXYLEN	CARBON TETRA CHLORIDE CCL4	PCB 1016 PCB016	PCB 1242 PCB242	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260
RAL			48	57	2420	170	400	400	400	2.7	0.05	0.05	0.05	0.05	0.05
409548	20-Jul-89	F23		<0.41	<3.39				2.71						
409548	18-Oct-89	F24		<0.41	<3.39				1.48						
409549	17-Aug-88	F19		<0.72											
409550	10-May-89	F22		<1.40	<1.70				<17.00						
409550	20-Oct-89	F24		<2.00	<17.00				18.00						
409555	17-Aug-88	F19		<0.72											
409556	10-May-89	F22		<0.72	3.07				<8.28						
409556	21-Jul-89	F23		<0.41	<3.39				<1.17						
409556	17-Oct-89	F24		<0.41	<3.39				<1.17						
409557	13-Nov-87	H16		<0.20											
409557	04-May-89	F22		<0.72	<0.87				<8.28						
409557	21-Jul-89	F23		<0.41	<3.39				3.21						
409557	27-Oct-89	F24		<0.41	<3.39				<1.17						
409595	30-Nov-87	F16	<1.80	<0.41						<1.10					
409596	30-Nov-87	F16	<1.80	<0.41						<1.10					
409597	30-Nov-87	F16	<36.00	<8.20						<22.00					
409598	30-Nov-87	F16	<180.00	<41.00						<110.00					
500691	17-Oct-89	F24		<0.41	<3.39				1.82						
508115	18-Oct-89	H24		<0.20		<20.00									
508115	18-Oct-89	F24		<0.41	<3.39				<1.17						
BOYLE	18-Oct-89	F24		<0.41											
BOYLE	20-Oct-89	F24			<3.39				<1.17						
MNDOT	07-Nov-88	F20		<0.72											
NB2103	13-Nov-87	H16		0.50											
MAX			5400.00	1090.00	1100.00	0.00	0.00	0.97	22.60	16.00	0.00	0.00	0.00	0.00	0.00
COUNT	1179		176	1167	526	118	5	7	520	183	17	17	17	17	17

TABLE 7

GROUNDWATER QUALITY - INORGANICS - ARRANGED BY WELL NEST

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03U001	16-Nov-87	F16	<1.93	<4.81	59.80	<1.47	<0.10	<2.18	1.24		<0.70	14.00	<5.94	<2.65
03M001	16-Nov-87	F16	<1.93	<4.81	26.50	<1.47	0.15	<2.18	0.57		<0.70		<5.94	<2.65
03L001	16-Nov-87	F16	<1.93	<4.81	<40.00	<1.47	<0.10	<2.18	1.14		<0.70	280.00	<5.94	<2.65
03L001	13-Jan-88	H17												
03L001	11-May-88	H18												
03L001	29-Jul-88	H19												
03L001	20-Oct-88	H20												
03L001	18-Apr-89	H22												
03L001	11-Jul-89	H23												
03L001	11-Oct-89	H24												
04U001	16-Nov-87	F16	<1.93	<4.81	<220.00	<1.47	<0.10	<2.18	1.19		<0.70	280.00	<5.94	<2.65
04U001	13-Jan-88	H17												
04U001	11-May-88	H18												
04U001	29-Jul-88	H19												
04U001	23-Aug-88	F19												
04U001	20-Oct-88	H20												
04U001	18-Apr-89	H22												
04U001	11-Jul-89	H23												
04U001	11-Oct-89	H24												
03U002	17-Nov-87	F16	2.62	<4.81	<220.00	<1.47	<0.10	2.48	1.78		<0.70	1000.00	<5.94	4.49
03U002	26-May-88	H18												
03U002	04-Aug-88	H19												
03U002	24-Oct-88	H20												
03M002	17-Nov-87	F16	<1.93	<4.81	111.00	<1.47	0.15	4.15	2.08		<0.70	2.55	7.25	<2.65
03L002	17-Nov-87	F16	<1.93	<4.81	<220.00	<1.47	<0.10	<2.18	1.39		<0.70	1800.00	<5.94	<2.65
03L002	18-Jan-88	H17												
03L002	10-May-88	H18												
03L002	04-Aug-88	H19												
03L002	24-Oct-88	H20												
03L002	12-Oct-89	H24												
04U002	17-Nov-87	F16	<1.93	<4.81	<220.00	<1.47	<0.10	<2.18	0.79		<0.70	360.00	<5.94	<2.65
04U002	18-Jan-88	H17												
04U002	10-May-88	H18												
04U002	04-Aug-88	H19												
04U002	24-Oct-88	H20												
04U002	12-Oct-89	H24												
01U003	27-Apr-89	F22												
01U003	26-Jul-89	F23												
03U003	19-Nov-87	F16	<1.93	<4.81	99.00	<1.47	<0.10	3.19	1.68		<0.70	190.00	<5.94	<2.65
03U003	22-Jan-88	H17												
03U003	16-May-88	H18												
03U003	27-Jul-88	H19												
03U003	11-Aug-88	F19		<6.01	57.10		<0.37	<2.50					<5.32	<1.26
03U003	26-Oct-88	H20												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03U003	19-Apr-89	H22												
03U003	12-Jul-89	H23												
03M003	19-Nov-87	F16	<1.93	<4.81	100.00	<1.47	<0.10	<2.18	1.73		<0.70	200.00	<5.94	<2.65
03M003	11-Aug-88	F19		<6.01	81.60		<0.37	<2.50					<5.32	<1.26
03L003	19-Nov-87	F16	<1.93	<4.81	170.00	<1.47	<0.10	<2.18	1.14		<0.70	520.00	<5.94	<2.65
03L003	11-Aug-88	F19		<6.01	101.00		<0.37	<2.50					<5.32	<1.26
04U003	19-Nov-87	F16	<1.93	<4.81	130.00	<1.47	<0.10	<2.18	0.99		<0.70	210.00	<5.94	<2.65
04U003	21-Jan-88	H17												
04U003	16-May-88	H18												
04U003	27-Jul-88	H19												
04U003	26-Oct-88	H20												
04U003	12-Jul-89	H23												
04U003	17-Oct-89	H24												
PJ#003	19-Nov-87	F16	<1.93	<4.81	130.00	<1.47	<0.10	<2.18	0.94		<0.70	330.00	<5.94	<2.65
01U004	27-Apr-89	F22												
01U004	26-Jul-89	F23												
01U004	27-Oct-89	F24												
03U004	18-Nov-87	F16	2.08	<4.81	65.70	<1.47	<0.10	2.93	1.68		<0.70	2.60	<5.94	<2.65
03U004	13-Jan-88	H17												
03U004	18-May-88	H18												
03U004	27-Jul-88	H19												
03U004	09-Aug-88	F19		<6.01	27.00		<0.37	<2.50					<5.32	<1.26
03U004	28-Oct-88	H20												
03U004	25-Oct-89	H24												
03M004	18-Nov-87	F16	<1.93	<4.81	<220.00	<1.47	<0.10	<2.18	1.44		<0.70	540.00	<5.94	<2.65
03M004	27-Jul-88	H19												
03M004	09-Aug-88	F19		<6.01	120.00		<0.37	<2.50					<5.32	<1.26
03L004	18-Nov-87	F16	<1.93	<4.81	86.00	<1.47	<0.10	<2.18	1.14		<0.70	580.00	<5.94	<2.65
03L004	09-Aug-88	F19		<6.01	78.80		<0.37	<2.50					<5.32	<1.26
03U005	23-Nov-87	F16	3.22	26.80	340.00	<1.47	0.11	<2.18	16.30		<0.70	750.00	<5.94	<2.65
03U005	14-Jan-88	H17												
03U005	06-Apr-88	F18		21.30	180.00		<0.37	<2.50					<5.32	<1.26
03U005	16-May-88	H18												
03U005	27-Jul-88	H19												
03U005	10-Aug-88	F19		13.90	160.00		<0.37	<2.50					<5.32	<1.26
03U005	31-Oct-88	H20												
03U005	10-Nov-88	F20												
03U005	11-Oct-89	H24												
03M005	08-Dec-87	F16	<1.93	<4.81	250.00	<1.47	<0.10	3.03	2.03		<0.70	410.00	<5.94	<2.65
03M005	14-Jan-88	H17												
03M005	06-Apr-88	F18		<6.01	110.00		<0.37	<2.50					<5.32	<1.26
03M005	16-May-88	H18												
03M005	27-Jul-88	H19												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03M005	11-Aug-88	F19		<6.01	106.00		<0.37	<2.50					<5.32	<1.26
03M005	31-Oct-88	H20												
03M005	10-Nov-88	F20												
03M005	11-Oct-89	H24												
03L005	23-Nov-87	F16	<1.93	<4.81	160.00	<1.47	<0.10	<2.18	1.49		<0.70	700.00	<5.94	<2.65
03L005	10-Aug-88	F19		<6.01	73.40		<0.37	<2.50					<5.32	<1.26
03L006	11-Jul-89	H23												
04U006	11-Jul-89	H23												
03U007	09-Nov-87	F16	<1.93	6.19	280.00	<1.47	<0.10	<2.18	1.78		<0.70	320.00	<5.94	<2.65
03U007	07-Nov-88	F20												
03L007	09-Nov-87	F16	<1.93	6.19	240.00	<1.47	<0.10	<2.18	2.08		<0.70	380.00	<5.94	<2.65
03L007	10-Nov-88	F20												
04U007	09-Nov-87	F16	<1.93	<4.81	186.00	<1.47	<0.10	<2.18	1.68		<0.70	400.00	<5.94	<2.65
04U007	10-Nov-88	F20												
03U008	09-Nov-87	F16	<1.93	20.60	370.00	<1.47	<0.10	<2.18	1.53		<0.70	760.00	<5.94	<2.65
03U008	10-Nov-88	F20												
03U009	20-Nov-87	F16	<1.93	<4.81	190.00	<1.47	<0.10	<2.18	14.80		<0.70	110.00	6.73	<2.65
03U009	14-Nov-88	F20												
03U010	09-Nov-87	F16	<1.93	<4.81	125.00	<1.47	<0.10	<2.18	1.68		<0.70	200.00	<5.94	2.70
03U010	10-Nov-88	F20												
03L010	09-Nov-87	F16	<1.93	<4.81	31.40	<1.47	<0.10	<2.18	1.09		<0.70	2.65	<5.94	<2.65
03L010	10-Nov-88	F20												
03U012	09-Nov-87	F16	1.98	6.19	220.00	<1.47	<0.10	3.49	3.56		<0.70	200.00	<5.94	6.43
03U012	11-Nov-88	F20												
03L012	09-Nov-87	F16	<1.93	<4.81	164.00	<1.47	<0.10	<2.18	1.34		<0.70	800.00	<5.94	<2.65
03L012	11-Nov-88	F20												
04U012	09-Nov-87	F16	<1.93	<4.81	490.00	<1.47	<0.10	2.33	1.24		<0.70	520.00	<5.94	<2.65
04U012	11-Nov-88	F20												
03U013	10-Nov-87	F16	<1.93	7.73	120.00	<1.47	<0.10	<2.18	2.52		<0.70	160.00	<5.94	<2.65
03M013	10-Nov-87	F16	<1.93	<4.81	142.00	<1.47	<0.10	<2.18	1.49		<0.70	400.00	<5.94	<2.65
03L013	10-Nov-87	F16	<1.93	<4.81	190.00	<1.47	<0.10	<2.18	1.49		<0.70	960.00	<5.94	3.47
03U014	04-Dec-87	F16	<1.93	<4.81	180.00	<1.47	0.11	3.03	1.40	<8.35	<0.70	8.50	<5.94	<2.65
03U014	18-Jan-88	H17												
03U014	18-May-88	H18												
03U014	02-Aug-88	H19												
03U014	17-Aug-88	F19		<6.01	138.00		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03U014	24-Oct-88	H20												
03U014	20-Apr-89	H22												
03U014	19-Jul-89	H23												
03U014	24-Oct-89	H24												
03L014	23-Nov-87	F16	<1.93	<4.81	180.00	<1.47	0.12	<2.18	15.80	<8.35	<0.70	900.00	<5.94	<2.65
03L014	10-Aug-88	F19		<6.01	111.00		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
03U015	17-Nov-87	F16	<1.93	<4.81	59.80	<1.47	0.15	4.15	2.33	<8.35	<0.70	2.70	<5.94	<2.65
03U015	05-Apr-88	F18		<6.01	40.00		<0.37	<2.50		<8.17			<5.32	<1.26
03U015	09-Aug-88	F19												
03U015	16-Nov-88	F20												
03U017	10-Nov-87	F16	<1.93	<4.81	51.50	<1.47	<0.10	3.19	2.43		<0.70	9.60	<5.94	4.59
03M017	10-Nov-87	F16	<1.93	<4.81	63.70	<1.47	<0.10	2.63	2.28		<0.70	5.50	<5.94	<2.65
03M017	11-Jan-88	H17												
03M017	12-May-88	H18												
03M017	01-Aug-88	H19												
03M017	31-Oct-88	H20												
03M017	13-Oct-89	H24												
03L017	10-Nov-87	F16	<1.93	<4.81	124.00	<1.47	<0.10	<2.18	1.49		<0.70	360.00	<5.94	<2.65
03U018	04-Dec-87	F16	<1.93	<4.81	89.20	<1.47	0.17	3.03	2.13	<8.35	<0.70	2.20	6.15	<2.65
03U018	22-Aug-88	F19		<6.01	46.00		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
03U018	20-Apr-89	H22												
03U018	12-Jul-89	H23												
03U018	20-Oct-89	H24												
03L018	23-Nov-87	F16	<1.93	<4.81	130.00	<1.47	<0.10	<2.18	2.08	<8.35	<0.70	470.00	<5.94	<2.65
03L018	08-Apr-88	F18		<6.01	67.00		<0.37	<2.50		<8.17			<5.32	<1.26
03L018	22-Aug-88	F19		<6.01	91.10		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
03L018	18-Nov-88	F20												
03U019	23-Nov-87	F16	2.67	<4.81	110.00	<1.47	0.13	3.03	18.30	<8.35	<0.70	7.00	<5.94	<2.65
03U019	25-Jan-88	H17												
03U019	17-May-88	H18												
03U019	02-Aug-88	H19												
03U019	12-Aug-88	F19		<6.01	95.80		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
03U019	27-Oct-88	H20												
03U019	18-Oct-89	H24												
03U020	07-Dec-87	F16	<1.93	<4.81	179.00	<1.47	0.13	4.04	1.58		<0.70	3.60	<5.94	<2.65
03U020	17-Aug-88	F19		<6.01	81.60		<0.37	<2.50					<5.32	<1.26
03M020	19-Jan-88	H17												
03M020	11-May-88	H18												
03M020	01-Aug-88	H19												
03M020	18-Aug-88	F19		<6.01	167.00		<0.37	<2.50					<5.32	<1.26
03M020	25-Oct-88	H20												
03M020	11-Oct-89	H24												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03L020	07-Dec-87	F16	<1.93	33.50	440.00	<1.47	<0.10	3.03	1.29		<0.70	2250.00	<5.94	<2.65
03L020	17-Aug-88	F19		29.30	320.00		<0.37	<2.50					<5.32	<1.26
04U020	07-Dec-87	F16	<1.93	21.10	910.00	<1.47	<0.10	<2.18	1.53		<0.70	1100.00	<5.94	<2.65
04U020	19-Jan-88	H17												
04U020	11-May-88	H18												
04U020	01-Aug-88	H19												
04U020	17-Aug-88	F19		21.20	570.00		<0.37	<2.50					<5.32	1.84
04U020	25-Oct-88	H20												
04U020	11-Oct-89	H24												
03U021	17-May-88	H18												
03U021	29-Jul-88	H19												
03U021	28-Oct-88	H20												
03U021	13-Oct-89	H24												
03L021	13-Oct-89	H24												
01U022	05-Apr-88	F18		<6.01	570.00		<0.37	<2.50					5.02	<1.26
03U022	05-Apr-88	F18		<6.01	129.00		0.56	<2.50					<5.32	<1.26
03U023	10-Nov-87	F16	<1.93	<4.81	58.80	<1.47	<0.10	<2.18	0.79		<0.70	12.50	<5.94	<2.65
03U023	15-Nov-88	F20		<6.01	38.40		<0.37	<2.50					<5.32	<1.26
03U024	10-Aug-88	F19		<6.01	173.00		<0.37	<2.50					<5.32	<1.26
03U025	10-Aug-88	F19		<6.01	118.00		<0.37	<2.50					<5.32	<1.26
03U026	18-Nov-87	F16	3.32	<4.81	80.00	<1.47	<0.10	4.25	1.93	<8.35	<0.70	4.45	<5.94	<2.65
03U026	08-Apr-88	F18		<6.01	55.70		<0.37	<2.50		<8.17			<5.32	<1.26
03U026	22-Aug-88	F19		<6.01	66.20		<0.37	4.10		<8.17	<0.74		<5.32	<1.26
03U026	16-Nov-88	F20												
03U027	20-Nov-87	F16	2.97	<4.81	240.00	<1.47	<0.10	2.53	1.39			350.00	9.32	4.08
03U027	13-Jan-88	H17												
03U027	11-May-88	H18												
03U027	08-Aug-88	H19												
03U027	16-Aug-88	F19		<6.01	154.00		<0.37	<2.50					<5.32	<1.26
03U027	25-Oct-88	H20												
03U027	11-Oct-89	H24												
04U027	15-Jan-88	H17												
04U027	10-May-88	H18												
04U027	08-Aug-88	H19												
04U027	25-Oct-88	H20												
04U027	11-Oct-89	H24												
PJ#027	20-Nov-87	F16	<1.93	<4.81	190.00	<1.47	<0.10	<2.18	1.49		<0.70	250.00	6.21	<2.65
03U028	03-Dec-87	F16	<1.93	<4.81	72.50	<1.47	0.22	4.04	3.42			2.20	<5.94	<2.65
03U028	22-Aug-88	F19		<6.01	39.40		<0.37	2.90		<8.17	<0.74		<5.32	<1.26
03U028	25-Oct-89	H24												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03U029	03-Dec-87	F16	<1.93	<4.81	81.40	<1.47	<0.10	<2.18	2.62		<0.70	7.20	<5.94	<2.65
03U029	26-Jan-88	H17												
03U029	17-May-88	H18												
03U029	08-Aug-88	H19												
03U029	17-Aug-88	F19		<6.01	53.90		<0.37	<2.50		8.67	<0.74		<5.32	<1.26
03U029	31-Oct-88	H20												
03U029	18-Oct-89	H24												
03L029	03-Dec-87	F16	<1.93	<4.81	270.00	<1.47	<0.10	<2.18	1.44		<0.70	380.00	<5.94	<2.65
03U030	03-Dec-87	F16	<1.93	<4.81	220.00	<1.47	0.12	3.03	1.33			75.00	<5.94	<2.65
03U030	26-Jan-88	H17												
03U030	18-May-88	H18												
03U030	08-Aug-88	H19												
03U030	22-Aug-88	F19		<6.01	260.00		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
03U030	01-Nov-88	H20												
03U030	25-Oct-89	H24												
03U031	18-Jan-88	H17												
03U031	10-May-88	H18												
03U031	29-Jul-88	H19												
03U031	10-Aug-88	F19		<6.01	50.20		<0.37	<2.50					<5.32	<1.26
03U031	20-Oct-88	H20												
03U031	11-Oct-89	H24												
03U032	20-Nov-87	F16	<1.93	<4.81	29.40	<1.47	0.11	3.03	3.02		<0.70	3.15	<5.94	<2.65
03U032	08-Apr-88	F18		<6.01	20.50		<0.37	<2.50					<5.32	<1.26
03U032	22-Aug-88	F19		<6.01	<9.10		<0.37	3.53		<8.17	<0.74		<5.32	<1.26
01U034	11-Nov-87	F16	<1.93	<4.81	<220.00	<1.47	0.19	<2.18	1.49		<0.70	910.00	<5.94	<2.65
01U034	14-Nov-88	F20		<6.01	177.00		<0.37	<2.50					8.66	<1.26
01U035	14-Nov-88	F20		<6.01	78.90		<0.37	<2.50					<5.32	<1.26
01U036	11-Nov-87	F16	<1.93	<4.81	24.50	<1.47	0.53	<2.18	1.53		<0.70	47.00	<5.94	<2.65
01U036	14-Nov-88	F20		<6.01	26.80		0.67	<2.50					<5.32	<1.26
01U036	26-Apr-89	F22												
01U036	27-Jul-89	F23												
01U036	24-Oct-89	F24												
01U037	07-Apr-88	F18		<6.01	80.10		<0.37	<2.50					<5.32	<1.26
01U038	06-Apr-88	F18		<6.01	148.00		<0.37	<2.50					<5.32	<1.26
01U039	06-Apr-88	F18		<6.01	41.50		<0.37	<2.50					<5.32	<1.26
01U040	05-Apr-88	F18		<6.01	142.00		<0.37	<2.50					5.07	<1.26
01U041	05-Apr-88	F18		<6.01	49.10		0.66	<2.50					<5.32	<1.26
01U045	08-Aug-88	F19		<6.01	160.00		0.36	<2.50					<5.32	<1.26

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
01U047	27-Apr-89	F22												
01U047	26-Jul-89	F23												
01U047	25-Oct-89	F24												
01U048	27-Apr-89	F22												
01U048	26-Jul-89	F23												
01U048	25-Oct-89	F24												
01U050	16-Nov-87	F16	2.13	8.25	<220.00	<1.47	0.34	<2.18	1.49	<8.35	<0.70	8500.00	<5.94	<2.65
01U050	07-Apr-88	F18		<6.01	200.00		<0.37	<2.50					<5.32	<1.26
01U050	15-Aug-88	F19		<6.01	190.00		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
01U050	21-Nov-88	F20												
01U051	16-Nov-87	F16	2.57	<4.81	<220.00	<1.47	0.68	3.54	1.39		<0.70	12.70	<5.94	4.18
01U051	07-Apr-88	F18		<6.01	112.00		<0.37	<2.50					<5.32	<1.26
01U051	15-Aug-88	F19		<6.01	69.50		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
01U051	21-Nov-88	F20												
01U052	27-Apr-89	F22												
01U052	26-Jul-89	F23												
01U052	25-Oct-89	F24												
01U053	16-Nov-87	F16	2.38	6.19	<220.00	<1.47	0.53	2.78	1.93	<8.35		1800.00	<5.94	3.06
01U053	07-Apr-88	F18												
01U053	15-Aug-88	F19		<6.01	99.00		0.36	<2.50		<8.17	<0.74		<5.32	<1.26
01U053	21-Nov-88	F20												
01U054	16-Nov-87	F16	<1.93	5.67	<220.00	<1.47	0.92	2.88	3.12			4000.00	<5.94	<2.65
01U054	07-Apr-88	F18												
01U054	15-Aug-88	F19		<6.01	53.50		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
01U054	21-Nov-88	F20												
01U054	27-Apr-89	F22												
01U054	26-Jul-89	F23												
01U054	26-Oct-89	F24												
01U060	19-Nov-87	F16	<1.93	10.30	270.00	<1.47	0.63	<2.18	1.44		<0.70	6000.00	14.00	<2.65
01U060	11-Apr-88	F18		<6.01	300.00		1.12	<2.50					9.44	<1.26
01U060	17-Nov-88	F20												
01U062	16-Nov-87	F16	2.38	<4.81	<220.00	<1.47	0.68	3.74	2.62		<0.70	16.00	<5.94	<2.65
01U062	07-Apr-88	F18		<6.01	130.00		<0.37	<2.50					<5.32	<1.26
01U062	16-Aug-88	F19		<6.01	150.00		0.38	<2.50		<8.17	<0.74		<5.32	<1.26
01U062	21-Nov-88	F20												
01U062	09-May-89	F22												
01U062	26-Jul-89	F23												
01U062	26-Oct-89	F24												
01U063	05-Apr-88	F18		<6.01	82.50		<0.37	<2.50		<8.17			<5.32	<1.26
01U064	12-May-89	F22												
01U064	26-Jul-89	F23												
01U064	27-Oct-89	F24												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
01U065	28-Apr-89	F22												
01U065	26-Jul-89	F23												
01U065	25-Oct-89	F24												
01U067	05-Apr-88	F18		<6.01	60.50		<0.37	<2.50					<5.32	<1.26
01U072	07-Apr-88	F18		<6.01	60.00		<0.37	<2.50		<8.17			14.50	<1.26
03U073	15-Jan-88	H17												
PJ#074	03-Dec-87	F16	<1.93	<4.81	220.00	<1.47	0.15	<2.18	1.10		<0.70	410.00	<5.94	<2.65
PJ#074	19-Aug-88	F19		<6.01	134.00		<0.37	<2.50					<5.32	<1.26
03U075	10-Nov-87	F16	<1.93	<4.81	51.00	<1.47	<0.10	<2.18	0.99		<0.70	6.40	<5.94	<2.65
03U075	18-Aug-88	F19		<6.01	45.10		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
03U076	10-Nov-87	F16	<1.93	<4.81	133.00	<1.47	<0.10	<2.18	1.24	<8.35	<0.70	110.00	<5.94	<2.65
03U076	18-Aug-88	F19		<6.01	61.40		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
03U077	19-Jan-88	H17												
03U077	09-May-88	H18												
03U077	03-Aug-88	H19												
03U077	21-Oct-88	H20												
03U077	16-Oct-89	H24												
03L077	04-Dec-87	F16	<1.93	<4.81	220.00	<1.47	<0.10	<2.18	1.40		<0.70	160.00	<5.94	<2.65
03L077	19-Jan-88	H17												
03L077	09-May-88	H18												
03L077	03-Aug-88	H19												
03L077	21-Oct-88	H20												
03L077	11-Oct-89	H24												
04U077	04-Dec-87	F16	<1.93	<4.81	240.00	<1.47	<0.10	<2.18	1.34		<0.70	200.00	<5.94	<2.65
04U077	19-Jan-88	H17												
04U077	09-May-88	H18												
04U077	03-Aug-88	H19												
04U077	21-Oct-88	H20												
04U077	11-Oct-89	H24												
04J077	11-Oct-89	H24												
03U078	23-Nov-87	F16	6.53	<4.81	100.00	<1.47	<0.10	5.06	1.53		<0.70	6.50	6.21	<2.65
03U078	14-Jan-88	H17												
03U078	13-May-88	H18												
03U078	03-Aug-88	H19												
03U078	18-Aug-88	F19		<6.01	47.40		<0.37	<2.50					<5.32	<1.26
03U078	16-Oct-89	H24												
03L078	23-Nov-87	F16	<1.93	<4.81	150.00	<1.47	<0.10	<2.18	13.40		<0.70	500.00	<5.94	<2.65
03L078	15-Jan-88	H17												
03L078	13-May-88	H18												
03L078	03-Aug-88	H19												
03L078	18-Aug-88	F19		<6.01	93.90		<0.37	<2.50					<5.32	<1.26

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03L078	16-Oct-89	H24												
03U079	04-Dec-87	F16	<1.93	<4.81	82.40	<1.47	<0.10	<2.18	1.44		<0.70	5.20	<5.94	<2.65
03U079	14-Jan-88	H17												
03U079	09-May-88	H18												
03U079	03-Aug-88	H19												
03U079	18-Aug-88	F19		<6.01	41.50		<0.37	<2.50					<5.32	<1.26
03U079	26-Oct-88	H20												
03U079	16-Oct-89	H24												
03L079	04-Dec-87	F16	<1.93	<4.81	220.00	<1.47	<0.10	<2.18	1.59		<0.70	430.00	<5.94	<2.65
03L079	14-Jan-88	H17												
03L079	09-May-88	H18												
03L079	03-Aug-88	H19												
03L079	18-Aug-88	F19		<6.01	93.90		<0.37	<2.50					<5.32	<1.26
03L079	26-Oct-88	H20												
03L079	16-Oct-89	H24												
03U083	10-Aug-88	F19		<6.01	98.80		<0.37	<2.50					<5.32	<1.26
03U084	23-Nov-87	F16	<1.93	<4.81	177.00	<1.47	<0.10	<2.18	2.48		<0.70	160.00	<5.94	<2.65
03U084	18-Jan-88	H17												
03U084	11-May-88	H18												
03U084	04-Aug-88	H19												
03U084	20-Oct-88	H20												
03U084	11-Oct-89	H24												
03L084	08-Dec-87	F16	<1.93	<4.81	250.00	<1.47	<0.10	2.53	1.40		<0.70	200.00	<5.94	<2.65
03L084	18-Jan-88	H17												
03L084	11-May-88	H18												
03L084	04-Aug-88	H19												
03L084	20-Oct-88	H20												
03L084	11-Oct-89	H24												
01U085	11-Nov-87	F16	3.12	16.50	530.00	<1.47	0.19	2.73	2.08		<0.70	2000.00	<5.94	<2.65
01U085	10-Aug-88	F19		43.90	500.00		<0.37	<2.50					<5.32	<1.26
01U085	17-Nov-88	F20												
03L086	11-Aug-88	F19		<6.01	81.00		<0.37	<2.50					<5.32	<1.26
03U087	20-Nov-87	F16	<1.93	<4.81	67.60	<1.47	<0.10	4.04	2.87		<0.70	<1.19	<5.94	<2.65
03U087	26-Jan-88	H17												
03U087	11-Apr-88	F18		<6.01	24.70		<0.37	<2.50					<5.32	<1.26
03U087	18-May-88	H18												
03U087	29-Jul-88	H19												
03U087	24-Aug-88	F19												
03U087	28-Oct-88	H20												
03U087	17-Nov-88	F20		<6.01	45.60		<0.37	2.64					<5.32	<1.26
03U087	24-Oct-89	H24												
03U088	17-Nov-87	F16	2.72	<4.81	98.00	<1.47	0.15	5.61	2.08	<8.35	<0.70	4.30	<5.94	<2.65
03U088	05-Apr-88	F18		<6.01	54.60		<0.37	3.51		<8.17			<5.32	<1.26
03U088	08-Aug-88	F19												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03U088	16-Nov-88	F20												
03U089	20-Nov-87	F16	3.66	<4.81	80.40	<1.47	0.12	28.00	1.44	<8.35	<0.70	5.50	8.80	<2.65
03U089	05-Apr-88	F18		<6.01	88.20		<0.37	44.40		<8.17			<5.32	<1.26
03U089	08-Aug-88	F19												
03U089	17-Nov-88	F20												
03U090	19-Nov-87	F16	1.93	<4.81	61.80	<1.47	<0.10	4.04	1.88	<8.35	<0.70	1.50	<5.94	<2.65
03U090	06-Apr-88	F18		<6.01	40.20		<0.37	<2.50		<8.17			<5.32	<1.26
03U090	16-Aug-88	F19		<6.01	53.00		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
03U090	18-Nov-88	F20												
03L091	03-Dec-87	F16	<1.93	<4.81	175.00	<1.47	0.14	<2.18	1.34	<8.35	<0.70	230.00	<5.94	<2.65
03L091	25-Aug-88	F19		<6.01	75.30		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
03U092	23-Nov-87	F16	2.97	<4.81	220.00	<1.47	<0.10	<2.18	2.28	<8.35	<0.70	190.00	<5.94	<2.65
03U092	08-Apr-88	F18		<6.01	115.00		<0.37	<2.50		<8.17			<5.32	<1.26
03U092	25-Aug-88	F19		<6.01	144.00		<0.37	<2.50		16.70	<0.74		<5.32	<1.26
03U092	16-Nov-88	F20												
03U093	04-Dec-87	F16	<1.93	<4.81	220.00	<1.47	0.19	<2.18	1.29	<8.35	<0.70	1800.00	6.21	<2.65
03U093	26-Jan-88	H17												
03U093	18-May-88	H18												
03U093	08-Aug-88	H19												
03U093	17-Aug-88	F19		<6.01	100.00		0.54	<2.50		<8.17	<0.74		<5.32	<1.26
03U093	01-Nov-88	H20												
03U093	19-Oct-89	H24												
03U094	04-Dec-87	F16	<1.93	<4.81	240.00	<1.47	0.14	3.03	1.39	<8.35	<0.70	66.00	<5.94	<2.65
03U094	25-Aug-88	F19		<6.01	92.90		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
03U096	04-Dec-87	F16	<1.93	<4.81	41.20	<1.47	0.11	3.54	1.87	<8.35	<0.70	2.20	<5.94	<2.65
03U096	25-Aug-88	F19		<6.01	34.10		<0.37	3.21		<8.17	<0.74		<5.32	<1.26
03U097	20-Nov-87	F16	<1.93	<4.81	290.00	<1.47	<0.10	<2.18	1.63		<0.70	380.00	7.25	<2.65
03U097	07-Apr-88	F18		<6.01	130.00		<0.37	<2.50		<8.17			<5.32	<1.26
03U097	11-Aug-88	F19												
03U097	17-Nov-88	F20												
01U098	19-Nov-87	F16	4.01	<4.81	<220.00	<1.47	0.34	6.67	3.32		<0.70	140.00	12.90	3.47
01U098	11-Apr-88	F18		<6.01	190.00		0.71	<2.50					<5.32	<1.26
01U098	17-Nov-88	F20												
03U099	19-Nov-87	F16	3.32	<4.81	46.10	<1.47	<0.10	2.78	2.03		<0.70	350.00	<5.94	<2.65
03U099	11-Apr-88	F18		<6.01	32.80		<0.37	<2.50					<5.32	<1.26
03U099	27-Jul-88	H19												
03U099	12-Aug-88	F19												
03U099	17-Nov-88	F20												
01U100	07-Apr-88	F18		<6.01	290.00		<0.37	<2.50					9.05	<1.26
01U101	14-Nov-88	F20		<6.01	177.00		0.40	<2.50					<5.32	<1.26
01U101	25-Apr-89	F22												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
01U101	26-Jul-89	F23												
01U101	24-Oct-89	F24												
01U102	08-Aug-88	F19												
01U102	11-Nov-88	F20												
01U102	25-Apr-89	F22												
01U102	27-Jul-89	F23												
01U102	26-Oct-89	F24												
01U103	11-Nov-87	F16	3.91	<4.81	<220.00	<1.47	0.34	3.79	2.92		<0.70	62.00	14.50	2.86
01U103	18-Nov-87	F16												
01U103	08-Aug-88	F19												
01U103	11-Nov-88	F20												
01U103	26-Apr-89	F22												
01U103	27-Jul-89	F23												
01U103	26-Oct-89	F24												
01U107	08-Apr-88	F18		<6.01	170.00		0.58	<2.50					<5.32	<1.26
01U107	08-Aug-88	F19												
01U107	15-Nov-88	F20												
01U107	25-Apr-89	F22												
01U107	27-Jul-89	F23												
01U107	25-Oct-89	F24												
01U108	16-Nov-87	F16												
01U108	17-Nov-87	F16	<1.93	<4.81	<220.00	<1.47	<0.10	<2.18	1.98	<8.35	<0.70	2000.00	8.28	<2.65
01U108	11-Apr-88	F18		<6.01	121.00		<0.37	<2.50		<8.17			5.72	<1.26
01U108	25-Aug-88	F19												
01U108	15-Nov-88	F20												
01U108	24-Apr-89	F22												
01U108	24-Oct-89	F24												
01U109	08-Apr-88	F18		<6.01	107.00		<0.37	<2.50					<5.32	<1.26
01U110	08-Apr-88	F18		<6.01	35.00		<0.37	<2.50					<5.32	<1.26
03U111	20-Nov-87	F16	<1.93	10.80	470.00	<1.47	0.13	<2.18	3.66		<0.70	850.00		<2.65
03U111	07-Apr-88	F18		9.84	320.00		<0.37	<2.50		<8.17			<5.32	<1.26
03U111	11-Aug-88	F19												
03U111	17-Nov-88	F20												
03U112	20-Nov-87	F16	2.48	<4.81	82.40	<1.47	<0.10	4.04	2.08	<8.35	<0.70	3.75	6.73	<2.65
03U112	08-Apr-88	F18		<6.01	51.30		<0.37	<2.50		17.40			<5.32	<1.26
03U112	16-Aug-88	F19		<6.01	61.20		<0.37	2.65		<8.17	<0.74		<5.32	<1.26
03U112	18-Nov-88	F20												
03U113	18-Nov-87	F16	<1.93	<4.81	53.90	<1.47	<0.10	<2.18	2.23	<8.35	<0.70	7.20	<5.94	2.76
03U113	06-Apr-88	F18		<6.01	36.40		<0.37	<2.50		<8.17			<5.32	<1.26
03U113	09-Aug-88	F19		<6.01	25.90		<0.37	2.55		<8.17	<0.74		<5.32	<1.26
03U113	18-Nov-88	F20												
03L113	18-Nov-87	F16	<1.93	<4.81	67.60	<1.47	<0.10	<2.18	0.94	<8.35	<0.70	350.00	<5.94	<2.65
03L113	06-Apr-88	F18		<6.01	39.70		<0.37	<2.50		<8.17			<5.32	<1.26

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03L113	09-Aug-88	F19		<6.01	41.00		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
03L113	18-Nov-88	F20												
03U114	23-Nov-87	F16	<1.93	<4.81	52.90	<1.47	0.33	4.04	12.40	<8.35	<0.70	2.25	<5.94	5.10
03U114	11-Apr-88	F18		<6.01	25.20		<0.37	<2.50		<8.17			22.90	<1.26
03U114	09-Aug-88	F19		<6.01	33.90		<0.37	2.93		<8.17	<0.74		<5.32	<1.26
03U114	16-Nov-88	F20												
01U115	11-Nov-87	F16	<1.93	<4.81	70.60	<1.47	<0.10	<2.18	3.61		<0.70	120.00	<5.94	2.70
01U115	11-Apr-88	F18		<6.01	25.90		<0.37	<2.50		<8.17			<5.32	<1.26
01U115	09-Aug-88	F19												
01U115	15-Nov-88	F20								<8.17				
01U115	24-Apr-89	F22												
01U115	27-Jul-89	F23												
01U115	27-Oct-89	F24												
01U116	11-Nov-87	F16	<1.93	6.19	125.00	<1.47	<0.10	<2.18	3.17		<0.70	280.00	<5.94	3.16
01U116	06-Apr-88	F18		6.63	102.00		<0.37	<2.50					<5.32	<1.26
01U116	09-Aug-88	F19												
01U116	15-Nov-88	F20								<8.17				
01U116	24-Apr-89	F22												
01U116	27-Jul-89	F23												
01U116	27-Oct-89	F24												
01U117	11-Nov-87	F16	3.61	<4.81	<220.00	<1.47	0.19	3.74	2.97		<0.70	950.00	<5.94	<2.65
01U117	06-Apr-88	F18		<6.01	200.00		<0.37	<2.50		<8.17			<5.32	<1.26
01U117	09-Aug-88	F19												
01U117	15-Nov-88	F20								<8.17				
01U117	25-Apr-89	F22												
01U117	27-Jul-89	F23												
01U117	27-Oct-89	F24												
01U118	11-Nov-87	F16	<1.93	<4.81	83.30	<1.47	0.15	<2.18	1.93		<0.70	18.50	<5.94	<2.65
01U118	07-Apr-88	F18		<6.01	57.40		<0.37	<2.50		<8.17			<5.32	<1.26
01U118	09-Aug-88	F19												
01U118	15-Nov-88	F20								<8.17				
01U118	25-Apr-89	F22												
01U118	27-Jul-89	F23												
01U118	27-Oct-89	F24												
01U119	11-Nov-87	F16	3.51	<4.81	<220.00	<1.47	0.39	3.89	1.98		<0.70	1200.00	<5.94	2.76
01U119	07-Apr-88	F18		<6.01	140.00		<0.37	<2.50		<8.17			<5.32	<1.26
01U119	12-Aug-88	F19												
01U119	15-Nov-88	F20								<8.17				
01U119	26-Apr-89	F22												
01U119	27-Jul-89	F23												
01U119	27-Oct-89	F24												
01U120	11-Nov-87	F16	<1.93	<4.81	40.20	<1.47	0.34	<2.18	2.18		<0.70	180.00	<5.94	<2.65
01U120	07-Apr-88	F18		<6.01	31.20		<0.37	<2.50		<8.17			<5.32	<1.26
01U120	12-Aug-88	F19												
01U120	15-Nov-88	F20								<8.17				
01U120	27-Apr-89	F22												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
01U120	27-Jul-89	F23												
01U120	27-Oct-89	F24												
03U121	08-Dec-87	F16	<1.93	<4.81	33.30	<1.47	<0.10	<2.18	2.52	<8.35	<0.70	100.00	<5.94	<2.65
03U121	08-Apr-88	F18		<6.01	29.90		<0.37	<2.50		<8.17			<5.32	<1.26
03U121	16-Aug-88	F19		<6.01	39.40		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
03U121	18-Nov-88	F20												
01U122	09-Dec-87	F16	<1.93	<4.81	240.00	<1.47	0.21	<2.18	2.72		<0.70	610.00	<5.94	<2.65
01U122	05-Apr-88	F18		<6.01	128.00		<0.37	<2.50					<5.32	<1.26
01U122	08-Aug-88	F19												
01U122	11-Nov-88	F20												
03U124	08-Apr-88	F18		<6.01	25.80		<0.37	<2.50			<0.74		<5.32	<1.26
03U124	18-Aug-88	F19		<6.01	38.00		<0.37	4.88		<8.17	<0.74		<5.32	<1.26
01U125	08-Dec-87	F16	<1.93	<4.81	45.10	<1.47	0.15	3.54	2.03		<0.70	9.00	<5.94	<2.65
01U125	11-Apr-88	F18		<6.01	18.30		<0.37	<2.50		<8.17			<5.32	<1.26
01U125	12-Aug-88	F19												
01U125	17-Nov-88	F20								<8.17				
01U126	08-Dec-87	F16	<1.93	<4.81	98.00	<1.47	0.18	<2.18	2.62		<0.70	390.00	<5.94	<2.65
01U126	06-Apr-88	F18		<6.01	60.30		<0.37	<2.50		<8.17			<5.32	<1.26
01U126	12-Aug-88	F19												
01U126	17-Nov-88	F20								<8.17				
01U126	24-Apr-89	F22												
01U126	27-Jul-89	F23												
01U126	25-Oct-89	F24												
01U127	11-Dec-87	F16	<1.93	5.67	99.00	<1.47	0.23	2.53	1.98		<0.70	9.50	<5.94	<2.65
01U127	06-Apr-88	F18		<6.01	56.90		<0.37	<2.50		<8.17			<5.32	<1.26
01U127	12-Aug-88	F19												
01U127	14-Nov-88	F20								<8.17				
01U127	26-Apr-89	F22												
01U127	25-Oct-89	F24												
01U128	09-Dec-87	F16	<1.93	20.60	280.00	<1.47	0.38	2.53	1.53		<0.70	4500.00	<5.94	3.57
01U128	05-Apr-88	F18		15.10	330.00		<0.37	<2.50					<5.32	<1.26
01U128	08-Aug-88	F19		19.90	290.00		<0.37	6.01		<8.17	<0.74		<5.32	<1.26
01U128	16-Nov-88	F20												
03U129	08-Dec-87	F16	<1.93	9.28	370.00	<1.47	0.17	<2.18	4.95		<0.70	380.00	<5.94	<2.65
03U129	07-Apr-88	F18		<6.01	160.00		<0.37	<2.50		<8.17			<5.32	<1.26
03U129	11-Aug-88	F19												
03U129	18-Nov-88	F20												
01U130	07-Dec-87	F16	<1.93	5.15	500.00	<1.47	0.29	3.03	3.22			7500.00	7.76	<2.65
01U130	07-Apr-88	F18												
01U130	15-Aug-88	F19		<6.01	240.00		0.58	<2.50		<8.17	<0.74		<5.32	<1.26
01U130	21-Nov-88	F20												
01U133	11-Dec-87	F16	<1.93	5.67	320.00	<1.47	1.17	<2.18	5.94		<0.70	600.00	13.50	<2.65
01U133	12-Aug-88	F19		<6.01	240.00		<0.37	<2.50					<5.32	<1.26

TABLE 7. - TCAAP GROUNDWATER QUALITY (INORGANICS) - ug/l

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
01U133	14-Nov-88	F20								<8.17				
01U135	21-Nov-88	F20		<6.01	91.00		<0.37	<2.50		<8.17			<5.32	<1.26
01U135	25-Apr-89	F22												
01U135	26-Jul-89	F23												
01U135	25-Oct-89	F24												
01U136	21-Nov-88	F20		<6.01	490.00		1.00	<2.50		<8.17			<27.00	1.92
01U136	25-Apr-89	F22												
01U136	26-Jul-89	F23												
01U136	25-Oct-89	F24												
03L137	17-Oct-89	F24		<4.81	98.00		1.27	17.60					7.58	4.45
03L138	17-Oct-89	F24		9.28	240.00		0.13	11.60					<5.94	8.37
03U301	16-Mar-89	H21												
03U301	20-Apr-89	H22		<3.00	<200.00		<0.10	<1.00	<10.00	60.00	<0.20		<50.00	<1.00
03U301	19-Jul-89	H23		<2.00	<200.00		<0.10	<1.00	30.00	10.00	<0.20		<50.00	3.00
03U301	24-Oct-89	H24		<5.00	35.00		<8.00	<9.00	26.00	10.00	<0.20		<16.00	2.00
03F302	17-Nov-87	H16												
03F302	15-Dec-87	H16												
03F302	12-Jan-88	H17												
03F302	28-Apr-88	H18												
03F302	19-Jul-88	H19												
03F302	21-Oct-88	H20												
03F302	06-Jan-89	H21												
03F302	16-Mar-89	H21												
03F302	20-Apr-89	H22		<3.00	<200.00		<0.10	<1.00	<10.00	<10.00	<0.20		<50.00	8.00
03F302	19-Jul-89	H23		<2.00	<200.00		<0.10	<1.00	<10.00	<10.00	<0.20		<50.00	7.00
03F302	24-Oct-89	H24		<5.00	70.00		<8.00	<9.00	<4.00	<10.00	<0.20		<16.00	2.00
03F303	17-Nov-87	H16												
03F303	15-Dec-87	H16												
03F303	12-Jan-88	H17												
03F303	28-Apr-88	H18												
03F303	19-Jul-88	H19												
03F303	21-Oct-88	H20												
03F303	06-Jan-89	H21												
03F303	16-Mar-89	H21												
03F303	20-Apr-89	H22		<3.00	<200.00		<0.10	<1.00	710.00	<10.00	<0.20		<50.00	91.00
03F303	19-Jul-89	H23		3.00	<200.00		1.10	1.00	<10.00	<10.00	<0.20		<50.00	12.00
03F303	24-Oct-89	H24		<5.00	57.00		<8.00	<9.00	<4.00	<10.00	<0.20		<16.00	2.00
03F304	17-Nov-87	H16												
03F304	15-Dec-87	H16												
03F304	12-Jan-88	H17												
03F304	28-Apr-88	H18												
03F304	19-Jul-88	H19												
03F304	16-Mar-89	H21												
03F304	20-Apr-89	H22		<3.00	<200.00		<0.10	<1.00	<10.00	<10.00	<0.20		<50.00	<1.00
03F304	19-Jul-89	H23		<2.00	<200.00		0.10	<1.00	30.00	<10.00	<0.20		<50.00	2.00

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03F304	24-Oct-89	H24		<5.00	92.00		<8.00	<9.00	<4.00	<10.00	<0.20		<16.00	<1.00
03F305	17-Nov-87	H16												
03F305	15-Dec-87	H16												
03F305	12-Jan-88	H17												
03F305	28-Apr-88	H18												
03F305	19-Jul-88	H19												
03F305	06-Jan-89	H21												
03F305	16-Mar-89	H21												
03F305	20-Apr-89	H22		<3.00	<200.00		<0.10	<1.00	10.00	<10.00	<0.20		<50.00	12.00
03F305	19-Jul-89	H23		<2.00	<200.00		0.20	<1.00	100.00	<10.00	<0.20		<50.00	32.00
03F305	23-Oct-89	H24		<5.00	100.00		<8.00	<9.00	<4.00	<10.00	<0.20		<16.00	16.00
03L306	23-Aug-88	F19												
03L306	08-Nov-88	F20												
03L306	03-May-89	F22												
03F306	17-Nov-87	H16												
03F306	15-Dec-87	H16												
03F306	12-Jan-88	H17												
03F306	28-Apr-88	H18												
03F306	19-Jul-88	H19												
03F306	21-Oct-88	H20												
03F306	06-Jan-89	H21												
03F306	16-Mar-89	H21												
03F306	20-Apr-89	H22		<3.00	<200.00		<0.10	<1.00	<10.00	<10.00	<0.20		<50.00	12.00
03F306	19-Jul-89	H23		<2.00	<200.00		0.20	<1.00	40.00	<10.00	<0.20		<50.00	24.00
03F306	23-Oct-89	H24		<5.00	45.00		<8.00	<9.00	<4.00	<10.00	<0.20		<16.00	3.00
03F307	17-Nov-87	H16												
03F307	15-Dec-87	H16												
03F307	12-Jan-88	H17												
03F307	28-Apr-88	H18												
03F307	19-Jul-88	H19												
03F307	21-Oct-88	H20												
03F307	16-Mar-89	H21												
03F307	20-Apr-89	H22		<3.00	<200.00		<0.10	<1.00	<10.00	<10.00	<0.20		<50.00	57.00
03F307	19-Jul-89	H23		<2.00	<200.00		0.40	<1.00	10.00	<10.00	<0.20		<50.00	31.00
03F307	23-Oct-89	H24		<5.00	81.00		<8.00	<9.00	<4.00	<10.00	<0.20		<16.00	5.00
03F308	16-Mar-89	H21												
03F308	20-Apr-89	H22		<3.00	<200.00		<0.10	<1.00	10.00	<10.00	<0.20		<50.00	4.00
03F308	19-Jul-89	H23		<2.00	<200.00		<0.10	<1.00	50.00	<10.00	<0.20		<50.00	4.00
03F308	23-Oct-89	H24		<5.00	81.00		<8.00	<9.00	<4.00	<10.00	<0.20		<16.00	<1.00
PJ#309	18-Nov-88	H20												
PJ#309	16-Mar-89	H21												
PJ#309	20-Apr-89	H22		<3.00	<200.00		<0.10	<1.00	20.00	<10.00	<0.20		<50.00	8.00
PJ#309	19-Jul-89	H23		<2.00	<200.00		0.20	<1.00	100.00	<10.00	<0.20		<50.00	42.00
PJ#309	23-Oct-89	H24		<5.00	140.00		<8.00	<9.00	7.00	<10.00	<0.20		<16.00	7.00
PJ#310	16-Mar-89	H21												
PJ#310	20-Apr-89	H22		<3.00	<200.00		<0.10	<1.00	<10.00	<10.00	<0.20		<50.00	24.00

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
PJ#310	19-Jul-89	H23		<2.00	200.00		0.20	<1.00	80.00	<10.00	<0.20		<50.00	26.00
PJ#310	11-Oct-89	H24		<5.00	140.00		<8.00	<9.00	<4.00	<10.00	<0.20		<16.00	1.00
PJ#311	16-Mar-89	H21												
PJ#311	20-Apr-89	H22		<3.00	<200.00		<0.10	2.00	20.00	<10.00	<0.20		<50.00	50.00
PJ#311	19-Jul-89	H23		<2.00	<200.00		<0.10	<1.00	<10.00	<10.00	<0.20		<50.00	2.00
PJ#311	24-Oct-89	H24		<5.00	120.00		<8.00	<9.00	<4.00	<10.00	<0.20		<16.00	2.00
03F312	19-Dec-88	H20												
03F312	16-Mar-89	H21												
03F312	20-Apr-89	H22		<3.00	<200.00		<0.10	<1.00	<10.00	<10.00	<0.20		<50.00	7.00
03F312	19-Jul-89	H23		<2.00	<200.00		<0.10	<1.00	<10.00	<10.00	<0.20		<50.00	<1.00
03F312	24-Oct-89	H24		<5.00	130.00		<8.00	<9.00	92.00	<10.00	<0.20		<16.00	110.00
PJ#313	16-Mar-89	H21												
PJ#313	20-Apr-89	H22		<3.00	<200.00		<0.10	<1.00	<10.00	<10.00	<0.20		<50.00	<1.00
PJ#313	19-Jul-89	H23		<2.00	<200.00		<0.10	<1.00	50.00	<10.00	<0.20		<50.00	4.00
PJ#313	23-Oct-89	H24		<5.00	64.00		<8.00	<9.00	19.00	<10.00	<0.20		<16.00	2.00
03U314	05-Jan-89	H21												
03U314	16-Mar-89	H21												
03U314	20-Apr-89	H22		8.00	200.00		<0.10	<1.00	<10.00	<10.00	<0.20		<50.00	<1.00
03U314	19-Jul-89	H23		11.00	<200.00		0.10	<1.00	<10.00	<10.00	<0.20		<50.00	2.00
03U314	24-Oct-89	H24		11.00	230.00		<8.00	<9.00	<4.00	<10.00	<0.20		<16.00	1.00
03U315	05-Jan-89	H21												
03U315	16-Mar-89	H21												
03U315	20-Apr-89	H22		<3.00	<200.00		<0.10	<1.00	50.00	<10.00	<0.20		<50.00	9.00
03U315	19-Jul-89	H23		<2.00	<200.00		<0.10	<1.00	30.00	<10.00	<0.20		<50.00	3.00
03U315	24-Oct-89	H24		<5.00	100.00		<8.00	<9.00	<4.00	<10.00	<0.20		<16.00	3.00
03U316	05-Jan-89	H21												
03U316	16-Mar-89	H21												
03U316	20-Apr-89	H22		<3.00	<200.00		0.20	2.00	300.00	<10.00	<0.20		<50.00	66.00
03U316	19-Jul-89	H23		<2.00	<200.00		0.10	<1.00	70.00	<10.00	<0.20		<50.00	22.00
03U316	24-Oct-89	H24		<5.00	90.00		<8.00	<9.00	<4.00	<10.00	<0.20		<16.00	4.00
03U317	05-Jan-89	H21												
03U317	16-Mar-89	H21												
03U317	20-Apr-89	H22		<3.00	<200.00		<0.10	1.00	50.00	10.00	<0.20		<50.00	30.00
03U317	19-Jul-89	H23		<2.00	<200.00		<0.10	<1.00	30.00	<10.00	<0.20		<50.00	15.00
03U317	25-Oct-89	H24		<5.00	110.00		<8.00	<9.00		<10.00	<0.20			2.00
PJ#318	24-Aug-88	F19												
PJ#318	09-Nov-88	F20												
PJ#318	06-Feb-89	H21												
PJ#318	02-May-89	F22												
PJ#318	19-Jul-89	F23												
PJ#318	18-Oct-89	F24												
PJ#502	18-Nov-87	F16	<1.93	<4.81	<220.00	<1.47	<0.10	<2.18	1.73		<0.70	240.00	<5.94	<2.65
PJ#503	18-Nov-87	F16	<1.93	<4.81	<220.00	<1.47	<0.10	<2.18	1.53		<0.70	360.00	<5.94	<2.65

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03M505	09-Nov-87	F16	<1.93	<4.81	122.00	<1.47	<0.10	<2.18	1.24		<0.70	220.00	<5.94	<2.65
PJ#506	18-Nov-87	F16						<2.18				560.00		
PJ#506	19-Nov-87	F16	<1.93	<4.81	<220.00	<1.47	<0.10		0.89		<0.70		<5.94	<2.65
PJ#507	18-Nov-87	F16	<1.93	<4.81	<220.00	<1.47	<0.10	<2.18	1.39		<0.70	680.00	<5.94	<2.65
PJ#508	23-Aug-88	F19		8.53	360.00		<0.37	<2.50					<5.32	<1.26
04U510	18-Nov-87	F16	<1.93	<4.81	<220.00	<1.47	<0.10	<2.18	2.28		<0.70	270.00	<5.94	3.78
04U510	15-Nov-88	F20												
03U521	20-Nov-87	F16	1.98	<4.81	33.30	<1.47	<0.10	2.53	2.97		<0.70	4.45	6.21	4.59
03U521	11-Apr-88	F18		<6.01	19.40		<0.37	<2.50					<5.32	<1.26
03U521	24-Aug-88	F19												
03U521	18-Nov-88	F20		<6.01	16.80		<0.37	<2.50					<5.32	<1.26
01U524	16-Nov-87	F16		<4.81										
01U524	17-Nov-87	F16	3.22		<220.00	<1.47	0.68	4.45	2.48	<8.35	<0.70		<5.94	2.86
01U524	07-Apr-88	F18		<6.01	130.00		<0.37	<2.50					<5.32	<1.26
01U524	16-Aug-88	F19		<6.01	200.00		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
01U524	21-Nov-88	F20												
01U525	16-Nov-87	F16	<1.93	<4.81	<220.00	<1.47	0.44	2.33	3.22			35.00	<5.94	3.06
01U525	17-Nov-87	F16									<0.70			
01U525	07-Apr-88	F18		<6.01	81.00		<0.37	<2.50					<5.32	<1.26
01U525	15-Aug-88	F19		<6.01	200.00		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
01U525	14-Nov-88	F20												
01U525	27-Apr-89	F22												
01U525	26-Jul-89	F23												
01U525	26-Oct-89	F24												
01U526	17-Nov-87	F16	2.92	<4.81	<220.00	<1.47	0.92	5.46	2.57	10.50	<0.70	20.00	6.21	<2.65
01U526	07-Apr-88	F18		<6.01	84.00		<0.37	<2.50					<5.32	<1.26
01U526	15-Aug-88	F19		<6.01	69.90		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
01U526	14-Nov-88	F20												
01U526	09-May-89	F22												
01U526	26-Jul-89	F23												
01U526	26-Oct-89	F24												
01U527	17-Nov-87	F16	<1.93	<4.81	270.00	<1.47	0.19	3.29	1.63			42.00	<5.94	<2.65
01U527	11-Apr-88	F18		<6.01	420.00		<0.37	<2.50					<5.32	<1.26
01U527	25-Aug-88	F19		<6.01	260.00		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
01U527	21-Nov-88	F20												
01U601	07-Dec-87	F16	<1.93	9.28	120.00	<1.47	0.20	<2.18	14.90		<0.70	150.00	6.73	<2.65
01U604	07-Dec-87	F16	<1.93	<4.81	310.00	<1.47	0.46	5.06	3.37	<8.35	<0.70	4500.00	98.00	5.10
01U611	08-Dec-87	F16	<1.93	7.73	250.00	<1.47	0.28	2.53	2.67		<0.70	290.00	9.32	<2.65
01U615	07-Dec-87	F16	<1.93	<4.81	193.00	<1.47	<0.10	<2.18	2.87		<0.70	960.00	7.25	<2.65

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
01U617	19-Aug-88	F19		<6.01	134.00		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
01U618	19-Aug-88	F19		<6.01	106.00		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
01U619	19-Aug-88	F19		<6.01	49.40		<0.37	<2.50		<8.17	<0.74		<5.32	<1.26
01U634	12-May-89	F22												
01U634	26-Jul-89	F23												
01U636	12-May-89	F22												
01U636	26-Jul-89	F23												
01U639	12-May-89	F22												
01U639	26-Jul-89	F23												
01U640	26-Jul-89	F23												
01U652	12-May-89	F22												
01U652	26-Jul-89	F23												
01U652	27-Oct-89	F24												
03U658	27-Jul-88	H19												
03U658	13-Oct-89	H24												
03U659	25-Oct-89	H24												
01U666	12-May-89	F22												
03U671	04-Dec-87	F16	<1.93	<4.81	95.10	<1.47	<0.10	3.54	2.03			14.80	<5.94	<2.65
03U671	22-Jan-88	H17												
03U671	13-May-88	H18												
03U671	08-Aug-88	H19												
03U671	22-Aug-88	F19		<6.01	42.10		<0.37	<2.50					<5.32	<1.26
03U671	26-Oct-88	H20												
03U671	16-Oct-89	H24												
03U672	13-Nov-87	H16												
03U672	14-Jan-88	H17												
03U672	18-May-88	H18												
03U672	27-Jul-88	H19												
03U672	28-Oct-88	H20												
03U672	19-Apr-89	H22												
03U672	12-Jul-89	H23												
03U672	18-Oct-89	H24												
03U673	13-Nov-87	H16												
03L673	12-Nov-87	H16												
04U673	24-Nov-87	H16												
04U673	21-Jan-88	H17												
04U673	16-May-88	H18												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
04U673	04-Aug-88	H19												
04U673	01-Nov-88	H20												
04U673	03-May-89	F22												
04U673	21-Jul-89	F23												
04U673	19-Oct-89	H24												
04U673	19-Oct-89	F24												
03U676	03-Nov-87	H16												
03U701	20-Jan-88	H17												
03U701	12-May-88	H18												
03U701	02-Aug-88	H19												
03U701	21-Oct-88	H20												
03U701	17-Oct-89	H24												
04U701	20-Jan-88	H17												
04U701	12-May-88	H18												
04U701	02-Aug-88	H19												
04U701	21-Oct-88	H20												
04U701	17-Oct-89	H24												
03U702	20-Jan-88	H17												
03U702	13-May-88	H18												
03U702	08-Aug-88	H19												
03U702	25-Oct-88	H20												
03U702	13-Oct-89	H24												
04U702	20-Jan-88	H17												
04U702	13-May-88	H18												
04U702	02-Aug-88	H19												
04U702	25-Oct-88	H20												
04U702	13-Oct-89	H24												
04J702	13-Oct-89	H24												
03U703	15-Jan-88	H17												
03U703	16-May-88	H18												
03U703	04-Aug-88	H19												
03U703	24-Oct-88	H20												
03U703	12-Oct-89	H24												
03U704	10-Nov-87	F16	<1.93	<4.81	45.10	<1.47	1.46	<2.18	1.93	<8.35	<0.70	140.00	<5.94	<2.65
03U704	25-Jan-88	H17												
03U704	05-Apr-88	F18		<6.01	30.10		<0.37	<2.50		<8.17			<5.32	<1.26
03U704	17-May-88	H18												
03U704	29-Jul-88	H19												
03U704	08-Aug-88	F19												
03U704	27-Oct-88	H20												
03U704	16-Nov-88	F20												
03U704	20-Apr-89	H22												
03U704	19-Jul-89	H23												
03U704	20-Oct-89	H24												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03U705	25-Jan-88	H17												
03U705	17-May-88	H18												
03U705	08-Aug-88	H19												
03U705	12-Oct-89	H24												
03U706	25-Jan-88	H17												
03U706	10-May-88	H18												
03U706	29-Jul-88	H19												
03U706	25-Oct-88	H20												
03U706	12-Oct-89	H24												
03U707	25-Jan-88	H17												
03U707	17-May-88	H18												
03U707	29-Jul-88	H19												
03U707	25-Oct-88	H20												
03U707	20-Oct-89	H24												
03U708	22-Jan-88	H17												
03U708	10-May-88	H18												
03U708	04-Aug-88	H19												
03U708	24-Oct-88	H20												
03U708	31-Oct-88	H20												
03U708	12-Oct-89	H24												
04U708	22-Jan-88	H17												
04U708	10-May-88	H18												
04U708	04-Aug-88	H19												
04U708	04-Jan-89	H21												
04U708	12-Oct-89	H24												
04J708	04-Jan-89	H21												
04J708	12-Oct-89	H24												
03U709	22-Jan-88	H17												
03U709	12-May-88	H18												
03U709	08-Aug-88	H19												
03U709	26-Oct-88	H20												
03U709	17-Oct-89	H24												
04U709	22-Jan-88	H17												
04U709	12-May-88	H18												
04U709	08-Aug-88	H19												
04U709	26-Oct-88	H20												
04U709	17-Oct-89	H24												
03U710	14-Jan-88	H17												
03U710	18-May-88	H18												
03U710	03-Aug-88	H19												
03U710	26-Oct-88	H20												
03U710	25-Oct-89	H24												
03U711	19-Apr-89	H22												
03U711	12-Jul-89	H23												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03U711	18-Oct-89	H24												
04U711	19-Apr-89	H22												
04U711	12-Jul-89	H23												
04U711	18-Oct-89	H24												
03M713	04-Jan-89	H21												
04U713	06-Jan-89	H21												
04U713	23-Oct-89	H24												
04J713	04-Jan-89	H21												
04J713	13-Oct-89	H24												
04U714	04-Jan-89	H21												
04U714	18-Apr-89	H22												
04U714	12-Jul-89	H23												
04U714	13-Oct-89	H24												
04J714	04-Jan-89	H21												
04J714	18-Apr-89	H22												
04J714	11-Jul-89	H23												
04J714	13-Oct-89	H24												
03U801	03-Dec-87	F16									<0.70			
03M802	03-Dec-87	F16												
03L802	03-Dec-87	F16												
03L802	21-Jan-88	H17												
03L802	13-May-88	H18												
03L802	04-Aug-88	H19												
03L802	28-Oct-88	H20												
03L802	20-Apr-89	H22												
03L802	12-Jul-89	H23												
03L802	18-Oct-89	H24												
04U802	02-Dec-87	F16												
04U802	21-Jan-88	H17												
04U802	13-May-88	H18												
04U802	04-Aug-88	H19												
04U802	24-Aug-88	F19												
04U802	28-Oct-88	H20												
04U802	18-Oct-89	H24												
PJ#802	02-Dec-87	F16												
03U803	01-Dec-87	F16									<0.70			
03U803	28-Oct-88	H20												
03U804	01-Dec-87	F16									<0.70			
03U804	21-Jan-88	H17												
03U804	13-May-88	H18												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03U804	04-Aug-88	H19												
03U804	17-Oct-89	H24												
03U805	01-Dec-87	F16									<0.70			
03U805	21-Jan-88	H17												
03U805	13-May-88	H18												
03U805	09-Aug-88	H19												
03U805	01-Nov-88	H20												
03U805	18-Oct-89	H24												
03U806	02-Dec-87	F16									<0.70			
03M806	02-Dec-87	F16												
03L806	02-Dec-87	F16									<0.70			
03L806	19-Jan-88	H17												
03L806	12-May-88	H18												
03L806	04-Aug-88	H19												
03L806	25-Oct-88	H20												
03L806	16-Oct-89	H24												
04U806	02-Dec-87	F16									<0.70			
04U806	12-May-88	H18												
04U806	04-Aug-88	H19												
04U806	21-Oct-88	H20												
04U806	19-Apr-89	H22												
04U806	16-Oct-89	H24												
PJ#806	02-Dec-87	F16									<0.70			
PJ#806	19-Jan-88	H17												
PJ#806	12-May-88	H18												
PJ#806	04-Aug-88	H19												
PJ#806	21-Oct-88	H20												
PJ#806	16-Oct-89	H24												
03L809	10-May-89	F22												
03L809	20-Oct-89	F24												
01L811	25-Nov-87	F16									<0.70			
03U811	25-Nov-87	F16									<0.70			
03U811	04-May-89	F22												
03U811	24-Jul-89	F23												
03U811	20-Oct-89	F24												
03L811	25-Nov-87	F16									<0.70			
03L811	04-May-89	F22												
03L811	24-Jul-89	F23												
03L811	20-Oct-89	F24												
01L813	25-Nov-87	F16									<0.70			
03L813	25-Nov-87	F16									<0.70			

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
03L813	05-May-89	F22												
03L813	24-Jul-89	F23												
03L813	20-Oct-89	F24												
01L816	25-Nov-87	F16									<0.70			
01L821	30-Nov-87	F16									<0.70			
03U821	30-Nov-87	F16									<0.70			
03U821	10-May-89	F22												
03U821	25-Jul-89	F23												
03U821	24-Oct-89	F24												
04U821	30-Nov-87	F16									<0.70			
01L822	01-Dec-87	F16									<0.70			
03U822	01-Dec-87	F16									<0.70			
03U822	05-May-89	F22												
03U822	24-Jul-89	F23												
03U822	23-Oct-89	F24												
03L822	01-Dec-87	F16									<0.70			
03L822	05-May-89	F22												
03L822	24-Jul-89	F23												
03L822	23-Oct-89	F24												
01L823	01-Dec-87	F16									<0.70			
03U824	01-Dec-87	F16									<0.70			
03U831	25-Nov-87	F16									<0.70			
03U831	10-May-89	F22												
03U831	25-Jul-89	F23												
03U831	24-Oct-89	F24												
03U832	24-Nov-87	F16									<0.70			
03U832	09-May-89	F22												
03U832	24-Jul-89	F23												
03U832	24-Oct-89	F24												
03L832	24-Nov-87	F16									<0.70			
03L832	16-Dec-88	H20												
03L832	09-May-89	F22												
03L832	24-Jul-89	F23												
03L832	24-Oct-89	F24												
04U832	24-Nov-87	F16									<0.70			
04U832	16-Dec-88	H20												
03L841	20-Oct-87	H16												
03L841	12-Nov-87	H16												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
04U841	20-Oct-87	H16												
04U841	25-Nov-87	F16												
03M843	24-Nov-87	F16												
03M843	05-May-89	F22												
03M843	25-Jul-89	F23												
03M843	23-Oct-89	F24												
04U843	24-Nov-87	F16												
04U843	24-Aug-88	F19												
04U844	03-Dec-87	F16												
04U844	04-May-89	F22												
04U844	18-Oct-89	F24												
04U845	01-Dec-87	F16												
04U845	16-Dec-88	H20												
04U845	04-May-89	F22												
04U845	20-Jul-89	F23												
04U845	20-Oct-89	F24												
03L846	18-Jul-89	F23												
03L846	19-Oct-89	F24												
04U846	25-Nov-87	F16												
04U846	23-Aug-88	F19												
04U846	28-Apr-89	F22												
04U846	18-Jul-89	F23												
04U846	19-Oct-89	F24												
04U847	30-Nov-87	F16												
04U847	23-Aug-88	F19												
04U847	03-May-89	F22												
04U847	21-Jul-89	F23												
04U847	20-Oct-89	F24												
03M848	02-Dec-87	F16												
03L848	02-Dec-87	F16												
03L848	03-May-89	F22												
03L848	20-Jul-89	F23												
03L848	19-Oct-89	F24												
04U848	02-Dec-87	F16												
04U848	24-Aug-88	F19												
04U848	03-May-89	F22												
04U848	20-Jul-89	F23												
04U848	19-Oct-89	F24												
04U849	01-Dec-87	F16												
04U849	24-Aug-88	F19												
04U850	01-Dec-87	F16												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
04U850	02-May-89	F22												
04U850	19-Jul-89	F23												
04U850	19-Oct-89	F24												
04U851	24-Nov-87	F16												
04U852	24-Nov-87	F16												
04U852	24-Aug-88	F19												
03L853	03-Dec-87	F16												
03L853	05-May-89	F22												
03L853	25-Jul-89	F23												
03L853	23-Oct-89	F24												
03L854	20-Oct-87	H16												
03L854	24-Nov-87	F16												
03L854	16-Dec-88	H20												
03L854	20-Jul-89	F23												
03L854	27-Oct-89	F24												
04U854	20-Oct-87	H16												
04U854	13-Nov-87	H16												
04U854	16-Dec-88	H20												
04U854	04-May-89	F22												
04U854	20-Jul-89	F23												
04U854	17-Oct-89	F24												
04U855	25-Nov-87	F16												
03L856	24-Nov-87	F16												
03L856	05-May-89	F22												
03L856	25-Jul-89	F23												
03L856	23-Oct-89	F24												
03L858	24-Nov-87	F16												
03L858	08-May-89	F22												
03L858	21-Jul-89	F23												
03L858	23-Oct-89	F24												
03L859	13-Nov-87	H16												
03L859	15-Dec-88	H20												
04U859	13-Nov-87	H16												
04U859	15-Dec-88	H20												
03L860	13-Nov-87	H16												
03L860	15-Dec-88	H20												
04U860	13-Nov-87	H16												
04U860	15-Dec-88	H20												
03L861	12-Nov-87	H16												
03L861	15-Dec-88	H20												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
04U861	12-Nov-87	H16												
04U861	16-Dec-88	H20												
04U871	20-Jun-88	H18												
04U871	07-Jul-88	H19												
04U871	23-Aug-88	F19												
04U871	08-Nov-88	F20												
04U871	31-Jan-89	H21												
04U871	05-May-89	F22												
04U871	08-May-89	F22												
04U871	19-Jul-89	F23												
04U871	23-Oct-89	F24												
04U872	13-Jul-88	H19												
04U872	24-Aug-88	F19												
04U872	08-Nov-88	F20												
04U872	01-Feb-89	H21												
04U872	08-May-89	F22												
04U872	19-Jul-89	F23												
04U872	23-Oct-89	F24												
04U875	20-Jun-88	H18												
04U875	23-Aug-88	F19												
04U875	09-Nov-88	F20												
04U875	07-Feb-89	H21												
04U875	19-Jul-89	F23												
04U875	19-Oct-89	F24												
04U877	23-Aug-88	F19												
04U877	10-Nov-88	F20												
04U877	08-Feb-89	H21												
04U877	02-May-89	F22												
04U877	18-Jul-89	F23												
04U877	19-Oct-89	F24												
04U879	29-Jul-88	H19												
04U879	01-Sep-88	F19												
04U879	08-Nov-88	F20												
04U879	08-Feb-89	H21												
04U879	19-Jul-89	F23												
04U879	17-Oct-89	F24												
04U880	01-Sep-88	F19												
04U880	10-Nov-88	F20												
04U880	06-Feb-89	H21												
04U880	18-Jul-89	F23												
04U880	19-Oct-89	F24												
04U881	09-Nov-88	F20												
04U881	07-Feb-89	H21												
04U881	18-Jul-89	F23												
04U881	18-Oct-89	F24												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
04U882	13-Sep-88	F19												
04U882	09-Nov-88	F20												
04U882	31-Jan-89	H21												
04U882	03-May-89	F22												
04U882	17-Jul-89	F23												
04U882	18-Oct-89	F24												
04U883	14-Oct-88	H20												
04U883	14-Oct-88	F19												
04U883	09-Nov-88	F20												
04U883	08-Feb-89	H21												
04U883	17-Jul-89	F23												
04U883	18-Oct-89	F24												
01U901	27-Jul-89	F23												
01U901	20-Oct-89	F24												
01U902	27-Jul-89	F23												
01U902	20-Oct-89	F24												
134318	27-Jul-89	F23												
139035	31-Jul-89	F23												
139035	31-Oct-89	F24												
191942	30-Nov-87	F16									<0.70			
200154	31-Jul-89	F23												
200264	25-Aug-88	F19												
200524	16-Aug-88	F19												
200803	16-Aug-88	F19												
200814	31-Jul-89	F23												
200814	30-Oct-89	F24												
201082	31-Oct-89	F24												
206688	23-Oct-89	F24												
206787	24-Oct-89	F24												
231878	23-Oct-87	H16												
233221	11-May-89	F22												
233221	31-Jul-89	F23												
233221	30-Oct-89	F24												
233222	25-Aug-88	F19												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
233533	30-Oct-89	F24												
234319	26-Aug-88	F19												
234335	26-Aug-88	F19												
234337	23-Oct-87	H16												
234353	12-May-89	F22												
234353	31-Jul-89	F23												
234356	25-Jul-89	F23												
234356	26-Oct-89	F24												
234357	10-May-89	F22												
234357	20-Jul-89	F23												
234357	20-Oct-89	F24												
234425	10-May-89	F22												
234425	11-May-89	F22												
234430	09-May-89	F22												
234430	27-Jul-89	F23												
234430	26-Oct-89	F24												
234463	08-May-89	F22												
234463	03-Aug-89	F23												
234463	31-Oct-89	F24												
234547	10-May-89	F22												
234547	31-Jul-89	F23												
234547	30-Oct-89	F24												
235539	26-Aug-88	F19												
235619	31-Jul-89	F23												
235619	31-Oct-89	F24												
235735	31-Jul-89	F23												
235735	31-Oct-89	F24												
236122	12-Jul-88	H19												
405651	31-Jul-89	F23												
405651	31-Oct-89	F24												
409546	10-May-89	F22												
409546	20-Jul-89	F23												
409546	18-Oct-89	F24												
409547	13-Nov-87	H16												
409548	10-May-89	F22												

WELL	DATE	QTR	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	NICKEL NI	LEAD PB
RAL			50.0 (MCL)	50	1500	NA	5.0	120	1300	154	1.1	50.0 (SEC)	150	20
409548	20-Jul-89	F23												
409548	18-Oct-89	F24												
409549	17-Aug-88	F19												
409550	10-May-89	F22												
409550	20-Oct-89	F24												
409555	17-Aug-88	F19												
409556	10-May-89	F22												
409556	21-Jul-89	F23												
409556	17-Oct-89	F24												
409557	13-Nov-87	H16												
409557	04-May-89	F22												
409557	21-Jul-89	F23												
409557	27-Oct-89	F24												
409595	30-Nov-87	F16									<0.70			
409596	30-Nov-87	F16									<0.70			
409597	30-Nov-87	F16									<0.70			
409598	30-Nov-87	F16									<0.70			
500691	17-Oct-89	F24												
508115	18-Oct-89	F24												
508115	18-Oct-89	H24												
BOYLE	18-Oct-89	F24												
BOYLE	20-Oct-89	F24												
MNDOT	07-Nov-88	F20												
NB2103	13-Nov-87	H16												
MAX			6.53	43.90	910.00	0.00	1.46	44.40	710.00	60.00	0.00	8500.00	98.00	110.00
COUNT	1179		124	311	311	124	311	311	174	156	237	122	309	311

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHOSPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOSPHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03U001	16-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03M001	16-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03L001	16-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03L001	13-Jan-88	H17									
03L001	11-May-88	H18									
03L001	29-Jul-88	H19									
03L001	20-Oct-88	H20									
03L001	18-Apr-89	H22									
03L001	11-Jul-89	H23									
03L001	11-Oct-89	H24									
04U001	16-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
04U001	13-Jan-88	H17									
04U001	11-May-88	H18									
04U001	29-Jul-88	H19									
04U001	23-Aug-88	F19									
04U001	20-Oct-88	H20									
04U001	18-Apr-89	H22									
04U001	11-Jul-89	H23									
04U001	11-Oct-89	H24									
03U002	17-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U002	26-May-88	H18									
03U002	04-Aug-88	H19									
03U002	24-Oct-88	H20									
03M002	17-Nov-87	F16	<10.00	3.86	<2.70	<29.40					
03L002	17-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03L002	18-Jan-88	H17									
03L002	10-May-88	H18									
03L002	04-Aug-88	H19									
03L002	24-Oct-88	H20									
03L002	12-Oct-89	H24									
04U002	17-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
04U002	18-Jan-88	H17									
04U002	10-May-88	H18									
04U002	04-Aug-88	H19									
04U002	24-Oct-88	H20									
04U002	12-Oct-89	H24									
01U003	27-Apr-89	F22									
01U003	26-Jul-89	F23									
03U003	19-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U003	22-Jan-88	H17									
03U003	16-May-88	H18									
03U003	27-Jul-88	H19									
03U003	11-Aug-88	F19									
03U003	26-Oct-88	H20									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03U003	19-Apr-89	H22									
03U003	12-Jul-89	H23									
03M003	19-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03M003	11-Aug-88	F19									
03L003	19-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03L003	11-Aug-88	F19									
04U003	19-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
04U003	21-Jan-88	H17									
04U003	16-May-88	H18									
04U003	27-Jul-88	H19									
04U003	26-Oct-88	H20									
04U003	12-Jul-89	H23									
04U003	17-Oct-89	H24									
PJ#003	19-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
01U004	27-Apr-89	F22									
01U004	26-Jul-89	F23									
01U004	27-Oct-89	F24									
03U004	18-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U004	13-Jan-88	H17									
03U004	18-May-88	H18									
03U004	27-Jul-88	H19									
03U004	09-Aug-88	F19									
03U004	28-Oct-88	H20									
03U004	25-Oct-89	H24									
03M004	18-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03M004	27-Jul-88	H19									
03M004	09-Aug-88	F19									
03L004	18-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03L004	09-Aug-88	F19									
03U005	23-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U005	14-Jan-88	H17									
03U005	06-Apr-88	F18									
03U005	16-May-88	H18									
03U005	27-Jul-88	H19									
03U005	10-Aug-88	F19									
03U005	31-Oct-88	H20									
03U005	10-Nov-88	F20									
03U005	11-Oct-89	H24									
03M005	08-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03M005	14-Jan-88	H17									
03M005	06-Apr-88	F18									
03M005	16-May-88	H18									
03M005	27-Jul-88	H19									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03M005	11-Aug-88	F19									
03M005	31-Oct-88	H20									
03M005	10-Nov-88	F20									
03M005	11-Oct-89	H24									
03L005	23-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03L005	10-Aug-88	F19									
03L006	11-Jul-89	H23									
04U006	11-Jul-89	H23									
03U007	09-Nov-87	F16	<10.00	5.14	47.90	<29.40					
03U007	07-Nov-88	F20									
03L007	09-Nov-87	F16	<10.00	<3.06	5.32	<29.40					
03L007	10-Nov-88	F20									
04U007	09-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
04U007	10-Nov-88	F20									
03U008	09-Nov-87	F16	<10.00	<3.06	4.26	<29.40					
03U008	10-Nov-88	F20									
03U009	20-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U009	14-Nov-88	F20									
03U010	09-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U010	10-Nov-88	F20									
03L010	09-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03L010	10-Nov-88	F20									
03U012	09-Nov-87	F16	<10.00	<3.06	5.32	<29.40					
03U012	11-Nov-88	F20									
03L012	09-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03L012	11-Nov-88	F20									
04U012	09-Nov-87	F16	<10.00	<3.06	5.22	<29.40					
04U012	11-Nov-88	F20									
03U013	10-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03M013	10-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03L013	10-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U014	04-Dec-87	F16	<10.00	<3.06	<2.70	<29.40		<3.00	1.70		
03U014	18-Jan-88	H17									
03U014	18-May-88	H18									
03U014	02-Aug-88	H19									
03U014	17-Aug-88	F19				<25.00					

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHOSPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOSPHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03U014	24-Oct-88	H20									
03U014	20-Apr-89	H22									
03U014	19-Jul-89	H23									
03U014	24-Oct-89	H24									
03L014	23-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03L014	10-Aug-88	F19				<25.00					
03U015	17-Nov-87	F16	<10.00	3.29	<2.70	<29.40					
03U015	05-Apr-88	F18									
03U015	09-Aug-88	F19									
03U015	16-Nov-88	F20									
03U017	10-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03M017	10-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03M017	11-Jan-88	H17									
03M017	12-May-88	H18									
03M017	01-Aug-88	H19									
03M017	31-Oct-88	H20									
03M017	13-Oct-89	H24									
03L017	10-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U018	04-Dec-87	F16	<10.00	<3.06	<2.70	<29.40		<1.70	<1.00	<10.00	
03U018	22-Aug-88	F19				<25.00					
03U018	20-Apr-89	H22									
03U018	12-Jul-89	H23									
03U018	20-Oct-89	H24									
03L018	23-Nov-87	F16	<10.00	<3.06	<2.70	30.10					
03L018	08-Apr-88	F18									
03L018	22-Aug-88	F19				<25.00					
03L018	18-Nov-88	F20									
03U019	23-Nov-87	F16	<10.00	<3.06	<2.70	30.10					
03U019	25-Jan-88	H17									
03U019	17-May-88	H18									
03U019	02-Aug-88	H19									
03U019	12-Aug-88	F19				<25.00					
03U019	27-Oct-88	H20									
03U019	18-Oct-89	H24									
03U020	07-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03U020	17-Aug-88	F19									
03M020	19-Jan-88	H17									
03M020	11-May-88	H18									
03M020	01-Aug-88	H19									
03M020	18-Aug-88	F19									
03M020	25-Oct-88	H20									
03M020	11-Oct-89	H24									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHOSPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOSPHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03L020	07-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03L020	17-Aug-88	F19									
04U020	07-Dec-87	F16	<10.00	<3.06	<2.70	<29.40		<1.60	<1.00	<10.00	
04U020	19-Jan-88	H17									
04U020	11-May-88	H18									
04U020	01-Aug-88	H19									
04U020	17-Aug-88	F19									
04U020	25-Oct-88	H20									
04U020	11-Oct-89	H24									
03U021	17-May-88	H18									
03U021	29-Jul-88	H19									
03U021	28-Oct-88	H20									
03U021	13-Oct-89	H24									
03L021	13-Oct-89	H24									
01U022	05-Apr-88	F18									
03U022	05-Apr-88	F18									
03U023	10-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U023	15-Nov-88	F20									
03U024	10-Aug-88	F19									
03U025	10-Aug-88	F19				<25.00					
03U026	18-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U026	08-Apr-88	F18									
03U026	22-Aug-88	F19				<25.00					
03U026	16-Nov-88	F20									
03U027	20-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U027	13-Jan-88	H17									
03U027	11-May-88	H18									
03U027	08-Aug-88	H19									
03U027	16-Aug-88	F19									
03U027	25-Oct-88	H20									
03U027	11-Oct-89	H24									
04U027	15-Jan-88	H17									
04U027	10-May-88	H18									
04U027	08-Aug-88	H19									
04U027	25-Oct-88	H20									
04U027	11-Oct-89	H24									
PJ#027	20-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U028	03-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03U028	22-Aug-88	F19				<25.00					
03U028	25-Oct-89	H24									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHOSPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOSPHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03U029	03-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03U029	26-Jan-88	H17									
03U029	17-May-88	H18									
03U029	08-Aug-88	H19									
03U029	17-Aug-88	F19				<25.00					
03U029	31-Oct-88	H20									
03U029	18-Oct-89	H24									
03L029	03-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03U030	03-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03U030	26-Jan-88	H17									
03U030	18-May-88	H18									
03U030	08-Aug-88	H19									
03U030	22-Aug-88	F19				<25.00					
03U030	01-Nov-88	H20									
03U030	25-Oct-89	H24									
03U031	18-Jan-88	H17									
03U031	10-May-88	H18									
03U031	29-Jul-88	H19									
03U031	10-Aug-88	F19									
03U031	20-Oct-88	H20									
03U031	11-Oct-89	H24									
03U032	20-Nov-87	F16	<10.00	<3.06	<2.70	<29.40		2.80	3.50		
03U032	08-Apr-88	F18									
03U032	22-Aug-88	F19				<25.00					
01U034	11-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
01U034	14-Nov-88	F20									
01U035	14-Nov-88	F20									
01U036	11-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
01U036	14-Nov-88	F20									
01U036	26-Apr-89	F22									
01U036	27-Jul-89	F23									
01U036	24-Oct-89	F24									
01U037	07-Apr-88	F18									
01U038	06-Apr-88	F18									
01U039	06-Apr-88	F18									
01U040	05-Apr-88	F18									
01U041	05-Apr-88	F18									
01U045	08-Aug-88	F19				<25.00					

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
01U047	27-Apr-89	F22									
01U047	26-Jul-89	F23									
01U047	25-Oct-89	F24									
01U048	27-Apr-89	F22									
01U048	26-Jul-89	F23									
01U048	25-Oct-89	F24									
01U050	16-Nov-87	F16	<10.00	<3.06	<2.70			<1.00	6.00		
01U050	07-Apr-88	F18									
01U050	15-Aug-88	F19				<25.00					
01U050	21-Nov-88	F20									
01U051	16-Nov-87	F16	<10.00	<3.06	3.94	<29.40					
01U051	07-Apr-88	F18									
01U051	15-Aug-88	F19				<25.00					
01U051	21-Nov-88	F20									
01U052	27-Apr-89	F22									
01U052	26-Jul-89	F23									
01U052	25-Oct-89	F24									
01U053	16-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
01U053	07-Apr-88	F18									
01U053	15-Aug-88	F19				<25.00					
01U053	21-Nov-88	F20									
01U054	16-Nov-87	F16	<10.00	<3.06	<2.70			<1.00	<1.00		
01U054	07-Apr-88	F18									
01U054	15-Aug-88	F19				<25.00					
01U054	21-Nov-88	F20									
01U054	27-Apr-89	F22									
01U054	26-Jul-89	F23									
01U054	26-Oct-89	F24									
01U060	19-Nov-87	F16	<10.00	<3.06	<2.70	67.10					
01U060	11-Apr-88	F18									
01U060	17-Nov-88	F20									
01U062	16-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
01U062	07-Apr-88	F18									
01U062	16-Aug-88	F19				<25.00					
01U062	21-Nov-88	F20									
01U062	09-May-89	F22									
01U062	26-Jul-89	F23									
01U062	26-Oct-89	F24									
01U063	05-Apr-88	F18									
01U064	12-May-89	F22									
01U064	26-Jul-89	F23									
01U064	27-Oct-89	F24									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHOSPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOSPHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
01U065	28-Apr-89	F22									
01U065	26-Jul-89	F23									
01U065	25-Oct-89	F24									
01U067	05-Apr-88	F18									
01U072	07-Apr-88	F18									
03U073	15-Jan-88	H17									
PJ#074	03-Dec-87	F16	<10.00	<3.06	<2.70	<29.40		3.50	5.30		
PJ#074	19-Aug-88	F19									
03U075	10-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U075	18-Aug-88	F19				<25.00					
03U076	10-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U076	18-Aug-88	F19				<25.00					
03U077	19-Jan-88	H17									
03U077	09-May-88	H18									
03U077	03-Aug-88	H19									
03U077	21-Oct-88	H20									
03U077	16-Oct-89	H24									
03L077	04-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03L077	19-Jan-88	H17									
03L077	09-May-88	H18									
03L077	03-Aug-88	H19									
03L077	21-Oct-88	H20									
03L077	11-Oct-89	H24									
04U077	04-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
04U077	19-Jan-88	H17									
04U077	09-May-88	H18									
04U077	03-Aug-88	H19									
04U077	21-Oct-88	H20									
04U077	11-Oct-89	H24									
04J077	11-Oct-89	H24									
03U078	23-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U078	14-Jan-88	H17									
03U078	13-May-88	H18									
03U078	03-Aug-88	H19									
03U078	18-Aug-88	F19									
03U078	16-Oct-89	H24									
03L078	23-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03L078	15-Jan-88	H17									
03L078	13-May-88	H18									
03L078	03-Aug-88	H19									
03L078	18-Aug-88	F19									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03L078	16-Oct-89	H24									
03U079	04-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03U079	14-Jan-88	H17									
03U079	09-May-88	H18									
03U079	03-Aug-88	H19									
03U079	18-Aug-88	F19									
03U079	26-Oct-88	H20									
03U079	16-Oct-89	H24									
03L079	04-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03L079	14-Jan-88	H17									
03L079	09-May-88	H18									
03L079	03-Aug-88	H19									
03L079	18-Aug-88	F19									
03L079	26-Oct-88	H20									
03L079	16-Oct-89	H24									
03U083	10-Aug-88	F19									
03U084	23-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U084	18-Jan-88	H17									
03U084	11-May-88	H18									
03U084	04-Aug-88	H19									
03U084	20-Oct-88	H20									
03U084	11-Oct-89	H24									
03L084	08-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03L084	18-Jan-88	H17									
03L084	11-May-88	H18									
03L084	04-Aug-88	H19									
03L084	20-Oct-88	H20									
03L084	11-Oct-89	H24									
01U085	11-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
01U085	10-Aug-88	F19				25.00					
01U085	17-Nov-88	F20									
03L086	11-Aug-88	F19									
03U087	20-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U087	26-Jan-88	H17									
03U087	11-Apr-88	F18									
03U087	18-May-88	H18									
03U087	29-Jul-88	H19									
03U087	24-Aug-88	F19									
03U087	28-Oct-88	H20									
03U087	17-Nov-88	F20									
03U087	24-Oct-89	H24									
03U088	17-Nov-87	F16	<10.00	4.27	<2.70	<29.40					
03U088	05-Apr-88	F18									
03U088	08-Aug-88	F19									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHOSPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOSPHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03U088	16-Nov-88	F20									
03U089	20-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U089	05-Apr-88	F18									
03U089	08-Aug-88	F19									
03U089	17-Nov-88	F20									
03U090	19-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U090	06-Apr-88	F18									
03U090	16-Aug-88	F19				<25.00					
03U090	18-Nov-88	F20									
03L091	03-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03L091	25-Aug-88	F19				<25.00					
03U092	23-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U092	08-Apr-88	F18									
03U092	25-Aug-88	F19				<25.00					
03U092	16-Nov-88	F20									
03U093	04-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03U093	26-Jan-88	H17									
03U093	18-May-88	H18									
03U093	08-Aug-88	H19									
03U093	17-Aug-88	F19				<25.00					
03U093	01-Nov-88	H20									
03U093	19-Oct-89	H24									
03U094	04-Dec-87	F16	<10.00	<3.06	<2.70	<29.40		<3.60	<2.20		
03U094	25-Aug-88	F19				<25.00					
03U096	04-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03U096	25-Aug-88	F19				<25.00					
03U097	20-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U097	07-Apr-88	F18									
03U097	11-Aug-88	F19									
03U097	17-Nov-88	F20									
01U098	19-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
01U098	11-Apr-88	F18									
01U098	17-Nov-88	F20									
03U099	19-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U099	11-Apr-88	F18									
03U099	27-Jul-88	H19									
03U099	12-Aug-88	F19									
03U099	17-Nov-88	F20									
01U100	07-Apr-88	F18									
01U101	14-Nov-88	F20									
01U101	25-Apr-89	F22									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHOSPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOSPHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
01U101	26-Jul-89	F23									
01U101	24-Oct-89	F24									
01U102	08-Aug-88	F19									
01U102	11-Nov-88	F20									
01U102	25-Apr-89	F22									
01U102	27-Jul-89	F23									
01U102	26-Oct-89	F24									
01U103	11-Nov-87	F16	14.60	6.38	<2.70	<29.40					
01U103	18-Nov-87	F16									
01U103	08-Aug-88	F19									
01U103	11-Nov-88	F20									
01U103	26-Apr-89	F22									
01U103	27-Jul-89	F23									
01U103	26-Oct-89	F24									
01U107	08-Apr-88	F18									
01U107	08-Aug-88	F19									
01U107	15-Nov-88	F20									
01U107	25-Apr-89	F22									
01U107	27-Jul-89	F23									
01U107	25-Oct-89	F24									
01U108	16-Nov-87	F16				<29.40					
01U108	17-Nov-87	F16	<10.00	<3.06	<2.70						
01U108	11-Apr-88	F18									
01U108	25-Aug-88	F19									
01U108	15-Nov-88	F20									
01U108	24-Apr-89	F22									
01U108	24-Oct-89	F24									
01U109	08-Apr-88	F18									
01U110	08-Apr-88	F18									
03U111	20-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U111	07-Apr-88	F18									
03U111	11-Aug-88	F19									
03U111	17-Nov-88	F20									
03U112	20-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U112	08-Apr-88	F18									
03U112	16-Aug-88	F19				<25.00					
03U112	18-Nov-88	F20									
03U113	18-Nov-87	F16	<10.00	<3.06	<2.70	<29.40		4.20	2.70		
03U113	06-Apr-88	F18									
03U113	09-Aug-88	F19				<25.00					
03U113	18-Nov-88	F20									
03L113	18-Nov-87	F16	<10.00	<3.06		<29.40					
03L113	06-Apr-88	F18									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHOSPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOSPHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03L113	09-Aug-88	F19				<25.00					
03L113	18-Nov-88	F20									
03U114	23-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U114	11-Apr-88	F18									
03U114	09-Aug-88	F19				<25.00					
03U114	16-Nov-88	F20									
01U115	11-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
01U115	11-Apr-88	F18									
01U115	09-Aug-88	F19									
01U115	15-Nov-88	F20									
01U115	24-Apr-89	F22									
01U115	27-Jul-89	F23									
01U115	27-Oct-89	F24									
01U116	11-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
01U116	06-Apr-88	F18									
01U116	09-Aug-88	F19									
01U116	15-Nov-88	F20									
01U116	24-Apr-89	F22									
01U116	27-Jul-89	F23									
01U116	27-Oct-89	F24									
01U117	11-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
01U117	06-Apr-88	F18									
01U117	09-Aug-88	F19									
01U117	15-Nov-88	F20									
01U117	25-Apr-89	F22									
01U117	27-Jul-89	F23									
01U117	27-Oct-89	F24									
01U118	11-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
01U118	07-Apr-88	F18									
01U118	09-Aug-88	F19									
01U118	15-Nov-88	F20									
01U118	25-Apr-89	F22									
01U118	27-Jul-89	F23									
01U118	27-Oct-89	F24									
01U119	11-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
01U119	07-Apr-88	F18									
01U119	12-Aug-88	F19									
01U119	15-Nov-88	F20									
01U119	26-Apr-89	F22									
01U119	27-Jul-89	F23									
01U119	27-Oct-89	F24									
01U120	11-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
01U120	07-Apr-88	F18									
01U120	12-Aug-88	F19									
01U120	15-Nov-88	F20									
01U120	27-Apr-89	F22									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
01U120	27-Jul-89	F23									
01U120	27-Oct-89	F24									
03U121	08-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03U121	08-Apr-88	F18									
03U121	16-Aug-88	F19				<25.00					
03U121	18-Nov-88	F20									
01U122	09-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
01U122	05-Apr-88	F18									
01U122	08-Aug-88	F19									
01U122	11-Nov-88	F20									
03U124	08-Apr-88	F18				<25.00		<0.70	2.20		
03U124	18-Aug-88	F19				<25.00					
01U125	08-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
01U125	11-Apr-88	F18									
01U125	12-Aug-88	F19									
01U125	17-Nov-88	F20									
01U126	08-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
01U126	06-Apr-88	F18									
01U126	12-Aug-88	F19									
01U126	17-Nov-88	F20									
01U126	24-Apr-89	F22									
01U126	27-Jul-89	F23									
01U126	25-Oct-89	F24									
01U127	11-Dec-87	F16	10.80	<3.06	<2.70	<29.40					
01U127	06-Apr-88	F18									
01U127	12-Aug-88	F19									
01U127	14-Nov-88	F20									
01U127	26-Apr-89	F22									
01U127	25-Oct-89	F24									
01U128	09-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
01U128	05-Apr-88	F18				25.80					
01U128	08-Aug-88	F19				<25.00					
01U128	16-Nov-88	F20				41.40					
03U129	08-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03U129	07-Apr-88	F18									
03U129	11-Aug-88	F19									
03U129	18-Nov-88	F20									
01U130	07-Dec-87	F16	<10.00	<3.06	<2.70	<29.40		1.60	1.50		
01U130	07-Apr-88	F18									
01U130	15-Aug-88	F19				<25.00					
01U130	21-Nov-88	F20									
01U133	11-Dec-87	F16	12.30	<3.06	<2.70	85.20					
01U133	12-Aug-88	F19									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHOSPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOSPHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
01U133	14-Nov-88	F20									
01U135	21-Nov-88	F20									
01U135	25-Apr-89	F22									
01U135	26-Jul-89	F23									
01U135	25-Oct-89	F24									
01U136	21-Nov-88	F20									
01U136	25-Apr-89	F22									
01U136	26-Jul-89	F23									
01U136	25-Oct-89	F24									
03L137	17-Oct-89	F24									
03L138	17-Oct-89	F24									
03U301	16-Mar-89	H21									
03U301	20-Apr-89	H22				10.00					
03U301	19-Jul-89	H23				20.00	90.00				20.00
03U301	24-Oct-89	H24				30.00	<50.00				20.00
03F302	17-Nov-87	H16									
03F302	15-Dec-87	H16									
03F302	12-Jan-88	H17									
03F302	28-Apr-88	H18									
03F302	19-Jul-88	H19									
03F302	21-Oct-88	H20									
03F302	06-Jan-89	H21									
03F302	16-Mar-89	H21									
03F302	20-Apr-89	H22				<0.01					
03F302	19-Jul-89	H23				<10.00	50.00				30.00
03F302	24-Oct-89	H24				29.00	50.00				40.00
03F303	17-Nov-87	H16									
03F303	15-Dec-87	H16									
03F303	12-Jan-88	H17									
03F303	28-Apr-88	H18									
03F303	19-Jul-88	H19									
03F303	21-Oct-88	H20									
03F303	06-Jan-89	H21									
03F303	16-Mar-89	H21									
03F303	20-Apr-89	H22				70.00					
03F303	19-Jul-89	H23				720.00	280.00				40.00
03F303	24-Oct-89	H24				<20.00	60.00				40.00
03F304	17-Nov-87	H16									
03F304	15-Dec-87	H16									
03F304	12-Jan-88	H17									
03F304	28-Apr-88	H18									
03F304	19-Jul-88	H19									
03F304	16-Mar-89	H21									
03F304	20-Apr-89	H22				<0.01					
03F304	19-Jul-89	H23				50.00	140.00				70.00

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03F304	24-Oct-89	H24				20.00	100.00				70.00
03F305	17-Nov-87	H16									
03F305	15-Dec-87	H16									
03F305	12-Jan-88	H17									
03F305	28-Apr-88	H18									
03F305	19-Jul-88	H19									
03F305	06-Jan-89	H21									
03F305	16-Mar-89	H21									
03F305	20-Apr-89	H22				20.00					
03F305	19-Jul-89	H23				120.00	160.00				60.00
03F305	23-Oct-89	H24				60.00	80.00				70.00
03L306	23-Aug-88	F19									34.00
03L306	08-Nov-88	F20									
03L306	03-May-89	F22									
03F306	17-Nov-87	H16									
03F306	15-Dec-87	H16									
03F306	12-Jan-88	H17									
03F306	28-Apr-88	H18									
03F306	19-Jul-88	H19									
03F306	21-Oct-88	H20									
03F306	06-Jan-89	H21									
03F306	16-Mar-89	H21									
03F306	20-Apr-89	H22				<0.01					
03F306	19-Jul-89	H23				120.00	210.00				80.00
03F306	23-Oct-89	H24				<4.00	110.00				90.00
03F307	17-Nov-87	H16									
03F307	15-Dec-87	H16									
03F307	12-Jan-88	H17									
03F307	28-Apr-88	H18									
03F307	19-Jul-88	H19									
03F307	21-Oct-88	H20									
03F307	16-Mar-89	H21									
03F307	20-Apr-89	H22				<0.01					
03F307	19-Jul-89	H23				30.00	100.00				20.00
03F307	23-Oct-89	H24				11.00	<50.00				30.00
03F308	16-Mar-89	H21									
03F308	20-Apr-89	H22				10.00					
03F308	19-Jul-89	H23				80.00	80.00				20.00
03F308	23-Oct-89	H24				25.00	100.00				20.00
PJ#309	18-Nov-88	H20									
PJ#309	16-Mar-89	H21									
PJ#309	20-Apr-89	H22				40.00					
PJ#309	19-Jul-89	H23				340.00	90.00				20.00
PJ#309	23-Oct-89	H24				53.00	<50.00				30.00
PJ#310	16-Mar-89	H21									
PJ#310	20-Apr-89	H22				20.00					

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHOSPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOSPHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
PJ#310	19-Jul-89	H23				270.00	70.00				20.00
PJ#310	11-Oct-89	H24				28.00	1100.00				<20.00
PJ#311	16-Mar-89	H21									
PJ#311	20-Apr-89	H22				180.00					
PJ#311	19-Jul-89	H23				50.00	<50.00				20.00
PJ#311	24-Oct-89	H24				37.00	<50.00				20.00
03F312	19-Dec-88	H20									
03F312	16-Mar-89	H21									
03F312	20-Apr-89	H22				<0.01					
03F312	19-Jul-89	H23				20.00	60.00				40.00
03F312	24-Oct-89	H24				210.00	60.00				40.00
PJ#313	16-Mar-89	H21									
PJ#313	20-Apr-89	H22				<0.01					
PJ#313	19-Jul-89	H23				60.00	80.00				<20.00
PJ#313	23-Oct-89	H24				36.00	50.00				20.00
03U314	05-Jan-89	H21									
03U314	16-Mar-89	H21									
03U314	20-Apr-89	H22				80.00					
03U314	19-Jul-89	H23				80.00	230.00				160.00
03U314	24-Oct-89	H24				15.00	260.00				140.00
03U315	05-Jan-89	H21									
03U315	16-Mar-89	H21									
03U315	20-Apr-89	H22				80.00					
03U315	19-Jul-89	H23				60.00	150.00				140.00
03U315	24-Oct-89	H24				53.00	160.00				150.00
03U316	05-Jan-89	H21									
03U316	16-Mar-89	H21									
03U316	20-Apr-89	H22				1700.00					
03U316	19-Jul-89	H23				180.00	70.00				20.00
03U316	24-Oct-89	H24				22.00	<50.00				20.00
03U317	05-Jan-89	H21									
03U317	16-Mar-89	H21									
03U317	20-Apr-89	H22				110.00					
03U317	19-Jul-89	H23				400.00	50.00				30.00
03U317	25-Oct-89	H24				<4.00	80.00				30.00
PJ#318	24-Aug-88	F19									<10.30
PJ#318	09-Nov-88	F20									
PJ#318	06-Feb-89	H21									
PJ#318	02-May-89	F22					32.80				<10.30
PJ#318	19-Jul-89	F23					33.10				<12.10
PJ#318	18-Oct-89	F24					12.60				<12.10
PJ#502	18-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
PJ#503	18-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHOSPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOSPHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03M505	09-Nov-87	F16	<10.00	<3.06	3.19	<29.40					
PJ#506	18-Nov-87	F16									
PJ#506	19-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
PJ#507	18-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
PJ#508	23-Aug-88	F19									
04U510	18-Nov-87	F16	<10.00	<3.06	<2.70	71.10					
04U510	15-Nov-88	F20									
03U521	20-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U521	11-Apr-88	F18									
03U521	24-Aug-88	F19									
03U521	18-Nov-88	F20									
01U524	16-Nov-87	F16									
01U524	17-Nov-87	F16	<10.00	<3.06	3.83	<29.40		3.50	4.40		
01U524	07-Apr-88	F18									
01U524	16-Aug-88	F19				<25.00					
01U524	21-Nov-88	F20									
01U525	16-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
01U525	17-Nov-87	F16									
01U525	07-Apr-88	F18									
01U525	15-Aug-88	F19				<25.00					
01U525	14-Nov-88	F20									
01U525	27-Apr-89	F22									
01U525	26-Jul-89	F23									
01U525	26-Oct-89	F24									
01U526	17-Nov-87	F16	<10.00	4.32	<2.70	<29.40		2.50	6.80		
01U526	07-Apr-88	F18									
01U526	15-Aug-88	F19				<25.00					
01U526	14-Nov-88	F20									
01U526	09-May-89	F22									
01U526	26-Jul-89	F23									
01U526	26-Oct-89	F24									
01U527	17-Nov-87	F16	<10.00	<3.06	5.11	<29.40					
01U527	11-Apr-88	F18									
01U527	25-Aug-88	F19				<25.00					
01U527	21-Nov-88	F20									
01U601	07-Dec-87	F16	<10.00	<3.06	<2.70	1010.00					
01U604	07-Dec-87	F16	<10.00	<3.06	<2.70	1440.00					
01U611	08-Dec-87	F16	<10.00	<3.06	<2.70	50.10					
01U615	07-Dec-87	F16	<10.00	<3.06	<2.70	50.10					

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHOSPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOSPHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
01U617	19-Aug-88	F19				<25.00					
01U618	19-Aug-88	F19				<25.00					
01U619	19-Aug-88	F19				<25.00					
01U634	12-May-89	F22									
01U634	26-Jul-89	F23									
01U636	12-May-89	F22									
01U636	26-Jul-89	F23									
01U639	12-May-89	F22									
01U639	26-Jul-89	F23									
01U640	26-Jul-89	F23									
01U652	12-May-89	F22									
01U652	26-Jul-89	F23									
01U652	27-Oct-89	F24									
03U658	27-Jul-88	H19									
03U658	13-Oct-89	H24									
03U659	25-Oct-89	H24									
01U666	12-May-89	F22									
03U671	04-Dec-87	F16	<10.00	<3.06	<2.70	<29.40					
03U671	22-Jan-88	H17									
03U671	13-May-88	H18									
03U671	08-Aug-88	H19									
03U671	22-Aug-88	F19									
03U671	26-Oct-88	H20									
03U671	16-Oct-89	H24									
03U672	13-Nov-87	H16									
03U672	14-Jan-88	H17									
03U672	18-May-88	H18									
03U672	27-Jul-88	H19									
03U672	28-Oct-88	H20									
03U672	19-Apr-89	H22									
03U672	12-Jul-89	H23									
03U672	18-Oct-89	H24									
03U673	13-Nov-87	H16									
03L673	12-Nov-87	H16									
04U673	24-Nov-87	H16									
04U673	21-Jan-88	H17									
04U673	16-May-88	H18									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHOSPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOSPHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
04U673	04-Aug-88	H19									
04U673	01-Nov-88	H20									
04U673	03-May-89	F22									
04U673	21-Jul-89	F23									
04U673	19-Oct-89	H24									
04U673	19-Oct-89	F24									
03U676	03-Nov-87	H16									
03U701	20-Jan-88	H17									
03U701	12-May-88	H18									
03U701	02-Aug-88	H19									
03U701	21-Oct-88	H20									
03U701	17-Oct-89	H24									
04U701	20-Jan-88	H17									
04U701	12-May-88	H18									
04U701	02-Aug-88	H19									
04U701	21-Oct-88	H20									
04U701	17-Oct-89	H24									
03U702	20-Jan-88	H17									
03U702	13-May-88	H18									
03U702	08-Aug-88	H19									
03U702	25-Oct-88	H20									
03U702	13-Oct-89	H24									
04U702	20-Jan-88	H17									
04U702	13-May-88	H18									
04U702	02-Aug-88	H19									
04U702	25-Oct-88	H20									
04U702	13-Oct-89	H24									
04J702	13-Oct-89	H24									
03U703	15-Jan-88	H17									
03U703	16-May-88	H18									
03U703	04-Aug-88	H19									
03U703	24-Oct-88	H20									
03U703	12-Oct-89	H24									
03U704	10-Nov-87	F16	<10.00	<3.06	<2.70	<29.40					
03U704	25-Jan-88	H17									
03U704	05-Apr-88	F18									
03U704	17-May-88	H18									
03U704	29-Jul-88	H19									
03U704	08-Aug-88	F19									
03U704	27-Oct-88	H20									
03U704	16-Nov-88	F20									
03U704	20-Apr-89	H22									
03U704	19-Jul-89	H23									
03U704	20-Oct-89	H24									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03U705	25-Jan-88	H17									
03U705	17-May-88	H18									
03U705	08-Aug-88	H19									
03U705	12-Oct-89	H24									
03U706	25-Jan-88	H17									
03U706	10-May-88	H18									
03U706	29-Jul-88	H19									
03U706	25-Oct-88	H20									
03U706	12-Oct-89	H24									
03U707	25-Jan-88	H17									
03U707	17-May-88	H18									
03U707	29-Jul-88	H19									
03U707	25-Oct-88	H20									
03U707	20-Oct-89	H24									
03U708	22-Jan-88	H17									
03U708	10-May-88	H18									
03U708	04-Aug-88	H19									
03U708	24-Oct-88	H20									
03U708	31-Oct-88	H20									
03U708	12-Oct-89	H24									
04U708	22-Jan-88	H17									
04U708	10-May-88	H18									
04U708	04-Aug-88	H19									
04U708	04-Jan-89	H21									
04U708	12-Oct-89	H24									
04J708	04-Jan-89	H21									
04J708	12-Oct-89	H24									
03U709	22-Jan-88	H17									
03U709	12-May-88	H18									
03U709	08-Aug-88	H19									
03U709	26-Oct-88	H20									
03U709	17-Oct-89	H24									
04U709	22-Jan-88	H17									
04U709	12-May-88	H18									
04U709	08-Aug-88	H19									
04U709	26-Oct-88	H20									
04U709	17-Oct-89	H24									
03U710	14-Jan-88	H17									
03U710	18-May-88	H18									
03U710	03-Aug-88	H19									
03U710	26-Oct-88	H20									
03U710	25-Oct-89	H24									
03U711	19-Apr-89	H22									
03U711	12-Jul-89	H23									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03U711	18-Oct-89	H24									
04U711	19-Apr-89	H22									
04U711	12-Jul-89	H23									
04U711	18-Oct-89	H24									
03M713	04-Jan-89	H21									
04U713	06-Jan-89	H21									
04U713	23-Oct-89	H24									
04J713	04-Jan-89	H21									
04J713	13-Oct-89	H24									
04U714	04-Jan-89	H21									
04U714	18-Apr-89	H22									
04U714	12-Jul-89	H23									
04U714	13-Oct-89	H24									
04J714	04-Jan-89	H21									
04J714	18-Apr-89	H22									
04J714	11-Jul-89	H23									
04J714	13-Oct-89	H24									
03U801	03-Dec-87	F16									
03M802	03-Dec-87	F16									
03L802	03-Dec-87	F16									
03L802	21-Jan-88	H17									
03L802	13-May-88	H18									
03L802	04-Aug-88	H19									
03L802	28-Oct-88	H20									
03L802	20-Apr-89	H22									
03L802	12-Jul-89	H23									
03L802	18-Oct-89	H24									
04U802	02-Dec-87	F16									
04U802	21-Jan-88	H17									
04U802	13-May-88	H18									
04U802	04-Aug-88	H19									
04U802	24-Aug-88	F19									
04U802	28-Oct-88	H20									
04U802	18-Oct-89	H24									
PJ#802	02-Dec-87	F16									
03U803	01-Dec-87	F16									
03U803	28-Oct-88	H20									
03U804	01-Dec-87	F16									
03U804	21-Jan-88	H17									
03U804	13-May-88	H18									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03U804	04-Aug-88	H19									
03U804	17-Oct-89	H24									
03U805	01-Dec-87	F16									
03U805	21-Jan-88	H17									
03U805	13-May-88	H18									
03U805	09-Aug-88	H19									
03U805	01-Nov-88	H20									
03U805	18-Oct-89	H24									
03U806	02-Dec-87	F16									
03M806	02-Dec-87	F16									
03L806	02-Dec-87	F16									
03L806	19-Jan-88	H17									
03L806	12-May-88	H18									
03L806	04-Aug-88	H19									
03L806	25-Oct-88	H20									
03L806	16-Oct-89	H24									
04U806	02-Dec-87	F16									
04U806	12-May-88	H18									
04U806	04-Aug-88	H19									
04U806	21-Oct-88	H20									
04U806	19-Apr-89	H22									
04U806	16-Oct-89	H24									
PJ#806	02-Dec-87	F16									
PJ#806	19-Jan-88	H17									
PJ#806	12-May-88	H18									
PJ#806	04-Aug-88	H19									
PJ#806	21-Oct-88	H20									
PJ#806	16-Oct-89	H24									
03L809	10-May-89	F22									
03L809	20-Oct-89	F24									
01L811	25-Nov-87	F16									
03U811	25-Nov-87	F16									
03U811	04-May-89	F22									
03U811	24-Jul-89	F23									
03U811	20-Oct-89	F24									
03L811	25-Nov-87	F16									
03L811	04-May-89	F22									
03L811	24-Jul-89	F23									
03L811	20-Oct-89	F24									
01L813	25-Nov-87	F16									
03L813	25-Nov-87	F16									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
03L813	05-May-89	F22									
03L813	24-Jul-89	F23									
03L813	20-Oct-89	F24									
01L816	25-Nov-87	F16									
01L821	30-Nov-87	F16									
03U821	30-Nov-87	F16									
03U821	10-May-89	F22									
03U821	25-Jul-89	F23									
03U821	24-Oct-89	F24									
04U821	30-Nov-87	F16									
01L822	01-Dec-87	F16									
03U822	01-Dec-87	F16									
03U822	05-May-89	F22									
03U822	24-Jul-89	F23									
03U822	23-Oct-89	F24									
03L822	01-Dec-87	F16									
03L822	05-May-89	F22									
03L822	24-Jul-89	F23									
03L822	23-Oct-89	F24									
01L823	01-Dec-87	F16									
03U824	01-Dec-87	F16									
03U831	25-Nov-87	F16									
03U831	10-May-89	F22									
03U831	25-Jul-89	F23									
03U831	24-Oct-89	F24									
03U832	24-Nov-87	F16									
03U832	09-May-89	F22									
03U832	24-Jul-89	F23									
03U832	24-Oct-89	F24									
03L832	24-Nov-87	F16									
03L832	16-Dec-88	H20									
03L832	09-May-89	F22									
03L832	24-Jul-89	F23									
03L832	24-Oct-89	F24									
04U832	24-Nov-87	F16									
04U832	16-Dec-88	H20									
03L841	20-Oct-87	H16									
03L841	12-Nov-87	H16									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHOSPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOSPHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
04U841	20-Oct-87	H16									
04U841	25-Nov-87	F16									
03M843	24-Nov-87	F16									
03M843	05-May-89	F22									
03M843	25-Jul-89	F23									
03M843	23-Oct-89	F24									
04U843	24-Nov-87	F16									
04U843	24-Aug-88	F19									
04U844	03-Dec-87	F16									
04U844	04-May-89	F22									
04U844	18-Oct-89	F24									
04U845	01-Dec-87	F16									
04U845	16-Dec-88	H20									
04U845	04-May-89	F22									
04U845	20-Jul-89	F23									
04U845	20-Oct-89	F24									
03L846	18-Jul-89	F23					63.10				<12.10
03L846	19-Oct-89	F24					52.00				<12.10
04U846	25-Nov-87	F16									
04U846	23-Aug-88	F19									
04U846	28-Apr-89	F22									
04U846	18-Jul-89	F23									
04U846	19-Oct-89	F24									
04U847	30-Nov-87	F16									
04U847	23-Aug-88	F19									
04U847	03-May-89	F22									
04U847	21-Jul-89	F23									
04U847	20-Oct-89	F24									
03M848	02-Dec-87	F16									
03L848	02-Dec-87	F16									
03L848	03-May-89	F22									
03L848	20-Jul-89	F23									
03L848	19-Oct-89	F24									
04U848	02-Dec-87	F16									
04U848	24-Aug-88	F19									
04U848	03-May-89	F22									
04U848	20-Jul-89	F23									
04U848	19-Oct-89	F24									
04U849	01-Dec-87	F16									
04U849	24-Aug-88	F19									
04U850	01-Dec-87	F16									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
04U850	02-May-89	F22					23.80				<10.30
04U850	19-Jul-89	F23					79.80				<12.10
04U850	19-Oct-89	F24					35.10				<12.10
04U851	24-Nov-87	F16									
04U852	24-Nov-87	F16									
04U852	24-Aug-88	F19									
03L853	03-Dec-87	F16									
03L853	05-May-89	F22									
03L853	25-Jul-89	F23									
03L853	23-Oct-89	F24									
03L854	20-Oct-87	H16									
03L854	24-Nov-87	F16									
03L854	16-Dec-88	H20									
03L854	20-Jul-89	F23									
03L854	27-Oct-89	F24									
04U854	20-Oct-87	H16									
04U854	13-Nov-87	H16									
04U854	16-Dec-88	H20									
04U854	04-May-89	F22									
04U854	20-Jul-89	F23									
04U854	17-Oct-89	F24									
04U855	25-Nov-87	F16									
03L856	24-Nov-87	F16									
03L856	05-May-89	F22									
03L856	25-Jul-89	F23									
03L856	23-Oct-89	F24									
03L858	24-Nov-87	F16									
03L858	08-May-89	F22									
03L858	21-Jul-89	F23									
03L858	23-Oct-89	F24									
03L859	13-Nov-87	H16									
03L859	15-Dec-88	H20									
04U859	13-Nov-87	H16									
04U859	15-Dec-88	H20									
03L860	13-Nov-87	H16									
03L860	15-Dec-88	H20									
04U860	13-Nov-87	H16									
04U860	15-Dec-88	H20									
03L861	12-Nov-87	H16									
03L861	15-Dec-88	H20									

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHO SPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOS PHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
04U861	12-Nov-87	H16									
04U861	16-Dec-88	H20									
04U871	20-Jun-88	H18									
04U871	07-Jul-88	H19									
04U871	23-Aug-88	F19									28.50
04U871	08-Nov-88	F20									
04U871	31-Jan-89	H21									
04U871	05-May-89	F22									
04U871	08-May-89	F22					19.70				17.40
04U871	19-Jul-89	F23					42.60				<12.10
04U871	23-Oct-89	F24					45.30				<12.10
04U872	13-Jul-88	H19									
04U872	24-Aug-88	F19									<10.30
04U872	08-Nov-88	F20									
04U872	01-Feb-89	H21									
04U872	08-May-89	F22					13.90				<10.30
04U872	19-Jul-89	F23					35.00				<12.10
04U872	23-Oct-89	F24					24.60				<12.10
04U875	20-Jun-88	H18									
04U875	23-Aug-88	F19									10.20
04U875	09-Nov-88	F20									
04U875	07-Feb-89	H21									
04U875	19-Jul-89	F23					44.40				<12.10
04U875	19-Oct-89	F24					53.90				<12.10
04U877	23-Aug-88	F19									34.70
04U877	10-Nov-88	F20									
04U877	08-Feb-89	H21									
04U877	02-May-89	F22					15.60				<10.30
04U877	18-Jul-89	F23					61.10				<12.10
04U877	19-Oct-89	F24					50.20				<12.10
04U879	29-Jul-88	H19									
04U879	01-Sep-88	F19									
04U879	08-Nov-88	F20									
04U879	08-Feb-89	H21									
04U879	19-Jul-89	F23					36.90				<12.10
04U879	17-Oct-89	F24					16.30				<12.10
04U880	01-Sep-88	F19									
04U880	10-Nov-88	F20									
04U880	06-Feb-89	H21									
04U880	18-Jul-89	F23					61.10				<12.10
04U880	19-Oct-89	F24					52.00				<12.10
04U881	09-Nov-88	F20									
04U881	07-Feb-89	H21									
04U881	18-Jul-89	F23					46.30				<12.10
04U881	18-Oct-89	F24					38.90				<12.10

WELL	DATE	QTR	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	TOTAL PHOSPHATES TPO4	GROSS ALPHA RADIATION ALPHAG(pC/l)	GROSS BETA RADIATION BETAG(pC/l)	GROSS GAMMA RADIATION GAMMAS(pC/l)	ORTHO PHOSPHORUS PO4ORT
RAL			NA	45	NA	5000 (SEC)	NA	NA	NA	NA	NA
04U882	13-Sep-88	F19									
04U882	09-Nov-88	F20									
04U882	31-Jan-89	H21									
04U882	03-May-89	F22									
04U882	17-Jul-89	F23					63.10				<12.10
04U882	18-Oct-89	F24					29.40				<12.10
04U883	14-Oct-88	H20									
04U883	14-Oct-88	F19					82.40				
04U883	09-Nov-88	F20									
04U883	08-Feb-89	H21									
04U883	17-Jul-89	F23					29.40				<12.10
04U883	18-Oct-89	F24					21.90				<12.10
01U901	27-Jul-89	F23									
01U901	20-Oct-89	F24									
01U902	27-Jul-89	F23									
01U902	20-Oct-89	F24									
134318	27-Jul-89	F23									
139035	31-Jul-89	F23									
139035	31-Oct-89	F24									
191942	30-Nov-87	F16									
200154	31-Jul-89	F23									
200264	25-Aug-88	F19									
200524	16-Aug-88	F19									
200803	16-Aug-88	F19									
200814	31-Jul-89	F23									
200814	30-Oct-89	F24									
201082	31-Oct-89	F24									
206688	23-Oct-89	F24					45.30				<12.10
206787	24-Oct-89	F24									
231878	23-Oct-87	H16									
233221	11-May-89	F22									
233221	31-Jul-89	F23									
233221	30-Oct-89	F24									
233222	25-Aug-88	F19									

TABLE 8

EXCEEDANCE OF GROUNDWATER ACTION CRITERIA

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	TETRA CHLORO ETHENE TCLEE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6	CHLORO FORM CHCL3	LEAD PB	COUNT
RAL			200	14	7.0	810	70	3.8	70	6.6	31	0.15	7.0	57	20	13
G/W Action Criteria Level			22	6.1	0.24	810	70	0.4	70	0.7	2.8	0.015	0.7	0.19	20	13
04U001	18-Apr-89	H22									4.20					0 1
04U001	11-Jul-89	H23			1.40						11.00					2
03L002	12-Oct-89	H24	68.00		42.00						1100.00					0 3
04U002	12-Oct-89	H24	31.00		5.10						110.00					0 3
03U003	19-Apr-89	H22	36.00		14.00			3.00			280.00			1.00		0 5
03U003	12-Jul-89	H23	270.00	7.40	110.00			6.20	84.00		900.00			4.00		7
04U003	12-Jul-89	H23			0.30											0 1
03U004	25-Oct-89	H24									5.80					0 1
03L006	11-Jul-89	H23	150.00		130.00			4.10	110.00		540.00					0 5
04U006	11-Jul-89	H23	760.00		290.00						2200.00					0 3
03U014	20-Apr-89	H22	6100.00	6.60	1200.00	1200.00		22.00	2200.00	6.70	14000.00	2.10		3.50		0 10
03U014	19-Jul-89	H23	7700.00		1800.00	1200.00			2300.00		12000.00					5
03U014	24-Oct-89	H24	10000.00		1600.00	1300.00			2300.00		17000.00					5
03M017	13-Oct-89	H24	990.00		210.00						1400.00					0 3
03U018	20-Apr-89	H22	410.00		97.00						1500.00			1.40		0 4
03U018	12-Jul-89	H23	3100.00		750.00				70.00		9900.00					4
03U018	20-Oct-89	H24	1200.00		210.00						4000.00					3
03M020	11-Oct-89	H24	4900.00		1200.00	840.00			93.00		11000.00					0 5
04U020	11-Oct-89	H24	81.00		26.00						550.00					0 3
03U021	13-Oct-89	H24	380.00		120.00						340.00					0 3
03L021	13-Oct-89	H24			11.00						10.00					0 2
03U027	11-Oct-89	H24	75.00	22.00							43.00			2.30		0 4
03U028	25-Oct-89	H24	34.00		5.40						280.00					0 3
03U029	18-Oct-89	H24	130.00		33.00				230.00	0.80	1900.00			0.50		0 6
03U030	25-Oct-89	H24									7.10					0 1
01U036	26-Apr-89	F22								1.41						0 1
01U036	24-Oct-89	F24												0.39		1
01U064	12-May-89	F22			2.96		150.00	1.42			5.42	3.58				0 5
01U064	26-Jul-89	F23					430.00									1
01U064	27-Oct-89	F24	22.00				430.00				41.00					3
03U077	16-Oct-89	H24	1600.00		360.00						3000.00					0 3

TABLE 8 - EXCEEDANCE OF GROUNDWATER ACTION CRITERIA - ug/l

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	TETRA CHLORO ETHENE TCLEE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6	CHLORO FORM CHCL3	LEAD PB	COUNT
RAL			200	14	7.0	810	70	3.8	70	6.6	31	0.15	7.0	57	20	13
G/W Action Criteria Level			22	6.1	0.24	810	70	0.4	70	0.7	2.8	0.015	0.7	0.19	20	13
03L077	11-Oct-89	H24	1600.00		440.00						5600.00					0 0 3
04U077	11-Oct-89	H24	710.00		200.00						2400.00					0 0 3
04J077	11-Oct-89	H24	71.00		19.00						220.00					0 0 3
03U078	16-Oct-89	H24	25.00		7.40					34.00	170.00			3.70		0 0 5
03U079	16-Oct-89	H24	86.00		28.00						2300.00					0 0 3
03U084	11-Oct-89	H24									5.70					0 0 1
03L084	11-Oct-89	H24			1.70						15.00					0 0 2
03U087	24-Oct-89	H24									5.20					0 0 1
03U093	19-Oct-89	H24	13000.00		1800.00				360.00		43000.00					0 0 4
01U101	24-Oct-89	F24												0.38		0 1 0
01U102	25-Apr-89	F22								41.60	31.00		0.84			0 3 1
01U102	27-Jul-89	F23									2.80					
01U102	26-Oct-89	F24					80.00			64.00	200.00					0 3 0
01U107	25-Apr-89	F22			1.29											0 1 0
01U108	24-Apr-89	F22			12.00		120.00			420.00	300.00					0 4 3
01U108	24-Oct-89	F24					100.00			180.00	160.00					0 1 1
01U115	27-Jul-89	F23									8.29					0 1 1
01U115	27-Oct-89	F24									5.32					0 1 1
01U116	24-Apr-89	F22			1.11											0 1 1
01U116	27-Jul-89	F23									4.31					0 1 2
01U116	27-Oct-89	F24									3.36			0.31		0 5 2
01U117	25-Apr-89	F22			1.41					86.30	18.50		1.37	0.89		2 2 0
01U117	27-Jul-89	F23								12.10	4.01					1 0 1
01U117	27-Oct-89	F24								9.21	12.80					1 2 0
01U118	25-Apr-89	F22			1.38											0 1 0
01U126	24-Apr-89	F22								5.41						1 1 2
01U126	27-Jul-89	F23								3.82						0 1 0
01U126	25-Oct-89	F24								2.29				0.33		1 0 4
01U135	25-Oct-89	F24												0.31		
01U136	25-Apr-89	F22			1.36											
03U301	16-Mar-89	H21	88.00		11.00				225.00		2755.00					

WELLS ARRANGED BY WELL NEST

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2- DICHLORO ETHENE C12DCE	TETRA CHLORO ETHENE TCLEE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6	CHLORO FORM CHCL3	LEAD PB	COUNT
RAL			200	14	7.0	810	70	3.8	70	6.6	31	0.15	7.0	57	20	13
G/W Action Criteria Level			22	6.1	0.24	810	70	0.4	70	0.7	2.8	0.015	0.7	0.19	20	13
																0
03U301	20-Apr-89	H22	25.00		18.00				160.00		1100.00			0.40		5
03U301	19-Jul-89	H23	61.00		18.00				160.00		1100.00					4
03U301	24-Oct-89	H24	120.00						200.00		3000.00					3
																0
03F302	06-Jan-89	H21	35.00		16.00				158.00	2.40	2850.00					5
03F302	16-Mar-89	H21	31.00						130.00		5800.00					3
03F302	20-Apr-89	H22	27.00		14.00				100.00	1.60	4500.00			0.70		6
03F302	19-Jul-89	H23	44.00		22.00				120.00		2700.00					4
03F302	24-Oct-89	H24	62.00								2300.00					2
																0
03F303	06-Jan-89	H21			7.60					13.00	61.00					3
03F303	16-Mar-89	H21								11.00	1200.00			61.00		3
03F303	20-Apr-89	H22			6.90					11.00	1100.00			0.80	91.00	5
03F303	19-Jul-89	H23			9.00					17.00	860.00					3
03F303	24-Oct-89	H24								12.00	850.00					2
																0
03F304	16-Mar-89	H21									6.00					1
03F304	20-Apr-89	H22									11.00					1
03F304	19-Jul-89	H23									4.60					1
03F304	24-Oct-89	H24									5.40					1
																0
03F305	06-Jan-89	H21	44.00		4.70					1.10	21.00					4
03F305	16-Mar-89	H21	68.00		8.20			1.30		2.00	68.00			1.90		6
03F305	20-Apr-89	H22	58.00		15.00					1.40	100.00			0.40		5
03F305	19-Jul-89	H23	110.00		49.00					1.30	140.00				32.00	5
03F305	23-Oct-89	H24	240.00		77.00						430.00					3
																0
03F306	06-Jan-89	H21	450.00		55.00			3.60		1.50	300.00					5
03F306	16-Mar-89	H21	1200.00		170.00						2800.00					3
03F306	20-Apr-89	H22	1400.00		330.00			3.20	100.00	0.80	2800.00	1.30		0.90		8
03F306	19-Jul-89	H23	800.00		300.00						2200.00				24.00	4
03F306	23-Oct-89	H24	940.00		290.00						2700.00					3
																0
03F307	16-Mar-89	H21	900.00		64.00						4174.00					3
03F307	20-Apr-89	H22	530.00		150.00			3.90		2.20	3600.00	1.00		0.60	57.00	8
03F307	19-Jul-89	H23	640.00		210.00						2400.00				31.00	4
03F307	23-Oct-89	H24	590.00		170.00						3300.00					3
																0
03F308	16-Mar-89	H21									75.00					1
03F308	20-Apr-89	H22									44.00					1
03F308	19-Jul-89	H23			1.40						29.00					2
03F308	23-Oct-89	H24			1.10						32.00					2
																0
PJ#309	16-Mar-89	H21	63.00		13.00						200.00					3
PJ#309	20-Apr-89	H22	45.00		13.00						320.00			0.50		4
PJ#309	19-Jul-89	H23	48.00		22.00						190.00				42.00	4
PJ#309	23-Oct-89	H24	68.00		21.00						270.00					3
																0
PJ#310	16-Mar-89	H21	180.00		38.00			5.40			470.00					4
PJ#310	20-Apr-89	H22	150.00		47.00			0.60			700.00			0.40	24.00	6
PJ#310	19-Jul-89	H23	240.00		74.00						480.00				26.00	4
PJ#310	11-Oct-89	H24	220.00		63.00						560.00					3

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	TETRA CHLORO ETHENE TCLEE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6	CHLORO FORM CHCL3	LEAD PB	COUNT
RAL			200	14	7.0	810	70	3.8	70	6.6	31	0.15	7.0	57	20	13
G/W Action Criteria Level			22	6.1	0.24	810	70	0.4	70	0.7	2.8	0.015	0.7	0.19	20	13
																0
																0
PJ#311	16-Mar-89	H21	36.00								150.00					2
PJ#311	20-Apr-89	H22			3.30						82.00				50.00	3
PJ#311	19-Jul-89	H23			5.00						67.00					2
PJ#311	24-Oct-89	H24			3.20						52.00					2
																0
03F312	20-Apr-89	H22									6.30					1
03F312	19-Jul-89	H23			1.90						10.00					2
03F312	24-Oct-89	H24			2.10						31.00				110.00	3
																0
PJ#313	16-Mar-89	H21									18.00					1
PJ#313	20-Apr-89	H22									27.00					1
PJ#313	19-Jul-89	H23			2.10						25.00			0.40		3
PJ#313	23-Oct-89	H24			0.60						15.00					2
																0
03U314	05-Jan-89	H21	10500.00	19.00	850.00	3600.00		59.00	4700.00		37000.00	16.00		10.00		9
03U314	16-Mar-89	H21	6200.00	11.00	370.00	950.00			1000.00	12.00	12000.00					7
03U314	20-Apr-89	H22	3400.00	8.30	630.00			19.00	610.00	3.00	11000.00	3.50		1.70		9
03U314	19-Jul-89	H23	3500.00		870.00				730.00		8900.00					4
03U314	24-Oct-89	H24	3500.00								8600.00					2
																0
03U315	05-Jan-89	H21	65.00		5.60						58.00					3
03U315	16-Mar-89	H21	610.00		58.00			32.00			870.00			11.00		5
03U315	20-Apr-89	H22	490.00		100.00						1300.00			0.90		4
03U315	19-Jul-89	H23	620.00		150.00						940.00					3
03U315	24-Oct-89	H24	890.00		160.00						1700.00					3
																0
03U316	05-Jan-89	H21			1.60									1.30		2
03U316	16-Mar-89	H21	31.00		3.20						2.90					3
03U316	20-Apr-89	H22	28.00		4.90						4.90			1.70	66.00	5
03U316	19-Jul-89	H23	29.00		9.20						4.20			2.00	22.00	5
03U316	24-Oct-89	H24	35.00		8.70						5.50			0.90		4
																0
03U317	16-Mar-89	H21	1100.00		66.00			24.00			3200.00					4
03U317	20-Apr-89	H22	2800.00		660.00			4.20		13.00	13000.00			1.30	30.00	7
03U317	19-Jul-89	H23	5800.00		1200.00						12000.00					3
03U317	25-Oct-89	H24	7000.00		760.00						19000.00					3
																0
PJ#318	06-Feb-89	H21									5.90					1
PJ#318	02-May-89	F22											1.71			1
PJ#318	18-Oct-89	F24			0.73						4.47					2
																0
01U636	26-Jul-89	F23									3.31					1
																0
01U639	26-Jul-89	F23									41.00	4.70				2
																0
01U640	26-Jul-89	F23									30.00	7.90				2
																0
01U652	26-Jul-89	F23										2.20				1
																0
03U658	13-Oct-89	H24									7.20					1
																0

TABLE 8 - EXCEEDANCE OF GROUNDWATER ACTION CRITERIA - ug/l

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	TETRA CHLORO ETHENE TCLEE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6	CHLORO FORM CHCL3	LEAD PB	COUNT
RAL			200	14	7.0	810	70	3.8	70	6.6	31	0.15	7.0	57	20	13
G/W Action Criteria Level			22	6.1	0.24	810	70	0.4	70	0.7	2.8	0.015	0.7	0.19	20	13
																0
03U659	25-Oct-89	H24	280.00		43.00				370.00		3600.00					4
																0
01U666	12-May-89	F22									77.00					1
																0
03U671	16-Oct-89	H24			3.80					6.30	130.00					3
																0
03U672	12-Jul-89	H23			0.90											1
																0
04U673	03-May-89	F22			5.80		170.00				700.00					3
04U673	21-Jul-89	F23					86.00				1200.00					2
04U673	19-Oct-89	F24	25.10		3.59		100.00				1900.00					4
04U673	19-Oct-89	H24									1100.00					1
																0
03U701	17-Oct-89	H24	130.00		25.00					5.40	190.00					4
																0
04U701	17-Oct-89	H24	37.00		7.80						130.00					3
																0
03U702	13-Oct-89	H24	27.00		9.00						36.00					3
																0
04U702	13-Oct-89	H24			2.20						38.00					2
																0
04J702	13-Oct-89	H24			2.90						30.00					2
																0
03U703	12-Oct-89	H24									900.00					1
																0
03U704	20-Apr-89	H22									6.90					1
03U704	19-Jul-89	H23									3.70					1
03U704	20-Oct-89	H24			0.30						38.00					2
																0
03U705	12-Oct-89	H24			2.20						71.00					2
																0
03U707	20-Oct-89	H24									13.00					1
																0
03U708	12-Oct-89	H24			3.00					14.00	57.00			3.10		4
																0
04U708	12-Oct-89	H24			0.70						8.60					2
																0
04J708	04-Jan-89	H21									3.30					1
																0
03U709	17-Oct-89	H24	22.00	13.00	4.40					5.80	140.00					5
																0
04U709	17-Oct-89	H24	80.00		29.00						370.00					3
																0
03U710	25-Oct-89	H24	90.00		40.00						1100.00					3
																0
03U711	19-Apr-89	H22								17.00	23.00			11.00		3
03U711	12-Jul-89	H23			3.30					26.00	28.00			11.00		4
03U711	18-Oct-89	H24			2.50					31.00	45.00			9.70		4
																0
04U711	12-Jul-89	H23			1.10						4.40					2
04U711	18-Oct-89	H24			0.50											1
																0

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2- DICHLORO ETHENE C12DCE	TETRA CHLORO ETHENE TCLEE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6	CHLORO FORM CHCL3	LEAD PB	COUNT
RAL			200	14	7.0	810	70	3.8	70	6.6	31	0.15	7.0	57	20	13
G/W Action Criteria Level			22	6.1	0.24	810	70	0.4	70	0.7	2.8	0.015	0.7	0.19	20	13
																0
04U713	06-Jan-89	H21									27.00					1
04U713	23-Oct-89	H24			0.70						15.00					2
																0
04J713	04-Jan-89	H21									42.00					1
04J713	13-Oct-89	H24			0.60						9.60					2
																0
04U714	04-Jan-89	H21									13.00					1
04U714	18-Apr-89	H22									19.00					1
04U714	12-Jul-89	H23			1.00						13.00					2
04U714	13-Oct-89	H24			1.10						26.00					2
																0
04J714	04-Jan-89	H21									6.10					1
04J714	18-Apr-89	H22									12.00					1
04J714	11-Jul-89	H23			1.00						9.30					2
04J714	13-Oct-89	H24									5.00					1
																0
03L802	20-Apr-89	H22			5.00						7.30					2
03L802	12-Jul-89	H23									810.00					1
03L802	18-Oct-89	H24			5.30						350.00					2
																0
03U804	17-Oct-89	H24									8.20					1
																0
03L806	16-Oct-89	H24	590.00		230.00						2000.00					3
																0
PJ#806	16-Oct-89	H24	71.00		34.00						250.00					3
																0
04U806	19-Apr-89	H22	130.00		89.00			3.10			690.00			0.70		5
04U806	16-Oct-89	H24	440.00		170.00					15.00	1400.00			24.00		5
																0
03L809	10-May-89	F22	1030.00		230.00						1900.00					3
03L809	20-Oct-89	F24	380.00		150.00		140.00				1800.00					4
																0
03U811	04-May-89	F22			5.50											1
03U811	20-Oct-89	F24			0.74						4.18					2
																0
03L811	24-Jul-89	F23			3.74											1
03L811	20-Oct-89	F24			2.84						2.89					2
																0
03L813	20-Oct-89	F24			0.73						6.24			0.27		3
																0
03U821	10-May-89	F22	62.00		17.00						210.00					3
03U821	25-Jul-89	F23	140.00								950.00	140.00				3
03U821	24-Oct-89	F24	66.00		39.00						380.00					3
																0
03U822	05-May-89	F22			2.77											1
03U822	24-Jul-89	F23			1.66											1
03U822	23-Oct-89	F24			2.03											1
																0
03L822	23-Oct-89	F24			1.08						14.80					2
																0
04U844	04-May-89	F22	81.00		19.00						310.00					3
04U844	18-Oct-89	F24	96.00		41.00			1.65		1.05	600.00			0.50		6

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	TETRA CHLORO ETHENE TCLEE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6	CHLORO FORM CHCL3	LEAD PB	COUNT
RAL			200	14	7.0	810	70	3.8	70	6.6	31	0.15	7.0	57	20	13
G/W Action Criteria Level			22	6.1	0.24	810	70	0.4	70	0.7	2.8	0.015	0.7	0.19	20	13
																0
																0
04U845	04-May-89	F22									100.00					1
04U845	20-Jul-89	F23									160.00					1
04U845	20-Oct-89	F24									62.00					1
																0
04U846	28-Apr-89	F22									4.27					1
04U846	18-Jul-89	F23									9.00					1
04U846	19-Oct-89	F24			0.82						13.70					2
																0
04U847	03-May-89	F22	50.70		8.02						12.00					3
04U847	21-Jul-89	F23	200.00		33.00						350.00					3
04U847	20-Oct-89	F24	460.00		100.00			16.00			330.00			5.30		5
																0
03L848	03-May-89	F22			2.64						270.00					2
03L848	20-Jul-89	F23									130.00					1
03L848	19-Oct-89	F24			1.16						610.00			0.43		3
																0
04U848	03-May-89	F22			1.79						150.00					2
04U848	20-Jul-89	F23									700.00					1
04U848	19-Oct-89	F24			0.92						280.00					2
																0
04U850	02-May-89	F22			12.00						110.00					2
04U850	19-Jul-89	F23									190.00					1
04U850	19-Oct-89	F24			3.69			0.98			180.00			0.27		4
																0
03L853	05-May-89	F22	320.00		56.00			1.96		3.90	1200.00					5
03L853	25-Jul-89	F23	190.00								1300.00					2
03L853	23-Oct-89	F24	280.00		90.00						1900.00					3
																0
04U854	04-May-89	F22									27.30					1
04U854	20-Jul-89	F23									360.00					1
04U854	17-Oct-89	F24			0.75						89.00					2
																0
03L858	08-May-89	F22	43.50								5.26			11.70		3
03L858	21-Jul-89	F23	46.00								7.60			7.10		3
03L858	23-Oct-89	F24									11.00			4.90		2
																0
04U871	31-Jan-89	H21									31.00					1
04U871	08-May-89	F22			2.50						33.00					2
04U871	19-Jul-89	F23									24.00					1
04U871	23-Oct-89	F24			1.60						23.00					2
																0
04U872	01-Feb-89	H21									12.00					1
04U872	08-May-89	F22									16.50					1
04U872	19-Jul-89	F23									13.20					1
04U872	23-Oct-89	F24			0.92						25.40					2
																0
04U875	19-Oct-89	F24												0.28		1
																0
04U877	08-Feb-89	H21			1.50						38.00					2
04U877	02-May-89	F22			4.83						81.00					2
04U877	18-Jul-89	F23									89.00					1

WELL	DATE	QTR	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	CIS-1,2-DICHLORO ETHENE C12DCE	TETRA CHLORO ETHENE TCLEE	TRI CHLORO ETHENE TRCLE	VINYL CHLORIDE C2H3CL	BENZENE C6H6	CHLORO FORM CHCL3	LEAD PB	COUNT
RAL			200	14	7.0	810	70	3.8	70	6.6	31	0.15	7.0	57	20	13
G/W Action Criteria Level			22	6.1	0.24	810	70	0.4	70	0.7	2.8	0.015	0.7	0.19	20	13
04U877	19-Oct-89	F24			2.01						95.00					0 2
04U880	06-Feb-89	H21									4.00					0 1
04U882	31-Jan-89	H21									10.00					0 1
04U882	03-May-89	F22			1.15						12.70		0.82			3
04U882	17-Jul-89	F23									15.70					1
04U882	18-Oct-89	F24			0.80						6.43					2 0
01U902	27-Jul-89	F23					70.00			35.00	62.00					3
01U902	20-Oct-89	F24									8.90					1 0
200814	31-Jul-89	F23									38.00					1
200814	30-Oct-89	F24			2.00						46.00					2 0
206688	23-Oct-89	F24			0.80						8.68					2 0
233221	11-May-89	F22			2.03						29.20					2
233221	31-Jul-89	F23			2.20						120.00					2
233221	30-Oct-89	F24			4.00						46.00					2 0
234353	12-May-89	F22								1.34	4.10					2
234353	31-Jul-89	F23									4.47					1 0
234425	11-May-89	F22	810.00		140.00						3100.00					3 0
234463	08-May-89	F22						0.87					2.00			2
234463	03-Aug-89	F23						0.86					3.45			2 0
234547	10-May-89	F22									12.20					1
234547	31-Jul-89	F23									16.10					1
234547	30-Oct-89	F24			0.78						12.00					2 0
235619	31-Jul-89	F23						4.34						0.27		2
235619	31-Oct-89	F24			1.31									14.00		2 0
235735	31-Oct-89	F24												3.00		1 0
405651	31-Jul-89	F23			0.55						16.60					2
405651	31-Oct-89	F24			0.89						11.30					2 0
409546	18-Oct-89	F24			0.77											1 0
409550	10-May-89	F22	47.00		11.00						78.00					3
409550	20-Oct-89	F24	35.00	12.00	8.60						110.00					4 0
409556	10-May-89	F22											2.28			1 0
COUNT	1179		107	8	176	6	11	24	23	43	248	10	7	51	13	727
MAX			13000.00	22.00	1800.00	3600.00	430.00	59.00	4700.00	420.00	43000.00	140.00	3.45	61.00	110.00	10.00
MIN			22.00	6.60	0.30	840.00	70.00	0.60	70.00	0.80	2.80	1.00	0.82	0.27	22.00	0.00

TABLE 9

GROUNDWATER QUALITY ASSURANCE/QUALITY CONTROL DATA - GC/MS

Qtr	Type	Spk-Conc.	Test	Meth	Lab		Value
Q16	QCMB	+0.000	111TCE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	111TCE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	111TCE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	111TCE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	111TCE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	111TCE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	111TCE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	111TCE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	111TCE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	111TCE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	111TCE	99	IP	LT	20.00
Q16	QCMB	+0.000	111TCE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	112TCE	UM07	IP	LT	5.00
Q16	QCMB	+0.000	112TCE	UM07	IP	LT	5.00
Q16	QCMB	+0.000	112TCE	99	IP	LT	5.00
Q16	QCMB	+0.000	112TCE	UM07	IP	LT	5.00
Q16	QCMB	+0.000	112TCE	UM07	IP	LT	5.00
Q16	QCMB	+0.000	112TCE	UM07	IP	LT	5.00
Q16	QCMB	+0.000	112TCE	UM07	IP	LT	5.00
Q16	QCMB	+0.000	112TCE	UM07	IP	LT	5.00
Q16	QCMB	+0.000	112TCE	UM07	IP	LT	5.00
Q16	QCMB	+0.000	112TCE	UM07	IP	LT	5.00
Q16	QCMB	+0.000	112TCE	UM07	IP	LT	5.00
Q16	QCMB	+0.000	11DCE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	11DCE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	11DCE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	11DCE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	11DCE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	11DCE	99	IP	LT	15.00
Q16	QCMB	+0.000	11DCE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	11DCE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	11DCE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	11DCE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	11DCE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	11DCLE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	11DCLE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	11DCLE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	11DCLE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	11DCLE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	11DCLE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	11DCLE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	11DCLE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	11DCLE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	11DCLE	99	IP	LT	15.00
Q16	QCMB	+0.000	11DCLE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	124TCB	99	IP	LT	15.00
Q16	QCMB	+0.000	124TCB	99	IP	LT	15.00
Q16	QCMB	+0.000	124TCB	99	IP	LT	15.00
Q16	QCMB	+0.000	124TCB	99	IP	LT	15.00
Q16	QCMB	+0.000	124TCB	UM09	IP	LT	15.00
Q16	QCMB	+0.000	124TCB	99	IP	LT	15.00
Q16	QCMB	+0.000	124TCB	99	IP	LT	15.00
Q16	QCMB	+0.000	124TCB	99	IP	LT	15.00
Q16	QCMB	+0.000	124TCB	99	IP	LT	15.00
Q16	QCMB	+0.000	124TCB	99	IP	LT	15.00
Q16	QCMB	+0.000	124TCB	99	IP	LT	15.00
Q16	QCMB	+0.000	12DCLB	99	IP	LT	15.00
Q16	QCMB	+0.000	12DCLB	99	IP	LT	15.00
Q16	QCMB	+0.000	12DCLB	UM09	IP	LT	15.00
Q16	QCMB	+0.000	12DCLB	99	IP	LT	15.00
Q16	QCMB	+0.000	12DCLB	99	IP	LT	15.00
Q16	QCMB	+0.000	12DCLB	99	IP	LT	15.00
Q16	QCMB	+0.000	12DCLB	99	IP	LT	15.00
Q16	QCMB	+0.000	12DCLB	99	IP	LT	15.00
Q16	QCMB	+0.000	12DCLB	99	IP	LT	15.00
Q16	QCMB	+0.000	12DCLB	99	IP	LT	15.00
Q16	QCMB	+0.000	12DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	12DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	12DCLB	99	IP	LT	5.00
Q16	QCMB	+0.000	12DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	12DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	12DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	12DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	12DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	12DCLB	UM07	IP	LT	5.00

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q16	QCFB	#0.000	03-Dec-87	124TCB	99	IP	LT	15.00
Q16	QCFB	#0.000	03-Dec-87	124TCB	99	IP	LT	15.00
Q16	QCFB	#0.000	03-Dec-87	12DCLB	99	IP	LT	15.00
Q16	QCFB	#0.000	03-Dec-87	12DCLB	99	IP	LT	15.00
Q16	QCFB	#0.000	03-Dec-87	13DCLB	99	IP	LT	15.00
Q16	QCFB	#0.000	03-Dec-87	13DCLB	99	IP	LT	15.00
Q16	QCFB	#0.000	03-Dec-87	14DCLB	99	IP	LT	15.00
Q16	QCFB	#0.000	03-Dec-87	14DCLB	99	IP	LT	15.00
Q16	QCFB	#0.000	03-Dec-87	246TCP	99	IP	LT	35.00
Q16	QCFB	#0.000	03-Dec-87	246TCP	99	IP	LT	35.00
Q16	QCFB	#0.000	03-Dec-87	24DCLP	99	IP	LT	35.00
Q16	QCFB	#0.000	03-Dec-87	24DCLP	99	IP	LT	35.00
Q16	QCFB	#0.000	03-Dec-87	24DMPN	99	IP	LT	50.00
Q16	QCFB	#0.000	03-Dec-87	24DMPN	99	IP	LT	50.00
Q16	QCFB	#0.000	03-Dec-87	24DNP	99	IP	LT	70.00
Q16	QCFB	#0.000	03-Dec-87	24DNP	99	IP	LT	70.00
Q16	QCFB	#0.000	03-Dec-87	24DNT	99	IP	LT	35.00
Q16	QCFB	#0.000	03-Dec-87	24DNT	99	IP	LT	35.00
Q16	QCFB	#0.000	03-Dec-87	26DNT	99	IP	LT	60.00
Q16	QCFB	#0.000	03-Dec-87	26DNT	99	IP	LT	60.00
Q16	QCFB	#0.000	03-Dec-87	2CLP	99	IP	LT	50.00
Q16	QCFB	#0.000	03-Dec-87	2CLP	99	IP	LT	50.00
Q16	QCFB	#0.000	03-Dec-87	2CNAP	99	IP	LT	15.00
Q16	QCFB	#0.000	03-Dec-87	2CNAP	99	IP	LT	15.00
Q16	QCFB	#0.000	03-Dec-87	2NP	99	IP	LT	40.00
Q16	QCFB	#0.000	03-Dec-87	2NP	99	IP	LT	40.00
Q16	QCFB	#0.000	03-Dec-87	33DCBD	99	IP	LT	30.00
Q16	QCFB	#0.000	03-Dec-87	33DCBD	99	IP	LT	30.00
Q16	QCFB	#0.000	03-Dec-87	46DN2C	99	IP	LT	50.00
Q16	QCFB	#0.000	03-Dec-87	46DN2C	99	IP	LT	50.00
Q16	QCFB	#0.000	03-Dec-87	4BRPPE	99	IP	LT	10.00
Q16	QCFB	#0.000	03-Dec-87	4BRPPE	99	IP	LT	10.00
Q16	QCFB	#0.000	03-Dec-87	4CL3C	99	IP	LT	35.00
Q16	QCFB	#0.000	03-Dec-87	4CL3C	99	IP	LT	35.00
Q16	QCFB	#0.000	03-Dec-87	4CLPPE	99	IP	LT	40.00
Q16	QCFB	#0.000	03-Dec-87	4CLPPE	99	IP	LT	40.00
Q16	QCFB	#0.000	03-Dec-87	4NP	99	IP	LT	70.00
Q16	QCFB	#0.000	03-Dec-87	4NP	99	IP	LT	70.00
Q16	QCFB	#0.000	03-Dec-87	ANAPNE	99	IP	LT	45.00
Q16	QCFB	#0.000	03-Dec-87	ANAPNE	99	IP	LT	45.00
Q16	QCFB	#0.000	03-Dec-87	ANAPYL	99	IP	LT	30.00
Q16	QCFB	#0.000	03-Dec-87	ANAPYL	99	IP	LT	30.00
Q16	QCFB	#0.000	03-Dec-87	ANTRC	99	IP	LT	25.00
Q16	QCFB	#0.000	03-Dec-87	ANTRC	99	IP	LT	25.00
Q16	QCFB	#0.000	03-Dec-87	B2CEXM	99	IP	LT	30.00
Q16	QCFB	#0.000	03-Dec-87	B2CEXM	99	IP	LT	30.00
Q16	QCFB	#0.000	03-Dec-87	B2CIPE	99	IP	LT	10.00
Q16	QCFB	#0.000	03-Dec-87	B2CIPE	99	IP	LT	10.00
Q16	QCFB	#0.000	03-Dec-87	B2CLEE	99	IP	LT	10.00
Q16	QCFB	#0.000	03-Dec-87	B2CLEE	99	IP	LT	10.00
Q16	QCFB	#0.000	03-Dec-87	B2EHP	99	IP	LT	10.00
Q16	QCFB	#0.000	03-Dec-87	B2EHP	99	IP	LT	10.00
Q16	QCFB	#0.000	03-Dec-87	BAANTR	99	IP	LT	10.00
Q16	QCFB	#0.000	03-Dec-87	BAANTR	99	IP	LT	10.00
Q16	QCFB	#0.000	03-Dec-87	BAPYR	99	IP	LT	60.00
Q16	QCFB	#0.000	03-Dec-87	BAPYR	99	IP	LT	60.00
Q16	QCFB	#0.000	03-Dec-87	BBFANT	99	IP	LT	60.00
Q16	QCFB	#0.000	03-Dec-87	BBFANT	99	IP	LT	60.00
Q16	QCFB	#0.000	03-Dec-87	BBZP	99	IP	LT	30.00
Q16	QCFB	#0.000	03-Dec-87	BBZP	99	IP	LT	30.00
Q16	QCFB	#0.000	03-Dec-87	BENZID	99	IP	LT	60.00
Q16	QCFB	#0.000	03-Dec-87	BENZID	99	IP	LT	60.00
Q16	QCFB	#0.000	03-Dec-87	BGHIPY	99	IP	LT	10.00
Q16	QCFB	#0.000	03-Dec-87	BGHIPY	99	IP	LT	10.00
Q16	QCFB	#0.000	03-Dec-87	BKFANT	99	IP	LT	60.00
Q16	QCFB	#0.000	03-Dec-87	BKFANT	99	IP	LT	60.00
Q16	QCFB	#0.000	03-Dec-87	CHRY	99	IP	LT	20.00
Q16	QCFB	#0.000	03-Dec-87	CHRY	99	IP	LT	20.00
Q16	QCFB	#0.000	03-Dec-87	CL6BZ	99	IP	LT	10.00
Q16	QCFB	#0.000	03-Dec-87	CL6BZ	99	IP	LT	10.00
Q16	QCFB	#0.000	03-Dec-87	CL6CP	99	IP	LT	10.00
Q16	QCFB	#0.000	03-Dec-87	CL6CP	99	IP	LT	10.00
Q16	QCFB	#0.000	03-Dec-87	CL6ET	99	IP	LT	15.00
Q16	QCFB	#0.000	03-Dec-87	CL6ET	99	IP	LT	15.00
Q16	QCFB	#0.000	03-Dec-87	DBAHA	99	IP	LT	20.00
Q16	QCFB	#0.000	03-Dec-87	DBAHA	99	IP	LT	20.00
Q16	QCFB	#0.000	03-Dec-87	DEP	99	IP	LT	10.00
Q16	QCFB	#0.000	03-Dec-87	DEP	99	IP	LT	10.00
Q16	QCFB	#0.000	03-Dec-87	DMP	99	IP	LT	50.00
Q16	QCFB	#0.000	03-Dec-87	DMP	99	IP	LT	50.00

Qtr	Type	Spk-Conc.	Test	Meth	Lab		Value
Q16	QCMB	+0.000	12DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	12DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	12DCLE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	12DCLE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	12DCLE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	12DCLE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	12DCLE	99	IP	LT	20.00
Q16	QCMB	+0.000	12DCLE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	12DCLE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	12DCLE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	12DCLE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	12DCLE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	12DCLE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	12DCLE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	12DCLP	UM07	IP	LT	25.00
Q16	QCMB	+0.000	12DCLP	UM07	IP	LT	25.00
Q16	QCMB	+0.000	12DCLP	UM07	IP	LT	25.00
Q16	QCMB	+0.000	12DCLP	UM07	IP	LT	25.00
Q16	QCMB	+0.000	12DCLP	UM07	IP	LT	25.00
Q16	QCMB	+0.000	12DCLP	UM07	IP	LT	25.00
Q16	QCMB	+0.000	12DCLP	UM07	IP	LT	25.00
Q16	QCMB	+0.000	12DCLP	UM07	IP	LT	25.00
Q16	QCMB	+0.000	12DCLP	99	IP	LT	25.00
Q16	QCMB	+0.000	12DCLP	UM07	IP	LT	25.00
Q16	QCMB	+0.000	12DCLP	UM07	IP	LT	25.00
Q16	QCMB	+0.000	12DCLP	UM07	IP	LT	25.00
Q16	QCMB	+0.000	13DCLB	99	IP	LT	15.00
Q16	QCMB	+0.000	13DCLB	99	IP	LT	15.00
Q16	QCMB	+0.000	13DCLB	99	IP	LT	15.00
Q16	QCMB	+0.000	13DCLB	UM09	IP	LT	15.00
Q16	QCMB	+0.000	13DCLB	99	IP	LT	15.00
Q16	QCMB	+0.000	13DCLB	99	IP	LT	15.00
Q16	QCMB	+0.000	13DCLB	99	IP	LT	15.00
Q16	QCMB	+0.000	13DCLB	99	IP	LT	15.00
Q16	QCMB	+0.000	13DCLB	99	IP	LT	15.00
Q16	QCMB	+0.000	13DCLB	99	IP	LT	15.00
Q16	QCMB	+0.000	13DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	13DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	13DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	13DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	13DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	13DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	13DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	13DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	13DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	13DCLB	99	IP	LT	5.00
Q16	QCMB	+0.000	14DCLB	99	IP	LT	15.00
Q16	QCMB	+0.000	14DCLB	UM09	IP	LT	15.00
Q16	QCMB	+0.000	14DCLB	99	IP	LT	15.00
Q16	QCMB	+0.000	14DCLB	99	IP	LT	15.00
Q16	QCMB	+0.000	14DCLB	99	IP	LT	15.00
Q16	QCMB	+0.000	14DCLB	99	IP	LT	15.00
Q16	QCMB	+0.000	14DCLB	99	IP	LT	15.00
Q16	QCMB	+0.000	14DCLB	99	IP	LT	15.00
Q16	QCMB	+0.000	14DCLB	99	IP	LT	15.00
Q16	QCMB	+0.000	14DCLB	99	IP	LT	15.00
Q16	QCMB	+0.000	14DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	14DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	14DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	14DCLB	99	IP	LT	5.00
Q16	QCMB	+0.000	14DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	14DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	14DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	14DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	14DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	14DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	14DCLB	UM07	IP	LT	5.00
Q16	QCMB	+0.000	246TCP	99	IP	LT	35.00
Q16	QCMB	+0.000	246TCP	99	IP	LT	35.00
Q16	QCMB	+0.000	246TCP	UM09	IP	LT	35.00
Q16	QCMB	+0.000	246TCP	99	IP	LT	35.00
Q16	QCMB	+0.000	246TCP	99	IP	LT	35.00
Q16	QCMB	+0.000	246TCP	99	IP	LT	35.00
Q16	QCMB	+0.000	246TCP	99	IP	LT	35.00

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q16	QCFB	#0.000	03-Dec-87	DNBP	99	IP	LT	50.00
Q16	QCFB	#0.000	03-Dec-87	DNBP	99	IP	LT	50.00
Q16	QCFB	#0.000	03-Dec-87	DNOP	99	IP	LT	15.00
Q16	QCFB	#0.000	03-Dec-87	DNOP	99	IP	LT	15.00
Q16	QCFB	#0.000	03-Dec-87	FANT	99	IP	LT	40.00
Q16	QCFB	#0.000	03-Dec-87	FANT	99	IP	LT	40.00
Q16	QCFB	#0.000	03-Dec-87	FLRENE	99	IP	LT	25.00
Q16	QCFB	#0.000	03-Dec-87	FLRENE	99	IP	LT	25.00
Q16	QCFB	#0.000	03-Dec-87	HCBD	99	IP	LT	15.00
Q16	QCFB	#0.000	03-Dec-87	HCBD	99	IP	LT	15.00
Q16	QCFB	#0.000	03-Dec-87	ICDPYR	99	IP	LT	15.00
Q16	QCFB	#0.000	03-Dec-87	ICDPYR	99	IP	LT	15.00
Q16	QCFB	#0.000	03-Dec-87	ISOPHR	99	IP	LT	10.00
Q16	QCFB	#0.000	03-Dec-87	ISOPHR	99	IP	LT	10.00
Q16	QCFB	#0.000	03-Dec-87	NAP	99	IP	LT	15.00
Q16	QCFB	#0.000	03-Dec-87	NAP	99	IP	LT	15.00
Q16	QCFB	#0.000	03-Dec-87	NB	99	IP	LT	15.00
Q16	QCFB	#0.000	03-Dec-87	NB	99	IP	LT	15.00
Q16	QCFB	#0.000	03-Dec-87	NNDMEA	99	IP	LT	35.00
Q16	QCFB	#0.000	03-Dec-87	NNDMEA	99	IP	LT	35.00
Q16	QCFB	#0.000	03-Dec-87	NNDNPA	99	IP	LT	20.00
Q16	QCFB	#0.000	03-Dec-87	NNDNPA	99	IP	LT	20.00
Q16	QCFB	#0.000	03-Dec-87	NNDPA	99	IP	LT	25.00
Q16	QCFB	#0.000	03-Dec-87	NNDPA	99	IP	LT	25.00
Q16	QCFB	#0.000	03-Dec-87	PCP	99	IP	LT	30.00
Q16	QCFB	#0.000	03-Dec-87	PCP	99	IP	LT	30.00
Q16	QCFB	#0.000	03-Dec-87	PHANTR	99	IP	LT	20.00
Q16	QCFB	#0.000	03-Dec-87	PHANTR	99	IP	LT	20.00
Q16	QCFB	#0.000	03-Dec-87	PHENOL	99	IP	LT	80.00
Q16	QCFB	#0.000	03-Dec-87	PHENOL	99	IP	LT	80.00
Q16	QCFB	#0.000	03-Dec-87	PYR	99	IP	LT	15.00
Q16	QCFB	#0.000	03-Dec-87	PYR	99	IP	LT	15.00
Q16	QCFB	#0.000	11-Dec-87	111TCE	UM07	IP	LT	20.00
Q16	QCFB	#0.000	11-Dec-87	112TCE	UM07	IP	LT	5.00
Q16	QCFB	#0.000	11-Dec-87	11DCE	UM07	IP	LT	15.00
Q16	QCFB	#0.000	11-Dec-87	11DCLE	UM07	IP	LT	15.00
Q16	QCFB	#0.000	11-Dec-87	124TCB	99	IP	LT	15.00
Q16	QCFB	#0.000	11-Dec-87	12DCLB	99	IP	LT	15.00
Q16	QCFB	#0.000	11-Dec-87	12DCLB	UM07	IP	LT	5.00
Q16	QCFB	#0.000	11-Dec-87	12DCLE	UM07	IP	LT	20.00
Q16	QCFB	#0.000	11-Dec-87	12DCLP	UM07	IP	LT	25.00
Q16	QCFB	#0.000	11-Dec-87	13DCLB	99	IP	LT	15.00
Q16	QCFB	#0.000	11-Dec-87	13DCLB	UM07	IP	LT	5.00
Q16	QCFB	#0.000	11-Dec-87	14DCLB	99	IP	LT	15.00
Q16	QCFB	#0.000	11-Dec-87	14DCLB	UM07	IP	LT	5.00
Q16	QCFB	#0.000	11-Dec-87	246TCP	99	IP	LT	35.00
Q16	QCFB	#0.000	11-Dec-87	24DCLP	99	IP	LT	35.00
Q16	QCFB	#0.000	11-Dec-87	24DMPN	99	IP	LT	50.00
Q16	QCFB	#0.000	11-Dec-87	24DNP	99	IP	LT	70.00
Q16	QCFB	#0.000	11-Dec-87	24DNT	99	IP	LT	35.00
Q16	QCFB	#0.000	11-Dec-87	26DNT	99	IP	LT	60.00
Q16	QCFB	#0.000	11-Dec-87	2CLEVE	UM07	IP	LT	15.00
Q16	QCFB	#0.000	11-Dec-87	2CLP	99	IP	LT	50.00
Q16	QCFB	#0.000	11-Dec-87	2CNAP	99	IP	LT	15.00
Q16	QCFB	#0.000	11-Dec-87	2NP	99	IP	LT	40.00
Q16	QCFB	#0.000	11-Dec-87	33DCBD	99	IP	LT	30.00
Q16	QCFB	#0.000	11-Dec-87	46DN2C	99	IP	LT	50.00
Q16	QCFB	#0.000	11-Dec-87	4BRPPE	99	IP	LT	10.00
Q16	QCFB	#0.000	11-Dec-87	4CL3C	99	IP	LT	35.00
Q16	QCFB	#0.000	11-Dec-87	4CLPPE	99	IP	LT	40.00
Q16	QCFB	#0.000	11-Dec-87	4NP	99	IP	LT	70.00
Q16	QCFB	#0.000	11-Dec-87	ANAPNE	99	IP	LT	45.00
Q16	QCFB	#0.000	11-Dec-87	ANAPYL	99	IP	LT	30.00
Q16	QCFB	#0.000	11-Dec-87	ANTRC	99	IP	LT	25.00
Q16	QCFB	#0.000	11-Dec-87	B2CEXM	99	IP	LT	30.00
Q16	QCFB	#0.000	11-Dec-87	B2CIPE	99	IP	LT	10.00
Q16	QCFB	#0.000	11-Dec-87	B2CLEE	99	IP	LT	10.00
Q16	QCFB	#0.000	11-Dec-87	B2EHP	99	IP	LT	10.00
Q16	QCFB	#0.000	11-Dec-87	BAANTR	99	IP	LT	10.00
Q16	QCFB	#0.000	11-Dec-87	BAPYR	99	IP	LT	60.00
Q16	QCFB	#0.000	11-Dec-87	BBFANT	99	IP	LT	60.00
Q16	QCFB	#0.000	11-Dec-87	BBZP	99	IP	LT	30.00
Q16	QCFB	#0.000	11-Dec-87	BENZID	99	IP	LT	60.00
Q16	QCFB	#0.000	11-Dec-87	BGHIPY	99	IP	LT	10.00
Q16	QCFB	#0.000	11-Dec-87	BKFANT	99	IP	LT	60.00
Q16	QCFB	#0.000	11-Dec-87	BRDCLM	UM07	IP	LT	15.00
Q16	QCFB	#0.000	11-Dec-87	C13DCP	UM07	IP	LT	15.00
Q16	QCFB	#0.000	11-Dec-87	C2H3CL	UM07	IP	LT	40.00
Q16	QCFB	#0.000	11-Dec-87	C2H5CL	UM07	IP	LT	40.00
Q16	QCFB	#0.000	11-Dec-87	C6H6	UM07	IP	LT	5.00

Qtr	Type	Spk-Conc.	Test	Meth	Lab		Value
Q16	QCMB	+0.000	246TCP	99	IP	LT	35.00
Q16	QCMB	+0.000	246TCP	99	IP	LT	35.00
Q16	QCMB	+0.000	246TCP	99	IP	LT	35.00
Q16	QCMB	+0.000	24DCLP	99	IP	LT	35.00
Q16	QCMB	+0.000	24DCLP	99	IP	LT	35.00
Q16	QCMB	+0.000	24DCLP	99	IP	LT	35.00
Q16	QCMB	+0.000	24DCLP	99	IP	LT	35.00
Q16	QCMB	+0.000	24DCLP	UM09	IP	LT	35.00
Q16	QCMB	+0.000	24DCLP	99	IP	LT	35.00
Q16	QCMB	+0.000	24DCLP	99	IP	LT	35.00
Q16	QCMB	+0.000	24DCLP	99	IP	LT	35.00
Q16	QCMB	+0.000	24DCLP	99	IP	LT	35.00
Q16	QCMB	+0.000	24DCLP	99	IP	LT	35.00
Q16	QCMB	+0.000	24DCLP	99	IP	LT	35.00
Q16	QCMB	+0.000	24DMPN	99	IP	LT	50.00
Q16	QCMB	+0.000	24DMPN	99	IP	LT	50.00
Q16	QCMB	+0.000	24DMPN	99	IP	LT	50.00
Q16	QCMB	+0.000	24DMPN	99	IP	LT	50.00
Q16	QCMB	+0.000	24DMPN	UM09	IP	LT	50.00
Q16	QCMB	+0.000	24DMPN	99	IP	LT	50.00
Q16	QCMB	+0.000	24DMPN	99	IP	LT	50.00
Q16	QCMB	+0.000	24DMPN	99	IP	LT	50.00
Q16	QCMB	+0.000	24DMPN	99	IP	LT	50.00
Q16	QCMB	+0.000	24DMPN	99	IP	LT	50.00
Q16	QCMB	+0.000	24DNP	UM09	IP	LT	70.00
Q16	QCMB	+0.000	24DNP	99	IP	LT	70.00
Q16	QCMB	+0.000	24DNP	99	IP	LT	70.00
Q16	QCMB	+0.000	24DNP	99	IP	LT	70.00
Q16	QCMB	+0.000	24DNP	99	IP	LT	70.00
Q16	QCMB	+0.000	24DNP	99	IP	LT	70.00
Q16	QCMB	+0.000	24DNP	99	IP	LT	70.00
Q16	QCMB	+0.000	24DNP	99	IP	LT	70.00
Q16	QCMB	+0.000	24DNP	99	IP	LT	70.00
Q16	QCMB	+0.000	24DNP	99	IP	LT	70.00
Q16	QCMB	+0.000	24DNT	99	IP	LT	35.00
Q16	QCMB	+0.000	24DNT	99	IP	LT	35.00
Q16	QCMB	+0.000	24DNT	99	IP	LT	35.00
Q16	QCMB	+0.000	24DNT	99	IP	LT	35.00
Q16	QCMB	+0.000	24DNT	99	IP	LT	35.00
Q16	QCMB	+0.000	24DNT	99	IP	LT	35.00
Q16	QCMB	+0.000	24DNT	99	IP	LT	35.00
Q16	QCMB	+0.000	24DNT	99	IP	LT	35.00
Q16	QCMB	+0.000	24DNT	99	IP	LT	35.00
Q16	QCMB	+0.000	24DNT	UM09	IP	LT	35.00
Q16	QCMB	+0.000	26DNT	99	IP	LT	60.00
Q16	QCMB	+0.000	26DNT	99	IP	LT	60.00
Q16	QCMB	+0.000	26DNT	99	IP	LT	60.00
Q16	QCMB	+0.000	26DNT	99	IP	LT	60.00
Q16	QCMB	+0.000	26DNT	99	IP	LT	60.00
Q16	QCMB	+0.000	26DNT	99	IP	LT	60.00
Q16	QCMB	+0.000	26DNT	99	IP	LT	60.00
Q16	QCMB	+0.000	26DNT	UM09	IP	LT	60.00
Q16	QCMB	+0.000	26DNT	99	IP	LT	60.00
Q16	QCMB	+0.000	26DNT	99	IP	LT	60.00
Q16	QCMB	+0.000	26DNT	99	IP	LT	60.00
Q16	QCMB	+0.000	2CLEVE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	2CLEVE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	2CLEVE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	2CLEVE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	2CLEVE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	2CLEVE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	2CLEVE	99	IP	LT	15.00
Q16	QCMB	+0.000	2CLEVE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	2CLEVE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	2CLEVE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	2CLEVE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	2CLEVE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	2CLP	99	IP	LT	50.00
Q16	QCMB	+0.000	2CLP	99	IP	LT	50.00
Q16	QCMB	+0.000	2CLP	99	IP	LT	50.00
Q16	QCMB	+0.000	2CLP	99	IP	LT	50.00
Q16	QCMB	+0.000	2CLP	99	IP	LT	50.00
Q16	QCMB	+0.000	2CLP	99	IP	LT	50.00
Q16	QCMB	+0.000	2CLP	99	IP	LT	50.00
Q16	QCMB	+0.000	2CLP	UM09	IP	LT	50.00
Q16	QCMB	+0.000	2CLP	99	IP	LT	50.00

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q16	QCFB	#0.000	11-Dec-87	CCL3F	UM07IP	LT		20.00
Q16	QCFB	#0.000	11-Dec-87	CCL4	UM07IP	LT		15.00
Q16	QCFB	#0.000	11-Dec-87	CH2CL2	UM07IP	LT		40.00
Q16	QCFB	#0.000	11-Dec-87	CH3BR	UM07IP	LT		40.00
Q16	QCFB	#0.000	11-Dec-87	CH3CL	UM07IP	LT		40.00
Q16	QCFB	#0.000	11-Dec-87	CHBR3	UM07IP	LT		15.00
Q16	QCFB	#0.000	11-Dec-87	CHCL3	UM07IP	LT		5.00
Q16	QCFB	#0.000	11-Dec-87	CHRY	99	IP	LT	20.00
Q16	QCFB	#0.000	11-Dec-87	CL6BZ	99	IP	LT	10.00
Q16	QCFB	#0.000	11-Dec-87	CL6CP	99	IP	LT	10.00
Q16	QCFB	#0.000	11-Dec-87	CL6ET	99	IP	LT	15.00
Q16	QCFB	#0.000	11-Dec-87	CLC6H5	UM07IP	LT		5.00
Q16	QCFB	#0.000	11-Dec-87	DBAHA	99	IP	LT	20.00
Q16	QCFB	#0.000	11-Dec-87	DBRCLM	UM07IP	LT		10.00
Q16	QCFB	#0.000	11-Dec-87	DEP	99	IP	LT	10.00
Q16	QCFB	#0.000	11-Dec-87	DMP	99	IP	LT	50.00
Q16	QCFB	#0.000	11-Dec-87	DNBP	99	IP	LT	50.00
Q16	QCFB	#0.000	11-Dec-87	DNOP	99	IP	LT	15.00
Q16	QCFB	#0.000	11-Dec-87	ETC6H5	UM07IP	LT		5.00
Q16	QCFB	#0.000	11-Dec-87	FANT	99	IP	LT	40.00
Q16	QCFB	#0.000	11-Dec-87	FLRENE	99	IP	LT	25.00
Q16	QCFB	#0.000	11-Dec-87	HCBD	99	IP	LT	15.00
Q16	QCFB	#0.000	11-Dec-87	ICDPYR	99	IP	LT	15.00
Q16	QCFB	#0.000	11-Dec-87	ISOPHR	99	IP	LT	10.00
Q16	QCFB	#0.000	11-Dec-87	MEC6H5	UM07IP	LT		10.00
Q16	QCFB	#0.000	11-Dec-87	NAP	99	IP	LT	15.00
Q16	QCFB	#0.000	11-Dec-87	NB	99	IP	LT	15.00
Q16	QCFB	#0.000	11-Dec-87	NNDMEA	99	IP	LT	35.00
Q16	QCFB	#0.000	11-Dec-87	NNDNPA	99	IP	LT	20.00
Q16	QCFB	#0.000	11-Dec-87	NNDPA	99	IP	LT	25.00
Q16	QCFB	#0.000	11-Dec-87	PCP	99	IP	LT	30.00
Q16	QCFB	#0.000	11-Dec-87	PHANTR	99	IP	LT	20.00
Q16	QCFB	#0.000	11-Dec-87	PHENOL	99	IP	LT	80.00
Q16	QCFB	#0.000	11-Dec-87	PYR	99	IP	LT	15.00
Q16	QCFB	#0.000	11-Dec-87	T12DCE	UM07IP	LT		15.00
Q16	QCFB	#0.000	11-Dec-87	T13DCP	UM07IP	LT		20.00
Q16	QCFB	#0.000	11-Dec-87	TCLEA	UM07IP	LT		10.00
Q16	QCFB	#0.000	11-Dec-87	TCLEE	UM07IP	LT		10.00
Q16	QCFB	#0.000	11-Dec-87	TRCLE	UM07IP	LT		20.00
Q18	QCFB	#0.00+000	08-Apr-88	111TCE	UM05PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	112TCE	UM05PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	11DCE	UM05PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	11DCLE	UM05PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	124TCB	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	12DCE	UM05PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	12DCLB	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	12DCLE	UM05PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	12DCLP	UM05PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	13DCLB	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	13DCP	UM05PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	13DMB	UM05PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	14DCLB	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	245TCP	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	246TCP	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	24DCLP	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	24DMPN	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	24DNP	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	24DNT	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	26DNT	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	2CLEVE	UM05PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	2CLP	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	2CNAP	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	2MNAP	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	2MP	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	2NANIL	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	2NP	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	33DCBD	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	3NANIL	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	46DN2C	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	4BRPPE	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	4CANIL	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	4CL3C	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	4CLPPE	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	4MP	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	4NANIL	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	4NP	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	ABHC	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	ACET	UM05PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	AENSLF	UM06PC	ND		0.00
Q18	QCFB	#0.00+000	08-Apr-88	ALDRN	UM06PC	ND		0.00

Qtr	Type	Spk-Conc.	Test	Meth	Lab		Value
Q16	QCMB	+0.000	2CLP	99	IP	LT	50.00
Q16	QCMB	+0.000	2CNAP	99	IP	LT	15.00
Q16	QCMB	+0.000	2CNAP	99	IP	LT	15.00
Q16	QCMB	+0.000	2CNAP	99	IP	LT	15.00
Q16	QCMB	+0.000	2CNAP	99	IP	LT	15.00
Q16	QCMB	+0.000	2CNAP	99	IP	LT	15.00
Q16	QCMB	+0.000	2CNAP	99	IP	LT	15.00
Q16	QCMB	+0.000	2CNAP	99	IP	LT	15.00
Q16	QCMB	+0.000	2CNAP	99	IP	LT	15.00
Q16	QCMB	+0.000	2CNAP	UM09	IP	LT	15.00
Q16	QCMB	+0.000	2CNAP	99	IP	LT	15.00
Q16	QCMB	+0.000	2NP	99	IP	LT	40.00
Q16	QCMB	+0.000	2NP	99	IP	LT	40.00
Q16	QCMB	+0.000	2NP	99	IP	LT	40.00
Q16	QCMB	+0.000	2NP	99	IP	LT	40.00
Q16	QCMB	+0.000	2NP	99	IP	LT	40.00
Q16	QCMB	+0.000	2NP	99	IP	LT	40.00
Q16	QCMB	+0.000	2NP	99	IP	LT	40.00
Q16	QCMB	+0.000	2NP	UM09	IP	LT	40.00
Q16	QCMB	+0.000	2NP	99	IP	LT	40.00
Q16	QCMB	+0.000	2NP	99	IP	LT	40.00
Q16	QCMB	+0.000	33DCBD	99	IP	LT	30.00
Q16	QCMB	+0.000	33DCBD	99	IP	LT	30.00
Q16	QCMB	+0.000	33DCBD	UM09	IP	LT	30.00
Q16	QCMB	+0.000	33DCBD	99	IP	LT	30.00
Q16	QCMB	+0.000	33DCBD	99	IP	LT	30.00
Q16	QCMB	+0.000	33DCBD	99	IP	LT	30.00
Q16	QCMB	+0.000	33DCBD	99	IP	LT	30.00
Q16	QCMB	+0.000	33DCBD	99	IP	LT	30.00
Q16	QCMB	+0.000	33DCBD	99	IP	LT	30.00
Q16	QCMB	+0.000	33DCBD	99	IP	LT	30.00
Q16	QCMB	+0.000	46DN2C	99	IP	LT	50.00
Q16	QCMB	+0.000	46DN2C	99	IP	LT	50.00
Q16	QCMB	+0.000	46DN2C	99	IP	LT	50.00
Q16	QCMB	+0.000	46DN2C	99	IP	LT	50.00
Q16	QCMB	+0.000	46DN2C	UM09	IP	LT	50.00
Q16	QCMB	+0.000	46DN2C	99	IP	LT	50.00
Q16	QCMB	+0.000	46DN2C	99	IP	LT	50.00
Q16	QCMB	+0.000	46DN2C	99	IP	LT	50.00
Q16	QCMB	+0.000	46DN2C	99	IP	LT	50.00
Q16	QCMB	+0.000	46DN2C	99	IP	LT	50.00
Q16	QCMB	+0.000	46DN2C	99	IP	LT	50.00
Q16	QCMB	+0.000	4BRPPE	99	IP	LT	10.00
Q16	QCMB	+0.000	4BRPPE	99	IP	LT	10.00
Q16	QCMB	+0.000	4BRPPE	99	IP	LT	10.00
Q16	QCMB	+0.000	4BRPPE	99	IP	LT	10.00
Q16	QCMB	+0.000	4BRPPE	99	IP	LT	10.00
Q16	QCMB	+0.000	4BRPPE	UM09	IP	LT	10.00
Q16	QCMB	+0.000	4BRPPE	99	IP	LT	10.00
Q16	QCMB	+0.000	4BRPPE	99	IP	LT	10.00
Q16	QCMB	+0.000	4BRPPE	99	IP	LT	10.00
Q16	QCMB	+0.000	4BRPPE	99	IP	LT	10.00
Q16	QCMB	+0.000	4BRPPE	99	IP	LT	10.00
Q16	QCMB	+0.000	4CL3C	99	IP	LT	35.00
Q16	QCMB	+0.000	4CL3C	99	IP	LT	35.00
Q16	QCMB	+0.000	4CL3C	99	IP	LT	35.00
Q16	QCMB	+0.000	4CL3C	99	IP	LT	35.00
Q16	QCMB	+0.000	4CL3C	99	IP	LT	35.00
Q16	QCMB	+0.000	4CL3C	99	IP	LT	35.00
Q16	QCMB	+0.000	4CL3C	99	IP	LT	35.00
Q16	QCMB	+0.000	4CL3C	99	IP	LT	35.00
Q16	QCMB	+0.000	4CL3C	UM09	IP	LT	35.00
Q16	QCMB	+0.000	4CL3C	99	IP	LT	35.00
Q16	QCMB	+0.000	4CLPPE	99	IP	LT	40.00
Q16	QCMB	+0.000	4CLPPE	99	IP	LT	40.00
Q16	QCMB	+0.000	4CLPPE	99	IP	LT	40.00
Q16	QCMB	+0.000	4CLPPE	UM09	IP	LT	40.00
Q16	QCMB	+0.000	4CLPPE	99	IP	LT	40.00
Q16	QCMB	+0.000	4CLPPE	99	IP	LT	40.00
Q16	QCMB	+0.000	4CLPPE	99	IP	LT	40.00
Q16	QCMB	+0.000	4CLPPE	99	IP	LT	40.00
Q16	QCMB	+0.000	4CLPPE	99	IP	LT	40.00
Q16	QCMB	+0.000	4CLPPE	99	IP	LT	40.00
Q16	QCMB	+0.000	4NP	99	IP	LT	70.00
Q16	QCMB	+0.000	4NP	UM09	IP	LT	70.00

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q18	QCFB	#0.00+000	08-Apr-88	ANAPNE	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	ANAPYL	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	ANTRC	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	B2CEXM	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	B2CIPE	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	B2CLEE	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	B2EHP	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	BAANTR	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	BAPYR	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	BBFANT	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	BBHC	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	BBZP	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	BENSLF	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	BENZOA	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	BGHIPY	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	BKFANT	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	BRDCLM	UM05PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	BZALC	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	C2AVE	UM05PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	C2H3CL	UM05PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	C2H5CL	UM05PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	C6H6	UM05PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	CCL4	UM05PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	CH2CL2	UM05PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	CH3BR	UM05PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	CH3CL	UM05PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	CHBR3	UM05PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	CHCL3	UM05PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	CHRY	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	CL6BZ	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	CL6CP	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	CL6ET	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	CLC6H5	UM05PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	CLDAN	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	CS2	UM05PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	DBAHA	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	DBHC	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	DBRCLM	UM05PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	DBZFUR	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	DEP	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	DLDRN	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	DMP	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	DNBP	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	DNOP	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	ENDRN	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	ENDRNK	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	ESFSO4	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	ETC6H5	UM05PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	FANT	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	FLRENE	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	HCBD	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	HEXANE	UM05PC		12.00
Q18	QCFB	#0.00+000	08-Apr-88	HPCL	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	HPCLE	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	ICDPYR	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	ISOPHR	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	LIN	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	MEC6H5	UM05PC		12.00
Q18	QCFB	#0.00+000	08-Apr-88	MEK	UM05PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	MEXCLR	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	MIBK	UM05PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	MNBK	UM05PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	NAP	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	NB	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	NNDNPA	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	NNDPA	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	PCB016	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	PCB221	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	PCB232	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	PCB242	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	PCB248	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	PCB254	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	PCB260	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	PCP	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	PHANTR	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	PHENOL	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	PPDD	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	PPDDE	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	PPDDT	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	PYR	UM06PC	ND	0.00

Qtr	Type	Spk-Conc.	Test	Meth	Lab		Value
Q16	QCMB	+0.000	4NP	99	IP	LT	70.00
Q16	QCMB	+0.000	4NP	99	IP	LT	70.00
Q16	QCMB	+0.000	4NP	99	IP	LT	70.00
Q16	QCMB	+0.000	4NP	99	IP	LT	70.00
Q16	QCMB	+0.000	4NP	99	IP	LT	70.00
Q16	QCMB	+0.000	4NP	99	IP	LT	70.00
Q16	QCMB	+0.000	4NP	99	IP	LT	70.00
Q16	QCMB	+0.000	4NP	99	IP	LT	70.00
Q16	QCMB	+0.000	4NP	99	IP	LT	70.00
Q16	QCMB	+0.000	ANAPNE	99	IP	LT	45.00
Q16	QCMB	+0.000	ANAPNE	99	IP	LT	45.00
Q16	QCMB	+0.000	ANAPNE	99	IP	LT	45.00
Q16	QCMB	+0.000	ANAPNE	99	IP	LT	45.00
Q16	QCMB	+0.000	ANAPNE	99	IP	LT	45.00
Q16	QCMB	+0.000	ANAPNE	99	IP	LT	45.00
Q16	QCMB	+0.000	ANAPNE	99	IP	LT	45.00
Q16	QCMB	+0.000	ANAPNE	UM09	IP	LT	45.00
Q16	QCMB	+0.000	ANAPNE	99	IP	LT	45.00
Q16	QCMB	+0.000	ANAPNE	99	IP	LT	45.00
Q16	QCMB	+0.000	ANAPNE	99	IP	LT	45.00
Q16	QCMB	+0.000	ANAPYL	99	IP	LT	30.00
Q16	QCMB	+0.000	ANAPYL	99	IP	LT	30.00
Q16	QCMB	+0.000	ANAPYL	99	IP	LT	30.00
Q16	QCMB	+0.000	ANAPYL	99	IP	LT	30.00
Q16	QCMB	+0.000	ANAPYL	UM09	IP	LT	30.00
Q16	QCMB	+0.000	ANAPYL	99	IP	LT	30.00
Q16	QCMB	+0.000	ANAPYL	99	IP	LT	30.00
Q16	QCMB	+0.000	ANAPYL	99	IP	LT	30.00
Q16	QCMB	+0.000	ANAPYL	99	IP	LT	30.00
Q16	QCMB	+0.000	ANAPYL	99	IP	LT	30.00
Q16	QCMB	+0.000	ANTRC	99	IP	LT	25.00
Q16	QCMB	+0.000	ANTRC	UM09	IP	LT	25.00
Q16	QCMB	+0.000	ANTRC	99	IP	LT	25.00
Q16	QCMB	+0.000	ANTRC	99	IP	LT	25.00
Q16	QCMB	+0.000	ANTRC	99	IP	LT	25.00
Q16	QCMB	+0.000	ANTRC	99	IP	LT	25.00
Q16	QCMB	+0.000	ANTRC	99	IP	LT	25.00
Q16	QCMB	+0.000	ANTRC	99	IP	LT	25.00
Q16	QCMB	+0.000	ANTRC	99	IP	LT	25.00
Q16	QCMB	+0.000	ANTRC	99	IP	LT	25.00
Q16	QCMB	+0.000	B2CEXM	99	IP	LT	30.00
Q16	QCMB	+0.000	B2CEXM	99	IP	LT	30.00
Q16	QCMB	+0.000	B2CEXM	99	IP	LT	30.00
Q16	QCMB	+0.000	B2CEXM	99	IP	LT	30.00
Q16	QCMB	+0.000	B2CEXM	99	IP	LT	30.00
Q16	QCMB	+0.000	B2CEXM	99	IP	LT	30.00
Q16	QCMB	+0.000	B2CEXM	99	IP	LT	30.00
Q16	QCMB	+0.000	B2CEXM	99	IP	LT	30.00
Q16	QCMB	+0.000	B2CEXM	UM09	IP	LT	30.00
Q16	QCMB	+0.000	B2CEXM	99	IP	LT	30.00
Q16	QCMB	+0.000	B2CEXM	99	IP	LT	30.00
Q16	QCMB	+0.000	B2CIPE	99	IP	LT	10.00
Q16	QCMB	+0.000	B2CIPE	99	IP	LT	10.00
Q16	QCMB	+0.000	B2CIPE	99	IP	LT	10.00
Q16	QCMB	+0.000	B2CIPE	99	IP	LT	10.00
Q16	QCMB	+0.000	B2CIPE	99	IP	LT	10.00
Q16	QCMB	+0.000	B2CIPE	99	IP	LT	10.00
Q16	QCMB	+0.000	B2CIPE	UM09	IP	LT	10.00
Q16	QCMB	+0.000	B2CIPE	99	IP	LT	10.00
Q16	QCMB	+0.000	B2CIPE	99	IP	LT	10.00
Q16	QCMB	+0.000	B2CIPE	99	IP	LT	10.00
Q16	QCMB	+0.000	B2CLEE	UM09	IP	LT	10.00
Q16	QCMB	+0.000	B2CLEE	99	IP	LT	10.00
Q16	QCMB	+0.000	B2CLEE	99	IP	LT	10.00
Q16	QCMB	+0.000	B2CLEE	99	IP	LT	10.00
Q16	QCMB	+0.000	B2CLEE	99	IP	LT	10.00
Q16	QCMB	+0.000	B2CLEE	99	IP	LT	10.00
Q16	QCMB	+0.000	B2CLEE	99	IP	LT	10.00
Q16	QCMB	+0.000	B2CLEE	99	IP	LT	10.00
Q16	QCMB	+0.000	B2CLEE	99	IP	LT	10.00
Q16	QCMB	+0.000	B2EHP	99	IP	LT	10.00
Q16	QCMB	+0.000	B2EHP	99	IP	LT	10.00
Q16	QCMB	+0.000	B2EHP	99	IP	LT	10.00
Q16	QCMB	+0.000	B2EHP	99	IP	LT	10.00
Q16	QCMB	+0.000	B2EHP	UM09	IP	LT	10.00

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q18	QCFB	#0.00+000	08-Apr-88	STYR	UM05PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	TCLEA	UM05PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	TCLEE	UM05PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	TRCLE	UM05PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	TXPHEN	UM06PC	ND	0.00
Q18	QCFB	#0.00+000	08-Apr-88	XYLEN	UM05PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	124TCB	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	12DCLB	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	13DCLB	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	14DCLB	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	245TCP	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	246TCP	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	24DCLP	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	24DMPN	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	24DNP	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	24DNT	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	26DNT	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	2CLP	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	2CNAP	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	2MNAP	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	2MP	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	2NANIL	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	2NP	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	33DCBD	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	3NANIL	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	46DN2C	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	4BRPPE	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	4CANIL	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	4CL3C	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	4CLPPE	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	4MP	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	4NANIL	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	4NP	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	ABHC	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	AENSLF	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	ALDRN	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	ANAPNE	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	ANAPYL	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	ANTRC	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	B2CEXM	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	B2CIPE	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	B2CLEE	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	B2EHP	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	BAANTR	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	BAPYR	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	BBFANT	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	BBHC	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	BBZP	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	BENSLF	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	BENZOA	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	BGHIPY	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	BKFANT	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	BZALC	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	CHRY	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	CL6BZ	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	CL6CP	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	CL6ET	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	CLDAN	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	DBAHA	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	DBHC	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	DBZFUR	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	DEP	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	DLDRN	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	DMP	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	DNBP	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	DNOP	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	ENDRN	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	ENDRNK	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	ESFSO4	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	FANT	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	FLRENE	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	HCBD	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	HPCL	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	HPCLE	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	ICDPYR	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	ISOPHR	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	LIN	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	MEXCLR	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	NAP	UM06PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	NB	UM06PC	ND	0.00

Qtr	Type	Spk-Conc.	Test	Meth	Lab		Value
Q16	QCMB	+0.000	B2EHP	99	IP	LT	10.00
Q16	QCMB	+0.000	B2EHP	99	IP	LT	10.00
Q16	QCMB	+0.000	B2EHP	99	IP	LT	10.00
Q16	QCMB	+0.000	B2EHP	99	IP	LT	10.00
Q16	QCMB	+0.000	B2EHP	99	IP	LT	10.00
Q16	QCMB	+0.000	B2EHP	99	IP	LT	10.00
Q16	QCMB	+0.000	BAANTR	99	IP	LT	10.00
Q16	QCMB	+0.000	BAANTR	99	IP	LT	10.00
Q16	QCMB	+0.000	BAANTR	99	IP	LT	10.00
Q16	QCMB	+0.000	BAANTR	99	IP	LT	10.00
Q16	QCMB	+0.000	BAANTR	99	IP	LT	10.00
Q16	QCMB	+0.000	BAANTR	99	IP	LT	10.00
Q16	QCMB	+0.000	BAANTR	99	IP	LT	10.00
Q16	QCMB	+0.000	BAANTR	UM09	IP	LT	10.00
Q16	QCMB	+0.000	BAANTR	99	IP	LT	10.00
Q16	QCMB	+0.000	BAANTR	99	IP	LT	10.00
Q16	QCMB	+0.000	BAANTR	99	IP	LT	10.00
Q16	QCMB	+0.000	BAPYR	99	IP	LT	60.00
Q16	QCMB	+0.000	BAPYR	99	IP	LT	60.00
Q16	QCMB	+0.000	BAPYR	99	IP	LT	60.00
Q16	QCMB	+0.000	BAPYR	99	IP	LT	60.00
Q16	QCMB	+0.000	BAPYR	99	IP	LT	60.00
Q16	QCMB	+0.000	BAPYR	99	IP	LT	60.00
Q16	QCMB	+0.000	BAPYR	99	IP	LT	60.00
Q16	QCMB	+0.000	BAPYR	UM09	IP	LT	60.00
Q16	QCMB	+0.000	BAPYR	99	IP	LT	60.00
Q16	QCMB	+0.000	BAPYR	99	IP	LT	60.00
Q16	QCMB	+0.000	BAPYR	99	IP	LT	60.00
Q16	QCMB	+0.000	BBFANT	99	IP	LT	60.00
Q16	QCMB	+0.000	BBFANT	99	IP	LT	60.00
Q16	QCMB	+0.000	BBFANT	99	IP	LT	60.00
Q16	QCMB	+0.000	BBFANT	99	IP	LT	60.00
Q16	QCMB	+0.000	BBFANT	99	IP	LT	60.00
Q16	QCMB	+0.000	BBFANT	99	IP	LT	60.00
Q16	QCMB	+0.000	BBFANT	99	IP	LT	60.00
Q16	QCMB	+0.000	BBFANT	99	IP	LT	60.00
Q16	QCMB	+0.000	BBFANT	99	IP	LT	60.00
Q16	QCMB	+0.000	BBFANT	UM09	IP	LT	60.00
Q16	QCMB	+0.000	BBZP	99	IP	LT	30.00
Q16	QCMB	+0.000	BBZP	99	IP	LT	30.00
Q16	QCMB	+0.000	BBZP	99	IP	LT	30.00
Q16	QCMB	+0.000	BBZP	99	IP	LT	30.00
Q16	QCMB	+0.000	BBZP	UM09	IP	LT	30.00
Q16	QCMB	+0.000	BBZP	99	IP	LT	30.00
Q16	QCMB	+0.000	BBZP	99	IP	LT	30.00
Q16	QCMB	+0.000	BBZP	99	IP	LT	30.00
Q16	QCMB	+0.000	BBZP	99	IP	LT	30.00
Q16	QCMB	+0.000	BBZP	99	IP	LT	30.00
Q16	QCMB	+0.000	BENZID	99	IP	LT	60.00
Q16	QCMB	+0.000	BENZID	99	IP	LT	60.00
Q16	QCMB	+0.000	BENZID	99	IP	LT	60.00
Q16	QCMB	+0.000	BENZID	99	IP	LT	60.00
Q16	QCMB	+0.000	BENZID	99	IP	LT	60.00
Q16	QCMB	+0.000	BENZID	99	IP	LT	60.00
Q16	QCMB	+0.000	BENZID	UM09	IP	LT	60.00
Q16	QCMB	+0.000	BENZID	99	IP	LT	60.00
Q16	QCMB	+0.000	BENZID	99	IP	LT	60.00
Q16	QCMB	+0.000	BENZID	99	IP	LT	60.00
Q16	QCMB	+0.000	BGHIPY	99	IP	LT	10.00
Q16	QCMB	+0.000	BGHIPY	99	IP	LT	10.00
Q16	QCMB	+0.000	BGHIPY	99	IP	LT	10.00
Q16	QCMB	+0.000	BGHIPY	99	IP	LT	10.00
Q16	QCMB	+0.000	BGHIPY	99	IP	LT	10.00
Q16	QCMB	+0.000	BGHIPY	99	IP	LT	10.00
Q16	QCMB	+0.000	BGHIPY	99	IP	LT	10.00
Q16	QCMB	+0.000	BGHIPY	99	IP	LT	10.00
Q16	QCMB	+0.000	BGHIPY	UM09	IP	LT	10.00
Q16	QCMB	+0.000	BGHIPY	99	IP	LT	10.00
Q16	QCMB	+0.000	BKFANT	UM09	IP	LT	60.00
Q16	QCMB	+0.000	BKFANT	99	IP	LT	60.00
Q16	QCMB	+0.000	BKFANT	99	IP	LT	60.00
Q16	QCMB	+0.000	BKFANT	99	IP	LT	60.00
Q16	QCMB	+0.000	BKFANT	99	IP	LT	60.00
Q16	QCMB	+0.000	BKFANT	99	IP	LT	60.00
Q16	QCMB	+0.000	BKFANT	99	IP	LT	60.00

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q18	QCRB	#0.00+000	08-Apr-88	NNDNPA	UM06	PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	NNDPA	UM06	PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	PCB016	UM06	PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	PCB221	UM06	PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	PCB232	UM06	PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	PCB242	UM06	PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	PCB248	UM06	PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	PCB254	UM06	PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	PCB260	UM06	PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	PCP	UM06	PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	PHANTR	UM06	PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	PHENOL	UM06	PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	PPDD	UM06	PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	PPDDE	UM06	PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	PPDDT	UM06	PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	PYR	UM06	PC	ND	0.00
Q18	QCRB	#0.00+000	08-Apr-88	TXPHEN	UM06	PC	ND	0.00
Q16	QCSP	+50.000		12DCD4	99	IP		89.00
Q16	QCSP	+50.000		12DCD4	UM07	IP		50.00
Q16	QCSP	+50.000		12DCD4	UM07	IP		46.00
Q16	QCSP	+50.000		12DCD4	UM07	IP		46.00
Q16	QCSP	+50.000		12DCD4	UM07	IP		45.00
Q16	QCSP	+50.000		12DCD4	UM07	IP		44.00
Q16	QCSP	+50.000		12DCD4	UM07	IP		44.00
Q16	QCSP	+50.000		12DCD4	UM07	IP		42.00
Q16	QCSP	+50.000		12DCD4	UM07	IP		42.00
Q16	QCSP	+50.000		12DCD4	UM07	IP		42.00
Q16	QCSP	+50.000		12DCD4	UM07	IP		41.00
Q16	QCSP	+50.000		12DCD4	UM07	IP		41.00
Q16	QCSP	+55.000		246TBP	99	IP		96.00
Q16	QCSP	+55.000		246TBP	99	IP		87.00
Q16	QCSP	+55.000		246TBP	99	IP		75.00
Q16	QCSP	+55.000		246TBP	99	IP		62.00
Q16	QCSP	+55.000		246TBP	99	IP		55.00
Q16	QCSP	+55.000		246TBP	99	IP		54.00
Q16	QCSP	+55.000		246TBP	99	IP		54.00
Q16	QCSP	+55.000		246TBP	UM09	IP		53.00
Q16	QCSP	+55.000		246TBP	99	IP		53.00
Q16	QCSP	+55.000		246TBP	99	IP		50.00
Q16	QCSP	+55.000		246TBP	99	IP		49.00
Q16	QCSP	+22.000		2FBP	99	IP		31.00
Q16	QCSP	+22.000		2FBP	99	IP		28.00
Q16	QCSP	+22.000		2FBP	UM09	IP		23.00
Q16	QCSP	+22.000		2FBP	99	IP		23.00
Q16	QCSP	+22.000		2FBP	99	IP		22.00
Q16	QCSP	+22.000		2FBP	99	IP		22.00
Q16	QCSP	+22.000		2FBP	99	IP		20.00
Q16	QCSP	+22.000		2FBP	99	IP		20.00
Q16	QCSP	+22.000		2FBP	99	IP		20.00
Q16	QCSP	+22.000		2FBP	99	IP		19.00
Q16	QCSP	+22.000		2FBP	99	IP	LT	14.00
Q16	QCSP	+57.000		2FP	99	IP		86.00
Q16	QCSP	+57.000		2FP	99	IP	LT	65.00
Q16	QCSP	+57.000		2FP	99	IP		55.00
Q16	QCSP	+57.000		2FP	99	IP		52.00
Q16	QCSP	+57.000		2FP	99	IP		51.00
Q16	QCSP	+57.000		2FP	99	IP		35.00
Q16	QCSP	+57.000		2FP	99	IP		34.00
Q16	QCSP	+57.000		2FP	99	IP		31.00
Q16	QCSP	+57.000		2FP	99	IP		30.00
Q16	QCSP	+57.000		2FP	UM09	IP		30.00
Q16	QCSP	+57.000		2FP	99	IP		24.00
Q16	QCSP	+50.000		4BFB	99	IP		52.00
Q16	QCSP	+50.000		4BFB	UM07	IP		51.00
Q16	QCSP	+50.000		4BFB	UM07	IP		50.00
Q16	QCSP	+50.000		4BFB	UM07	IP		45.00
Q16	QCSP	+50.000		4BFB	UM07	IP		45.00
Q16	QCSP	+50.000		4BFB	UM07	IP		44.00
Q16	QCSP	+50.000		4BFB	UM07	IP		44.00
Q16	QCSP	+50.000		4BFB	UM07	IP		44.00
Q16	QCSP	+50.000		4BFB	UM07	IP		44.00
Q16	QCSP	+50.000		4BFB	UM07	IP		44.00
Q16	QCSP	+50.000		4BFB	UM07	IP		43.00
Q16	QCSP	+50.000		4BFB	UM07	IP		43.00
Q16	QCSP	+50.000		MEC6D8	UM07	IP		52.00
Q16	QCSP	+50.000		MEC6D8	99	IP		50.00
Q16	QCSP	+50.000		MEC6D8	UM07	IP		48.00
Q16	QCSP	+50.000		MEC6D8	UM07	IP		48.00
Q16	QCSP	+50.000		MEC6D8	UM07	IP		48.00
Q16	QCSP	+50.000		MEC6D8	UM07	IP		48.00

Qtr	Type	Spk-Conc.	Test	Meth	Lab		Value
Q16	QCMB	+0.000	BKFANT	99	IP	LT	60.00
Q16	QCMB	+0.000	BKFANT	99	IP	LT	60.00
Q16	QCMB	+0.000	BKFANT	99	IP	LT	60.00
Q16	QCMB	+0.000	BRDCLM	UM07	IP	LT	15.00
Q16	QCMB	+0.000	BRDCLM	UM07	IP	LT	15.00
Q16	QCMB	+0.000	BRDCLM	UM07	IP	LT	15.00
Q16	QCMB	+0.000	BRDCLM	UM07	IP	LT	15.00
Q16	QCMB	+0.000	BRDCLM	UM07	IP	LT	15.00
Q16	QCMB	+0.000	BRDCLM	UM07	IP	LT	15.00
Q16	QCMB	+0.000	BRDCLM	UM07	IP	LT	15.00
Q16	QCMB	+0.000	BRDCLM	UM07	IP	LT	15.00
Q16	QCMB	+0.000	BRDCLM	UM07	IP	LT	15.00
Q16	QCMB	+0.000	BRDCLM	UM07	IP	LT	15.00
Q16	QCMB	+0.000	BRDCLM	99	IP	LT	15.00
Q16	QCMB	+0.000	C13DCP	UM07	IP	LT	15.00
Q16	QCMB	+0.000	C13DCP	UM07	IP	LT	15.00
Q16	QCMB	+0.000	C13DCP	UM07	IP	LT	15.00
Q16	QCMB	+0.000	C13DCP	UM07	IP	LT	15.00
Q16	QCMB	+0.000	C13DCP	99	IP	LT	15.00
Q16	QCMB	+0.000	C13DCP	UM07	IP	LT	15.00
Q16	QCMB	+0.000	C13DCP	UM07	IP	LT	15.00
Q16	QCMB	+0.000	C13DCP	UM07	IP	LT	15.00
Q16	QCMB	+0.000	C13DCP	UM07	IP	LT	15.00
Q16	QCMB	+0.000	C13DCP	UM07	IP	LT	15.00
Q16	QCMB	+0.000	C13DCP	UM07	IP	LT	15.00
Q16	QCMB	+0.000	C2H3CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	C2H3CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	C2H3CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	C2H3CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	C2H3CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	C2H3CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	C2H3CL	99	IP	LT	40.00
Q16	QCMB	+0.000	C2H3CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	C2H3CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	C2H3CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	C2H3CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	C2H3CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	C2H5CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	C2H5CL	99	IP	LT	40.00
Q16	QCMB	+0.000	C2H5CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	C2H5CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	C2H5CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	C2H5CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	C2H5CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	C2H5CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	C2H5CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	C2H5CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	C6H6	UM07	IP	LT	5.00
Q16	QCMB	+0.000	C6H6	UM07	IP	LT	5.00
Q16	QCMB	+0.000	C6H6	UM07	IP	LT	5.00
Q16	QCMB	+0.000	C6H6	UM07	IP	LT	5.00
Q16	QCMB	+0.000	C6H6	UM07	IP	LT	5.00
Q16	QCMB	+0.000	C6H6	UM07	IP	LT	5.00
Q16	QCMB	+0.000	C6H6	UM07	IP	LT	5.00
Q16	QCMB	+0.000	C6H6	UM07	IP	LT	5.00
Q16	QCMB	+0.000	C6H6	UM07	IP	LT	5.00
Q16	QCMB	+0.000	C6H6	99	IP	LT	5.00
Q16	QCMB	+0.000	CCL3F	UM07	IP	LT	20.00
Q16	QCMB	+0.000	CCL3F	UM07	IP	LT	20.00
Q16	QCMB	+0.000	CCL3F	UM07	IP	LT	20.00
Q16	QCMB	+0.000	CCL3F	UM07	IP	LT	20.00
Q16	QCMB	+0.000	CCL3F	UM07	IP	LT	20.00
Q16	QCMB	+0.000	CCL3F	UM07	IP	LT	20.00
Q16	QCMB	+0.000	CCL3F	UM07	IP	LT	20.00
Q16	QCMB	+0.000	CCL3F	UM07	IP	LT	20.00
Q16	QCMB	+0.000	CCL3F	99	IP	LT	20.00
Q16	QCMB	+0.000	CCL3F	UM07	IP	LT	20.00
Q16	QCMB	+0.000	CCL3F	UM07	IP	LT	20.00
Q16	QCMB	+0.000	CCL3F	UM07	IP	LT	20.00
Q16	QCMB	+0.000	CCL4	UM07	IP	LT	15.00
Q16	QCMB	+0.000	CCL4	UM07	IP	LT	15.00
Q16	QCMB	+0.000	CCL4	UM07	IP	LT	15.00
Q16	QCMB	+0.000	CCL4	UM07	IP	LT	15.00
Q16	QCMB	+0.000	CCL4	UM07	IP	LT	15.00

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q16	QCSP	+50.000		MEC6D8	UM07	IP		47.00
Q16	QCSP	+50.000		MEC6D8	UM07	IP		46.00
Q16	QCSP	+50.000		MEC6D8	UM07	IP		45.00
Q16	QCSP	+50.000		MEC6D8	UM07	IP		45.00
Q16	QCSP	+50.000		MEC6D8	UM07	IP		45.00
Q16	QCSP	+50.000		MEC6D8	UM07	IP		45.00
Q16	QCSP	+28.000		NBD5	99	IP		62.00
Q16	QCSP	+28.000		NBD5	99	IP		44.00
Q16	QCSP	+28.000		NBD5	99	IP		38.00
Q16	QCSP	+28.000		NBD5	99	IP		26.00
Q16	QCSP	+28.000		NBD5	99	IP		26.00
Q16	QCSP	+28.000		NBD5	99	IP		26.00
Q16	QCSP	+28.000		NBD5	UM09	IP		26.00
Q16	QCSP	+28.000		NBD5	99	IP		25.00
Q16	QCSP	+28.000		NBD5	99	IP		24.00
Q16	QCSP	+28.000		NBD5	99	IP		23.00
Q16	QCSP	+28.000		NBD5	99	IP	LT	18.00
Q16	QCSP	+71.000		PHEND6	99	IP	LT	69.00
Q16	QCSP	+71.000		PHEND6	99	IP		56.00
Q16	QCSP	+71.000		PHEND6	99	IP		31.00
Q16	QCSP	+71.000		PHEND6	99	IP		30.00
Q16	QCSP	+71.000		PHEND6	99	IP		29.00
Q16	QCSP	+71.000		PHEND6	99	IP		26.00
Q16	QCSP	+71.000		PHEND6	UM09	IP		24.00
Q16	QCSP	+71.000		PHEND6	99	IP		16.00
Q16	QCSP	+71.000		PHEND6	99	IP		13.00
Q16	QCSP	+71.000		PHEND6	99	IP		11.00
Q16	QCSP	+71.000		PHEND6	99	IP		6.00
Q16	QCSP	+21.000		TRPD14	99	IP		50.00
Q16	QCSP	+21.000		TRPD14	99	IP		41.00
Q16	QCSP	+21.000		TRPD14	UM09	IP		41.00
Q16	QCSP	+21.000		TRPD14	99	IP		37.00
Q16	QCSP	+21.000		TRPD14	99	IP		35.00
Q16	QCSP	+21.000		TRPD14	99	IP		33.00
Q16	QCSP	+21.000		TRPD14	99	IP		32.00
Q16	QCSP	+21.000		TRPD14	99	IP		31.00
Q16	QCSP	+21.000		TRPD14	99	IP		28.00
Q16	QCSP	+21.000		TRPD14	99	IP		28.00
Q16	QCSP	+21.000		TRPD14	99	IP		20.00
Q16	QCSP	#50.000	03-Nov-87	12DCD4	UM07	IP		54.00
Q16	QCSP	#50.000	03-Nov-87	12DCD4	UM07	IP		51.00
Q16	QCSP	#50.000	03-Nov-87	12DCD4	UM07	IP		45.00
Q16	QCSP	#50.000	03-Nov-87	4BFB	UM07	IP		52.00
Q16	QCSP	#50.000	03-Nov-87	4BFB	UM07	IP		51.00
Q16	QCSP	#50.000	03-Nov-87	4BFB	UM07	IP		51.00
Q16	QCSP	#50.000	03-Nov-87	MEC6D8	UM07	IP		49.00
Q16	QCSP	#50.000	03-Nov-87	MEC6D8	UM07	IP		49.00
Q16	QCSP	#50.000	03-Nov-87	MEC6D8	UM07	IP		49.00
Q16	QCSP	#50.000	04-Nov-87	12DCD4	UM07	IP		50.00
Q16	QCSP	#50.000	04-Nov-87	12DCD4	UM07	IP		47.00
Q16	QCSP	#50.000	04-Nov-87	12DCD4	UM07	IP		46.00
Q16	QCSP	#50.000	04-Nov-87	12DCD4	UM07	IP		46.00
Q16	QCSP	#50.000	04-Nov-87	4BFB	UM07	IP		52.00
Q16	QCSP	#50.000	04-Nov-87	4BFB	UM07	IP		52.00
Q16	QCSP	#50.000	04-Nov-87	4BFB	UM07	IP		50.00
Q16	QCSP	#50.000	04-Nov-87	4BFB	UM07	IP		49.00
Q16	QCSP	#50.000	04-Nov-87	MEC6D8	UM07	IP		49.00
Q16	QCSP	#50.000	04-Nov-87	MEC6D8	UM07	IP		49.00
Q16	QCSP	#50.000	04-Nov-87	MEC6D8	UM07	IP		48.00
Q16	QCSP	#50.000	04-Nov-87	MEC6D8	UM07	IP		48.00
Q16	QCSP	#50.000	09-Nov-87	12DCD4	99	IP		77.00
Q16	QCSP	#55.000	09-Nov-87	246TBP	99	IP		110.00
Q16	QCSP	#22.000	09-Nov-87	2FBP	99	IP		36.00
Q16	QCSP	#57.000	09-Nov-87	2FP	99	IP		120.00
Q16	QCSP	#50.000	09-Nov-87	4BFB	99	IP		52.00
Q16	QCSP	#50.000	09-Nov-87	MEC6D8	99	IP		49.00
Q16	QCSP	#28.000	09-Nov-87	NBD5	99	IP		65.00
Q16	QCSP	#71.000	09-Nov-87	PHEND6	99	IP		87.00
Q16	QCSP	#21.000	09-Nov-87	TRPD14	99	IP		44.00
Q16	QCSP	#50.000	10-Nov-87	12DCD4	99	IP		51.00
Q16	QCSP	#50.000	10-Nov-87	12DCD4	UM07	IP		47.00
Q16	QCSP	#50.000	10-Nov-87	12DCD4	99	IP		46.00
Q16	QCSP	#50.000	10-Nov-87	12DCD4	99	IP		46.00
Q16	QCSP	#50.000	10-Nov-87	12DCD4	99	IP		45.00
Q16	QCSP	#50.000	10-Nov-87	12DCD4	UM07	IP		45.00
Q16	QCSP	#55.000	10-Nov-87	246TBP	99	IP		130.00
Q16	QCSP	#55.000	10-Nov-87	246TBP	99	IP		100.00
Q16	QCSP	#55.000	10-Nov-87	246TBP	99	IP		66.00
Q16	QCSP	#55.000	10-Nov-87	246TBP	99	IP		65.00
Q16	QCSP	#55.000	10-Nov-87	246TBP	99	IP		64.00

Qtr	Type	Spk-Conc.	Test	Meth	Lab		Value
Q16	QCMB	+0.000	CCL4	99	IP	LT	15.00
Q16	QCMB	+0.000	CCL4	UM07	IP	LT	15.00
Q16	QCMB	+0.000	CCL4	UM07	IP	LT	15.00
Q16	QCMB	+0.000	CCL4	UM07	IP	LT	15.00
Q16	QCMB	+0.000	CCL4	UM07	IP	LT	15.00
Q16	QCMB	+0.000	CCL4	UM07	IP	LT	15.00
Q16	QCMB	+0.000	CCL4	UM07	IP	LT	15.00
Q16	QCMB	+0.000	CH2CL2	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH2CL2	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH2CL2	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH2CL2	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH2CL2	99	IP	LT	40.00
Q16	QCMB	+0.000	CH2CL2	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH2CL2	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH2CL2	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH2CL2	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH2CL2	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH2CL2	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH3BR	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH3BR	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH3BR	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH3BR	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH3BR	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH3BR	99	IP	LT	40.00
Q16	QCMB	+0.000	CH3BR	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH3BR	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH3BR	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH3BR	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH3BR	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH3CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH3CL	99	IP	LT	40.00
Q16	QCMB	+0.000	CH3CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH3CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH3CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH3CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH3CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH3CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH3CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH3CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CH3CL	UM07	IP	LT	40.00
Q16	QCMB	+0.000	CHBR3	UM07	IP	LT	15.00
Q16	QCMB	+0.000	CHBR3	99	IP	LT	15.00
Q16	QCMB	+0.000	CHBR3	UM07	IP	LT	15.00
Q16	QCMB	+0.000	CHBR3	UM07	IP	LT	15.00
Q16	QCMB	+0.000	CHBR3	UM07	IP	LT	15.00
Q16	QCMB	+0.000	CHBR3	UM07	IP	LT	15.00
Q16	QCMB	+0.000	CHBR3	UM07	IP	LT	15.00
Q16	QCMB	+0.000	CHBR3	UM07	IP	LT	15.00
Q16	QCMB	+0.000	CHBR3	UM07	IP	LT	15.00
Q16	QCMB	+0.000	CHBR3	UM07	IP	LT	15.00
Q16	QCMB	+0.000	CHBR3	UM07	IP	LT	15.00
Q16	QCMB	+0.000	CHBR3	UM07	IP	LT	15.00
Q16	QCMB	+0.000	CHCL3	UM07	IP	LT	5.00
Q16	QCMB	+0.000	CHCL3	UM07	IP	LT	5.00
Q16	QCMB	+0.000	CHCL3	99	IP	LT	5.00
Q16	QCMB	+0.000	CHCL3	UM07	IP	LT	5.00
Q16	QCMB	+0.000	CHCL3	UM07	IP	LT	5.00
Q16	QCMB	+0.000	CHCL3	UM07	IP	LT	5.00
Q16	QCMB	+0.000	CHCL3	UM07	IP	LT	5.00
Q16	QCMB	+0.000	CHCL3	UM07	IP	LT	5.00
Q16	QCMB	+0.000	CHCL3	UM07	IP	LT	5.00
Q16	QCMB	+0.000	CHCL3	UM07	IP	LT	5.00
Q16	QCMB	+0.000	CHCL3	UM07	IP	LT	5.00
Q16	QCMB	+0.000	CHRY	99	IP	LT	20.00
Q16	QCMB	+0.000	CHRY	99	IP	LT	20.00
Q16	QCMB	+0.000	CHRY	99	IP	LT	20.00
Q16	QCMB	+0.000	CHRY	99	IP	LT	20.00
Q16	QCMB	+0.000	CHRY	99	IP	LT	20.00
Q16	QCMB	+0.000	CHRY	99	IP	LT	20.00
Q16	QCMB	+0.000	CHRY	99	IP	LT	20.00
Q16	QCMB	+0.000	CHRY	99	IP	LT	20.00
Q16	QCMB	+0.000	CHRY	UM09	IP	LT	20.00
Q16	QCMB	+0.000	CHRY	99	IP	LT	20.00
Q16	QCMB	+0.000	CHRY	99	IP	LT	20.00
Q16	QCMB	+0.000	CL6BZ	99	IP	LT	10.00
Q16	QCMB	+0.000	CL6BZ	99	IP	LT	10.00

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q16	QCSP	#55.000	10-Nov-87	246TBP	99	IP	63.00
Q16	QCSP	#55.000	10-Nov-87	246TBP	99	IP	58.00
Q16	QCSP	#22.000	10-Nov-87	2FBP	99	IP	30.00
Q16	QCSP	#22.000	10-Nov-87	2FBP	99	IP	27.00
Q16	QCSP	#22.000	10-Nov-87	2FBP	99	IP	24.00
Q16	QCSP	#22.000	10-Nov-87	2FBP	99	IP	23.00
Q16	QCSP	#22.000	10-Nov-87	2FBP	99	IP	23.00
Q16	QCSP	#22.000	10-Nov-87	2FBP	99	IP	23.00
Q16	QCSP	#22.000	10-Nov-87	2FBP	99	IP	22.00
Q16	QCSP	#57.000	10-Nov-87	2FP	99	IP	73.00
Q16	QCSP	#57.000	10-Nov-87	2FP	99	IP	71.00
Q16	QCSP	#57.000	10-Nov-87	2FP	99	IP	70.00
Q16	QCSP	#57.000	10-Nov-87	2FP	99	IP	68.00
Q16	QCSP	#57.000	10-Nov-87	2FP	99	IP	67.00
Q16	QCSP	#57.000	10-Nov-87	2FP	99	IP	62.00
Q16	QCSP	#57.000	10-Nov-87	2FP	99	IP	60.00
Q16	QCSP	#50.000	10-Nov-87	4BFB	UM07	IP	53.00
Q16	QCSP	#50.000	10-Nov-87	4BFB	99	IP	52.00
Q16	QCSP	#50.000	10-Nov-87	4BFB	99	IP	52.00
Q16	QCSP	#50.000	10-Nov-87	4BFB	99	IP	52.00
Q16	QCSP	#50.000	10-Nov-87	4BFB	99	IP	52.00
Q16	QCSP	#50.000	10-Nov-87	4BFB	UM07	IP	51.00
Q16	QCSP	#50.000	10-Nov-87	MEC6D8	99	IP	50.00
Q16	QCSP	#50.000	10-Nov-87	MEC6D8	99	IP	50.00
Q16	QCSP	#50.000	10-Nov-87	MEC6D8	UM07	IP	50.00
Q16	QCSP	#50.000	10-Nov-87	MEC6D8	99	IP	49.00
Q16	QCSP	#50.000	10-Nov-87	MEC6D8	UM07	IP	49.00
Q16	QCSP	#50.000	10-Nov-87	MEC6D8	99	IP	49.00
Q16	QCSP	#28.000	10-Nov-87	NBD5	99	IP	61.00
Q16	QCSP	#28.000	10-Nov-87	NBD5	99	IP	56.00
Q16	QCSP	#28.000	10-Nov-87	NBD5	99	IP	47.00
Q16	QCSP	#28.000	10-Nov-87	NBD5	99	IP	46.00
Q16	QCSP	#28.000	10-Nov-87	NBD5	99	IP	46.00
Q16	QCSP	#28.000	10-Nov-87	NBD5	99	IP	41.00
Q16	QCSP	#28.000	10-Nov-87	NBD5	99	IP	41.00
Q16	QCSP	#71.000	10-Nov-87	PHEND6	99	IP	54.00
Q16	QCSP	#71.000	10-Nov-87	PHEND6	99	IP	53.00
Q16	QCSP	#71.000	10-Nov-87	PHEND6	99	IP	51.00
Q16	QCSP	#71.000	10-Nov-87	PHEND6	99	IP	48.00
Q16	QCSP	#71.000	10-Nov-87	PHEND6	99	IP	46.00
Q16	QCSP	#71.000	10-Nov-87	PHEND6	99	IP	36.00
Q16	QCSP	#71.000	10-Nov-87	PHEND6	99	IP	35.00
Q16	QCSP	#21.000	10-Nov-87	TRPD14	99	IP	40.00
Q16	QCSP	#21.000	10-Nov-87	TRPD14	99	IP	31.00
Q16	QCSP	#21.000	10-Nov-87	TRPD14	99	IP	30.00
Q16	QCSP	#21.000	10-Nov-87	TRPD14	99	IP	28.00
Q16	QCSP	#21.000	10-Nov-87	TRPD14	99	IP	27.00
Q16	QCSP	#21.000	10-Nov-87	TRPD14	99	IP	27.00
Q16	QCSP	#21.000	10-Nov-87	TRPD14	99	IP	22.00
Q16	QCSP	#50.000	11-Nov-87	12DCD4	UM07	IP	96.00
Q16	QCSP	#50.000	11-Nov-87	12DCD4	UM07	IP	75.00
Q16	QCSP	#50.000	11-Nov-87	12DCD4	UM07	IP	50.00
Q16	QCSP	#50.000	11-Nov-87	12DCD4	UM07	IP	45.00
Q16	QCSP	#50.000	11-Nov-87	12DCD4	UM07	IP	44.00
Q16	QCSP	#50.000	11-Nov-87	12DCD4	UM07	IP	44.00
Q16	QCSP	#55.000	11-Nov-87	246TBP	99	IP	75.00
Q16	QCSP	#55.000	11-Nov-87	246TBP	99	IP	62.00
Q16	QCSP	#55.000	11-Nov-87	246TBP	99	IP	62.00
Q16	QCSP	#55.000	11-Nov-87	246TBP	99	IP	61.00
Q16	QCSP	#55.000	11-Nov-87	246TBP	99	IP	50.00
Q16	QCSP	#55.000	11-Nov-87	246TBP	99	IP	40.00
Q16	QCSP	#22.000	11-Nov-87	2FBP	99	IP	24.00
Q16	QCSP	#22.000	11-Nov-87	2FBP	99	IP	23.00
Q16	QCSP	#22.000	11-Nov-87	2FBP	99	IP	22.00
Q16	QCSP	#22.000	11-Nov-87	2FBP	99	IP	20.00
Q16	QCSP	#22.000	11-Nov-87	2FBP	99	IP	20.00
Q16	QCSP	#22.000	11-Nov-87	2FBP	99	IP	18.00
Q16	QCSP	#57.000	11-Nov-87	2FP	99	IP	75.00
Q16	QCSP	#57.000	11-Nov-87	2FP	99	IP	74.00
Q16	QCSP	#57.000	11-Nov-87	2FP	99	IP	70.00
Q16	QCSP	#57.000	11-Nov-87	2FP	99	IP	67.00
Q16	QCSP	#57.000	11-Nov-87	2FP	99	IP	63.00
Q16	QCSP	#57.000	11-Nov-87	2FP	99	IP	63.00
Q16	QCSP	#50.000	11-Nov-87	4BFB	UM07	IP	53.00
Q16	QCSP	#50.000	11-Nov-87	4BFB	UM07	IP	53.00
Q16	QCSP	#50.000	11-Nov-87	4BFB	UM07	IP	52.00
Q16	QCSP	#50.000	11-Nov-87	4BFB	UM07	IP	52.00
Q16	QCSP	#50.000	11-Nov-87	4BFB	UM07	IP	52.00
Q16	QCSP	#50.000	11-Nov-87	4BFB	UM07	IP	52.00
Q16	QCSP	#50.000	11-Nov-87	MEC6D8	UM07	IP	50.00

Qtr	Type	Spk-Conc.	Test	Meth	Lab	Value
Q16	QCMB	+0.000	CL6BZ	UM09	IP LT	10.00
Q16	QCMB	+0.000	CL6BZ	99	IP LT	10.00
Q16	QCMB	+0.000	CL6BZ	99	IP LT	10.00
Q16	QCMB	+0.000	CL6BZ	99	IP LT	10.00
Q16	QCMB	+0.000	CL6BZ	99	IP LT	10.00
Q16	QCMB	+0.000	CL6BZ	99	IP LT	10.00
Q16	QCMB	+0.000	CL6BZ	99	IP LT	10.00
Q16	QCMB	+0.000	CL6BZ	99	IP LT	10.00
Q16	QCMB	+0.000	CL6BZ	99	IP LT	10.00
Q16	QCMB	+0.000	CL6CP	99	IP LT	10.00
Q16	QCMB	+0.000	CL6CP	99	IP LT	10.00
Q16	QCMB	+0.000	CL6CP	99	IP LT	10.00
Q16	QCMB	+0.000	CL6CP	99	IP LT	10.00
Q16	QCMB	+0.000	CL6CP	99	IP LT	10.00
Q16	QCMB	+0.000	CL6CP	99	IP LT	10.00
Q16	QCMB	+0.000	CL6CP	99	IP LT	10.00
Q16	QCMB	+0.000	CL6CP	99	IP LT	10.00
Q16	QCMB	+0.000	CL6CP	99	IP LT	10.00
Q16	QCMB	+0.000	CL6CP	UM09	IP LT	10.00
Q16	QCMB	+0.000	CL6ET	99	IP LT	15.00
Q16	QCMB	+0.000	CL6ET	UM09	IP LT	15.00
Q16	QCMB	+0.000	CL6ET	99	IP LT	15.00
Q16	QCMB	+0.000	CL6ET	99	IP LT	15.00
Q16	QCMB	+0.000	CL6ET	99	IP LT	15.00
Q16	QCMB	+0.000	CL6ET	99	IP LT	15.00
Q16	QCMB	+0.000	CL6ET	99	IP LT	15.00
Q16	QCMB	+0.000	CL6ET	99	IP LT	15.00
Q16	QCMB	+0.000	CL6ET	99	IP LT	15.00
Q16	QCMB	+0.000	CLC6H5	UM07	IP LT	5.00
Q16	QCMB	+0.000	CLC6H5	UM07	IP LT	5.00
Q16	QCMB	+0.000	CLC6H5	UM07	IP LT	5.00
Q16	QCMB	+0.000	CLC6H5	UM07	IP LT	5.00
Q16	QCMB	+0.000	CLC6H5	UM07	IP LT	5.00
Q16	QCMB	+0.000	CLC6H5	UM07	IP LT	5.00
Q16	QCMB	+0.000	CLC6H5	99	IP LT	5.00
Q16	QCMB	+0.000	CLC6H5	UM07	IP LT	5.00
Q16	QCMB	+0.000	CLC6H5	UM07	IP LT	5.00
Q16	QCMB	+0.000	CLC6H5	UM07	IP LT	5.00
Q16	QCMB	+0.000	CLC6H5	UM07	IP LT	5.00
Q16	QCMB	+0.000	CLC6H5	UM07	IP LT	5.00
Q16	QCMB	+0.000	DBAHA	99	IP LT	20.00
Q16	QCMB	+0.000	DBAHA	99	IP LT	20.00
Q16	QCMB	+0.000	DBAHA	UM09	IP LT	20.00
Q16	QCMB	+0.000	DBAHA	99	IP LT	20.00
Q16	QCMB	+0.000	DBAHA	99	IP LT	20.00
Q16	QCMB	+0.000	DBAHA	99	IP LT	20.00
Q16	QCMB	+0.000	DBAHA	99	IP LT	20.00
Q16	QCMB	+0.000	DBAHA	99	IP LT	20.00
Q16	QCMB	+0.000	DBAHA	99	IP LT	20.00
Q16	QCMB	+0.000	DBAHA	99	IP LT	20.00
Q16	QCMB	+0.000	DBRCLM	UM07	IP LT	10.00
Q16	QCMB	+0.000	DBRCLM	99	IP LT	10.00
Q16	QCMB	+0.000	DBRCLM	UM07	IP LT	10.00
Q16	QCMB	+0.000	DBRCLM	UM07	IP LT	10.00
Q16	QCMB	+0.000	DBRCLM	UM07	IP LT	10.00
Q16	QCMB	+0.000	DBRCLM	UM07	IP LT	10.00
Q16	QCMB	+0.000	DBRCLM	UM07	IP LT	10.00
Q16	QCMB	+0.000	DBRCLM	UM07	IP LT	10.00
Q16	QCMB	+0.000	DBRCLM	UM07	IP LT	10.00
Q16	QCMB	+0.000	DBRCLM	UM07	IP LT	10.00
Q16	QCMB	+0.000	DBRCLM	UM07	IP LT	10.00
Q16	QCMB	+0.000	DEP	UM09	IP LT	10.00
Q16	QCMB	+0.000	DEP	99	IP LT	10.00
Q16	QCMB	+0.000	DEP	99	IP LT	10.00
Q16	QCMB	+0.000	DEP	99	IP LT	10.00
Q16	QCMB	+0.000	DEP	99	IP LT	10.00
Q16	QCMB	+0.000	DEP	99	IP LT	10.00
Q16	QCMB	+0.000	DEP	99	IP LT	10.00
Q16	QCMB	+0.000	DEP	99	IP LT	10.00
Q16	QCMB	+0.000	DEP	99	IP LT	10.00
Q16	QCMB	+0.000	DEP	99	IP LT	10.00
Q16	QCMB	+0.000	DMP	99	IP LT	50.00
Q16	QCMB	+0.000	DMP	99	IP LT	50.00
Q16	QCMB	+0.000	DMP	99	IP LT	50.00

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q16	QCSP	#50.000	11-Nov-87	MEC6D8	UM07	IP	50.00
Q16	QCSP	#50.000	11-Nov-87	MEC6D8	UM07	IP	50.00
Q16	QCSP	#50.000	11-Nov-87	MEC6D8	UM07	IP	50.00
Q16	QCSP	#50.000	11-Nov-87	MEC6D8	UM07	IP	49.00
Q16	QCSP	#50.000	11-Nov-87	MEC6D8	UM07	IP	49.00
Q16	QCSP	#28.000	11-Nov-87	NBD5	99	IP	49.00
Q16	QCSP	#28.000	11-Nov-87	NBD5	99	IP	43.00
Q16	QCSP	#28.000	11-Nov-87	NBD5	99	IP	43.00
Q16	QCSP	#28.000	11-Nov-87	NBD5	99	IP	42.00
Q16	QCSP	#28.000	11-Nov-87	NBD5	99	IP	36.00
Q16	QCSP	#28.000	11-Nov-87	NBD5	99	IP	30.00
Q16	QCSP	#71.000	11-Nov-87	PHEND6	99	IP	54.00
Q16	QCSP	#71.000	11-Nov-87	PHEND6	99	IP	51.00
Q16	QCSP	#71.000	11-Nov-87	PHEND6	99	IP	51.00
Q16	QCSP	#71.000	11-Nov-87	PHEND6	99	IP	48.00
Q16	QCSP	#71.000	11-Nov-87	PHEND6	99	IP	45.00
Q16	QCSP	#71.000	11-Nov-87	PHEND6	99	IP	44.00
Q16	QCSP	#21.000	11-Nov-87	TRPD14	99	IP	29.00
Q16	QCSP	#21.000	11-Nov-87	TRPD14	99	IP	26.00
Q16	QCSP	#21.000	11-Nov-87	TRPD14	99	IP	20.00
Q16	QCSP	#21.000	11-Nov-87	TRPD14	99	IP	20.00
Q16	QCSP	#21.000	11-Nov-87	TRPD14	99	IP	18.00
Q16	QCSP	#21.000	11-Nov-87	TRPD14	99	IP	17.00
Q16	QCSP	#50.000	16-Nov-87	12DCD4	UM07	IP	48.00
Q16	QCSP	#50.000	16-Nov-87	12DCD4	UM07	IP	47.00
Q16	QCSP	#50.000	16-Nov-87	12DCD4	UM07	IP	45.00
Q16	QCSP	#55.000	16-Nov-87	246TBP	99	IP	132.00
Q16	QCSP	#55.000	16-Nov-87	246TBP	99	IP	91.00
Q16	QCSP	#55.000	16-Nov-87	246TBP	99	IP	62.00
Q16	QCSP	#22.000	16-Nov-87	2FBP	99	IP	26.00
Q16	QCSP	#22.000	16-Nov-87	2FBP	99	IP	20.00
Q16	QCSP	#22.000	16-Nov-87	2FBP	99	IP	20.00
Q16	QCSP	#57.000	16-Nov-87	2FP	99	IP	57.00
Q16	QCSP	#57.000	16-Nov-87	2FP	99	IP	51.00
Q16	QCSP	#57.000	16-Nov-87	2FP	99	IP	48.00
Q16	QCSP	#50.000	16-Nov-87	4BFB	UM07	IP	52.00
Q16	QCSP	#50.000	16-Nov-87	4BFB	UM07	IP	52.00
Q16	QCSP	#50.000	16-Nov-87	4BFB	UM07	IP	48.00
Q16	QCSP	#50.000	16-Nov-87	MEC6D8	UM07	IP	49.00
Q16	QCSP	#50.000	16-Nov-87	MEC6D8	UM07	IP	49.00
Q16	QCSP	#50.000	16-Nov-87	MEC6D8	UM07	IP	48.00
Q16	QCSP	#28.000	16-Nov-87	NBD5	99	IP	56.00
Q16	QCSP	#28.000	16-Nov-87	NBD5	99	IP	42.00
Q16	QCSP	#28.000	16-Nov-87	NBD5	99	IP	35.00
Q16	QCSP	#71.000	16-Nov-87	PHEND6	99	IP	32.00
Q16	QCSP	#71.000	16-Nov-87	PHEND6	99	IP	28.00
Q16	QCSP	#71.000	16-Nov-87	PHEND6	99	IP	27.00
Q16	QCSP	#21.000	16-Nov-87	TRPD14	99	IP	38.00
Q16	QCSP	#21.000	16-Nov-87	TRPD14	99	IP	32.00
Q16	QCSP	#21.000	16-Nov-87	TRPD14	99	IP	32.00
Q16	QCSP	#50.000	17-Nov-87	12DCD4	UM07	IP	52.00
Q16	QCSP	#50.000	17-Nov-87	12DCD4	UM07	IP	43.00
Q16	QCSP	#50.000	17-Nov-87	12DCD4	UM07	IP	43.00
Q16	QCSP	#50.000	17-Nov-87	12DCD4	UM07	IP	42.00
Q16	QCSP	#50.000	17-Nov-87	12DCD4	UM07	IP	41.00
Q16	QCSP	#55.000	17-Nov-87	246TBP	99	IP	126.00
Q16	QCSP	#55.000	17-Nov-87	246TBP	99	IP	106.00
Q16	QCSP	#55.000	17-Nov-87	246TBP	99	IP	70.00
Q16	QCSP	#55.000	17-Nov-87	246TBP	99	IP	66.00
Q16	QCSP	#22.000	17-Nov-87	2FBP	99	IP	29.00
Q16	QCSP	#22.000	17-Nov-87	2FBP	99	IP	27.00
Q16	QCSP	#22.000	17-Nov-87	2FBP	99	IP	25.00
Q16	QCSP	#22.000	17-Nov-87	2FBP	99	IP	25.00
Q16	QCSP	#57.000	17-Nov-87	2FP	99	IP	62.00
Q16	QCSP	#57.000	17-Nov-87	2FP	99	IP	59.00
Q16	QCSP	#57.000	17-Nov-87	2FP	99	IP	57.00
Q16	QCSP	#57.000	17-Nov-87	2FP	99	IP	56.00
Q16	QCSP	#50.000	17-Nov-87	4BFB	UM07	IP	46.00
Q16	QCSP	#50.000	17-Nov-87	4BFB	UM07	IP	46.00
Q16	QCSP	#50.000	17-Nov-87	4BFB	UM07	IP	45.00
Q16	QCSP	#50.000	17-Nov-87	4BFB	UM07	IP	45.00
Q16	QCSP	#50.000	17-Nov-87	4BFB	UM07	IP	44.00
Q16	QCSP	#50.000	17-Nov-87	MEC6D8	UM07	IP	47.00
Q16	QCSP	#50.000	17-Nov-87	MEC6D8	UM07	IP	47.00
Q16	QCSP	#50.000	17-Nov-87	MEC6D8	UM07	IP	47.00
Q16	QCSP	#50.000	17-Nov-87	MEC6D8	UM07	IP	47.00
Q16	QCSP	#50.000	17-Nov-87	MEC6D8	UM07	IP	47.00
Q16	QCSP	#28.000	17-Nov-87	NBD5	99	IP	63.00
Q16	QCSP	#28.000	17-Nov-87	NBD5	99	IP	56.00
Q16	QCSP	#28.000	17-Nov-87	NBD5	99	IP	51.00

Qtr	Type	Spk-Conc.	Test	Meth	Lab		Value
Q16	QCMB	+0.000	DMP	99	IP	LT	50.00
Q16	QCMB	+0.000	DMP	UM09	IP	LT	50.00
Q16	QCMB	+0.000	DMP	99	IP	LT	50.00
Q16	QCMB	+0.000	DMP	99	IP	LT	50.00
Q16	QCMB	+0.000	DMP	99	IP	LT	50.00
Q16	QCMB	+0.000	DMP	99	IP	LT	50.00
Q16	QCMB	+0.000	DMP	99	IP	LT	50.00
Q16	QCMB	+0.000	DMP	99	IP	LT	50.00
Q16	QCMB	+0.000	DNBP	99	IP	LT	50.00
Q16	QCMB	+0.000	DNBP	99	IP	LT	50.00
Q16	QCMB	+0.000	DNBP	99	IP	LT	50.00
Q16	QCMB	+0.000	DNBP	99	IP	LT	50.00
Q16	QCMB	+0.000	DNBP	99	IP	LT	50.00
Q16	QCMB	+0.000	DNBP	99	IP	LT	50.00
Q16	QCMB	+0.000	DNBP	UM09	IP	LT	50.00
Q16	QCMB	+0.000	DNBP	99	IP	LT	50.00
Q16	QCMB	+0.000	DNBP	99	IP	LT	50.00
Q16	QCMB	+0.000	DNBP	99	IP	LT	50.00
Q16	QCMB	+0.000	DNBP	99	IP	LT	50.00
Q16	QCMB	+0.000	DNOP	UM09	IP	LT	15.00
Q16	QCMB	+0.000	DNOP	99	IP	LT	15.00
Q16	QCMB	+0.000	DNOP	99	IP	LT	15.00
Q16	QCMB	+0.000	DNOP	99	IP	LT	15.00
Q16	QCMB	+0.000	DNOP	99	IP	LT	15.00
Q16	QCMB	+0.000	DNOP	99	IP	LT	15.00
Q16	QCMB	+0.000	DNOP	99	IP	LT	15.00
Q16	QCMB	+0.000	DNOP	99	IP	LT	15.00
Q16	QCMB	+0.000	DNOP	99	IP	LT	15.00
Q16	QCMB	+0.000	DNOP	99	IP	LT	15.00
Q16	QCMB	+0.000	ETC6H5	99	IP	LT	5.00
Q16	QCMB	+0.000	ETC6H5	UM07	IP	LT	5.00
Q16	QCMB	+0.000	ETC6H5	UM07	IP	LT	5.00
Q16	QCMB	+0.000	ETC6H5	UM07	IP	LT	5.00
Q16	QCMB	+0.000	ETC6H5	UM07	IP	LT	5.00
Q16	QCMB	+0.000	ETC6H5	UM07	IP	LT	5.00
Q16	QCMB	+0.000	ETC6H5	UM07	IP	LT	5.00
Q16	QCMB	+0.000	ETC6H5	UM07	IP	LT	5.00
Q16	QCMB	+0.000	ETC6H5	UM07	IP	LT	5.00
Q16	QCMB	+0.000	ETC6H5	UM07	IP	LT	5.00
Q16	QCMB	+0.000	FANT	99	IP	LT	40.00
Q16	QCMB	+0.000	FANT	UM09	IP	LT	40.00
Q16	QCMB	+0.000	FANT	99	IP	LT	40.00
Q16	QCMB	+0.000	FANT	99	IP	LT	40.00
Q16	QCMB	+0.000	FANT	99	IP	LT	40.00
Q16	QCMB	+0.000	FANT	99	IP	LT	40.00
Q16	QCMB	+0.000	FANT	99	IP	LT	40.00
Q16	QCMB	+0.000	FANT	99	IP	LT	40.00
Q16	QCMB	+0.000	FANT	99	IP	LT	40.00
Q16	QCMB	+0.000	FANT	99	IP	LT	40.00
Q16	QCMB	+0.000	FLRENE	99	IP	LT	25.00
Q16	QCMB	+0.000	FLRENE	99	IP	LT	25.00
Q16	QCMB	+0.000	FLRENE	99	IP	LT	25.00
Q16	QCMB	+0.000	FLRENE	UM09	IP	LT	25.00
Q16	QCMB	+0.000	FLRENE	99	IP	LT	25.00
Q16	QCMB	+0.000	FLRENE	99	IP	LT	25.00
Q16	QCMB	+0.000	FLRENE	99	IP	LT	25.00
Q16	QCMB	+0.000	FLRENE	99	IP	LT	25.00
Q16	QCMB	+0.000	FLRENE	99	IP	LT	25.00
Q16	QCMB	+0.000	FLRENE	99	IP	LT	25.00
Q16	QCMB	+0.000	HCBD	99	IP	LT	15.00
Q16	QCMB	+0.000	HCBD	UM09	IP	LT	15.00
Q16	QCMB	+0.000	HCBD	99	IP	LT	15.00
Q16	QCMB	+0.000	HCBD	99	IP	LT	15.00
Q16	QCMB	+0.000	HCBD	99	IP	LT	15.00
Q16	QCMB	+0.000	HCBD	99	IP	LT	15.00
Q16	QCMB	+0.000	HCBD	99	IP	LT	15.00
Q16	QCMB	+0.000	HCBD	99	IP	LT	15.00
Q16	QCMB	+0.000	HCBD	99	IP	LT	15.00
Q16	QCMB	+0.000	HCBD	99	IP	LT	15.00
Q16	QCMB	+0.000	ICDPYR	99	IP	LT	15.00
Q16	QCMB	+0.000	ICDPYR	99	IP	LT	15.00
Q16	QCMB	+0.000	ICDPYR	99	IP	LT	15.00
Q16	QCMB	+0.000	ICDPYR	99	IP	LT	15.00
Q16	QCMB	+0.000	ICDPYR	UM09	IP	LT	15.00

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q16	QCSP	#28.000	17-Nov-87	NBD5	99	IP	49.00
Q16	QCSP	#71.000	17-Nov-87	PHEND6	99	IP	33.00
Q16	QCSP	#71.000	17-Nov-87	PHEND6	99	IP	32.00
Q16	QCSP	#71.000	17-Nov-87	PHEND6	99	IP	31.00
Q16	QCSP	#71.000	17-Nov-87	PHEND6	99	IP	29.00
Q16	QCSP	#21.000	17-Nov-87	TRPD14	99	IP	44.00
Q16	QCSP	#21.000	17-Nov-87	TRPD14	99	IP	44.00
Q16	QCSP	#21.000	17-Nov-87	TRPD14	99	IP	43.00
Q16	QCSP	#21.000	17-Nov-87	TRPD14	99	IP	31.00
Q16	QCSP	#50.000	18-Nov-87	12DCD4	UM07	IP	43.00
Q16	QCSP	#50.000	18-Nov-87	12DCD4	UM07	IP	42.00
Q16	QCSP	#55.000	18-Nov-87	246TBP	99	IP	54.00
Q16	QCSP	#55.000	18-Nov-87	246TBP	99	IP	53.00
Q16	QCSP	#22.000	18-Nov-87	2FBP	99	IP	30.00
Q16	QCSP	#22.000	18-Nov-87	2FBP	99	IP	24.00
Q16	QCSP	#57.000	18-Nov-87	2FP	99	IP	53.00
Q16	QCSP	#57.000	18-Nov-87	2FP	99	IP	50.00
Q16	QCSP	#50.000	18-Nov-87	4BFB	UM07	IP	46.00
Q16	QCSP	#50.000	18-Nov-87	4BFB	UM07	IP	45.00
Q16	QCSP	#50.000	18-Nov-87	MEC6D8	UM07	IP	47.00
Q16	QCSP	#50.000	18-Nov-87	MEC6D8	UM07	IP	47.00
Q16	QCSP	#28.000	18-Nov-87	NBD5	99	IP	24.00
Q16	QCSP	#28.000	18-Nov-87	NBD5	99	IP	24.00
Q16	QCSP	#71.000	18-Nov-87	PHEND6	99	IP	9.00
Q16	QCSP	#71.000	18-Nov-87	PHEND6	99	IP	8.00
Q16	QCSP	#21.000	18-Nov-87	TRPD14	99	IP	34.00
Q16	QCSP	#21.000	18-Nov-87	TRPD14	99	IP	30.00
Q16	QCSP	#50.000	19-Nov-87	12DCD4	UM07	IP	45.00
Q16	QCSP	#50.000	19-Nov-87	12DCD4	UM07	IP	42.00
Q16	QCSP	#50.000	19-Nov-87	12DCD4	UM07	IP	41.00
Q16	QCSP	#55.000	19-Nov-87	246TBP	99	IP	66.00
Q16	QCSP	#55.000	19-Nov-87	246TBP	99	IP	54.00
Q16	QCSP	#55.000	19-Nov-87	246TBP	99	IP	53.00
Q16	QCSP	#22.000	19-Nov-87	2FBP	99	IP	29.00
Q16	QCSP	#22.000	19-Nov-87	2FBP	99	IP	28.00
Q16	QCSP	#22.000	19-Nov-87	2FBP	99	IP	18.00
Q16	QCSP	#57.000	19-Nov-87	2FP	99	IP	53.00
Q16	QCSP	#57.000	19-Nov-87	2FP	99	IP	50.00
Q16	QCSP	#57.000	19-Nov-87	2FP	99	IP	49.00
Q16	QCSP	#50.000	19-Nov-87	4BFB	UM07	IP	45.00
Q16	QCSP	#50.000	19-Nov-87	4BFB	UM07	IP	45.00
Q16	QCSP	#50.000	19-Nov-87	4BFB	UM07	IP	45.00
Q16	QCSP	#50.000	19-Nov-87	MEC6D8	UM07	IP	47.00
Q16	QCSP	#50.000	19-Nov-87	MEC6D8	UM07	IP	47.00
Q16	QCSP	#50.000	19-Nov-87	MEC6D8	UM07	IP	47.00
Q16	QCSP	#28.000	19-Nov-87	NBD5	99	IP	26.00
Q16	QCSP	#28.000	19-Nov-87	NBD5	99	IP	24.00
Q16	QCSP	#28.000	19-Nov-87	NBD5	99	IP	24.00
Q16	QCSP	#71.000	19-Nov-87	PHEND6	99	IP	12.00
Q16	QCSP	#71.000	19-Nov-87	PHEND6	99	IP	9.00
Q16	QCSP	#71.000	19-Nov-87	PHEND6	99	IP	7.00
Q16	QCSP	#21.000	19-Nov-87	TRPD14	99	IP	45.00
Q16	QCSP	#21.000	19-Nov-87	TRPD14	99	IP	31.00
Q16	QCSP	#21.000	19-Nov-87	TRPD14	99	IP	28.00
Q16	QCSP	#50.000	20-Nov-87	12DCD4	UM07	IP	48.00
Q16	QCSP	#50.000	20-Nov-87	12DCD4	UM07	IP	47.00
Q16	QCSP	#50.000	20-Nov-87	12DCD4	UM07	IP	44.00
Q16	QCSP	#50.000	20-Nov-87	12DCD4	UM07	IP	44.00
Q16	QCSP	#50.000	20-Nov-87	12DCD4	UM07	IP	44.00
Q16	QCSP	#50.000	20-Nov-87	12DCD4	UM07	IP	44.00
Q16	QCSP	#50.000	20-Nov-87	12DCD4	UM07	IP	43.00
Q16	QCSP	#50.000	20-Nov-87	12DCD4	UM07	IP	41.00
Q16	QCSP	#55.000	20-Nov-87	246TBP	99	IP	60.00
Q16	QCSP	#55.000	20-Nov-87	246TBP	99	IP	57.00
Q16	QCSP	#55.000	20-Nov-87	246TBP	99	IP	56.00
Q16	QCSP	#55.000	20-Nov-87	246TBP	99	IP	55.00
Q16	QCSP	#55.000	20-Nov-87	246TBP	99	IP	54.00
Q16	QCSP	#55.000	20-Nov-87	246TBP	99	IP	53.00
Q16	QCSP	#55.000	20-Nov-87	246TBP	99	IP	53.00
Q16	QCSP	#55.000	20-Nov-87	246TBP	99	IP	51.00
Q16	QCSP	#22.000	20-Nov-87	2FBP	99	IP	24.00
Q16	QCSP	#22.000	20-Nov-87	2FBP	99	IP	23.00
Q16	QCSP	#22.000	20-Nov-87	2FBP	99	IP	21.00
Q16	QCSP	#22.000	20-Nov-87	2FBP	99	IP	20.00
Q16	QCSP	#22.000	20-Nov-87	2FBP	99	IP	20.00
Q16	QCSP	#22.000	20-Nov-87	2FBP	99	IP	19.00
Q16	QCSP	#22.000	20-Nov-87	2FBP	99	IP	11.00
Q16	QCSP	#22.000	20-Nov-87	2FBP	99	IP	8.00
Q16	QCSP	#57.000	20-Nov-87	2FP	99	IP	52.00
Q16	QCSP	#57.000	20-Nov-87	2FP	99	IP	49.00

Qtr	Type	Spk-Conc.	Test	Meth	Lab		Value
Q16	QCMB	+0.000	ICDPYR	99	IP	LT	15.00
Q16	QCMB	+0.000	ICDPYR	99	IP	LT	15.00
Q16	QCMB	+0.000	ICDPYR	99	IP	LT	15.00
Q16	QCMB	+0.000	ICDPYR	99	IP	LT	15.00
Q16	QCMB	+0.000	ICDPYR	99	IP	LT	15.00
Q16	QCMB	+0.000	ICDPYR	99	IP	LT	15.00
Q16	QCMB	+0.000	ISOPHR	99	IP	LT	10.00
Q16	QCMB	+0.000	ISOPHR	99	IP	LT	10.00
Q16	QCMB	+0.000	ISOPHR	99	IP	LT	10.00
Q16	QCMB	+0.000	ISOPHR	UM09	IP	LT	10.00
Q16	QCMB	+0.000	ISOPHR	99	IP	LT	10.00
Q16	QCMB	+0.000	ISOPHR	99	IP	LT	10.00
Q16	QCMB	+0.000	ISOPHR	99	IP	LT	10.00
Q16	QCMB	+0.000	ISOPHR	99	IP	LT	10.00
Q16	QCMB	+0.000	ISOPHR	99	IP	LT	10.00
Q16	QCMB	+0.000	ISOPHR	99	IP	LT	10.00
Q16	QCMB	+0.000	MEC6H5	UM07	IP	LT	10.00
Q16	QCMB	+0.000	MEC6H5	UM07	IP	LT	10.00
Q16	QCMB	+0.000	MEC6H5	UM07	IP	LT	10.00
Q16	QCMB	+0.000	MEC6H5	UM07	IP	LT	10.00
Q16	QCMB	+0.000	MEC6H5	UM07	IP	LT	10.00
Q16	QCMB	+0.000	MEC6H5	UM07	IP	LT	10.00
Q16	QCMB	+0.000	MEC6H5	UM07	IP	LT	10.00
Q16	QCMB	+0.000	MEC6H5	UM07	IP	LT	10.00
Q16	QCMB	+0.000	MEC6H5	UM07	IP	LT	10.00
Q16	QCMB	+0.000	MEC6H5	99	IP	LT	10.00
Q16	QCMB	+0.000	MEC6H5	UM07	IP	LT	10.00
Q16	QCMB	+0.000	NAP	99	IP	LT	15.00
Q16	QCMB	+0.000	NAP	99	IP	LT	15.00
Q16	QCMB	+0.000	NAP	99	IP	LT	15.00
Q16	QCMB	+0.000	NAP	99	IP	LT	15.00
Q16	QCMB	+0.000	NAP	99	IP	LT	15.00
Q16	QCMB	+0.000	NAP	99	IP	LT	15.00
Q16	QCMB	+0.000	NAP	99	IP	LT	15.00
Q16	QCMB	+0.000	NAP	UM09	IP	LT	15.00
Q16	QCMB	+0.000	NAP	99	IP	LT	15.00
Q16	QCMB	+0.000	NAP	99	IP	LT	15.00
Q16	QCMB	+0.000	NAP	99	IP	LT	15.00
Q16	QCMB	+0.000	NB	99	IP	LT	15.00
Q16	QCMB	+0.000	NB	99	IP	LT	15.00
Q16	QCMB	+0.000	NB	99	IP	LT	15.00
Q16	QCMB	+0.000	NB	UM09	IP	LT	15.00
Q16	QCMB	+0.000	NB	99	IP	LT	15.00
Q16	QCMB	+0.000	NB	99	IP	LT	15.00
Q16	QCMB	+0.000	NB	99	IP	LT	15.00
Q16	QCMB	+0.000	NB	99	IP	LT	15.00
Q16	QCMB	+0.000	NB	99	IP	LT	15.00
Q16	QCMB	+0.000	NB	99	IP	LT	15.00
Q16	QCMB	+0.000	NNDMEA	99	IP	LT	35.00
Q16	QCMB	+0.000	NNDMEA	99	IP	LT	35.00
Q16	QCMB	+0.000	NNDMEA	99	IP	LT	35.00
Q16	QCMB	+0.000	NNDMEA	99	IP	LT	35.00
Q16	QCMB	+0.000	NNDMEA	99	IP	LT	35.00
Q16	QCMB	+0.000	NNDMEA	99	IP	LT	35.00
Q16	QCMB	+0.000	NNDMEA	99	IP	LT	35.00
Q16	QCMB	+0.000	NNDMEA	99	IP	LT	35.00
Q16	QCMB	+0.000	NNDMEA	UM09	IP	LT	35.00
Q16	QCMB	+0.000	NNDMEA	99	IP	LT	35.00
Q16	QCMB	+0.000	NNDMEA	99	IP	LT	35.00
Q16	QCMB	+0.000	NNDNPA	99	IP	LT	20.00
Q16	QCMB	+0.000	NNDNPA	99	IP	LT	20.00
Q16	QCMB	+0.000	NNDNPA	99	IP	LT	20.00
Q16	QCMB	+0.000	NNDNPA	99	IP	LT	20.00
Q16	QCMB	+0.000	NNDNPA	99	IP	LT	20.00
Q16	QCMB	+0.000	NNDNPA	99	IP	LT	20.00
Q16	QCMB	+0.000	NNDNPA	99	IP	LT	20.00
Q16	QCMB	+0.000	NNDNPA	UM09	IP	LT	20.00
Q16	QCMB	+0.000	NNDNPA	99	IP	LT	20.00
Q16	QCMB	+0.000	NNDNPA	99	IP	LT	20.00
Q16	QCMB	+0.000	NNDNPA	99	IP	LT	20.00
Q16	QCMB	+0.000	NNDPA	99	IP	LT	25.00
Q16	QCMB	+0.000	NNDPA	99	IP	LT	25.00
Q16	QCMB	+0.000	NNDPA	99	IP	LT	25.00
Q16	QCMB	+0.000	NNDPA	99	IP	LT	25.00
Q16	QCMB	+0.000	NNDPA	UM09	IP	LT	25.00
Q16	QCMB	+0.000	NNDPA	99	IP	LT	25.00
Q16	QCMB	+0.000	NNDPA	99	IP	LT	25.00

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q16	QCSP	#57.000	20-Nov-87	2FP	99	IP	49.00
Q16	QCSP	#57.000	20-Nov-87	2FP	99	IP	48.00
Q16	QCSP	#57.000	20-Nov-87	2FP	99	IP	46.00
Q16	QCSP	#57.000	20-Nov-87	2FP	99	IP	46.00
Q16	QCSP	#57.000	20-Nov-87	2FP	99	IP	45.00
Q16	QCSP	#57.000	20-Nov-87	2FP	99	IP	40.00
Q16	QCSP	#50.000	20-Nov-87	4BFB	UM07	IP	45.00
Q16	QCSP	#50.000	20-Nov-87	4BFB	UM07	IP	45.00
Q16	QCSP	#50.000	20-Nov-87	4BFB	UM07	IP	45.00
Q16	QCSP	#50.000	20-Nov-87	4BFB	UM07	IP	45.00
Q16	QCSP	#50.000	20-Nov-87	4BFB	UM07	IP	45.00
Q16	QCSP	#50.000	20-Nov-87	4BFB	UM07	IP	45.00
Q16	QCSP	#50.000	20-Nov-87	4BFB	UM07	IP	45.00
Q16	QCSP	#50.000	20-Nov-87	4BFB	UM07	IP	44.00
Q16	QCSP	#50.000	20-Nov-87	MEC6D8	UM07	IP	48.00
Q16	QCSP	#50.000	20-Nov-87	MEC6D8	UM07	IP	47.00
Q16	QCSP	#50.000	20-Nov-87	MEC6D8	UM07	IP	47.00
Q16	QCSP	#50.000	20-Nov-87	MEC6D8	UM07	IP	47.00
Q16	QCSP	#50.000	20-Nov-87	MEC6D8	UM07	IP	47.00
Q16	QCSP	#50.000	20-Nov-87	MEC6D8	UM07	IP	47.00
Q16	QCSP	#50.000	20-Nov-87	MEC6D8	UM07	IP	46.00
Q16	QCSP	#50.000	20-Nov-87	MEC6D8	UM07	IP	46.00
Q16	QCSP	#28.000	20-Nov-87	NBD5	99	IP	29.00
Q16	QCSP	#28.000	20-Nov-87	NBD5	99	IP	26.00
Q16	QCSP	#28.000	20-Nov-87	NBD5	99	IP	26.00
Q16	QCSP	#28.000	20-Nov-87	NBD5	99	IP	26.00
Q16	QCSP	#28.000	20-Nov-87	NBD5	99	IP	25.00
Q16	QCSP	#28.000	20-Nov-87	NBD5	99	IP	25.00
Q16	QCSP	#28.000	20-Nov-87	NBD5	99	IP	24.00
Q16	QCSP	#28.000	20-Nov-87	NBD5	99	IP	24.00
Q16	QCSP	#71.000	20-Nov-87	PHEND6	99	IP	7.00
Q16	QCSP	#71.000	20-Nov-87	PHEND6	99	IP	7.00
Q16	QCSP	#71.000	20-Nov-87	PHEND6	99	IP	7.00
Q16	QCSP	#71.000	20-Nov-87	PHEND6	99	IP	6.00
Q16	QCSP	#71.000	20-Nov-87	PHEND6	99	IP	6.00
Q16	QCSP	#71.000	20-Nov-87	PHEND6	99	IP	6.00
Q16	QCSP	#71.000	20-Nov-87	PHEND6	99	IP	5.00
Q16	QCSP	#71.000	20-Nov-87	PHEND6	99	IP	3.00
Q16	QCSP	#21.000	20-Nov-87	TRPD14	99	IP	38.00
Q16	QCSP	#21.000	20-Nov-87	TRPD14	99	IP	36.00
Q16	QCSP	#21.000	20-Nov-87	TRPD14	99	IP	35.00
Q16	QCSP	#21.000	20-Nov-87	TRPD14	99	IP	33.00
Q16	QCSP	#21.000	20-Nov-87	TRPD14	99	IP	32.00
Q16	QCSP	#21.000	20-Nov-87	TRPD14	99	IP	30.00
Q16	QCSP	#21.000	20-Nov-87	TRPD14	99	IP	29.00
Q16	QCSP	#21.000	20-Nov-87	TRPD14	99	IP	29.00
Q16	QCSP	#50.000	23-Nov-87	12DCD4	UM07	IP	50.00
Q16	QCSP	#50.000	23-Nov-87	12DCD4	UM07	IP	47.00
Q16	QCSP	#50.000	23-Nov-87	12DCD4	UM07	IP	44.00
Q16	QCSP	#50.000	23-Nov-87	12DCD4	UM07	IP	40.00
Q16	QCSP	#55.000	23-Nov-87	246TBP	99	IP	56.00
Q16	QCSP	#55.000	23-Nov-87	246TBP	99	IP	54.00
Q16	QCSP	#55.000	23-Nov-87	246TBP	99	IP	53.00
Q16	QCSP	#55.000	23-Nov-87	246TBP	99	IP	52.00
Q16	QCSP	#22.000	23-Nov-87	2FBP	99	IP	22.00
Q16	QCSP	#22.000	23-Nov-87	2FBP	99	IP	21.00
Q16	QCSP	#22.000	23-Nov-87	2FBP	99	IP	15.00
Q16	QCSP	#22.000	23-Nov-87	2FBP	99	IP	12.00
Q16	QCSP	#57.000	23-Nov-87	2FP	99	IP	50.00
Q16	QCSP	#57.000	23-Nov-87	2FP	99	IP	47.00
Q16	QCSP	#57.000	23-Nov-87	2FP	99	IP	45.00
Q16	QCSP	#57.000	23-Nov-87	2FP	99	IP	32.00
Q16	QCSP	#50.000	23-Nov-87	4BFB	UM07	IP	45.00
Q16	QCSP	#50.000	23-Nov-87	4BFB	UM07	IP	45.00
Q16	QCSP	#50.000	23-Nov-87	4BFB	UM07	IP	45.00
Q16	QCSP	#50.000	23-Nov-87	4BFB	UM07	IP	45.00
Q16	QCSP	#50.000	23-Nov-87	MEC6D8	UM07	IP	47.00
Q16	QCSP	#50.000	23-Nov-87	MEC6D8	UM07	IP	47.00
Q16	QCSP	#50.000	23-Nov-87	MEC6D8	UM07	IP	46.00
Q16	QCSP	#50.000	23-Nov-87	MEC6D8	UM07	IP	46.00
Q16	QCSP	#28.000	23-Nov-87	NBD5	99	IP	27.00
Q16	QCSP	#28.000	23-Nov-87	NBD5	99	IP	27.00
Q16	QCSP	#28.000	23-Nov-87	NBD5	99	IP	26.00
Q16	QCSP	#28.000	23-Nov-87	NBD5	99	IP	23.00
Q16	QCSP	#71.000	23-Nov-87	PHEND6	99	IP	7.00
Q16	QCSP	#71.000	23-Nov-87	PHEND6	99	IP	7.00
Q16	QCSP	#71.000	23-Nov-87	PHEND6	99	IP	4.00
Q16	QCSP	#71.000	23-Nov-87	PHEND6	99	IP	4.00
Q16	QCSP	#21.000	23-Nov-87	TRPD14	99	IP	35.00
Q16	QCSP	#21.000	23-Nov-87	TRPD14	99	IP	35.00

Qtr	Type	Spk-Conc.	Test	Meth	Lab		Value
Q16	QCMB	+0.000	NNDPA	99	IP	LT	25.00
Q16	QCMB	+0.000	NNDPA	99	IP	LT	25.00
Q16	QCMB	+0.000	NNDPA	99	IP	LT	25.00
Q16	QCMB	+0.000	NNDPA	99	IP	LT	25.00
Q16	QCMB	+0.000	PCP	99	IP	LT	30.00
Q16	QCMB	+0.000	PCP	99	IP	LT	30.00
Q16	QCMB	+0.000	PCP	99	IP	LT	30.00
Q16	QCMB	+0.000	PCP	99	IP	LT	30.00
Q16	QCMB	+0.000	PCP	99	IP	LT	30.00
Q16	QCMB	+0.000	PCP	99	IP	LT	30.00
Q16	QCMB	+0.000	PCP	99	IP	LT	30.00
Q16	QCMB	+0.000	PCP	99	IP	LT	30.00
Q16	QCMB	+0.000	PCP	99	IP	LT	30.00
Q16	QCMB	+0.000	PCP	UM09	IP	LT	30.00
Q16	QCMB	+0.000	PHANTR	UM09	IP	LT	20.00
Q16	QCMB	+0.000	PHANTR	99	IP	LT	20.00
Q16	QCMB	+0.000	PHANTR	99	IP	LT	20.00
Q16	QCMB	+0.000	PHANTR	99	IP	LT	20.00
Q16	QCMB	+0.000	PHANTR	99	IP	LT	20.00
Q16	QCMB	+0.000	PHANTR	99	IP	LT	20.00
Q16	QCMB	+0.000	PHANTR	99	IP	LT	20.00
Q16	QCMB	+0.000	PHANTR	99	IP	LT	20.00
Q16	QCMB	+0.000	PHANTR	99	IP	LT	20.00
Q16	QCMB	+0.000	PHANTR	99	IP	LT	20.00
Q16	QCMB	+0.000	PHENOL	99	IP	LT	80.00
Q16	QCMB	+0.000	PHENOL	99	IP	LT	80.00
Q16	QCMB	+0.000	PHENOL	99	IP	LT	80.00
Q16	QCMB	+0.000	PHENOL	99	IP	LT	80.00
Q16	QCMB	+0.000	PHENOL	99	IP	LT	80.00
Q16	QCMB	+0.000	PHENOL	99	IP	LT	80.00
Q16	QCMB	+0.000	PHENOL	UM09	IP	LT	80.00
Q16	QCMB	+0.000	PHENOL	99	IP	LT	80.00
Q16	QCMB	+0.000	PHENOL	99	IP	LT	80.00
Q16	QCMB	+0.000	PHENOL	99	IP	LT	80.00
Q16	QCMB	+0.000	PHENOL	99	IP	LT	80.00
Q16	QCMB	+0.000	PYR	99	IP	LT	15.00
Q16	QCMB	+0.000	PYR	99	IP	LT	15.00
Q16	QCMB	+0.000	PYR	99	IP	LT	15.00
Q16	QCMB	+0.000	PYR	UM09	IP	LT	15.00
Q16	QCMB	+0.000	PYR	99	IP	LT	15.00
Q16	QCMB	+0.000	PYR	99	IP	LT	15.00
Q16	QCMB	+0.000	PYR	99	IP	LT	15.00
Q16	QCMB	+0.000	PYR	99	IP	LT	15.00
Q16	QCMB	+0.000	PYR	99	IP	LT	15.00
Q16	QCMB	+0.000	PYR	99	IP	LT	15.00
Q16	QCMB	+0.000	T12DCE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	T12DCE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	T12DCE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	T12DCE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	T12DCE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	T12DCE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	T12DCE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	T12DCE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	T12DCE	99	IP	LT	15.00
Q16	QCMB	+0.000	T12DCE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	T12DCE	UM07	IP	LT	15.00
Q16	QCMB	+0.000	T13DCP	UM07	IP	LT	20.00
Q16	QCMB	+0.000	T13DCP	UM07	IP	LT	20.00
Q16	QCMB	+0.000	T13DCP	UM07	IP	LT	20.00
Q16	QCMB	+0.000	T13DCP	UM07	IP	LT	20.00
Q16	QCMB	+0.000	T13DCP	UM07	IP	LT	20.00
Q16	QCMB	+0.000	T13DCP	UM07	IP	LT	20.00
Q16	QCMB	+0.000	T13DCP	UM07	IP	LT	20.00
Q16	QCMB	+0.000	T13DCP	UM07	IP	LT	20.00
Q16	QCMB	+0.000	T13DCP	UM07	IP	LT	20.00
Q16	QCMB	+0.000	T13DCP	99	IP	LT	20.00
Q16	QCMB	+0.000	T13DCP	UM07	IP	LT	20.00
Q16	QCMB	+0.000	TCLEA	UM07	IP	LT	10.00
Q16	QCMB	+0.000	TCLEA	UM07	IP	LT	10.00
Q16	QCMB	+0.000	TCLEA	UM07	IP	LT	10.00
Q16	QCMB	+0.000	TCLEA	UM07	IP	LT	10.00
Q16	QCMB	+0.000	TCLEA	UM07	IP	LT	10.00
Q16	QCMB	+0.000	TCLEA	UM07	IP	LT	10.00
Q16	QCMB	+0.000	TCLEA	UM07	IP	LT	10.00

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q16	QCSP	#21.000	23-Nov-87	TRPD14	99	IP	34.00
Q16	QCSP	#21.000	23-Nov-87	TRPD14	99	IP	34.00
Q16	QCSP	#50.000	03-Dec-87	12DCD4	UM07	IP	46.00
Q16	QCSP	#50.000	03-Dec-87	12DCD4	UM07	IP	44.00
Q16	QCSP	#55.000	03-Dec-87	246TBP	99	IP	54.00
Q16	QCSP	#55.000	03-Dec-87	246TBP	99	IP	54.00
Q16	QCSP	#55.000	03-Dec-87	246TBP	99	IP	53.00
Q16	QCSP	#55.000	03-Dec-87	246TBP	99	IP	51.00
Q16	QCSP	#55.000	03-Dec-87	246TBP	99	IP	39.00
Q16	QCSP	#22.000	03-Dec-87	2FBP	99	IP	43.00
Q16	QCSP	#22.000	03-Dec-87	2FBP	99	IP	42.00
Q16	QCSP	#22.000	03-Dec-87	2FBP	99	IP	39.00
Q16	QCSP	#22.000	03-Dec-87	2FBP	99	IP	27.00
Q16	QCSP	#22.000	03-Dec-87	2FBP	99	IP	27.00
Q16	QCSP	#57.000	03-Dec-87	2FP	99	IP	60.00
Q16	QCSP	#57.000	03-Dec-87	2FP	99	IP	59.00
Q16	QCSP	#57.000	03-Dec-87	2FP	99	IP	55.00
Q16	QCSP	#57.000	03-Dec-87	2FP	99	IP	54.00
Q16	QCSP	#57.000	03-Dec-87	2FP	99	IP	38.00
Q16	QCSP	#50.000	03-Dec-87	4BFB	UM07	IP	46.00
Q16	QCSP	#50.000	03-Dec-87	4BFB	UM07	IP	45.00
Q16	QCSP	#50.000	03-Dec-87	MEC6D8	UM07	IP	48.00
Q16	QCSP	#50.000	03-Dec-87	MEC6D8	UM07	IP	46.00
Q16	QCSP	#28.000	03-Dec-87	NBD5	99	IP	25.00
Q16	QCSP	#28.000	03-Dec-87	NBD5	99	IP	24.00
Q16	QCSP	#28.000	03-Dec-87	NBD5	99	IP	24.00
Q16	QCSP	#28.000	03-Dec-87	NBD5	99	IP	24.00
Q16	QCSP	#28.000	03-Dec-87	NBD5	99	IP	17.00
Q16	QCSP	#71.000	03-Dec-87	PHEND6	99	IP	16.00
Q16	QCSP	#71.000	03-Dec-87	PHEND6	99	IP	13.00
Q16	QCSP	#71.000	03-Dec-87	PHEND6	99	IP	10.00
Q16	QCSP	#71.000	03-Dec-87	PHEND6	99	IP	8.00
Q16	QCSP	#71.000	03-Dec-87	PHEND6	99	IP	8.00
Q16	QCSP	#21.000	03-Dec-87	TRPD14	99	IP	39.00
Q16	QCSP	#21.000	03-Dec-87	TRPD14	99	IP	34.00
Q16	QCSP	#21.000	03-Dec-87	TRPD14	99	IP	34.00
Q16	QCSP	#21.000	03-Dec-87	TRPD14	99	IP	33.00
Q16	QCSP	#21.000	03-Dec-87	TRPD14	99	IP	25.00
Q16	QCSP	#50.000	04-Dec-87	12DCD4	UM07	IP	46.00
Q16	QCSP	#50.000	04-Dec-87	12DCD4	UM07	IP	46.00
Q16	QCSP	#50.000	04-Dec-87	12DCD4	UM07	IP	46.00
Q16	QCSP	#50.000	04-Dec-87	12DCD4	UM07	IP	46.00
Q16	QCSP	#50.000	04-Dec-87	12DCD4	UM07	IP	45.00
Q16	QCSP	#50.000	04-Dec-87	12DCD4	UM07	IP	45.00
Q16	QCSP	#50.000	04-Dec-87	12DCD4	UM07	IP	45.00
Q16	QCSP	#55.000	04-Dec-87	246TBP	99	IP	107.00
Q16	QCSP	#55.000	04-Dec-87	246TBP	99	IP	54.00
Q16	QCSP	#55.000	04-Dec-87	246TBP	99	IP	53.00
Q16	QCSP	#55.000	04-Dec-87	246TBP	99	IP	50.00
Q16	QCSP	#55.000	04-Dec-87	246TBP	99	IP	49.00
Q16	QCSP	#55.000	04-Dec-87	246TBP	99	IP	49.00
Q16	QCSP	#22.000	04-Dec-87	2FBP	99	IP	61.00
Q16	QCSP	#22.000	04-Dec-87	2FBP	99	IP	46.00
Q16	QCSP	#22.000	04-Dec-87	2FBP	99	IP	42.00
Q16	QCSP	#22.000	04-Dec-87	2FBP	99	IP	35.00
Q16	QCSP	#22.000	04-Dec-87	2FBP	99	IP	34.00
Q16	QCSP	#22.000	04-Dec-87	2FBP	99	IP	28.00
Q16	QCSP	#57.000	04-Dec-87	2FP	99	IP	146.00
Q16	QCSP	#57.000	04-Dec-87	2FP	99	IP	59.00
Q16	QCSP	#57.000	04-Dec-87	2FP	99	IP	58.00
Q16	QCSP	#57.000	04-Dec-87	2FP	99	IP	55.00
Q16	QCSP	#57.000	04-Dec-87	2FP	99	IP	55.00
Q16	QCSP	#57.000	04-Dec-87	2FP	99	IP	54.00
Q16	QCSP	#50.000	04-Dec-87	4BFB	UM07	IP	46.00
Q16	QCSP	#50.000	04-Dec-87	4BFB	UM07	IP	46.00
Q16	QCSP	#50.000	04-Dec-87	4BFB	UM07	IP	46.00
Q16	QCSP	#50.000	04-Dec-87	4BFB	UM07	IP	46.00
Q16	QCSP	#50.000	04-Dec-87	4BFB	UM07	IP	46.00
Q16	QCSP	#50.000	04-Dec-87	4BFB	UM07	IP	46.00
Q16	QCSP	#50.000	04-Dec-87	4BFB	UM07	IP	45.00
Q16	QCSP	#50.000	04-Dec-87	MEC6D8	UM07	IP	47.00
Q16	QCSP	#50.000	04-Dec-87	MEC6D8	UM07	IP	47.00
Q16	QCSP	#50.000	04-Dec-87	MEC6D8	UM07	IP	47.00
Q16	QCSP	#50.000	04-Dec-87	MEC6D8	UM07	IP	47.00
Q16	QCSP	#50.000	04-Dec-87	MEC6D8	UM07	IP	47.00
Q16	QCSP	#50.000	04-Dec-87	MEC6D8	UM07	IP	47.00
Q16	QCSP	#28.000	04-Dec-87	NBD5	99	IP	46.00
Q16	QCSP	#28.000	04-Dec-87	NBD5	99	IP	25.00
Q16	QCSP	#28.000	04-Dec-87	NBD5	99	IP	24.00

Qtr	Type	Spk-Conc.	Test	Meth	Lab		Value
Q16	QCMB	+0.000	TCLEA	UM07	IP	LT	10.00
Q16	QCMB	+0.000	TCLEA	UM07	IP	LT	10.00
Q16	QCMB	+0.000	TCLEA	UM07	IP	LT	10.00
Q16	QCMB	+0.000	TCLEA	99	IP	LT	10.00
Q16	QCMB	+0.000	TCLEE	99	IP	LT	10.00
Q16	QCMB	+0.000	TCLEE	UM07	IP	LT	10.00
Q16	QCMB	+0.000	TCLEE	UM07	IP	LT	10.00
Q16	QCMB	+0.000	TCLEE	UM07	IP	LT	10.00
Q16	QCMB	+0.000	TCLEE	UM07	IP	LT	10.00
Q16	QCMB	+0.000	TCLEE	UM07	IP	LT	10.00
Q16	QCMB	+0.000	TCLEE	UM07	IP	LT	10.00
Q16	QCMB	+0.000	TCLEE	UM07	IP	LT	10.00
Q16	QCMB	+0.000	TCLEE	UM07	IP	LT	10.00
Q16	QCMB	+0.000	TCLEE	UM07	IP	LT	10.00
Q16	QCMB	+0.000	TRCLE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	TRCLE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	TRCLE	99	IP	LT	20.00
Q16	QCMB	+0.000	TRCLE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	TRCLE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	TRCLE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	TRCLE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	TRCLE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	TRCLE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	TRCLE	UM07	IP	LT	20.00
Q16	QCMB	+0.000	TRCLE	UM07	IP	LT	20.00
Q18	QCMB	+0.00+000	111TCE	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	112TCE	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	11DCE	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	11DCLE	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	124TCB	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	124TCB	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	12DCE	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	12DCLB	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	12DCLB	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	12DCLE	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	12DCLP	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	13DCLB	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	13DCLB	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	13DCP	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	13DMB	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	14DCLB	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	14DCLB	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	245TCP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	245TCP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	246TCP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	246TCP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	24DCLP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	24DCLP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	24DMPN	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	24DMPN	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	24DNP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	24DNP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	24DNT	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	24DNT	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	26DNT	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	26DNT	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	2CLEVE	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	2CLP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	2CLP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	2CNAP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	2CNAP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	2MNAP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	2MNAP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	2MP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	2MP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	2NANIL	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	2NANIL	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	2NP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	2NP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	33DCBD	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	33DCBD	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	3NANIL	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	3NANIL	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	46DN2C	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	46DN2C	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	4BRPPE	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	4BRPPE	UM06	PC	ND	0.00

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q16	QCSP	#28.000	04-Dec-87	NBD5	99	IP		24.00
Q16	QCSP	#28.000	04-Dec-87	NBD5	99	IP		24.00
Q16	QCSP	#28.000	04-Dec-87	NBD5	99	IP		23.00
Q16	QCSP	#71.000	04-Dec-87	PHEND6	99	IP		23.00
Q16	QCSP	#71.000	04-Dec-87	PHEND6	99	IP		12.00
Q16	QCSP	#71.000	04-Dec-87	PHEND6	99	IP		11.00
Q16	QCSP	#71.000	04-Dec-87	PHEND6	99	IP		11.00
Q16	QCSP	#71.000	04-Dec-87	PHEND6	99	IP		10.00
Q16	QCSP	#71.000	04-Dec-87	PHEND6	99	IP		9.00
Q16	QCSP	#21.000	04-Dec-87	TRPD14	99	IP	LT	44.00
Q16	QCSP	#21.000	04-Dec-87	TRPD14	99	IP		36.00
Q16	QCSP	#21.000	04-Dec-87	TRPD14	99	IP		34.00
Q16	QCSP	#21.000	04-Dec-87	TRPD14	99	IP		33.00
Q16	QCSP	#21.000	04-Dec-87	TRPD14	99	IP		32.00
Q16	QCSP	#21.000	04-Dec-87	TRPD14	99	IP		31.00
Q16	QCSP	#55.000	07-Dec-87	246TBP	99	IP		49.00
Q16	QCSP	#22.000	07-Dec-87	2FBP	99	IP		30.00
Q16	QCSP	#57.000	07-Dec-87	2FP	99	IP		55.00
Q16	QCSP	#28.000	07-Dec-87	NBD5	99	IP		24.00
Q16	QCSP	#71.000	07-Dec-87	PHEND6	99	IP		11.00
Q16	QCSP	#21.000	07-Dec-87	TRPD14	99	IP		36.00
Q16	QCSP	#50.000	08-Dec-87	12DCD4	UM07	IP		46.00
Q16	QCSP	#50.000	08-Dec-87	12DCD4	UM07	IP		45.00
Q16	QCSP	#50.000	08-Dec-87	12DCD4	UM07	IP		45.00
Q16	QCSP	#50.000	08-Dec-87	12DCD4	UM07	IP		44.00
Q16	QCSP	#50.000	08-Dec-87	12DCD4	UM07	IP		44.00
Q16	QCSP	#50.000	08-Dec-87	12DCD4	UM07	IP	LT	1.20
Q16	QCSP	#55.000	08-Dec-87	246TBP	99	IP		62.00
Q16	QCSP	#55.000	08-Dec-87	246TBP	99	IP		55.00
Q16	QCSP	#55.000	08-Dec-87	246TBP	99	IP		54.00
Q16	QCSP	#55.000	08-Dec-87	246TBP	99	IP		50.00
Q16	QCSP	#55.000	08-Dec-87	246TBP	99	IP		47.00
Q16	QCSP	#55.000	08-Dec-87	246TBP	99	IP		46.00
Q16	QCSP	#22.000	08-Dec-87	2FBP	99	IP		25.00
Q16	QCSP	#22.000	08-Dec-87	2FBP	99	IP		22.00
Q16	QCSP	#22.000	08-Dec-87	2FBP	99	IP		22.00
Q16	QCSP	#22.000	08-Dec-87	2FBP	99	IP		21.00
Q16	QCSP	#22.000	08-Dec-87	2FBP	99	IP		18.00
Q16	QCSP	#22.000	08-Dec-87	2FBP	99	IP		18.00
Q16	QCSP	#57.000	08-Dec-87	2FP	99	IP		50.00
Q16	QCSP	#57.000	08-Dec-87	2FP	99	IP		42.00
Q16	QCSP	#57.000	08-Dec-87	2FP	99	IP		38.00
Q16	QCSP	#57.000	08-Dec-87	2FP	99	IP		38.00
Q16	QCSP	#57.000	08-Dec-87	2FP	99	IP		28.00
Q16	QCSP	#57.000	08-Dec-87	2FP	99	IP		24.00
Q16	QCSP	#50.000	08-Dec-87	4BFB	UM07	IP		48.00
Q16	QCSP	#50.000	08-Dec-87	4BFB	UM07	IP		46.00
Q16	QCSP	#50.000	08-Dec-87	4BFB	UM07	IP		45.00
Q16	QCSP	#50.000	08-Dec-87	4BFB	UM07	IP		45.00
Q16	QCSP	#50.000	08-Dec-87	4BFB	UM07	IP		45.00
Q16	QCSP	#50.000	08-Dec-87	4BFB	UM07	IP	LT	8.10
Q16	QCSP	#50.000	08-Dec-87	MEC6D8	UM07	IP		47.00
Q16	QCSP	#50.000	08-Dec-87	MEC6D8	UM07	IP		47.00
Q16	QCSP	#50.000	08-Dec-87	MEC6D8	UM07	IP		47.00
Q16	QCSP	#50.000	08-Dec-87	MEC6D8	UM07	IP		47.00
Q16	QCSP	#50.000	08-Dec-87	MEC6D8	UM07	IP		47.00
Q16	QCSP	#50.000	08-Dec-87	MEC6D8	UM07	IP	LT	5.70
Q16	QCSP	#28.000	08-Dec-87	NBD5	99	IP		30.00
Q16	QCSP	#28.000	08-Dec-87	NBD5	99	IP		27.00
Q16	QCSP	#28.000	08-Dec-87	NBD5	99	IP		26.00
Q16	QCSP	#28.000	08-Dec-87	NBD5	99	IP		26.00
Q16	QCSP	#28.000	08-Dec-87	NBD5	99	IP		23.00
Q16	QCSP	#28.000	08-Dec-87	NBD5	99	IP		19.00
Q16	QCSP	#71.000	08-Dec-87	PHEND6	99	IP		43.00
Q16	QCSP	#71.000	08-Dec-87	PHEND6	99	IP		37.00
Q16	QCSP	#71.000	08-Dec-87	PHEND6	99	IP		35.00
Q16	QCSP	#71.000	08-Dec-87	PHEND6	99	IP		34.00
Q16	QCSP	#71.000	08-Dec-87	PHEND6	99	IP		27.00
Q16	QCSP	#71.000	08-Dec-87	PHEND6	99	IP		26.00
Q16	QCSP	#21.000	08-Dec-87	TRPD14	99	IP		48.00
Q16	QCSP	#21.000	08-Dec-87	TRPD14	99	IP		43.00
Q16	QCSP	#21.000	08-Dec-87	TRPD14	99	IP	LT	42.00
Q16	QCSP	#21.000	08-Dec-87	TRPD14	99	IP		34.00
Q16	QCSP	#21.000	08-Dec-87	TRPD14	99	IP		33.00
Q16	QCSP	#21.000	08-Dec-87	TRPD14	99	IP		24.00
Q16	QCSP	#50.000	09-Dec-87	12DCD4	UM07	IP		46.00
Q16	QCSP	#50.000	09-Dec-87	12DCD4	UM07	IP		45.00
Q16	QCSP	#55.000	09-Dec-87	246TBP	99	IP		53.00
Q16	QCSP	#55.000	09-Dec-87	246TBP	99	IP		51.00
Q16	QCSP	#22.000	09-Dec-87	2FBP	99	IP		23.00

Qtr	Type	Spk-Conc.	Test	Meth	Lab		Value
Q18	QCMB	+0.00+000	4CANIL	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	4CANIL	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	4CL3C	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	4CL3C	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	4CLPPE	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	4CLPPE	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	4MP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	4MP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	4NANIL	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	4NANIL	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	4NP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	4NP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	ABHC	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	ABHC	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	ACET	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	AENSLF	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	AENSLF	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	ALDRN	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	ALDRN	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	ANAPNE	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	ANAPNE	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	ANAPYL	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	ANAPYL	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	ANTRC	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	ANTRC	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	B2CEXM	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	B2CEXM	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	B2CIPE	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	B2CIPE	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	B2CLEE	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	B2CLEE	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	B2EHP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	B2EHP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	BAANTR	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	BAANTR	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	BAPYR	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	BAPYR	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	BBFANT	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	BBFANT	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	BBHC	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	BBHC	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	BBZP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	BBZP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	BENSLF	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	BENSLF	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	BENZOA	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	BENZOA	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	BGHIPY	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	BGHIPY	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	BKFANT	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	BKFANT	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	BRDCLM	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	BZALC	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	BZALC	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	C2AVE	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	C2H3CL	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	C2H5CL	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	C6H6	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	CCL4	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	CH2CL2	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	CH3BR	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	CH3CL	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	CHBR3	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	CHCL3	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	CHRY	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	CHRY	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	CL6BZ	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	CL6BZ	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	CL6CP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	CL6CP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	CL6ET	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	CL6ET	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	CLC6H5	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	CLDAN	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	CLDAN	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	CS2	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	DBAHA	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	DBAHA	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	DBHC	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	DBHC	UM06	PC	ND	0.00

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q16	QCSP	#22.000	09-Dec-87	2FBP	99	IP	21.00
Q16	QCSP	#57.000	09-Dec-87	2FP	99	IP	41.00
Q16	QCSP	#57.000	09-Dec-87	2FP	99	IP	41.00
Q16	QCSP	#50.000	09-Dec-87	4BFB	UM07	IP	46.00
Q16	QCSP	#50.000	09-Dec-87	4BFB	UM07	IP	45.00
Q16	QCSP	#50.000	09-Dec-87	MEC6D8	UM07	IP	47.00
Q16	QCSP	#50.000	09-Dec-87	MEC6D8	UM07	IP	46.00
Q16	QCSP	#28.000	09-Dec-87	NBD5	99	IP	28.00
Q16	QCSP	#28.000	09-Dec-87	NBD5	99	IP	25.00
Q16	QCSP	#71.000	09-Dec-87	PHEND6	99	IP	36.00
Q16	QCSP	#71.000	09-Dec-87	PHEND6	99	IP	35.00
Q16	QCSP	#21.000	09-Dec-87	TRPD14	99	IP	47.00
Q16	QCSP	#21.000	09-Dec-87	TRPD14	99	IP	39.00
Q16	QCSP	#55.000	10-Dec-87	246TBP	99	IP	58.00
Q16	QCSP	#55.000	10-Dec-87	246TBP	UM09	IP	58.00
Q16	QCSP	#55.000	10-Dec-87	246TBP	UM09	IP	58.00
Q16	QCSP	#55.000	10-Dec-87	246TBP	UM09	IP	57.00
Q16	QCSP	#55.000	10-Dec-87	246TBP	UM09	IP	55.00
Q16	QCSP	#55.000	10-Dec-87	246TBP	UM09	IP	38.00
Q16	QCSP	#22.000	10-Dec-87	2FBP	UM09	IP	23.00
Q16	QCSP	#22.000	10-Dec-87	2FBP	UM09	IP	23.00
Q16	QCSP	#22.000	10-Dec-87	2FBP	99	IP	22.00
Q16	QCSP	#22.000	10-Dec-87	2FBP	UM09	IP	21.00
Q16	QCSP	#22.000	10-Dec-87	2FBP	UM09	IP	21.00
Q16	QCSP	#22.000	10-Dec-87	2FBP	UM09	IP	12.00
Q16	QCSP	#57.000	10-Dec-87	2FP	99	IP	47.00
Q16	QCSP	#57.000	10-Dec-87	2FP	UM09	IP	44.00
Q16	QCSP	#57.000	10-Dec-87	2FP	UM09	IP	44.00
Q16	QCSP	#57.000	10-Dec-87	2FP	UM09	IP	43.00
Q16	QCSP	#57.000	10-Dec-87	2FP	UM09	IP	34.00
Q16	QCSP	#57.000	10-Dec-87	2FP	UM09	IP	15.00
Q16	QCSP	#28.000	10-Dec-87	NBD5	UM09	IP	27.00
Q16	QCSP	#28.000	10-Dec-87	NBD5	UM09	IP	27.00
Q16	QCSP	#28.000	10-Dec-87	NBD5	99	IP	26.00
Q16	QCSP	#28.000	10-Dec-87	NBD5	UM09	IP	25.00
Q16	QCSP	#28.000	10-Dec-87	NBD5	UM09	IP	24.00
Q16	QCSP	#28.000	10-Dec-87	NBD5	UM09	IP	15.00
Q16	QCSP	#71.000	10-Dec-87	PHEND6	99	IP	40.00
Q16	QCSP	#71.000	10-Dec-87	PHEND6	UM09	IP	38.00
Q16	QCSP	#71.000	10-Dec-87	PHEND6	UM09	IP	38.00
Q16	QCSP	#71.000	10-Dec-87	PHEND6	UM09	IP	37.00
Q16	QCSP	#71.000	10-Dec-87	PHEND6	UM09	IP	33.00
Q16	QCSP	#71.000	10-Dec-87	PHEND6	UM09	IP	16.00
Q16	QCSP	#21.000	10-Dec-87	TRPD14	UM09	IP	52.00
Q16	QCSP	#21.000	10-Dec-87	TRPD14	UM09	IP	41.00
Q16	QCSP	#21.000	10-Dec-87	TRPD14	UM09	IP	40.00
Q16	QCSP	#21.000	10-Dec-87	TRPD14	UM09	IP	35.00
Q16	QCSP	#21.000	10-Dec-87	TRPD14	99	IP	35.00
Q16	QCSP	#21.000	10-Dec-87	TRPD14	UM09	IP	14.00
Q16	QCSP	#50.000	11-Dec-87	12DCD4	UM07	IP	45.00
Q16	QCSP	#50.000	11-Dec-87	12DCD4	UM07	IP	45.00
Q16	QCSP	#50.000	11-Dec-87	12DCD4	UM07	IP	45.00
Q16	QCSP	#50.000	11-Dec-87	12DCD4	UM07	IP	43.00
Q16	QCSP	#50.000	11-Dec-87	12DCD4	UM07	IP	42.00
Q16	QCSP	#55.000	11-Dec-87	246TBP	99	IP	64.00
Q16	QCSP	#55.000	11-Dec-87	246TBP	99	IP	57.00
Q16	QCSP	#55.000	11-Dec-87	246TBP	99	IP	56.00
Q16	QCSP	#55.000	11-Dec-87	246TBP	99	IP	55.00
Q16	QCSP	#55.000	11-Dec-87	246TBP	99	IP	51.00
Q16	QCSP	#55.000	11-Dec-87	246TBP	99	IP	48.00
Q16	QCSP	#22.000	11-Dec-87	2FBP	99	IP	21.00
Q16	QCSP	#22.000	11-Dec-87	2FBP	99	IP	21.00
Q16	QCSP	#22.000	11-Dec-87	2FBP	99	IP	20.00
Q16	QCSP	#22.000	11-Dec-87	2FBP	99	IP	19.00
Q16	QCSP	#22.000	11-Dec-87	2FBP	99	IP	18.00
Q16	QCSP	#22.000	11-Dec-87	2FBP	99	IP	17.00
Q16	QCSP	#57.000	11-Dec-87	2FP	99	IP	39.00
Q16	QCSP	#57.000	11-Dec-87	2FP	99	IP	35.00
Q16	QCSP	#57.000	11-Dec-87	2FP	99	IP	32.00
Q16	QCSP	#57.000	11-Dec-87	2FP	99	IP	31.00
Q16	QCSP	#57.000	11-Dec-87	2FP	UMO9	IP	29.00
Q16	QCSP	#57.000	11-Dec-87	2FP	99	IP	28.00
Q16	QCSP	#50.000	11-Dec-87	4BFB	UM07	IP	46.00
Q16	QCSP	#50.000	11-Dec-87	4BFB	UM07	IP	46.00
Q16	QCSP	#50.000	11-Dec-87	4BFB	UM07	IP	45.00
Q16	QCSP	#50.000	11-Dec-87	4BFB	UM07	IP	45.00
Q16	QCSP	#50.000	11-Dec-87	4BFB	UM07	IP	45.00
Q16	QCSP	#50.000	11-Dec-87	MEC6D8	UM07	IP	51.00
Q16	QCSP	#50.000	11-Dec-87	MEC6D8	UM07	IP	49.00
Q16	QCSP	#50.000	11-Dec-87	MEC6D8	UM07	IP	46.00

Qtr	Type	Spk-Conc.	Test	Meth	Lab		Value
Q18	QCMB	+0.00+000	DBRCLM	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	DBZFUR	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	DBZFUR	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	DEP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	DEP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	DLDRN	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	DLDRN	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	DMP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	DMP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	DNBP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	DNBP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	DNOP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	DNOP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	ENDRN	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	ENDRN	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	ENDRNK	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	ENDRNK	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	ESFSO4	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	ESFSO4	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	ETC6H5	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	FANT	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	FANT	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	FLRENE	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	FLRENE	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	HCBD	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	HCBD	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	HPCL	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	HPCL	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	HPCLE	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	HPCLE	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	ICDPYR	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	ICDPYR	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	ISOPHR	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	ISOPHR	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	LIN	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	LIN	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	MEC6H5	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	MEK	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	MEXCLR	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	MEXCLR	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	MIBK	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	MNBK	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	NAP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	NAP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	NB	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	NB	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	NNDNPA	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	NNDNPA	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	NNDPA	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	NNDPA	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PCB016	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PCB016	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PCB221	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PCB221	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PCB232	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PCB232	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PCB242	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PCB242	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PCB248	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PCB248	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PCB254	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PCB254	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PCB260	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PCB260	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PCP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PCP	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PHANTR	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PHANTR	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PHENOL	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PHENOL	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PPDD	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PPDD	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PPDDE	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PPDDE	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PPDDT	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PPDDT	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PYR	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	PYR	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	STYR	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	TCLEA	UM05	PC	ND	0.00

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q16	QCSP	#50.000	11-Dec-87	MEC6D8	UM07	IP	46.00
Q16	QCSP	#50.000	11-Dec-87	MEC6D8	UM07	IP	46.00
Q16	QCSP	#28.000	11-Dec-87	NBD5	99	IP	26.00
Q16	QCSP	#28.000	11-Dec-87	NBD5	99	IP	24.00
Q16	QCSP	#28.000	11-Dec-87	NBD5	99	IP	23.00
Q16	QCSP	#28.000	11-Dec-87	NBD5	99	IP	22.00
Q16	QCSP	#28.000	11-Dec-87	NBD5	99	IP	21.00
Q16	QCSP	#28.000	11-Dec-87	NBD5	99	IP	20.00
Q16	QCSP	#71.000	11-Dec-87	PHEND6	99	IP	34.00
Q16	QCSP	#71.000	11-Dec-87	PHEND6	99	IP	32.00
Q16	QCSP	#71.000	11-Dec-87	PHEND6	99	IP	32.00
Q16	QCSP	#71.000	11-Dec-87	PHEND6	99	IP	29.00
Q16	QCSP	#71.000	11-Dec-87	PHEND6	99	IP	27.00
Q16	QCSP	#71.000	11-Dec-87	PHEND6	99	IP	26.00
Q16	QCSP	#21.000	11-Dec-87	TRPD14	99	IP	66.00
Q16	QCSP	#21.000	11-Dec-87	TRPD14	99	IP	36.00
Q16	QCSP	#21.000	11-Dec-87	TRPD14	99	IP	34.00
Q16	QCSP	#21.000	11-Dec-87	TRPD14	99	IP	33.00
Q16	QCSP	#21.000	11-Dec-87	TRPD14	99	IP	23.00
Q16	QCSP	#21.000	11-Dec-87	TRPD14	99	IP	19.00
Q16	QCSP	#50.000	17-Dec-87	12DCD4	UM07	IP	42.00
Q16	QCSP	#55.000	17-Dec-87	246TBP	99	IP	50.00
Q16	QCSP	#22.000	17-Dec-87	2FBP	99	IP	22.00
Q16	QCSP	#57.000	17-Dec-87	2FP	99	IP	32.00
Q16	QCSP	#50.000	17-Dec-87	4BFB	UM07	IP	46.00
Q16	QCSP	#50.000	17-Dec-87	MEC6D8	UM07	IP	49.00
Q16	QCSP	#28.000	17-Dec-87	NBD5	99	IP	25.00
Q16	QCSP	#71.000	17-Dec-87	PHEND6	99	IP	27.00
Q16	QCSP	#21.000	17-Dec-87	TRPD14	99	IP	42.00
Q18	QCSP	+5.00+001		12DCD4	UM05	PC	46.00
Q18	QCSP	+2.50+002		246TBP	UM06	PC	170.00
Q18	QCSP	+2.50+002		246TBP	UM06	PC	150.00
Q18	QCSP	+7.50+001		2FBP	UM06	PC	25.00
Q18	QCSP	+7.50+001		2FBP	UM06	PC	22.00
Q18	QCSP	+2.00+002		2FP	UM06	PC	60.90
Q18	QCSP	+2.00+002		2FP	UM06	PC	59.90
Q18	QCSP	+2.00+001		4BFB	UM05	PC	21.00
Q18	QCSP	+4.00+001		MEC6D8	UM05	PC	32.00
Q18	QCSP	+1.00+002		NBD5	UM06	PC	48.00
Q18	QCSP	+1.00+002		NBD5	UM06	PC	41.00
Q18	QCSP	+2.50+002		PHEND6	UM06	PC	51.90
Q18	QCSP	+2.50+002		PHEND6	UM06	PC	49.90
Q18	QCSP	+1.00+002		TRPD14	UM06	PC	68.00
Q18	QCSP	+1.00+002		TRPD14	UM06	PC	64.00
Q18	QCSP	#5.00+001	08-Apr-88	12DCD4	UM05	PC	55.00
Q18	QCSP	#5.00+001	08-Apr-88	12DCD4	UM05	PC	48.00
Q18	QCSP	#5.00+001	08-Apr-88	12DCD4	UM05	PC	48.00
Q18	QCSP	#2.50+002	08-Apr-88	246TBP	UM06	PC	180.00
Q18	QCSP	#2.50+002	08-Apr-88	246TBP	UM06	PC	160.00
Q18	QCSP	#2.50+002	08-Apr-88	246TBP	UM06	PC	160.00
Q18	QCSP	#2.50+002	08-Apr-88	246TBP	UM06	PC	150.00
Q18	QCSP	#7.50+001	08-Apr-88	2FBP	UM06	PC	28.00
Q18	QCSP	#7.50+001	08-Apr-88	2FBP	UM06	PC	26.00
Q18	QCSP	#7.50+001	08-Apr-88	2FBP	UM06	PC	25.00
Q18	QCSP	#7.50+001	08-Apr-88	2FBP	UM06	PC	23.00
Q18	QCSP	#2.00+002	08-Apr-88	2FP	UM06	PC	64.90
Q18	QCSP	#2.00+002	08-Apr-88	2FP	UM06	PC	62.90
Q18	QCSP	#2.00+002	08-Apr-88	2FP	UM06	PC	57.80
Q18	QCSP	#2.00+002	08-Apr-88	2FP	UM06	PC	53.80
Q18	QCSP	#2.00+001	08-Apr-88	4BFB	UM05	PC	25.00
Q18	QCSP	#2.00+001	08-Apr-88	4BFB	UM05	PC	22.00
Q18	QCSP	#2.00+001	08-Apr-88	4BFB	UM05	PC	22.00
Q18	QCSP	#4.00+001	08-Apr-88	MEC6D8	UM05	PC	38.00
Q18	QCSP	#4.00+001	08-Apr-88	MEC6D8	UM05	PC	33.00
Q18	QCSP	#4.00+001	08-Apr-88	MEC6D8	UM05	PC	33.00
Q18	QCSP	#1.00+002	08-Apr-88	NBD5	UM06	PC	48.00
Q18	QCSP	#1.00+002	08-Apr-88	NBD5	UM06	PC	46.00
Q18	QCSP	#1.00+002	08-Apr-88	NBD5	UM06	PC	42.00
Q18	QCSP	#1.00+002	08-Apr-88	NBD5	UM06	PC	41.00
Q18	QCSP	#2.50+002	08-Apr-88	PHEND6	UM06	PC	59.00
Q18	QCSP	#2.50+002	08-Apr-88	PHEND6	UM06	PC	51.10
Q18	QCSP	#2.50+002	08-Apr-88	PHEND6	UM06	PC	48.00
Q18	QCSP	#2.50+002	08-Apr-88	PHEND6	UM06	PC	47.10
Q18	QCSP	#1.00+002	08-Apr-88	TRPD14	UM06	PC	79.00
Q18	QCSP	#1.00+002	08-Apr-88	TRPD14	UM06	PC	74.00
Q18	QCSP	#1.00+002	08-Apr-88	TRPD14	UM06	PC	71.00
Q18	QCSP	#1.00+002	08-Apr-88	TRPD14	UM06	PC	65.00
Q19	QCSP	+4.00+001		12DCD4	UM05	PC	38.00
Q19	QCSP	+2.00+002		246TBP	UM06	PC	69.00
Q19	QCSP	+7.50+001		2FBP	UM06	PC	20.00

Qtr	Type	Spk-Conc.	Test	Meth	Lab		Value
Q18	QCMB	+0.00+000	TCLEE	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	TRCLE	UM05	PC	ND	0.00
Q18	QCMB	+0.00+000	TXPHEN	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	TXPHEN	UM06	PC	ND	0.00
Q18	QCMB	+0.00+000	XYLEN	UM05	PC	ND	0.00
Q19	QCMB	+0.00+000	111TCE	UM05	PC	ND	5.00
Q19	QCMB	+0.00+000	112TCE	UM05	PC	ND	5.00
Q19	QCMB	+0.00+000	11DCE	UM05	PC	ND	5.00
Q19	QCMB	+0.00+000	11DCLE	UM05	PC	ND	5.00
Q19	QCMB	+0.00+000	124TCB	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	12DCE	UM05	PC	ND	5.00
Q19	QCMB	+0.00+000	12DCLB	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	12DCLE	UM05	PC	ND	5.00
Q19	QCMB	+0.00+000	12DCLP	UM05	PC	ND	5.00
Q19	QCMB	+0.00+000	13DCLB	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	13DCP	UM05	PC	ND	5.00
Q19	QCMB	+0.00+000	14DCLB	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	245TCP	UM06	PC	ND	50.00
Q19	QCMB	+0.00+000	246TCP	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	24DCLP	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	24DMPN	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	24DNP	UM06	PC	ND	50.00
Q19	QCMB	+0.00+000	24DNT	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	26DNT	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	2CLEVE	UM05	PC	ND	10.00
Q19	QCMB	+0.00+000	2CLP	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	2CNAP	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	2MNAP	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	2MP	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	2NANIL	UM06	PC	ND	50.00
Q19	QCMB	+0.00+000	2NP	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	33DCBD	UM06	PC	ND	20.00
Q19	QCMB	+0.00+000	3NANIL	UM06	PC	ND	50.00
Q19	QCMB	+0.00+000	46DN2C	UM06	PC	ND	50.00
Q19	QCMB	+0.00+000	4BRPPE	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	4CANIL	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	4CL3C	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	4CLPPE	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	4MP	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	4NANIL	UM06	PC	ND	50.00
Q19	QCMB	+0.00+000	4NP	UM06	PC	ND	50.00
Q19	QCMB	+0.00+000	ABHC	UM06	PC	ND	9.00
Q19	QCMB	+0.00+000	ACET	UM05	PC	ND	10.00
Q19	QCMB	+0.00+000	AENSLF	UM06	PC	ND	12.00
Q19	QCMB	+0.00+000	ALDRN	UM06	PC	ND	7.00
Q19	QCMB	+0.00+000	ANAPNE	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	ANAPYL	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	ANTRC	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	B2CEXM	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	B2CIPE	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	B2CLEE	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	B2EHP	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	BAANTR	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	BAPYR	UM06	PC	ND	13.00
Q19	QCMB	+0.00+000	BBFANT	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	BBHC	UM06	PC	ND	12.00
Q19	QCMB	+0.00+000	BBZP	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	BENSLF	UM06	PC	ND	40.00
Q19	QCMB	+0.00+000	BENZOA	UM06	PC	ND	50.00
Q19	QCMB	+0.00+000	BGHIPY	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	BKFANT	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	BRDCLM	UM05	PC	ND	5.00
Q19	QCMB	+0.00+000	BZALC	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	C2AVE	UM05	PC	ND	10.00
Q19	QCMB	+0.00+000	C2H3CL	UM05	PC	ND	10.00
Q19	QCMB	+0.00+000	C2H5CL	UM05	PC	ND	10.00
Q19	QCMB	+0.00+000	C6H6	UM05	PC	ND	5.00
Q19	QCMB	+0.00+000	CCL4	UM05	PC	ND	5.00
Q19	QCMB	+0.00+000	CH2CL2	UM05	PC	ND	5.00
Q19	QCMB	+0.00+000	CH3BR	UM05	PC	ND	10.00
Q19	QCMB	+0.00+000	CH3CL	UM05	PC	ND	10.00
Q19	QCMB	+0.00+000	CHBR3	UM05	PC	ND	5.00
Q19	QCMB	+0.00+000	CHCL3	UM05	PC	ND	5.00
Q19	QCMB	+0.00+000	CHRY	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	CL6BZ	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	CL6CP	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	CL6ET	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	CLC6H5	UM05	PC	ND	5.00
Q19	QCMB	+0.00+000	CLDAN	UM06	PC	ND	0.50
Q19	QCMB	+0.00+000	CS2	UM05	PC	ND	5.00

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q19	QCSP	+2.00+002		2FP	UM06	PC		44.00
Q19	QCSP	+2.00+001		4BFB	UM05	PC		21.00
Q19	QCSP	+4.00+001		MEC6D8	UM05	PC		43.00
Q19	QCSP	+7.50+001		NBD5	UM06	PC		26.00
Q19	QCSP	+2.00+002		PHEND6	UM06	PC	LT	46.00
Q19	QCSP	+7.50+001		TRPD14	UM06	PC		21.00
Q19	QCSP	#4.00+001	17-Aug-88	12DCD4	UM05	PC		32.00
Q19	QCSP	#2.00+001	17-Aug-88	4BFB	UM05	PC		20.00
Q19	QCSP	#4.00+001	17-Aug-88	MEC6D8	UM05	PC		42.00
Q19	QCSP	#4.00+001	19-Aug-88	12DCD4	UM05	PC		40.00
Q19	QCSP	#2.00+002	19-Aug-88	246TBP	UM06	PC		66.00
Q19	QCSP	#2.00+002	19-Aug-88	246TBP	UM06	PC		66.00
Q19	QCSP	#7.50+001	19-Aug-88	2FBP	UM06	PC		23.00
Q19	QCSP	#7.50+001	19-Aug-88	2FBP	UM06	PC		22.00
Q19	QCSP	#2.00+002	19-Aug-88	2FP	UM06	PC		44.00
Q19	QCSP	#2.00+002	19-Aug-88	2FP	UM06	PC		41.00
Q19	QCSP	#2.00+001	19-Aug-88	4BFB	UM05	PC		20.00
Q19	QCSP	#4.00+001	19-Aug-88	MEC6D8	UM05	PC		41.00
Q19	QCSP	#7.50+001	19-Aug-88	NBD5	UM06	PC		30.00
Q19	QCSP	#7.50+001	19-Aug-88	NBD5	UM06	PC		28.00
Q19	QCSP	#2.00+002	19-Aug-88	PHEND6	UM06	PC	LT	46.00
Q19	QCSP	#2.00+002	19-Aug-88	PHEND6	UM06	PC	LT	46.00
Q19	QCSP	#7.50+001	19-Aug-88	TRPD14	UM06	PC		24.00
Q19	QCSP	#7.50+001	19-Aug-88	TRPD14	UM06	PC		20.00
Q19	QCSP	#4.00+001	22-Aug-88	12DCD4	UM05	PC		42.00
Q19	QCSP	#4.00+001	22-Aug-88	12DCD4	UM05	PC		34.00
Q19	QCSP	#2.00+002	22-Aug-88	246TBP	UM06	PC		66.00
Q19	QCSP	#2.00+002	22-Aug-88	246TBP	UM06	PC	LT	59.00
Q19	QCSP	#7.50+001	22-Aug-88	2FBP	UM06	PC		22.00
Q19	QCSP	#7.50+001	22-Aug-88	2FBP	UM06	PC		21.00
Q19	QCSP	#2.00+002	22-Aug-88	2FP	UM06	PC		42.00
Q19	QCSP	#2.00+002	22-Aug-88	2FP	UM06	PC		36.00
Q19	QCSP	#2.00+001	22-Aug-88	4BFB	UM05	PC		23.00
Q19	QCSP	#2.00+001	22-Aug-88	4BFB	UM05	PC		22.00
Q19	QCSP	#4.00+001	22-Aug-88	MEC6D8	UM05	PC		48.00
Q19	QCSP	#4.00+001	22-Aug-88	MEC6D8	UM05	PC		44.00
Q19	QCSP	#7.50+001	22-Aug-88	NBD5	UM06	PC		27.00
Q19	QCSP	#7.50+001	22-Aug-88	NBD5	UM06	PC		26.00
Q19	QCSP	#2.00+002	22-Aug-88	PHEND6	UM06	PC	LT	46.00
Q19	QCSP	#2.00+002	22-Aug-88	PHEND6	UM06	PC	LT	46.00
Q19	QCSP	#7.50+001	22-Aug-88	TRPD14	UM06	PC		20.00
Q19	QCSP	#7.50+001	22-Aug-88	TRPD14	UM06	PC	LT	20.00
Q20	QCSP	+4.00+001		12DCD4	UM05	PC		35.00
Q20	QCSP	+2.00+002		246TBP	UM06	PC		110.00
Q20	QCSP	+7.50+001		2FBP	UM06	PC		33.00
Q20	QCSP	+2.00+002		2FP	UM06	PC		43.00
Q20	QCSP	+2.00+001		4BFB	UM05	PC		18.00
Q20	QCSP	+4.00+001		MEC6D8	UM05	PC		39.00
Q20	QCSP	+7.50+001		NBD5	UM06	PC		34.00
Q20	QCSP	+2.00+002		PHEND5	UM06	PC	LT	46.00
Q20	QCSP	+7.50+001		TRPD14	UM06	PC		54.00
Q20	QCSP	#4.00+001	17-Nov-88	12DCD4	UM05	PC		37.00
Q20	QCSP	#4.00+001	17-Nov-88	12DCD4	UM05	PC		35.00
Q20	QCSP	#4.00+001	17-Nov-88	12DCD4	UM05	PC		34.00
Q20	QCSP	#4.00+001	17-Nov-88	12DCD4	UM05	PC		33.00
Q20	QCSP	#4.00+001	17-Nov-88	12DCD4	UM05	PC		31.00
Q20	QCSP	#4.00+001	17-Nov-88	12DCD4	UM05	PC		31.00
Q20	QCSP	#2.00+002	17-Nov-88	246TBP	UM06	PC		170.00
Q20	QCSP	#2.00+002	17-Nov-88	246TBP	UM06	PC		150.00
Q20	QCSP	#2.00+002	17-Nov-88	246TBP	UM06	PC		110.00
Q20	QCSP	#2.00+002	17-Nov-88	246TBP	UM06	PC		100.00
Q20	QCSP	#2.00+002	17-Nov-88	246TBP	UM06	PC		100.00
Q20	QCSP	#2.00+002	17-Nov-88	246TBP	UM06	PC		89.00
Q20	QCSP	#7.50+001	17-Nov-88	2FBP	UM06	PC		61.00
Q20	QCSP	#7.50+001	17-Nov-88	2FBP	UM06	PC		38.00
Q20	QCSP	#7.50+001	17-Nov-88	2FBP	UM06	PC		36.00
Q20	QCSP	#7.50+001	17-Nov-88	2FBP	UM06	PC		35.00
Q20	QCSP	#7.50+001	17-Nov-88	2FBP	UM06	PC		31.00
Q20	QCSP	#7.50+001	17-Nov-88	2FBP	UM06	PC		28.00
Q20	QCSP	#2.00+002	17-Nov-88	2FP	UM06	PC		79.00
Q20	QCSP	#2.00+002	17-Nov-88	2FP	UM06	PC		65.00
Q20	QCSP	#2.00+002	17-Nov-88	2FP	UM06	PC		52.00
Q20	QCSP	#2.00+002	17-Nov-88	2FP	UM06	PC		51.00
Q20	QCSP	#2.00+002	17-Nov-88	2FP	UM06	PC		49.00
Q20	QCSP	#2.00+002	17-Nov-88	2FP	UM06	PC		39.00
Q20	QCSP	#2.00+001	17-Nov-88	4BFB	UM05	PC		18.00
Q20	QCSP	#2.00+001	17-Nov-88	4BFB	UM05	PC		17.00
Q20	QCSP	#2.00+001	17-Nov-88	4BFB	UM05	PC		16.00
Q20	QCSP	#2.00+001	17-Nov-88	4BFB	UM05	PC		16.00
Q20	QCSP	#2.00+001	17-Nov-88	4BFB	UM05	PC		15.00

Qtr	Type	Spk-Conc.	Test	Meth	Lab		Value
Q19	QCMB	+0.00+000	DBAHA	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	DBHC	UM06	PC	ND	9.40
Q19	QCMB	+0.00+000	DBRCLM	UM05	PC	ND	5.00
Q19	QCMB	+0.00+000	DBZFUR	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	DEP	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	DLDRN	UM06	PC	ND	7.00
Q19	QCMB	+0.00+000	DMP	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	DNBP	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	DNOP	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	ENDRN	UM06	PC	ND	3.10
Q19	QCMB	+0.00+000	ESFSO4	UM06	PC	ND	7.00
Q19	QCMB	+0.00+000	ETC6H5	UM05	PC	ND	5.00
Q19	QCMB	+0.00+000	FANT	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	FLRENE	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	HCBD	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	HPCL	UM06	PC	ND	7.60
Q19	QCMB	+0.00+000	HPCLE	UM06	PC	ND	6.00
Q19	QCMB	+0.00+000	ICDPYR	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	ISOPHR	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	LIN	UM06	PC	ND	6.00
Q19	QCMB	+0.00+000	MEC6H5	UM05	PC	ND	5.00
Q19	QCMB	+0.00+000	MEK	UM05	PC	ND	10.00
Q19	QCMB	+0.00+000	MIBK	UM05	PC	ND	10.00
Q19	QCMB	+0.00+000	MNBK	UM05	PC	ND	10.00
Q19	QCMB	+0.00+000	NAP	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	NB	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	NNDNPA	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	NNDPA	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	PCB016	UM06	PC	ND	200.00
Q19	QCMB	+0.00+000	PCB221	UM06	PC	ND	200.00
Q19	QCMB	+0.00+000	PCB232	UM06	PC	ND	200.00
Q19	QCMB	+0.00+000	PCB242	UM06	PC	ND	200.00
Q19	QCMB	+0.00+000	PCB248	UM06	PC	ND	200.00
Q19	QCMB	+0.00+000	PCB254	UM06	PC	ND	200.00
Q19	QCMB	+0.00+000	PCB260	UM06	PC	ND	200.00
Q19	QCMB	+0.00+000	PCP	UM06	PC	ND	50.00
Q19	QCMB	+0.00+000	PHANTR	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	PHENOL	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	PPDDD	UM06	PC	ND	5.80
Q19	QCMB	+0.00+000	PPDDE	UM06	PC	ND	7.20
Q19	QCMB	+0.00+000	PPDDT	UM06	PC	ND	12.00
Q19	QCMB	+0.00+000	PYR	UM06	PC	ND	10.00
Q19	QCMB	+0.00+000	STYR	UM05	PC	ND	5.00
Q19	QCMB	+0.00+000	TCLEA	UM05	PC	ND	5.00
Q19	QCMB	+0.00+000	TCLEE	UM05	PC	ND	5.00
Q19	QCMB	+0.00+000	TRCLE	UM05	PC	ND	5.00
Q19	QCMB	+0.00+000	TXPHEN	UM06	PC	ND	200.00
Q19	QCMB	+0.00+000	TXYLEN	UM05	PC	ND	5.00
Q20	QCMB	+0.00+000	111TCE	UM05	PC	ND	5.00
Q20	QCMB	+0.00+000	112TCE	UM05	PC	ND	5.00
Q20	QCMB	+0.00+000	11DCE	UM05	PC	ND	5.00
Q20	QCMB	+0.00+000	11DCLE	UM05	PC	ND	5.00
Q20	QCMB	+0.00+000	124TCB	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	12DCE	UM05	PC	ND	5.00
Q20	QCMB	+0.00+000	12DCLB	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	12DCLE	UM05	PC	ND	5.00
Q20	QCMB	+0.00+000	12DCLP	UM05	PC	ND	5.00
Q20	QCMB	+0.00+000	13DCLB	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	13DCP	UM05	PC	ND	5.00
Q20	QCMB	+0.00+000	14DCLB	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	245TCP	UM06	PC	ND	50.00
Q20	QCMB	+0.00+000	246TCP	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	24DCLP	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	24DMPN	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	24DNP	UM06	PC	ND	50.00
Q20	QCMB	+0.00+000	24DNT	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	26DNT	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	2CLP	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	2CNAP	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	2MNAP	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	2MP	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	2NANIL	UM06	PC	ND	50.00
Q20	QCMB	+0.00+000	2NP	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	33DCBD	UM06	PC	ND	20.00
Q20	QCMB	+0.00+000	3NANIL	UM06	PC	ND	50.00
Q20	QCMB	+0.00+000	46DN2C	UM06	PC	ND	50.00
Q20	QCMB	+0.00+000	4BRPPE	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	4CANIL	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	4CL3C	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	4CLPPE	UM06	PC	ND	10.00

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q20	QCSP	#2.00+001	17-Nov-88	4BFB	UM05	PC	15.00
Q20	QCSP	#4.00+001	17-Nov-88	MEC6D8	UM05	PC	41.00
Q20	QCSP	#4.00+001	17-Nov-88	MEC6D8	UM05	PC	36.00
Q20	QCSP	#4.00+001	17-Nov-88	MEC6D8	UM05	PC	36.00
Q20	QCSP	#4.00+001	17-Nov-88	MEC6D8	UM05	PC	35.00
Q20	QCSP	#4.00+001	17-Nov-88	MEC6D8	UM05	PC	32.00
Q20	QCSP	#4.00+001	17-Nov-88	MEC6D8	UM05	PC	32.00
Q20	QCSP	#7.50+001	17-Nov-88	NBD5	UM06	PC	77.00
Q20	QCSP	#7.50+001	17-Nov-88	NBD5	UM06	PC	41.00
Q20	QCSP	#7.50+001	17-Nov-88	NBD5	UM06	PC	38.00
Q20	QCSP	#7.50+001	17-Nov-88	NBD5	UM06	PC	36.00
Q20	QCSP	#7.50+001	17-Nov-88	NBD5	UM06	PC	33.00
Q20	QCSP	#7.50+001	17-Nov-88	NBD5	UM06	PC	30.00
Q20	QCSP	#2.00+002	17-Nov-88	PHEND6	UM06	PC	82.00
Q20	QCSP	#2.00+002	17-Nov-88	PHEND6	UM06	PC	60.00
Q20	QCSP	#2.00+002	17-Nov-88	PHEND6	UM06	PC	55.00
Q20	QCSP	#2.00+002	17-Nov-88	PHEND6	UM06	PC	48.00
Q20	QCSP	#2.00+002	17-Nov-88	PHEND6	UM06	PC LT	46.00
Q20	QCSP	#2.00+002	17-Nov-88	PHEND6	UM06	PC LT	46.00
Q20	QCSP	#7.50+001	17-Nov-88	TRPD14	UM06	PC	84.00
Q20	QCSP	#7.50+001	17-Nov-88	TRPD14	UM06	PC	64.00
Q20	QCSP	#7.50+001	17-Nov-88	TRPD14	UM06	PC	56.00
Q20	QCSP	#7.50+001	17-Nov-88	TRPD14	UM06	PC	45.00
Q20	QCSP	#7.50+001	17-Nov-88	TRPD14	UM06	PC	43.00
Q20	QCSP	#7.50+001	17-Nov-88	TRPD14	UM06	PC	42.00

Qtr	Type	Spk-Conc.	Test	Meth	Lab		Value
Q20	QCMB	+0.00+000	4MP	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	4NANIL	UM06	PC	ND	50.00
Q20	QCMB	+0.00+000	4NP	UM06	PC	ND	50.00
Q20	QCMB	+0.00+000	ABHC	UM06	PC	ND	9.00
Q20	QCMB	+0.00+000	ACET	UM05	PC	ND	10.00
Q20	QCMB	+0.00+000	AENSLF	UM06	PC	ND	12.00
Q20	QCMB	+0.00+000	ALDRN	UM06	PC	ND	7.00
Q20	QCMB	+0.00+000	ANAPNE	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	ANAPYL	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	ANTRC	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	B2CEXM	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	B2CIPE	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	B2CLEE	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	B2EHP	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	BAANTR	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	BAPYR	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	BBFANT	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	BBHC	UM06	PC	ND	12.00
Q20	QCMB	+0.00+000	BBZP	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	BENSLF	UM06	PC	ND	40.00
Q20	QCMB	+0.00+000	BENZOA	UM06	PC	ND	50.00
Q20	QCMB	+0.00+000	BGHIPY	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	BKFANT	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	BRDCLM	UM05	PC	ND	5.00
Q20	QCMB	+0.00+000	BZALC	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	C2AVE	UM05	PC	ND	10.00
Q20	QCMB	+0.00+000	C2H3CL	UM05	PC	ND	10.00
Q20	QCMB	+0.00+000	C2H5CL	UM05	PC	ND	10.00
Q20	QCMB	+0.00+000	C6H6	UM05	PC	ND	5.00
Q20	QCMB	+0.00+000	CCL4	UM05	PC	ND	5.00
Q20	QCMB	+0.00+000	CH2CL2	UM05	PC	ND	5.00
Q20	QCMB	+0.00+000	CH3BR	UM05	PC	ND	10.00
Q20	QCMB	+0.00+000	CH3CL	UM05	PC	ND	10.00
Q20	QCMB	+0.00+000	CHBR3	UM05	PC	ND	5.00
Q20	QCMB	+0.00+000	CHCL3	UM05	PC	ND	5.00
Q20	QCMB	+0.00+000	CHRY	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	CL6BZ	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	CL6CP	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	CL6ET	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	CLC6H5	UM05	PC	ND	5.00
Q20	QCMB	+0.00+000	CS2	UM05	PC	ND	5.00
Q20	QCMB	+0.00+000	DBAHA	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	DBHC	UM06	PC	ND	9.40
Q20	QCMB	+0.00+000	DBRCLM	UM05	PC	ND	5.00
Q20	QCMB	+0.00+000	DBZFUR	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	DEP	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	DLDRN	UM06	PC	ND	7.00
Q20	QCMB	+0.00+000	DMP	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	DNBP	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	DNOP	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	ENDRN	UM06	PC	ND	6.20
Q20	QCMB	+0.00+000	ESFSO4	UM06	PC	ND	14.00
Q20	QCMB	+0.00+000	ETC6H5	UM05	PC	ND	5.00
Q20	QCMB	+0.00+000	FANT	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	FLRENE	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	HCBD	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	HPCL	UM06	PC	ND	7.60
Q20	QCMB	+0.00+000	HPCLE	UM06	PC	ND	6.00
Q20	QCMB	+0.00+000	ICDPYR	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	ISOPHR	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	LIN	UM06	PC	ND	6.00
Q20	QCMB	+0.00+000	MEC6H5	UM05	PC	ND	5.00
Q20	QCMB	+0.00+000	MEK	UM05	PC	ND	10.00
Q20	QCMB	+0.00+000	MIBK	UM05	PC		15.00
Q20	QCMB	+0.00+000	MNBK	UM05	PC	ND	10.00
Q20	QCMB	+0.00+000	NAP	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	NB	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	NNDNPA	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	NNDPA	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	PCB016	UM06	PC	ND	200.00
Q20	QCMB	+0.00+000	PCB221	UM06	PC	ND	200.00
Q20	QCMB	+0.00+000	PCB232	UM06	PC	ND	200.00
Q20	QCMB	+0.00+000	PCB242	UM06	PC	ND	200.00
Q20	QCMB	+0.00+000	PCB248	UM06	PC	ND	200.00
Q20	QCMB	+0.00+000	PCB254	UM06	PC	ND	200.00
Q20	QCMB	+0.00+000	PCB260	UM06	PC	ND	200.00
Q20	QCMB	+0.00+000	PCP	UM06	PC	ND	50.00
Q20	QCMB	+0.00+000	PHANTR	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	PHENOL	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	PPDDD	UM06	PC	ND	5.80

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value

NOTE:

Qtr	Type	Spk-Conc.	Test	Meth	Lab		Value
Q20	QCMB	+0.00+000	PPDDE	UM06	PC	ND	7.20
Q20	QCMB	+0.00+000	PPDDT	UM06	PC	ND	12.00
Q20	QCMB	+0.00+000	PYR	UM06	PC	ND	10.00
Q20	QCMB	+0.00+000	STYR	UM05	PC	ND	5.00
Q20	QCMB	+0.00+000	TCLEA	UM05	PC	ND	5.00
Q20	QCMB	+0.00+000	TCLEE	UM05	PC	ND	5.00
Q20	QCMB	+0.00+000	TRCLE	UM05	PC	ND	5.00
Q20	QCMB	+0.00+000	TXPHEN	UM06	PC	ND	200.00
Q20	QCMB	+0.00+000	TXYLEN	UM05	PC	ND	5.00

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value

QCFB: Field blank
QCMB: Method blank
QCRB: Rinse blank
QCSP: Spike
QCTB: Trip blank
#: Natural matrix for spike
+: Pure (Lab) matrix for spike

TABLE 10

GROUNDWATER QUALITY ASSURANCE/QUALITY CONTROL DATA -
GC/INORGANICS

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	9.29
Q16	QCSP	+1.650	Q16	111TCE	UG01	IP	1.52
Q16	QCSP	+8.270	Q16	111TCE	99	IP	10.70
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	7.12
Q16	QCSP	+1.650	Q16	111TCE	UG01	IP	1.23
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	7.97
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	8.78
Q16	QCSP	+1.650	Q16	111TCE	UG01	IP	1.25
Q16	QCSP	+8.270	Q16	111TCE	99	IP	10.50
Q16	QCSP	+1.650	Q16	111TCE	99	IP	1.26
Q16	QCSP	+8.270	Q16	111TCE	99	IP	8.43
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	7.02
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	6.12
Q16	QCSP	+8.270	Q16	111TCE	99	IP	9.51
Q16	QCSP	+8.270	Q16	111TCE	99	IP	7.42
Q16	QCSP	+8.270	Q16	111TCE	99	IP	7.93
Q16	QCSP	+1.650	Q16	111TCE	99	IP	1.39
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	9.29
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	8.50
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	8.77
Q16	QCSP	+1.650	Q16	111TCE	UG01	IP	2.00
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	7.86
Q16	QCSP	+1.650	Q16	111TCE	99	IP	1.26
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	7.94
Q16	QCSP	+1.650	Q16	111TCE	UG01	IP	1.22
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	7.94
Q16	QCSP	+8.270	Q16	111TCE	99	IP	9.05
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	7.83
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	8.23
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	9.70
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	8.76
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	7.88
Q16	QCSP	+8.270	Q16	111TCE	99	IP	7.97
Q16	QCSP	+1.650	Q16	111TCE	UG01	IP	1.15
Q16	QCSP	+8.270	Q16	111TCE	99	IP	8.70
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	8.35
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	6.68
Q16	QCSP	+8.270	Q16	111TCE	99	IP	8.28
Q16	QCSP	+8.270	Q16	111TCE	99	IP	8.44
Q16	QCSP	+1.650	Q16	111TCE	UG01	IP	1.58
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	8.80
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	7.16
Q16	QCSP	+1.650	Q16	111TCE	99	IP	1.26
Q16	QCSP	+8.270	Q16	111TCE	99	IP	10.70
Q16	QCSP	+8.270	Q16	111TCE	99	IP	8.84
Q16	QCSP	+1.650	Q16	111TCE	UG01	IP	1.37
Q16	QCSP	+8.270	Q16	111TCE	99	IP	7.74
Q16	QCSP	+1.650	Q16	111TCE	99	IP	1.24
Q16	QCSP	+1.650	Q16	111TCE	99	IP	1.32
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	7.98
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	8.89
Q16	QCSP	+1.650	Q16	111TCE	UG01	IP	1.88
Q16	QCSP	+1.650	Q16	111TCE	99	IP	1.28
Q16	QCSP	+8.270	Q16	111TCE	99	IP	7.80
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	8.00
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	7.44
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	8.69
Q16	QCSP	+1.650	Q16	111TCE	UG01	IP	1.42
Q16	QCSP	+1.650	Q16	111TCE	99	IP	1.32
Q16	QCSP	+1.650	Q16	111TCE	UG01	IP	1.15
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	7.61
Q16	QCSP	+1.650	Q16	111TCE	UG01	IP	1.34
Q16	QCSP	+8.270	Q16	111TCE	99	IP	6.66
Q16	QCSP	+8.270	Q16	111TCE	UG01	IP	7.94
Q16	QCSP	+1.650	Q16	111TCE	UG01	IP	1.50
Q16	QCSP	+1.650	Q16	111TCE	UG01	IP	1.38
Q16	QCSP	+1.930	Q16	112TCE	99	IP	1.57
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP	10.40
Q16	QCSP	+9.660	Q16	112TCE	99	IP	10.30
Q16	QCSP	+9.660	Q16	112TCE	99	IP	9.40
Q16	QCSP	+1.930	Q16	112TCE	99	IP	1.42
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP	10.60
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP	9.83
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP	10.50
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP	11.00
Q16	QCSP	+1.930	Q16	112TCE	UG01	IP	1.37
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP	8.14
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP	11.60
Q16	QCSP	+1.930	Q16	112TCE	UG01	IP	1.62
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP	9.15

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q16	QCFB	#0.000	09-Nov-87	111TCE	99	IP LT	0.81
Q16	QCFB	#0.000	09-Nov-87	111TCE	UG01	IP LT	0.81
Q16	QCFB	#0.000	09-Nov-87	112TCE	99	IP LT	0.99
Q16	QCFB	#0.000	09-Nov-87	112TCE	UG01	IP LT	0.99
Q16	QCFB	#0.000	09-Nov-87	11DCE	UG01	IP LT	0.49
Q16	QCFB	#0.000	09-Nov-87	11DCE	99	IP LT	0.49
Q16	QCFB	#0.000	09-Nov-87	11DCLE	UG01	IP LT	0.72
Q16	QCFB	#0.000	09-Nov-87	11DCLE	99	IP LT	0.72
Q16	QCFB	#0.000	09-Nov-87	12DCE	UG01	IP LT	0.56
Q16	QCFB	#0.000	09-Nov-87	12DCE	99	IP LT	0.56
Q16	QCFB	#0.000	09-Nov-87	12DCLE	UG01	IP LT	0.51
Q16	QCFB	#0.000	09-Nov-87	12DCLE	99	IP LT	0.51
Q16	QCFB	#0.000	09-Nov-87	12DCLP	UG01	IP LT	0.62
Q16	QCFB	#0.000	09-Nov-87	12DCLP	99	IP LT	0.62
Q16	QCFB	#0.000	09-Nov-87	C2H3CL	99	IP LT	1.50
Q16	QCFB	#0.000	09-Nov-87	C2H3CL	UG01	IP LT	1.50
Q16	QCFB	#0.000	09-Nov-87	CCL4	UG01	IP LT	1.10
Q16	QCFB	#0.000	09-Nov-87	CCL4	99	IP LT	1.10
Q16	QCFB	#0.000	09-Nov-87	CH2CL2	UG01	IP LT	1.80
Q16	QCFB	#0.000	09-Nov-87	CH2CL2	99	IP LT	1.80
Q16	QCFB	#0.000	09-Nov-87	CHCL3	99	IP LT	0.41
Q16	QCFB	#0.000	09-Nov-87	CHCL3	UG01	IP LT	0.41
Q16	QCFB	#0.000	09-Nov-87	TCLEE	UG01	IP LT	0.88
Q16	QCFB	#0.000	09-Nov-87	TCLEE	99	IP LT	0.88
Q16	QCFB	#0.000	09-Nov-87	TCLTFE	UG01	IP LT	4.50
Q16	QCFB	#0.000	09-Nov-87	TCLTFE	99	IP LT	4.50
Q16	QCFB	#0.000	09-Nov-87	TRCLE	UG01	IP LT	1.10
Q16	QCFB	#0.000	09-Nov-87	TRCLE	99	IP LT	1.10
Q16	QCFB	#0.000	23-Nov-87	111TCE	99	IP LT	0.81
Q16	QCFB	#0.000	23-Nov-87	112TCE	99	IP LT	0.99
Q16	QCFB	#0.000	23-Nov-87	11DCE	99	IP LT	0.49
Q16	QCFB	#0.000	23-Nov-87	11DCLE	99	IP LT	0.72
Q16	QCFB	#0.000	23-Nov-87	12DCE	99	IP LT	0.56
Q16	QCFB	#0.000	23-Nov-87	12DCLE	99	IP LT	0.51
Q16	QCFB	#0.000	23-Nov-87	12DCLP	99	IP LT	0.62
Q16	QCFB	#0.000	23-Nov-87	C2H3CL	99	IP LT	1.50
Q16	QCFB	#0.000	23-Nov-87	C6H6	UP02	IP LT	3.09
Q16	QCFB	#0.000	23-Nov-87	CCL4	99	IP LT	1.10
Q16	QCFB	#0.000	23-Nov-87	CH2CL2	99	IP LT	1.80
Q16	QCFB	#0.000	23-Nov-87	CHCL3	99	IP LT	0.41
Q16	QCFB	#0.000	23-Nov-87	MEC6H5	UP02	IP LT	3.39
Q16	QCFB	#0.000	23-Nov-87	TCLEE	99	IP LT	0.88
Q16	QCFB	#0.000	23-Nov-87	TCLTFE	99	IP LT	4.50
Q16	QCFB	#0.000	23-Nov-87	TRCLE	99	IP LT	1.10
Q16	QCFB	#0.000	23-Nov-87	TXYLEN	UP02	IP LT	1.17
Q16	QCFB	#0.000	25-Nov-87	111TCE	UG01	IP LT	0.81
Q16	QCFB	#0.000	25-Nov-87	112TCE	UG01	IP LT	0.99
Q16	QCFB	#0.000	25-Nov-87	11DCE	UG01	IP LT	0.49
Q16	QCFB	#0.000	25-Nov-87	11DCLE	UG01	IP LT	0.72
Q16	QCFB	#0.000	25-Nov-87	12DCE	UG01	IP LT	0.56
Q16	QCFB	#0.000	25-Nov-87	12DCLE	UG01	IP LT	0.51
Q16	QCFB	#0.000	25-Nov-87	12DCLP	UG01	IP LT	0.62
Q16	QCFB	#0.000	25-Nov-87	C2H3CL	UG01	IP LT	1.50
Q16	QCFB	#0.000	25-Nov-87	CCL4	UG01	IP LT	1.10
Q16	QCFB	#0.000	25-Nov-87	CH2CL2	UG01	IP LT	1.80
Q16	QCFB	#0.000	25-Nov-87	CHCL3	UG01	IP LT	0.41
Q16	QCFB	#0.000	25-Nov-87	TCLEE	UG01	IP LT	0.88
Q16	QCFB	#0.000	25-Nov-87	TCLTFE	UG01	IP LT	4.50
Q16	QCFB	#0.000	25-Nov-87	TRCLE	UG01	IP LT	1.10
Q16	QCFB	#0.000	01-Dec-87	111TCE	UG01	IP LT	0.81
Q16	QCFB	#0.000	01-Dec-87	112TCE	UG01	IP LT	0.99
Q16	QCFB	#0.000	01-Dec-87	11DCE	UG01	IP LT	0.49
Q16	QCFB	#0.000	01-Dec-87	11DCLE	UG01	IP LT	0.72
Q16	QCFB	#0.000	01-Dec-87	12DCE	UG01	IP LT	0.56
Q16	QCFB	#0.000	01-Dec-87	12DCLE	UG01	IP LT	0.51
Q16	QCFB	#0.000	01-Dec-87	12DCLP	UG01	IP LT	0.62
Q16	QCFB	#0.000	01-Dec-87	C2H3CL	UG01	IP LT	1.50
Q16	QCFB	#0.000	01-Dec-87	CCL4	UG01	IP LT	1.10
Q16	QCFB	#0.000	01-Dec-87	CH2CL2	UG01	IP LT	1.80
Q16	QCFB	#0.000	01-Dec-87	CHCL3	UG01	IP LT	0.41
Q16	QCFB	#0.000	01-Dec-87	TCLEE	UG01	IP LT	0.88
Q16	QCFB	#0.000	01-Dec-87	TCLTFE	UG01	IP LT	4.50
Q16	QCFB	#0.000	01-Dec-87	TRCLE	UG01	IP LT	1.10
Q16	QCFB	#0.000	03-Dec-87	111TCE	UG01	IP LT	0.81
Q16	QCFB	#0.000	03-Dec-87	112TCE	UG01	IP LT	0.99
Q16	QCFB	#0.000	03-Dec-87	11DCE	UG01	IP LT	0.49
Q16	QCFB	#0.000	03-Dec-87	11DCLE	UG01	IP LT	0.72
Q16	QCFB	#0.000	03-Dec-87	12DCE	UG01	IP LT	0.56
Q16	QCFB	#0.000	03-Dec-87	12DCLE	UG01	IP LT	0.51
Q16	QCFB	#0.000	03-Dec-87	12DCLP	UG01	IP LT	0.62

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q16	QCSP	+9.660	Q16	112TCE	99	IP		9.99
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP		9.43
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP		10.60
Q16	QCSP	+9.660	Q16	112TCE	99	IP		8.74
Q16	QCSP	+1.930	Q16	112TCE	UG01	IP		1.56
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP		8.32
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP		8.68
Q16	QCSP	+9.660	Q16	112TCE	99	IP		9.60
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP		12.40
Q16	QCSP	+9.660	Q16	112TCE	99	IP		8.48
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP		9.16
Q16	QCSP	+1.930	Q16	112TCE	UG01	IP		1.90
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP		10.80
Q16	QCSP	+1.930	Q16	112TCE	99	IP		1.62
Q16	QCSP	+1.930	Q16	112TCE	UG01	IP		1.88
Q16	QCSP	+9.660	Q16	112TCE	99	IP		9.30
Q16	QCSP	+1.930	Q16	112TCE	UG01	IP		1.80
Q16	QCSP	+9.660	Q16	112TCE	99	IP		8.45
Q16	QCSP	+1.930	Q16	112TCE	UG01	IP		1.88
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP		10.40
Q16	QCSP	+1.930	Q16	112TCE	UG01	IP		1.68
Q16	QCSP	+9.660	Q16	112TCE	99	IP		10.30
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP		8.74
Q16	QCSP	+1.930	Q16	112TCE	99	IP		1.48
Q16	QCSP	+1.930	Q16	112TCE	UG01	IP		2.11
Q16	QCSP	+1.930	Q16	112TCE	UG01	IP		1.59
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP		10.00
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP		10.90
Q16	QCSP	+9.660	Q16	112TCE	99	IP		14.30
Q16	QCSP	+9.660	Q16	112TCE	99	IP		9.52
Q16	QCSP	+1.930	Q16	112TCE	99	IP		1.84
Q16	QCSP	+1.930	Q16	112TCE	UG01	IP		1.78
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP		8.22
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP		9.47
Q16	QCSP	+9.660	Q16	112TCE	99	IP		11.00
Q16	QCSP	+9.660	Q16	112TCE	99	IP		15.00
Q16	QCSP	+1.930	Q16	112TCE	99	IP		1.46
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP		8.90
Q16	QCSP	+1.930	Q16	112TCE	UG01	IP		1.50
Q16	QCSP	+1.930	Q16	112TCE	UG01	IP		1.50
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP		10.10
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP		8.35
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP		9.68
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP		9.43
Q16	QCSP	+9.660	Q16	112TCE	99	IP		10.00
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP		9.52
Q16	QCSP	+1.930	Q16	112TCE	99	IP		2.23
Q16	QCSP	+9.660	Q16	112TCE	UG01	IP		10.20
Q16	QCSP	+9.660	Q16	112TCE	99	IP		8.79
Q16	QCSP	+1.930	Q16	112TCE	99	IP		1.60
Q16	QCSP	+1.930	Q16	112TCE	UG01	IP		1.83
Q16	QCSP	+9.660	Q16	112TCE	99	IP		8.89
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		3.93
Q16	QCSP	+0.944	Q16	11DCE	99	IP	LT	0.49
Q16	QCSP	+0.944	Q16	11DCE	UG01	IP	LT	0.49
Q16	QCSP	+0.944	Q16	11DCE	99	IP	LT	0.49
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		3.56
Q16	QCSP	+0.944	Q16	11DCE	99	IP	LT	0.49
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		3.40
Q16	QCSP	+4.720	Q16	11DCE	99	IP		3.86
Q16	QCSP	+0.944	Q16	11DCE	99	IP	LT	0.49
Q16	QCSP	+0.944	Q16	11DCE	UG01	IP	LT	0.49
Q16	QCSP	+4.720	Q16	11DCE	99	IP		3.18
Q16	QCSP	+4.720	Q16	11DCE	99	IP		3.81
Q16	QCSP	+0.944	Q16	11DCE	UG01	IP	LT	0.49
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		3.32
Q16	QCSP	+4.720	Q16	11DCE	99	IP		3.46
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		3.70
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		3.19
Q16	QCSP	+4.720	Q16	11DCE	99	IP		3.32
Q16	QCSP	+4.720	Q16	11DCE	99	IP		5.79
Q16	QCSP	+4.720	Q16	11DCE	99	IP		3.66
Q16	QCSP	+4.720	Q16	11DCE	99	IP		4.11
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		4.07
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		3.51
Q16	QCSP	+0.944	Q16	11DCE	99	IP	LT	0.49
Q16	QCSP	+0.944	Q16	11DCE	99	IP	LT	0.49
Q16	QCSP	+0.944	Q16	11DCE	UG01	IP		0.55
Q16	QCSP	+4.720	Q16	11DCE	99	IP		3.56
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		3.56

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q16	QCFB	#0.000	03-Dec-87	C2H3CL	UG01	IP	LT	1.50
Q16	QCFB	#0.000	03-Dec-87	C6H6	UP02	IP	LT	3.09
Q16	QCFB	#0.000	03-Dec-87	CCL4	UG01	IP	LT	1.10
Q16	QCFB	#0.000	03-Dec-87	CH2CL2	UG01	IP	LT	1.80
Q16	QCFB	#0.000	03-Dec-87	CHCL3	UG01	IP	LT	0.41
Q16	QCFB	#0.000	03-Dec-87	MEC6H5	UP02	IP	LT	3.39
Q16	QCFB	#0.000	03-Dec-87	TCLEE	UG01	IP	LT	0.88
Q16	QCFB	#0.000	03-Dec-87	TCLTFE	UG01	IP	LT	4.50
Q16	QCFB	#0.000	03-Dec-87	TRCLE	UG01	IP	LT	1.10
Q16	QCFB	#0.000	03-Dec-87	TXYLEN	UP02	IP		1.42
Q16	QCFB	#0.000	07-Dec-87	111TCE	99	IP	LT	0.81
Q16	QCFB	#0.000	07-Dec-87	112TCE	99	IP	LT	0.99
Q16	QCFB	#0.000	07-Dec-87	11DCE	99	IP	LT	0.49
Q16	QCFB	#0.000	07-Dec-87	11DCLE	99	IP	LT	0.72
Q16	QCFB	#0.000	07-Dec-87	12DCE	99	IP	LT	0.56
Q16	QCFB	#0.000	07-Dec-87	12DCLE	99	IP	LT	0.51
Q16	QCFB	#0.000	07-Dec-87	12DCLP	99	IP	LT	0.62
Q16	QCFB	#0.000	07-Dec-87	C2H3CL	99	IP	LT	1.50
Q16	QCFB	#0.000	07-Dec-87	C6H6	UP02	IP	LT	3.09
Q16	QCFB	#0.000	07-Dec-87	CCL4	99	IP	LT	1.10
Q16	QCFB	#0.000	07-Dec-87	CH2CL2	99	IP		1.82
Q16	QCFB	#0.000	07-Dec-87	CHCL3	99	IP	LT	0.41
Q16	QCFB	#0.000	07-Dec-87	MEC6H5	UP02	IP	LT	3.39
Q16	QCFB	#0.000	07-Dec-87	PCB016	99	IP	LT	0.29
Q16	QCFB	#0.000	07-Dec-87	PCB242	99	IP	LT	0.62
Q16	QCFB	#0.000	07-Dec-87	PCB248	99	IP	LT	0.34
Q16	QCFB	#0.000	07-Dec-87	PCB254	99	IP	LT	0.13
Q16	QCFB	#0.000	07-Dec-87	PCB260	99	IP	LT	0.32
Q16	QCFB	#0.000	07-Dec-87	TCLEE	99	IP	LT	0.88
Q16	QCFB	#0.000	07-Dec-87	TCLTFE	99	IP	LT	4.50
Q16	QCFB	#0.000	07-Dec-87	TRCLE	99	IP	LT	1.10
Q16	QCFB	#0.000	07-Dec-87	TXYLEN	UP02	IP	LT	1.17
Q16	QCFB	#0.000	11-Dec-87	111TCE	UG01	IP	LT	0.81
Q16	QCFB	#0.000	11-Dec-87	112TCE	UG01	IP	LT	0.99
Q16	QCFB	#0.000	11-Dec-87	11DCE	UG01	IP	LT	0.49
Q16	QCFB	#0.000	11-Dec-87	11DCLE	UG01	IP	LT	0.72
Q16	QCFB	#0.000	11-Dec-87	12DCE	UG01	IP	LT	0.56
Q16	QCFB	#0.000	11-Dec-87	12DCLE	UG01	IP	LT	0.51
Q16	QCFB	#0.000	11-Dec-87	12DCLP	UG01	IP	LT	0.62
Q16	QCFB	#0.000	11-Dec-87	C2H3CL	UG01	IP	LT	1.50
Q16	QCFB	#0.000	11-Dec-87	C6H6	UP02	IP	LT	3.09
Q16	QCFB	#0.000	11-Dec-87	CCL4	UG01	IP	LT	1.10
Q16	QCFB	#0.000	11-Dec-87	CH2CL2	UG01	IP	LT	1.80
Q16	QCFB	#0.000	11-Dec-87	CHCL3	UG01	IP	LT	0.41
Q16	QCFB	#0.000	11-Dec-87	MEC6H5	UP02	IP	LT	3.39
Q16	QCFB	#0.000	11-Dec-87	TCLEE	UG01	IP	LT	0.88
Q16	QCFB	#0.000	11-Dec-87	TCLTFE	UG01	IP	LT	4.50
Q16	QCFB	#0.000	11-Dec-87	TRCLE	UG01	IP	LT	1.10
Q16	QCFB	#0.000	11-Dec-87	TXYLEN	UP02	IP	LT	1.17
Q16	QCFB	#0.000	17-Dec-87	111TCE	UG01	IP	LT	8.10
Q16	QCFB	#0.000	17-Dec-87	112TCE	UG01	IP	LT	9.90
Q16	QCFB	#0.000	17-Dec-87	11DCE	UG01	IP	LT	4.90
Q16	QCFB	#0.000	17-Dec-87	11DCLE	UG01	IP	LT	7.20
Q16	QCFB	#0.000	17-Dec-87	12DCE	UG01	IP	LT	5.60
Q16	QCFB	#0.000	17-Dec-87	12DCLE	UG01	IP	LT	5.10
Q16	QCFB	#0.000	17-Dec-87	12DCLP	UG01	IP	LT	6.20
Q16	QCFB	#0.000	17-Dec-87	C2H3CL	UG01	IP	LT	1.50
Q16	QCFB	#0.000	17-Dec-87	CCL4	UG01	IP	LT	1.10
Q16	QCFB	#0.000	17-Dec-87	CH2CL2	UG01	IP	LT	1.80
Q16	QCFB	#0.000	17-Dec-87	CHCL3	UG01	IP	LT	4.10
Q16	QCFB	#0.000	17-Dec-87	TCLEE	UG01	IP	LT	8.80
Q16	QCFB	#0.000	17-Dec-87	TCLTFE	UG01	IP	LT	4.50
Q16	QCFB	#0.000	17-Dec-87	TRCLE	UG01	IP	LT	1.10
Q18	QCFB	#0.00+000	06-Apr-88	111TCE	UG03	PC	LT	1.00
Q18	QCFB	#0.00+000	06-Apr-88	112TCE	UG03	PC	LT	1.00
Q18	QCFB	#0.00+000	06-Apr-88	11DCE	UG03	PC	LT	1.00
Q18	QCFB	#0.00+000	06-Apr-88	12DCE	UG03	PC	LT	0.50
Q18	QCFB	#0.00+000	06-Apr-88	12DCLE	UG03	PC	LT	0.50
Q18	QCFB	#0.00+000	06-Apr-88	12DCLP	UG03	PC	LT	1.00
Q18	QCFB	#0.00+000	06-Apr-88	C2H3CL	UG03	PC	LT	1.90
Q18	QCFB	#0.00+000	06-Apr-88	C6H6	UP01	PC	LT	0.41
Q18	QCFB	#0.00+000	06-Apr-88	CHCL3	UG03	PC	LT	0.72
Q18	QCFB	#0.00+000	06-Apr-88	MEC6H5	UP01	PC		9.96
Q18	QCFB	#0.00+000	06-Apr-88	TCLEE	UG03	PC	LT	1.00
Q18	QCFB	#0.00+000	06-Apr-88	TRCLE	UG03	PC	LT	0.50
Q18	QCFB	#0.00+000	06-Apr-88	TXYLEN	UP01	PC	LT	8.28
Q18	QCFB	#0.00+000	08-Apr-88	111TCE	UG03	PC	LT	1.00
Q18	QCFB	#0.00+000	08-Apr-88	112TCE	UG03	PC	LT	1.00
Q18	QCFB	#0.00+000	08-Apr-88	11DCE	UG03	PC	LT	1.00
Q18	QCFB	#0.00+000	08-Apr-88	12DCE	UG03	PC	LT	0.50

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		4.32
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		3.68
Q16	QCSP	+0.944	Q16	11DCE	99	IP		0.57
Q16	QCSP	+4.720	Q16	11DCE	99	IP		4.12
Q16	QCSP	+4.720	Q16	11DCE	99	IP		3.63
Q16	QCSP	+4.720	Q16	11DCE	99	IP		5.55
Q16	QCSP	+4.720	Q16	11DCE	99	IP		3.75
Q16	QCSP	+0.944	Q16	11DCE	UG01	IP	LT	0.49
Q16	QCSP	+0.944	Q16	11DCE	UG01	IP	LT	0.49
Q16	QCSP	+0.944	Q16	11DCE	UG01	IP		0.50
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		3.85
Q16	QCSP	+0.944	Q16	11DCE	UG01	IP	LT	0.49
Q16	QCSP	+0.944	Q16	11DCE	UG01	IP		0.55
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		3.32
Q16	QCSP	+4.720	Q16	11DCE	99	IP		3.61
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		3.45
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		3.52
Q16	QCSP	+0.944	Q16	11DCE	UG01	IP	LT	0.49
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		4.08
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		3.92
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		4.47
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		4.18
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		3.57
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		3.99
Q16	QCSP	+0.944	Q16	11DCE	UG01	IP		0.52
Q16	QCSP	+0.944	Q16	11DCE	99	IP	LT	0.49
Q16	QCSP	+4.720	Q16	11DCE	99	IP		2.95
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		4.00
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		3.41
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		3.26
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		3.50
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		3.86
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		3.05
Q16	QCSP	+4.720	Q16	11DCE	99	IP		3.07
Q16	QCSP	+0.944	Q16	11DCE	UG01	IP		0.55
Q16	QCSP	+0.944	Q16	11DCE	UG01	IP		0.55
Q16	QCSP	+4.720	Q16	11DCE	UG01	IP		3.62
Q16	QCSP	+0.944	Q16	11DCE	UG01	IP	LT	0.49
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	7.20
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	7.20
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q18	QCFB	#0.00+000	08-Apr-88	12DCLE	UG03	PC	LT	0.50
Q18	QCFB	#0.00+000	08-Apr-88	12DCLP	UG03	PC	LT	1.00
Q18	QCFB	#0.00+000	08-Apr-88	C2H3CL	UG03	PC	LT	1.90
Q18	QCFB	#0.00+000	08-Apr-88	C6H6	UP01	PC	LT	0.41
Q18	QCFB	#0.00+000	08-Apr-88	CHCL3	UG03	PC	LT	0.72
Q18	QCFB	#0.00+000	08-Apr-88	MEC6H5	UP01	PC		15.60
Q18	QCFB	#0.00+000	08-Apr-88	TCLEE	UG03	PC	LT	1.00
Q18	QCFB	#0.00+000	08-Apr-88	TRCLE	UG03	PC	LT	0.50
Q18	QCFB	#0.00+000	08-Apr-88	TXYLEN	UP01	PC	LT	8.28
Q18	QCFB	#0.00+000	12-Apr-88	111TCE	UG03	PC	LT	1.00
Q18	QCFB	#0.00+000	12-Apr-88	112TCE	UG03	PC	LT	1.00
Q18	QCFB	#0.00+000	12-Apr-88	11DCE	UG03	PC	LT	1.00
Q18	QCFB	#0.00+000	12-Apr-88	12DCE	UG03	PC	LT	0.50
Q18	QCFB	#0.00+000	12-Apr-88	12DCLE	UG03	PC	LT	0.50
Q18	QCFB	#0.00+000	12-Apr-88	12DCLP	UG03	PC	LT	1.00
Q18	QCFB	#0.00+000	12-Apr-88	C2H3CL	UG03	PC	LT	1.90
Q18	QCFB	#0.00+000	12-Apr-88	CHCL3	UG03	PC	LT	0.72
Q18	QCFB	#0.00+000	12-Apr-88	TCLEE	UG03	PC	LT	1.00
Q18	QCFB	#0.00+000	12-Apr-88	TRCLE	UG03	PC	LT	0.50
Q19	QCFB	#0.00+000	10-Aug-88	111TCE	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	10-Aug-88	112TCE	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	10-Aug-88	11DCE	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	10-Aug-88	12DCE	UG03	PC	LT	0.50
Q19	QCFB	#0.00+000	10-Aug-88	12DCLE	UG03	PC	LT	0.50
Q19	QCFB	#0.00+000	10-Aug-88	12DCLP	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	10-Aug-88	C2H3CL	UG03	PC	LT	1.90
Q19	QCFB	#0.00+000	10-Aug-88	C6H6	UP01	PC	LT	0.41
Q19	QCFB	#0.00+000	10-Aug-88	CHCL3	UG03	PC	LT	0.72
Q19	QCFB	#0.00+000	10-Aug-88	MEC6H5	UP01	PC		3.66
Q19	QCFB	#0.00+000	10-Aug-88	TCLEE	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	10-Aug-88	TRCLE	UG03	PC	LT	0.50
Q19	QCFB	#0.00+000	10-Aug-88	TXYLEN	UP01	PC	LT	8.28
Q19	QCFB	#0.00+000	12-Aug-88	111TCE	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	12-Aug-88	112TCE	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	12-Aug-88	11DCE	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	12-Aug-88	12DCE	UG03	PC	LT	0.50
Q19	QCFB	#0.00+000	12-Aug-88	12DCLE	UG03	PC	LT	0.50
Q19	QCFB	#0.00+000	12-Aug-88	12DCLP	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	12-Aug-88	C2H3CL	UG03	PC	LT	1.90
Q19	QCFB	#0.00+000	12-Aug-88	C6H6	UP01	PC	LT	0.41
Q19	QCFB	#0.00+000	12-Aug-88	CHCL3	UG03	PC	LT	0.72
Q19	QCFB	#0.00+000	12-Aug-88	MEC6H5	UP01	PC		2.89
Q19	QCFB	#0.00+000	12-Aug-88	TCLEE	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	12-Aug-88	TRCLE	UG03	PC	LT	0.50
Q19	QCFB	#0.00+000	12-Aug-88	TXYLEN	UP01	PC	LT	8.28
Q19	QCFB	#0.00+000	16-Aug-88	111TCE	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	16-Aug-88	112TCE	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	16-Aug-88	11DCE	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	16-Aug-88	12DCE	UG03	PC	LT	0.50
Q19	QCFB	#0.00+000	16-Aug-88	12DCLE	UG03	PC	LT	0.50
Q19	QCFB	#0.00+000	16-Aug-88	12DCLP	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	16-Aug-88	C2H3CL	UG03	PC	LT	1.90
Q19	QCFB	#0.00+000	16-Aug-88	C6H6	UP01	PC	LT	0.41
Q19	QCFB	#0.00+000	16-Aug-88	CHCL3	UG03	PC	LT	0.72
Q19	QCFB	#0.00+000	16-Aug-88	MEC6H5	UP01	PC		3.35
Q19	QCFB	#0.00+000	16-Aug-88	TCLEE	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	16-Aug-88	TRCLE	UG03	PC	LT	0.50
Q19	QCFB	#0.00+000	16-Aug-88	TXYLEN	UP01	PC	LT	8.28
Q19	QCFB	#0.00+000	18-Aug-88	111TCE	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	18-Aug-88	112TCE	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	18-Aug-88	11DCE	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	18-Aug-88	12DCE	UG03	PC	LT	0.50
Q19	QCFB	#0.00+000	18-Aug-88	12DCLE	UG03	PC	LT	0.50
Q19	QCFB	#0.00+000	18-Aug-88	12DCLP	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	18-Aug-88	C2H3CL	UG03	PC	LT	1.90
Q19	QCFB	#0.00+000	18-Aug-88	C6H6	UP01	PC	LT	0.41
Q19	QCFB	#0.00+000	18-Aug-88	CHCL3	UG03	PC	LT	0.72
Q19	QCFB	#0.00+000	18-Aug-88	MEC6H5	UP01	PC		3.63
Q19	QCFB	#0.00+000	18-Aug-88	TCLEE	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	18-Aug-88	TRCLE	UG03	PC	LT	0.50
Q19	QCFB	#0.00+000	18-Aug-88	TXYLEN	UP01	PC	LT	8.28
Q19	QCFB	#0.00+000	23-Aug-88	111TCE	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	23-Aug-88	112TCE	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	23-Aug-88	11DCE	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	23-Aug-88	12DCE	UG03	PC	LT	0.50
Q19	QCFB	#0.00+000	23-Aug-88	12DCLE	UG03	PC	LT	0.50
Q19	QCFB	#0.00+000	23-Aug-88	12DCLP	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	23-Aug-88	C2H3CL	UG03	PC	LT	1.90
Q19	QCFB	#0.00+000	23-Aug-88	C6H6	UP01	PC	LT	0.41
Q19	QCFB	#0.00+000	23-Aug-88	CHCL3	UG03	PC	LT	0.72

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	7.20
Q16	QCSP	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		5.31
Q16	QCSP	+1.160	Q16	12DCE	UG01	IP		0.80
Q16	QCSP	+5.810	Q16	12DCE	99	IP		4.82
Q16	QCSP	+5.810	Q16	12DCE	99	IP		4.25
Q16	QCSP	+1.160	Q16	12DCE	99	IP		0.66
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		4.51
Q16	QCSP	+1.160	Q16	12DCE	UG01	IP		0.89
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		4.75
Q16	QCSP	+5.810	Q16	12DCE	99	IP		4.46
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		5.06
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		5.00
Q16	QCSP	+5.810	Q16	12DCE	99	IP		5.31
Q16	QCSP	+1.160	Q16	12DCE	UG01	IP		0.84
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		5.17
Q16	QCSP	+5.810	Q16	12DCE	99	IP		5.05
Q16	QCSP	+1.160	Q16	12DCE	UG01	IP		0.58
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		5.13
Q16	QCSP	+1.160	Q16	12DCE	99	IP		0.62
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		4.87
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		4.47
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		5.35
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		5.30
Q16	QCSP	+1.160	Q16	12DCE	UG01	IP		0.56
Q16	QCSP	+1.160	Q16	12DCE	UG01	IP		0.57
Q16	QCSP	+5.810	Q16	12DCE	99	IP		7.69
Q16	QCSP	+1.160	Q16	12DCE	UG01	IP		0.87
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		4.32
Q16	QCSP	+1.160	Q16	12DCE	99	IP		0.58
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		6.21
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		5.15
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		5.41
Q16	QCSP	+5.810	Q16	12DCE	99	IP		4.85
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		4.53
Q16	QCSP	+5.810	Q16	12DCE	99	IP		7.38
Q16	QCSP	+1.160	Q16	12DCE	99	IP	LT	0.56
Q16	QCSP	+1.160	Q16	12DCE	99	IP	LT	0.56
Q16	QCSP	+5.810	Q16	12DCE	99	IP		4.98
Q16	QCSP	+5.810	Q16	12DCE	99	IP		5.29
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		4.52
Q16	QCSP	+5.810	Q16	12DCE	99	IP		5.26
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		6.09
Q16	QCSP	+5.810	Q16	12DCE	99	IP		4.98
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		5.09
Q16	QCSP	+1.160	Q16	12DCE	UG01	IP		0.77
Q16	QCSP	+1.160	Q16	12DCE	99	IP		0.82
Q16	QCSP	+1.160	Q16	12DCE	UG01	IP		0.75
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		4.81
Q16	QCSP	+1.160	Q16	12DCE	99	IP	LT	0.56
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		5.21
Q16	QCSP	+1.160	Q16	12DCE	UG01	IP		0.58
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		5.79
Q16	QCSP	+1.160	Q16	12DCE	99	IP		0.70
Q16	QCSP	+5.810	Q16	12DCE	99	IP		4.52
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		5.37
Q16	QCSP	+1.160	Q16	12DCE	UG01	IP		0.76
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		4.49

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q19	QCFB	#0.00+000	23-Aug-88	MEC6H5	UP01	PC	LT	0.87
Q19	QCFB	#0.00+000	23-Aug-88	TCLEE	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	23-Aug-88	TRCLE	UG03	PC	LT	0.50
Q19	QCFB	#0.00+000	23-Aug-88	TXYLEN	UP01	PC	LT	8.28
Q19	QCFB	#0.00+000	25-Aug-88	111TCE	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	25-Aug-88	112TCE	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	25-Aug-88	11DCE	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	25-Aug-88	12DCE	UG03	PC	LT	0.50
Q19	QCFB	#0.00+000	25-Aug-88	12DCLE	UG03	PC	LT	0.50
Q19	QCFB	#0.00+000	25-Aug-88	12DCLP	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	25-Aug-88	C2H3CL	UG03	PC	LT	1.90
Q19	QCFB	#0.00+000	25-Aug-88	C6H6	UP01	PC	LT	0.41
Q19	QCFB	#0.00+000	25-Aug-88	CHCL3	UG03	PC	LT	0.72
Q19	QCFB	#0.00+000	25-Aug-88	MEC6H5	UP01	PC		1.89
Q19	QCFB	#0.00+000	25-Aug-88	TCLEE	UG03	PC	LT	1.00
Q19	QCFB	#0.00+000	25-Aug-88	TRCLE	UG03	PC	LT	0.50
Q19	QCFB	#0.00+000	25-Aug-88	TXYLEN	UP01	PC	LT	8.28
Q20	QCFB	#0.00+000	08-Nov-88	111TCE	UG03	PC		1.45
Q20	QCFB	#0.00+000	08-Nov-88	112TCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	08-Nov-88	11DCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	08-Nov-88	12DCE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	08-Nov-88	12DCLE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	08-Nov-88	12DCLP	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	08-Nov-88	C2H3CL	UG03	PC	LT	1.90
Q20	QCFB	#0.00+000	08-Nov-88	CHCL3	UG03	PC	LT	0.72
Q20	QCFB	#0.00+000	08-Nov-88	TCLEE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	08-Nov-88	TRCLE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	10-Nov-88	111TCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	10-Nov-88	112TCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	10-Nov-88	11DCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	10-Nov-88	12DCE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	10-Nov-88	12DCLE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	10-Nov-88	12DCLP	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	10-Nov-88	C2H3CL	UG03	PC	LT	1.90
Q20	QCFB	#0.00+000	10-Nov-88	CHCL3	UG03	PC	LT	0.72
Q20	QCFB	#0.00+000	10-Nov-88	TCLEE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	10-Nov-88	TRCLE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	14-Nov-88	111TCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	14-Nov-88	112TCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	14-Nov-88	11DCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	14-Nov-88	12DCE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	14-Nov-88	12DCLE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	14-Nov-88	12DCLP	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	14-Nov-88	C2H3CL	UG03	PC	LT	1.90
Q20	QCFB	#0.00+000	14-Nov-88	C6H6	UP01	PC		1.01
Q20	QCFB	#0.00+000	14-Nov-88	CHCL3	UG03	PC	LT	0.72
Q20	QCFB	#0.00+000	14-Nov-88	MEC6H5	UP01	PC		2.85
Q20	QCFB	#0.00+000	14-Nov-88	TCLEE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	14-Nov-88	TRCLE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	14-Nov-88	TXYLEN	UP01	PC	LT	8.28
Q20	QCFB	#0.00+000	15-Nov-88	111TCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	15-Nov-88	111TCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	15-Nov-88	112TCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	15-Nov-88	112TCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	15-Nov-88	11DCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	15-Nov-88	11DCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	15-Nov-88	12DCE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	15-Nov-88	12DCE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	15-Nov-88	12DCLE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	15-Nov-88	12DCLE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	15-Nov-88	12DCLP	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	15-Nov-88	12DCLP	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	15-Nov-88	C2H3CL	UG03	PC	LT	1.90
Q20	QCFB	#0.00+000	15-Nov-88	C2H3CL	UG03	PC	LT	1.90
Q20	QCFB	#0.00+000	15-Nov-88	C6H6	UP01	PC		3.11
Q20	QCFB	#0.00+000	15-Nov-88	C6H6	UP01	PC		3.23
Q20	QCFB	#0.00+000	15-Nov-88	CHCL3	UG03	PC	LT	0.72
Q20	QCFB	#0.00+000	15-Nov-88	CHCL3	UG03	PC	LT	0.72
Q20	QCFB	#0.00+000	15-Nov-88	MEC6H5	UP01	PC		23.70
Q20	QCFB	#0.00+000	15-Nov-88	MEC6H5	UP01	PC		6.41
Q20	QCFB	#0.00+000	15-Nov-88	TCLEE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	15-Nov-88	TCLEE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	15-Nov-88	TRCLE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	15-Nov-88	TRCLE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	15-Nov-88	TXYLEN	UP01	PC	LT	8.28
Q20	QCFB	#0.00+000	15-Nov-88	TXYLEN	UP01	PC		25.60
Q20	QCFB	#0.00+000	16-Nov-88	111TCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	16-Nov-88	112TCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	16-Nov-88	11DCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	16-Nov-88	12DCE	UG03	PC	LT	0.50

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		5.09
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		5.17
Q16	QCSP	+1.160	Q16	12DCE	UG01	IP		0.66
Q16	QCSP	+5.810	Q16	12DCE	99	IP		4.33
Q16	QCSP	+1.160	Q16	12DCE	UG01	IP		0.66
Q16	QCSP	+1.160	Q16	12DCE	UG01	IP	LT	0.56
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		4.78
Q16	QCSP	+5.810	Q16	12DCE	99	IP		4.95
Q16	QCSP	+5.810	Q16	12DCE	UG01	IP		4.54
Q16	QCSP	+5.810	Q16	12DCE	99	IP		5.30
Q16	QCSP	+0.984	Q16	12DCLE	UG01	IP		0.56
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		4.63
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		4.04
Q16	QCSP	+4.920	Q16	12DCLE	99	IP		3.69
Q16	QCSP	+0.984	Q16	12DCLE	UG01	IP		0.59
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		4.03
Q16	QCSP	+4.920	Q16	12DCLE	99	IP		3.65
Q16	QCSP	+0.984	Q16	12DCLE	99	IP	LT	0.51
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		3.70
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		4.24
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		4.39
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		4.63
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		3.58
Q16	QCSP	+0.984	Q16	12DCLE	UG01	IP		0.60
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		3.47
Q16	QCSP	+4.920	Q16	12DCLE	99	IP		3.73
Q16	QCSP	+0.984	Q16	12DCLE	UG01	IP		0.52
Q16	QCSP	+0.984	Q16	12DCLE	UG01	IP		0.72
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		3.84
Q16	QCSP	+4.920	Q16	12DCLE	99	IP		5.76
Q16	QCSP	+0.984	Q16	12DCLE	99	IP	LT	0.51
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		3.87
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		4.16
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		3.41
Q16	QCSP	+0.984	Q16	12DCLE	99	IP	LT	0.51
Q16	QCSP	+4.920	Q16	12DCLE	99	IP		4.05
Q16	QCSP	+0.984	Q16	12DCLE	99	IP	LT	0.51
Q16	QCSP	+0.984	Q16	12DCLE	UG01	IP	LT	0.51
Q16	QCSP	+0.984	Q16	12DCLE	99	IP	LT	0.51
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		3.64
Q16	QCSP	+0.984	Q16	12DCLE	UG01	IP		0.55
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		4.21
Q16	QCSP	+0.984	Q16	12DCLE	UG01	IP		0.55
Q16	QCSP	+4.920	Q16	12DCLE	99	IP		3.51
Q16	QCSP	+0.984	Q16	12DCLE	99	IP		0.58
Q16	QCSP	+4.920	Q16	12DCLE	99	IP		3.96
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		3.88
Q16	QCSP	+4.920	Q16	12DCLE	99	IP		3.07
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		3.55
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		3.76
Q16	QCSP	+4.920	Q16	12DCLE	99	IP		3.55
Q16	QCSP	+0.984	Q16	12DCLE	UG01	IP	LT	0.51
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		4.14
Q16	QCSP	+0.984	Q16	12DCLE	UG01	IP		0.63
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		4.21
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		3.81
Q16	QCSP	+4.920	Q16	12DCLE	99	IP		3.68
Q16	QCSP	+0.984	Q16	12DCLE	UG01	IP		0.68
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		3.31
Q16	QCSP	+0.984	Q16	12DCLE	UG01	IP		0.69
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		4.43
Q16	QCSP	+0.984	Q16	12DCLE	99	IP	LT	0.51
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		4.35
Q16	QCSP	+4.920	Q16	12DCLE	99	IP		3.84
Q16	QCSP	+0.984	Q16	12DCLE	UG01	IP	LT	0.51
Q16	QCSP	+4.920	Q16	12DCLE	99	IP		3.42
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		3.66
Q16	QCSP	+0.984	Q16	12DCLE	UG01	IP	LT	0.51
Q16	QCSP	+4.920	Q16	12DCLE	99	IP		5.98
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		3.59
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		3.98
Q16	QCSP	+4.920	Q16	12DCLE	99	IP		3.93
Q16	QCSP	+4.920	Q16	12DCLE	99	IP		3.68
Q16	QCSP	+0.984	Q16	12DCLE	99	IP		0.69
Q16	QCSP	+4.920	Q16	12DCLE	UG01	IP		3.41
Q16	QCSP	+4.920	Q16	12DCLE	99	IP		3.22
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q20	QCFB	#0.00+000	16-Nov-88	12DCLE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	16-Nov-88	12DCLP	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	16-Nov-88	C2H3CL	UG03	PC	LT	1.90
Q20	QCFB	#0.00+000	16-Nov-88	C6H6	UP01	PC		4.69
Q20	QCFB	#0.00+000	16-Nov-88	CHCL3	UG03	PC	LT	0.72
Q20	QCFB	#0.00+000	16-Nov-88	MEC6H5	UP01	PC		17.90
Q20	QCFB	#0.00+000	16-Nov-88	TCLEE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	16-Nov-88	TRCLE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	16-Nov-88	TXYLEN	UP01	PC		12.80
Q20	QCFB	#0.00+000	17-Nov-88	111TCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	17-Nov-88	112TCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	17-Nov-88	11DCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	17-Nov-88	12DCE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	17-Nov-88	12DCLE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	17-Nov-88	12DCLP	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	17-Nov-88	C2H3CL	UG03	PC	LT	1.90
Q20	QCFB	#0.00+000	17-Nov-88	CHCL3	UG03	PC	LT	0.72
Q20	QCFB	#0.00+000	17-Nov-88	TCLEE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	17-Nov-88	TRCLE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	18-Nov-88	111TCE	UG03	PC		1.62
Q20	QCFB	#0.00+000	18-Nov-88	112TCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	18-Nov-88	11DCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	18-Nov-88	12DCE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	18-Nov-88	12DCLE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	18-Nov-88	12DCLP	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	18-Nov-88	C2H3CL	UG03	PC	LT	1.90
Q20	QCFB	#0.00+000	18-Nov-88	C6H6	UP01	PC	LT	0.41
Q20	QCFB	#0.00+000	18-Nov-88	CHCL3	UG03	PC	LT	0.72
Q20	QCFB	#0.00+000	18-Nov-88	MEC6H5	UP01	PC		3.69
Q20	QCFB	#0.00+000	18-Nov-88	TCLEE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	18-Nov-88	TRCLE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	18-Nov-88	TXYLEN	UP01	PC	LT	8.28
Q20	QCFB	#0.00+000	21-Nov-88	111TCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	21-Nov-88	112TCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	21-Nov-88	11DCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	21-Nov-88	12DCE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	21-Nov-88	12DCLE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	21-Nov-88	12DCLP	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	21-Nov-88	C2H3CL	UG03	PC	LT	1.90
Q20	QCFB	#0.00+000	21-Nov-88	CHCL3	UG03	PC	LT	0.72
Q20	QCFB	#0.00+000	21-Nov-88	TCLEE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	21-Nov-88	TRCLE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	22-Nov-88	111TCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	22-Nov-88	112TCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	22-Nov-88	11DCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	22-Nov-88	12DCE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	22-Nov-88	12DCLE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	22-Nov-88	12DCLP	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	22-Nov-88	C2H3CL	UG03	PC	LT	1.90
Q20	QCFB	#0.00+000	22-Nov-88	CHCL3	UG03	PC	LT	0.72
Q20	QCFB	#0.00+000	22-Nov-88	TCLEE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	22-Nov-88	TRCLE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	29-Nov-88	111TCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	29-Nov-88	112TCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	29-Nov-88	11DCE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	29-Nov-88	12DCE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	29-Nov-88	12DCLE	UG03	PC	LT	0.50
Q20	QCFB	#0.00+000	29-Nov-88	12DCLP	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	29-Nov-88	C2H3CL	UG03	PC	LT	1.90
Q20	QCFB	#0.00+000	29-Nov-88	CHCL3	UG03	PC	LT	0.72
Q20	QCFB	#0.00+000	29-Nov-88	TCLEE	UG03	PC	LT	1.00
Q20	QCFB	#0.00+000	29-Nov-88	TRCLE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	Q22	111TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	111TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	111TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	111TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	111TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	111TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	111TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	112TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	112TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	112TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	112TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	112TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	112TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	112TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	11DCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	11DCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	11DCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	11DCE	UG03	PC	LT	1.00

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	6.20
Q16	QCSP	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	6.20
Q16	QCSP	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCSP	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q22	QCFB	#0.000	Q22	11DCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	11DCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	11DCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	12DCE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	Q22	12DCE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	Q22	12DCE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	Q22	12DCE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	Q22	12DCE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	Q22	12DCE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	Q22	12DCLE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	Q22	12DCLE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	Q22	12DCLE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	Q22	12DCLE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	Q22	12DCLE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	Q22	12DCLE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	Q22	12DCLP	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	12DCLP	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	12DCLP	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	12DCLP	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	12DCLP	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	12DCLP	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	12DCLP	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCFB	#0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCFB	#0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCFB	#0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCFB	#0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCFB	#0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCFB	#0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCFB	#0.000	Q22	C6H6	UP01	PC		2.65
Q22	QCFB	#0.000	Q22	C6H6	UP01	PC	LT	0.41
Q22	QCFB	#0.000	Q22	C6H6	UP01	PC		0.66
Q22	QCFB	#0.000	Q22	C6H6	UP01	PC	LT	0.41
Q22	QCFB	#0.000	Q22	C6H6	UP01	PC	LT	0.41
Q22	QCFB	#0.000	Q22	C6H6	UP01	PC	LT	0.41
Q22	QCFB	#0.000	Q22	C6H6	UP01	PC	LT	0.41
Q22	QCFB	#0.000	Q22	CHCL3	UG03	PC	LT	0.72
Q22	QCFB	#0.000	Q22	CHCL3	UG03	PC	LT	0.72
Q22	QCFB	#0.000	Q22	CHCL3	UG03	PC	LT	0.72
Q22	QCFB	#0.000	Q22	CHCL3	UG03	PC	LT	0.72
Q22	QCFB	#0.000	Q22	CHCL3	UG03	PC	LT	0.72
Q22	QCFB	#0.000	Q22	CHCL3	UG03	PC	LT	0.72
Q22	QCFB	#0.000	Q22	CHCL3	UG03	PC	LT	0.72
Q22	QCFB	#0.000	Q22	MEC6H5	UP01	PC	LT	0.87
Q22	QCFB	#0.000	Q22	MEC6H5	UP01	PC		2.69
Q22	QCFB	#0.000	Q22	MEC6H5	UP01	PC		1.28
Q22	QCFB	#0.000	Q22	MEC6H5	UP01	PC	LT	0.87
Q22	QCFB	#0.000	Q22	MEC6H5	UP01	PC		8.89
Q22	QCFB	#0.000	Q22	MEC6H5	UP01	PC		1.71
Q22	QCFB	#0.000	Q22	MEC6H5	UP01	PC		1.48
Q22	QCFB	#0.000	Q22	TCLEE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	TCLEE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	TCLEE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	TCLEE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	TCLEE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	TCLEE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	TCLEE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	Q22	TRCLE	UG03	PC		1.07
Q22	QCFB	#0.000	Q22	TRCLE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	Q22	TRCLE	UG03	PC		1.36
Q22	QCFB	#0.000	Q22	TRCLE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	Q22	TRCLE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	Q22	TRCLE	UG03	PC		1.47
Q22	QCFB	#0.000	Q22	TRCLE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	Q22	TXYLENU	P01	PC		8.50
Q22	QCFB	#0.000	Q22	TXYLENU	P01	PC	LT	8.28
Q22	QCFB	#0.000	Q22	TXYLENU	P01	PC	LT	8.28
Q22	QCFB	#0.000	Q22	TXYLENU	P01	PC	LT	8.28
Q22	QCFB	#0.000	Q22	TXYLENU	P01	PC	LT	8.28
Q22	QCFB	#0.000	Q22	TXYLENU	P01	PC	LT	8.28
Q22	QCFB	#0.000	24-Apr-89	111TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	24-Apr-89	112TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	24-Apr-89	11DCE	UG03	PC		1.06
Q22	QCFB	#0.000	24-Apr-89	12DCE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	24-Apr-89	12DCLE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	24-Apr-89	12DCLP	UG03	PC	LT	1.00
Q22	QCFB	#0.000	24-Apr-89	C2H3CL	UG03	PC	LT	1.90

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q16	QCSP	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		29.40
Q16	QCSP	+6.190	Q16	C6H6	UP02	IP		4.68
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		25.30
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		25.70
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		26.30
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		27.80
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		25.70
Q16	QCSP	+6.190	Q16	C6H6	UP02	IP		6.04
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		30.80
Q16	QCSP	+6.190	Q16	C6H6	UP02	IP		4.64
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		29.90
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		31.00
Q16	QCSP	+6.190	Q16	C6H6	UP02	IP		4.52
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		25.20
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		31.90
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		28.60
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		31.20
Q16	QCSP	+6.190	Q16	C6H6	UP02	IP		5.33
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		31.30
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		20.10
Q16	QCSP	+6.190	Q16	C6H6	UP02	IP		4.98
Q16	QCSP	+6.190	Q16	C6H6	UP02	IP		5.60
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		25.70
Q16	QCSP	+6.190	Q16	C6H6	UP02	IP		4.82
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		28.20
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		27.80
Q16	QCSP	+6.190	Q16	C6H6	UP02	IP		4.88
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		26.70
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		24.70
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		29.50
Q16	QCSP	+6.190	Q16	C6H6	UP02	IP		4.82
Q16	QCSP	+6.190	Q16	C6H6	UP02	IP		4.57

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q22	QCFB	#0.000	24-Apr-89	C6H6	UP01	PC		1.39
Q22	QCFB	#0.000	24-Apr-89	CHCL3	UG03	PC	LT	0.72
Q22	QCFB	#0.000	24-Apr-89	MEC6H5	UP01	PC		5.77
Q22	QCFB	#0.000	24-Apr-89	TCLEE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	24-Apr-89	TRCLE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	24-Apr-89	TXYLEN	UP01	PC	LT	8.28
Q22	QCFB	#0.000	25-Apr-89	111TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	25-Apr-89	112TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	25-Apr-89	11DCE	UG03	PC		1.31
Q22	QCFB	#0.000	25-Apr-89	12DCE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	25-Apr-89	12DCLE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	25-Apr-89	12DCLP	UG03	PC	LT	1.00
Q22	QCFB	#0.000	25-Apr-89	C2H3CL	UG03	PC	LT	1.90
Q22	QCFB	#0.000	25-Apr-89	C6H6	UP01	PC	LT	0.41
Q22	QCFB	#0.000	25-Apr-89	CHCL3	UG03	PC	LT	0.72
Q22	QCFB	#0.000	25-Apr-89	MEC6H5	UP01	PC	LT	0.87
Q22	QCFB	#0.000	25-Apr-89	TCLEE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	25-Apr-89	TRCLE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	25-Apr-89	TXYLEN	UP01	PC	LT	8.28
Q22	QCFB	#0.000	26-Apr-89	111TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	26-Apr-89	112TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	26-Apr-89	11DCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	26-Apr-89	12DCE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	26-Apr-89	12DCLE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	26-Apr-89	12DCLP	UG03	PC	LT	1.00
Q22	QCFB	#0.000	26-Apr-89	C2H3CL	UG03	PC	LT	1.90
Q22	QCFB	#0.000	26-Apr-89	C6H6	UP01	PC		0.73
Q22	QCFB	#0.000	26-Apr-89	CHCL3	UG03	PC	LT	0.72
Q22	QCFB	#0.000	26-Apr-89	MEC6H5	UP01	PC		1.74
Q22	QCFB	#0.000	26-Apr-89	TCLEE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	26-Apr-89	TRCLE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	26-Apr-89	TXYLEN	UP01	PC	LT	8.28
Q22	QCFB	#0.000	27-Apr-89	111TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	27-Apr-89	111TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	27-Apr-89	112TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	27-Apr-89	112TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	27-Apr-89	11DCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	27-Apr-89	11DCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	27-Apr-89	12DCE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	27-Apr-89	12DCE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	27-Apr-89	12DCLE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	27-Apr-89	12DCLE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	27-Apr-89	12DCLP	UG03	PC	LT	1.00
Q22	QCFB	#0.000	27-Apr-89	12DCLP	UG03	PC	LT	1.00
Q22	QCFB	#0.000	27-Apr-89	C2H3CL	UG03	PC	LT	1.90
Q22	QCFB	#0.000	27-Apr-89	C2H3CL	UG03	PC	LT	1.90
Q22	QCFB	#0.000	27-Apr-89	C6H6	UP01	PC	LT	0.41
Q22	QCFB	#0.000	27-Apr-89	C6H6	UP01	PC	LT	0.41
Q22	QCFB	#0.000	27-Apr-89	CHCL3	UG03	PC	LT	0.72
Q22	QCFB	#0.000	27-Apr-89	CHCL3	UG03	PC	LT	0.72
Q22	QCFB	#0.000	27-Apr-89	MEC6H5	UP01	PC	LT	0.87
Q22	QCFB	#0.000	27-Apr-89	MEC6H5	UP01	PC		0.99
Q22	QCFB	#0.000	27-Apr-89	TCLEE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	27-Apr-89	TCLEE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	27-Apr-89	TRCLE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	27-Apr-89	TRCLE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	27-Apr-89	TXYLEN	UP01	PC	LT	8.28
Q22	QCFB	#0.000	27-Apr-89	TXYLEN	UP01	PC	LT	8.28
Q22	QCFB	#0.000	28-Apr-89	111TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	28-Apr-89	112TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	28-Apr-89	11DCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	28-Apr-89	12DCE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	28-Apr-89	12DCLE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	28-Apr-89	12DCLP	UG03	PC	LT	1.00
Q22	QCFB	#0.000	28-Apr-89	C2H3CL	UG03	PC	LT	1.90
Q22	QCFB	#0.000	28-Apr-89	C6H6	UP01	PC	LT	0.41
Q22	QCFB	#0.000	28-Apr-89	CHCL3	UG03	PC	LT	0.72
Q22	QCFB	#0.000	28-Apr-89	MEC6H5	UP01	PC	LT	0.87
Q22	QCFB	#0.000	28-Apr-89	TCLEE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	28-Apr-89	TRCLE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	28-Apr-89	TXYLEN	UP01	PC	LT	8.28
Q22	QCFB	#0.000	**********	111TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	**********	112TCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	**********	11DCE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	**********	12DCE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	**********	12DCLE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	**********	12DCLP	UG03	PC	LT	1.00
Q22	QCFB	#0.000	**********	C2H3CL	UG03	PC	LT	1.90
Q22	QCFB	#0.000	**********	C6H6	UP01	PC		3.47
Q22	QCFB	#0.000	**********	CHCL3	UG03	PC	LT	0.72

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		29.00
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		29.80
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		25.30
Q16	QCSP	+6.190	Q16	C6H6	UP02	IP		4.39
Q16	QCSP	+6.190	Q16	C6H6	UP02	IP		5.77
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		28.40
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		31.30
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		23.20
Q16	QCSP	+31.000	Q16	C6H6	UP02	IP		25.60
Q16	QCSP	+6.190	Q16	C6H6	UP02	IP		4.60
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	99	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	99	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	99	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	99	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	99	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	99	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	99	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	99	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	99	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	99	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	99	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	99	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	99	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	99	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	99	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	99	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	99	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	99	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	99	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	99	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CCL4	UG01	IP	LT	1.10
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	99	IP		3.19

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q22	QCFB	#0.000	**********	MEC6H5	UP01	PC		13.40
Q22	QCFB	#0.000	**********	TCLEE	UG03	PC	LT	1.00
Q22	QCFB	#0.000	**********	TRCLE	UG03	PC	LT	0.50
Q22	QCFB	#0.000	**********	TXYLEN	UP01	PC		12.20
Q23	QCFB	#0.000	Q23	111TCE	UG01	IP	LT	0.81
Q23	QCFB	#0.000	Q23	111TCE	UG01	IP	LT	0.81
Q23	QCFB	#0.000	Q23	111TCE	UG01	IP	LT	0.81
Q23	QCFB	#0.000	Q23	111TCE	UG01	IP	LT	0.81
Q23	QCFB	#0.000	Q23	111TCE	UG01	IP	LT	0.81
Q23	QCFB	#0.000	Q23	111TCE	UG01	IP	LT	0.81
Q23	QCFB	#0.000	Q23	111TCE	UG01	IP	LT	0.81
Q23	QCFB	#0.000	Q23	111TCE	UG01	IP	LT	0.81
Q23	QCFB	#0.000	Q23	111TCE	UG01	IP	LT	0.81
Q23	QCFB	#0.000	Q23	111TCE	UG01	IP	LT	0.81
Q23	QCFB	#0.000	Q23	112TCE	UG01	IP	LT	0.99
Q23	QCFB	#0.000	Q23	112TCE	UG01	IP	LT	0.99
Q23	QCFB	#0.000	Q23	112TCE	UG01	IP	LT	0.99
Q23	QCFB	#0.000	Q23	112TCE	UG01	IP	LT	0.99
Q23	QCFB	#0.000	Q23	112TCE	UG01	IP	LT	0.99
Q23	QCFB	#0.000	Q23	112TCE	UG01	IP	LT	0.99
Q23	QCFB	#0.000	Q23	112TCE	UG01	IP	LT	0.99
Q23	QCFB	#0.000	Q23	112TCE	UG01	IP	LT	0.99
Q23	QCFB	#0.000	Q23	112TCE	UG01	IP	LT	0.99
Q23	QCFB	#0.000	Q23	112TCE	UG01	IP	LT	0.99
Q23	QCFB	#0.000	Q23	11DCE	UG01	IP	LT	0.49
Q23	QCFB	#0.000	Q23	11DCE	UG01	IP	LT	0.49
Q23	QCFB	#0.000	Q23	11DCE	UG01	IP	LT	0.49
Q23	QCFB	#0.000	Q23	11DCE	UG01	IP	LT	0.49
Q23	QCFB	#0.000	Q23	11DCE	UG01	IP	LT	0.49
Q23	QCFB	#0.000	Q23	11DCE	UG01	IP	LT	0.49
Q23	QCFB	#0.000	Q23	11DCE	UG01	IP	LT	0.49
Q23	QCFB	#0.000	Q23	11DCE	UG01	IP	LT	0.49
Q23	QCFB	#0.000	Q23	11DCE	UG01	IP	LT	0.49
Q23	QCFB	#0.000	Q23	11DCE	UG01	IP	LT	0.49
Q23	QCFB	#0.000	Q23	11DCE	UG01	IP	LT	0.49
Q23	QCFB	#0.000	Q23	12DCE	UG01	IP	LT	0.56
Q23	QCFB	#0.000	Q23	12DCE	UG01	IP	LT	0.56
Q23	QCFB	#0.000	Q23	12DCE	UG01	IP	LT	0.56
Q23	QCFB	#0.000	Q23	12DCE	UG01	IP	LT	0.56
Q23	QCFB	#0.000	Q23	12DCE	UG01	IP	LT	0.56
Q23	QCFB	#0.000	Q23	12DCE	UG01	IP	LT	0.56
Q23	QCFB	#0.000	Q23	12DCE	UG01	IP	LT	0.56
Q23	QCFB	#0.000	Q23	12DCE	UG01	IP	LT	0.56
Q23	QCFB	#0.000	Q23	12DCE	UG01	IP	LT	0.56
Q23	QCFB	#0.000	Q23	12DCE	UG01	IP	LT	0.56
Q23	QCFB	#0.000	Q23	12DCLE	UG01	IP	LT	0.51
Q23	QCFB	#0.000	Q23	12DCLE	UG01	IP	LT	0.51
Q23	QCFB	#0.000	Q23	12DCLE	UG01	IP	LT	0.51
Q23	QCFB	#0.000	Q23	12DCLE	UG01	IP	LT	0.51
Q23	QCFB	#0.000	Q23	12DCLE	UG01	IP	LT	0.51
Q23	QCFB	#0.000	Q23	12DCLE	UG01	IP	LT	0.51
Q23	QCFB	#0.000	Q23	12DCLE	UG01	IP	LT	0.51
Q23	QCFB	#0.000	Q23	12DCLE	UG01	IP	LT	0.51
Q23	QCFB	#0.000	Q23	12DCLE	UG01	IP	LT	0.51
Q23	QCFB	#0.000	Q23	12DCLE	UG01	IP	LT	0.51
Q23	QCFB	#0.000	Q23	12DCLP	UG01	IP	LT	0.62
Q23	QCFB	#0.000	Q23	12DCLP	UG01	IP	LT	0.62
Q23	QCFB	#0.000	Q23	12DCLP	UG01	IP	LT	0.62
Q23	QCFB	#0.000	Q23	12DCLP	UG01	IP	LT	0.62
Q23	QCFB	#0.000	Q23	12DCLP	UG01	IP	LT	0.62
Q23	QCFB	#0.000	Q23	12DCLP	UG01	IP	LT	0.62
Q23	QCFB	#0.000	Q23	12DCLP	UG01	IP	LT	0.62
Q23	QCFB	#0.000	Q23	12DCLP	UG01	IP	LT	0.62
Q23	QCFB	#0.000	Q23	12DCLP	UG01	IP	LT	0.62
Q23	QCFB	#0.000	Q23	C2H3CL	UG01	IP	LT	1.50
Q23	QCFB	#0.000	Q23	C2H3CL	UG01	IP	LT	1.50
Q23	QCFB	#0.000	Q23	C2H3CL	UG01	IP	LT	1.50
Q23	QCFB	#0.000	Q23	C2H3CL	UG01	IP	LT	1.50

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	99	IP		2.26
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	99	IP		1.89
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	99	IP		4.48
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	99	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	99	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	99	IP		1.95
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	99	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	99	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	99	IP		2.21
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP		2.42
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	99	IP		2.13
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	99	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	99	IP		2.50
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP		1.81
Q16	QCSP	+0.000	Q16	CH2CL2	99	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	99	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	99	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	99	IP		3.03
Q16	QCSP	+0.000	Q16	CH2CL2	99	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	99	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	99	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP		2.66
Q16	QCSP	+0.000	Q16	CH2CL2	99	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	99	IP		1.99
Q16	QCSP	+0.000	Q16	CH2CL2	99	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	99	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CH2CL2	UG01	IP	LT	1.80
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	99	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	4.10
Q16	QCSP	+0.000	Q16	CHCL3	99	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	99	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	99	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q23	QCFB	#0.000	Q23	C2H3CL	UG01	IP	LT	1.50
Q23	QCFB	#0.000	Q23	C2H3CL	UG01	IP	LT	1.50
Q23	QCFB	#0.000	Q23	C2H3CL	UG01	IP	LT	1.50
Q23	QCFB	#0.000	Q23	C2H3CL	UG01	IP	LT	1.50
Q23	QCFB	#0.000	Q23	C2H3CL	UG01	IP	LT	1.50
Q23	QCFB	#0.000	Q23	C2H3CL	UG01	IP	LT	1.50
Q23	QCFB	#0.000	Q23	C2H3CL	UG01	IP	LT	1.50
Q23	QCFB	#0.000	Q23	C2H3CL	UG01	IP	LT	1.50
Q23	QCFB	#0.000	Q23	C6H6	UP02	IP	LT	3.09
Q23	QCFB	#0.000	Q23	C6H6	UP02	IP	LT	3.09
Q23	QCFB	#0.000	Q23	C6H6	UP02	IP	LT	3.09
Q23	QCFB	#0.000	Q23	C6H6	UP02	IP	LT	3.09
Q23	QCFB	#0.000	Q23	C6H6	UP02	IP	LT	3.09
Q23	QCFB	#0.000	Q23	C6H6	UP02	IP	LT	3.09
Q23	QCFB	#0.000	Q23	C6H6	UP02	IP	LT	3.09
Q23	QCFB	#0.000	Q23	C6H6	UP02	IP	LT	3.09
Q23	QCFB	#0.000	Q23	C6H6	UP02	IP	LT	3.09
Q23	QCFB	#0.000	Q23	C6H6	UP02	IP	LT	3.09
Q23	QCFB	#0.000	Q23	C6H6	UP02	IP	LT	3.09
Q23	QCFB	#0.000	Q23	CHCL3	UG01	IP	LT	0.41
Q23	QCFB	#0.000	Q23	CHCL3	UG01	IP	LT	0.41
Q23	QCFB	#0.000	Q23	CHCL3	UG01	IP	LT	0.41
Q23	QCFB	#0.000	Q23	CHCL3	UG01	IP	LT	0.41
Q23	QCFB	#0.000	Q23	CHCL3	UG01	IP	LT	0.41
Q23	QCFB	#0.000	Q23	CHCL3	UG01	IP	LT	0.41
Q23	QCFB	#0.000	Q23	CHCL3	UG01	IP	LT	0.41
Q23	QCFB	#0.000	Q23	CHCL3	UG01	IP	LT	0.41
Q23	QCFB	#0.000	Q23	CHCL3	UG01	IP	LT	0.41
Q23	QCFB	#0.000	Q23	CHCL3	UG01	IP	LT	0.41
Q23	QCFB	#0.000	Q23	MEC6H5	UP02	IP	LT	3.39
Q23	QCFB	#0.000	Q23	MEC6H5	UP02	IP	LT	3.39
Q23	QCFB	#0.000	Q23	MEC6H5	UP02	IP	LT	3.39
Q23	QCFB	#0.000	Q23	MEC6H5	UP02	IP	LT	3.39
Q23	QCFB	#0.000	Q23	MEC6H5	UP02	IP	LT	3.39
Q23	QCFB	#0.000	Q23	MEC6H5	UP02	IP	LT	3.39
Q23	QCFB	#0.000	Q23	MEC6H5	UP02	IP	LT	3.39
Q23	QCFB	#0.000	Q23	MEC6H5	UP02	IP	LT	3.39
Q23	QCFB	#0.000	Q23	MEC6H5	UP02	IP	LT	3.39
Q23	QCFB	#0.000	Q23	MEC6H5	UP02	IP	LT	3.39
Q23	QCFB	#0.000	Q23	TCLEE	UG01	IP	LT	0.88
Q23	QCFB	#0.000	Q23	TCLEE	UG01	IP	LT	0.88
Q23	QCFB	#0.000	Q23	TCLEE	UG01	IP	LT	0.88
Q23	QCFB	#0.000	Q23	TCLEE	UG01	IP	LT	0.88
Q23	QCFB	#0.000	Q23	TCLEE	UG01	IP	LT	0.88
Q23	QCFB	#0.000	Q23	TCLEE	UG01	IP	LT	0.88
Q23	QCFB	#0.000	Q23	TCLEE	UG01	IP	LT	0.88
Q23	QCFB	#0.000	Q23	TCLEE	UG01	IP		1.45
Q23	QCFB	#0.000	Q23	TCLEE	UG01	IP	LT	0.88
Q23	QCFB	#0.000	Q23	TCLEE	UG01	IP	LT	0.88
Q23	QCFB	#0.000	Q23	TCLEE	UG01	IP	LT	0.88
Q23	QCFB	#0.000	Q23	TCLEE	UG01	IP	LT	0.88
Q23	QCFB	#0.000	Q23	TRCLE	UG01	IP	LT	1.10
Q23	QCFB	#0.000	Q23	TRCLE	UG01	IP	LT	1.10
Q23	QCFB	#0.000	Q23	TRCLE	UG01	IP	LT	1.10
Q23	QCFB	#0.000	Q23	TRCLE	UG01	IP	LT	1.10
Q23	QCFB	#0.000	Q23	TRCLE	UG01	IP	LT	1.10
Q23	QCFB	#0.000	Q23	TRCLE	UG01	IP	LT	1.10
Q23	QCFB	#0.000	Q23	TRCLE	UG01	IP	LT	1.10
Q23	QCFB	#0.000	Q23	TRCLE	UG01	IP	LT	1.10
Q23	QCFB	#0.000	Q23	TRCLE	UG01	IP	LT	1.10
Q23	QCFB	#0.000	Q23	TRCLE	UG01	IP	LT	1.10
Q23	QCFB	#0.000	Q23	TXYLENU	P02	IP	LT	1.17
Q23	QCFB	#0.000	Q23	TXYLENU	P02	IP	LT	1.17
Q23	QCFB	#0.000	Q23	TXYLENU	P02	IP	LT	1.17
Q23	QCFB	#0.000	Q23	TXYLENU	P02	IP	LT	1.17
Q23	QCFB	#0.000	Q23	TXYLENU	P02	IP	LT	1.17
Q23	QCFB	#0.000	Q23	TXYLENU	P02	IP		3.15
Q23	QCFB	#0.000	Q23	TXYLENU	P02	IP	LT	1.17
Q23	QCFB	#0.000	Q23	TXYLENU	P02	IP		2.89
Q23	QCFB	#0.000	Q23	TXYLENU	P02	IP	LT	1.17
Q23	QCFB	#0.000	Q23	TXYLENU	P02	IP	LT	1.17
Q23	QCFB	#0.000	Q23	TXYLENU	P02	IP	LT	1.17
Q23	QCFB	#0.000	Q23	TXYLENU	P02	IP	LT	1.17

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	99	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	99	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	99	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	99	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	99	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	99	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	99	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	99	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	99	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	99	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	99	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	4.10
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	99	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	99	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	99	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	99	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	4.10
Q16	QCSP	+0.000	Q16	CHCL3	99	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	99	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	99	IP	LT	0.41
Q16	QCSP	+0.000	Q16	CHCL3	UG01	IP	LT	0.41
Q16	QCSP	+0.750	Q16	DBUCLE99		IP		0.63
Q16	QCSP	+0.800	Q16	DBUCLE99		IP		0.54
Q16	QCSP	+0.800	Q16	DBUCLE99		IP		1.32
Q16	QCSP	+1.200	Q16	DBUCLE99		IP		0.98
Q16	QCSP	+0.750	Q16	DBUCLE99		IP		0.42
Q16	QCSP	+1.200	Q16	DBUCLE99		IP		1.10
Q16	QCSP	+1.200	Q16	DBUCLE99		IP		1.29
Q16	QCSP	+1.000	Q16	DBUCLE99		IP		1.61
Q16	QCSP	+1.200	Q16	DBUCLE99		IP		0.62
Q16	QCSP	+1.000	Q16	DBUCLE99		IP		1.58
Q16	QCSP	+1.000	Q16	DBUCLE99		IP		1.42
Q16	QCSP	+0.750	Q16	DBUCLE99		IP		0.55
Q16	QCSP	+0.800	Q16	DBUCLE99		IP		0.72
Q16	QCSP	+0.800	Q16	DBUCLE99		IP		0.49
Q16	QCSP	+1.200	Q16	DBUCLE99		IP		1.11
Q16	QCSP	+0.750	Q16	DBUCLE99		IP		0.77
Q16	QCSP	+0.750	Q16	DBUCLE99		IP		0.57
Q16	QCSP	+1.200	Q16	DBUCLE99		IP		1.04
Q16	QCSP	+1.000	Q16	DBUCLE99		IP		1.53
Q16	QCSP	+0.800	Q16	DBUCLE99		IP		0.60
Q16	QCSP	+34.000	Q16	MEC6H5	UP02	IP		28.50
Q16	QCSP	+6.810	Q16	MEC6H5	UP02	IP		5.04
Q16	QCSP	+34.000	Q16	MEC6H5	UP02	IP		26.20
Q16	QCSP	+34.000	Q16	MEC6H5	UP02	IP		27.10
Q16	QCSP	+6.810	Q16	MEC6H5	UP02	IP		4.97
Q16	QCSP	+34.000	Q16	MEC6H5	UP02	IP		24.70
Q16	QCSP	+34.000	Q16	MEC6H5	UP02	IP		29.50
Q16	QCSP	+6.810	Q16	MEC6H5	UP02	IP		5.37
Q16	QCSP	+34.000	Q16	MEC6H5	UP02	IP		24.50
Q16	QCSP	+34.000	Q16	MEC6H5	UP02	IP		26.10
Q16	QCSP	+34.000	Q16	MEC6H5	UP02	IP		29.60
Q16	QCSP	+34.000	Q16	MEC6H5	UP02	IP		26.80

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q24	QCFB	#0.000	Q24	111TCE	UG01	IP	LT	0.81
Q24	QCFB	#0.000	Q24	111TCE	UG01	IP	LT	0.81
Q24	QCFB	#0.000	Q24	111TCE	UG01	IP	LT	0.81
Q24	QCFB	#0.000	Q24	111TCE	UG01	IP	LT	0.81
Q24	QCFB	#0.000	Q24	111TCE	UG01	IP	LT	0.81
Q24	QCFB	#0.000	Q24	111TCE	UG01	IP	LT	0.81
Q24	QCFB	#0.000	Q24	111TCE	UG01	IP	LT	0.81
Q24	QCFB	#0.000	Q24	111TCE	UG01	IP	LT	0.81
Q24	QCFB	#0.000	Q24	111TCE	UG01	IP	LT	0.81
Q24	QCFB	#0.000	Q24	111TCE	UG01	IP	LT	0.81
Q24	QCFB	#0.000	Q24	112TCE	UG01	IP	LT	0.99
Q24	QCFB	#0.000	Q24	112TCE	UG01	IP	LT	0.99
Q24	QCFB	#0.000	Q24	112TCE	UG01	IP	LT	0.99
Q24	QCFB	#0.000	Q24	112TCE	UG01	IP	LT	0.99
Q24	QCFB	#0.000	Q24	112TCE	UG01	IP	LT	0.99
Q24	QCFB	#0.000	Q24	112TCE	UG01	IP	LT	0.99
Q24	QCFB	#0.000	Q24	112TCE	UG01	IP	LT	0.99
Q24	QCFB	#0.000	Q24	112TCE	UG01	IP	LT	0.99
Q24	QCFB	#0.000	Q24	112TCE	UG01	IP	LT	0.99
Q24	QCFB	#0.000	Q24	112TCE	UG01	IP	LT	0.99
Q24	QCFB	#0.000	Q24	11DCE	UG01	IP	LT	0.49
Q24	QCFB	#0.000	Q24	11DCE	UG01	IP	LT	0.49
Q24	QCFB	#0.000	Q24	11DCE	UG01	IP	LT	0.49
Q24	QCFB	#0.000	Q24	11DCE	UG01	IP	LT	0.49
Q24	QCFB	#0.000	Q24	11DCE	UG01	IP		0.73
Q24	QCFB	#0.000	Q24	11DCE	UG01	IP	LT	0.49
Q24	QCFB	#0.000	Q24	11DCE	UG01	IP	LT	0.49
Q24	QCFB	#0.000	Q24	11DCE	UG01	IP	LT	0.49
Q24	QCFB	#0.000	Q24	11DCE	UG01	IP		0.88
Q24	QCFB	#0.000	Q24	11DCE	UG01	IP		0.89
Q24	QCFB	#0.000	Q24	12DCE	UG01	IP	LT	0.56
Q24	QCFB	#0.000	Q24	12DCE	UG01	IP	LT	0.56
Q24	QCFB	#0.000	Q24	12DCE	UG01	IP	LT	0.56
Q24	QCFB	#0.000	Q24	12DCE	UG01	IP	LT	0.56
Q24	QCFB	#0.000	Q24	12DCE	UG01	IP	LT	0.56
Q24	QCFB	#0.000	Q24	12DCE	UG01	IP	LT	0.56
Q24	QCFB	#0.000	Q24	12DCE	UG01	IP	LT	0.56
Q24	QCFB	#0.000	Q24	12DCE	UG01	IP	LT	0.56
Q24	QCFB	#0.000	Q24	12DCE	UG01	IP	LT	0.56
Q24	QCFB	#0.000	Q24	12DCLE	UG01	IP	LT	0.51
Q24	QCFB	#0.000	Q24	12DCLE	UG01	IP	LT	0.51
Q24	QCFB	#0.000	Q24	12DCLE	UG01	IP	LT	0.51
Q24	QCFB	#0.000	Q24	12DCLE	UG01	IP	LT	0.51
Q24	QCFB	#0.000	Q24	12DCLE	UG01	IP	LT	0.51
Q24	QCFB	#0.000	Q24	12DCLE	UG01	IP	LT	0.51
Q24	QCFB	#0.000	Q24	12DCLE	UG01	IP	LT	0.51
Q24	QCFB	#0.000	Q24	12DCLE	UG01	IP	LT	0.51
Q24	QCFB	#0.000	Q24	12DCLE	UG01	IP	LT	0.51
Q24	QCFB	#0.000	Q24	12DCLP	UG01	IP	LT	0.62
Q24	QCFB	#0.000	Q24	12DCLP	UG01	IP	LT	0.62
Q24	QCFB	#0.000	Q24	12DCLP	UG01	IP	LT	0.62
Q24	QCFB	#0.000	Q24	12DCLP	UG01	IP	LT	0.62
Q24	QCFB	#0.000	Q24	12DCLP	UG01	IP	LT	0.62
Q24	QCFB	#0.000	Q24	12DCLP	UG01	IP	LT	0.62
Q24	QCFB	#0.000	Q24	12DCLP	UG01	IP	LT	0.62
Q24	QCFB	#0.000	Q24	12DCLP	UG01	IP	LT	0.62
Q24	QCFB	#0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCFB	#0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCFB	#0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCFB	#0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCFB	#0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCFB	#0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCFB	#0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCFB	#0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCFB	#0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCFB	#0.000	Q24	C6H6	UP02	IP	LT	3.09
Q24	QCFB	#0.000	Q24	C6H6	UP02	IP	LT	3.09
Q24	QCFB	#0.000	Q24	C6H6	UP02	IP	LT	3.09
Q24	QCFB	#0.000	Q24	C6H6	UP02	IP	LT	3.09
Q24	QCFB	#0.000	Q24	C6H6	UP02	IP	LT	3.09
Q24	QCFB	#0.000	Q24	C6H6	UP02	IP	LT	3.09
Q24	QCFB	#0.000	Q24	C6H6	UP02	IP	LT	3.09
Q24	QCFB	#0.000	Q24	C6H6	UP02	IP	LT	3.09
Q24	QCFB	#0.000	Q24	C6H6	UP02	IP	LT	3.09

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q16	QCSP	+34.000	Q16	MEC6H5	UP02	IP		27.20
Q16	QCSP	+34.000	Q16	MEC6H5	UP02	IP		24.20
Q16	QCSP	+31.000	Q16	MEC6H5	UP02	IP		24.60
Q16	QCSP	+6.810	Q16	MEC6H5	UP02	IP		6.17
Q16	QCSP	+34.000	Q16	MEC6H5	UP02	IP		25.20
Q16	QCSP	+6.810	Q16	MEC6H5	UP02	IP		5.26
Q16	QCSP	+6.810	Q16	MEC6H5	UP02	IP		6.34
Q16	QCSP	+6.810	Q16	MEC6H5	UP02	IP		5.51
Q16	QCSP	+34.000	Q16	MEC6H5	UP02	IP		27.70
Q16	QCSP	+6.810	Q16	MEC6H5	UP02	IP		4.95
Q16	QCSP	+34.000	Q16	MEC6H5	UP02	IP		28.60
Q16	QCSP	+6.810	Q16	MEC6H5	UP02	IP		4.98
Q16	QCSP	+34.000	Q16	MEC6H5	UP02	IP		22.60
Q16	QCSP	+6.810	Q16	MEC6H5	UP02	IP		4.69
Q16	QCSP	+34.000	Q16	MEC6H5	UP02	IP		28.30
Q16	QCSP	+34.000	Q16	MEC6H5	UP02	IP		29.60
Q16	QCSP	+34.000	Q16	MEC6H5	UP02	IP		24.50
Q16	QCSP	+34.000	Q16	MEC6H5	UP02	IP		27.60
Q16	QCSP	+34.000	Q16	MEC6H5	UP02	IP		28.00
Q16	QCSP	+6.810	Q16	MEC6H5	UP02	IP		5.39
Q16	QCSP	+6.810	Q16	MEC6H5	UP02	IP		4.88
Q16	QCSP	+34.000	Q16	MEC6H5	UP02	IP		24.70
Q16	QCSP	+34.000	Q16	MEC6H5	UP02	IP		26.30
Q16	QCSP	+34.000	Q16	MEC6H5	UP02	IP		27.50
Q16	QCSP	+34.000	Q16	MEC6H5	UP02	IP		28.80
Q16	QCSP	+6.810	Q16	MEC6H5	UP02	IP		5.34
Q16	QCSP	+34.000	Q16	MEC6H5	UP02	IP		26.90
Q16	QCSP	+6.810	Q16	MEC6H5	UP02	IP		5.78
Q16	QCSP	+34.000	Q16	MEC6H5	UP02	IP		24.70
Q16	QCSP	+34.000	Q16	MEC6H5	UP02	IP		24.50
Q16	QCSP	+0.600	Q16	PCB016	99	IP		0.32
Q16	QCSP	+0.500	Q16	PCB016	99	IP		0.78
Q16	QCSP	+0.500	Q16	PCB016	99	IP		0.52
Q16	QCSP	+0.400	Q16	PCB016	99	IP		0.30
Q16	QCSP	+0.500	Q16	PCB016	99	IP		0.64
Q16	QCSP	+0.400	Q16	PCB016	99	IP	LT	0.29
Q16	QCSP	+0.600	Q16	PCB016	99	IP	LT	0.29
Q16	QCSP	+0.500	Q16	PCB016	99	IP		0.48
Q16	QCSP	+0.600	Q16	PCB016	99	IP		0.52
Q16	QCSP	+0.600	Q16	PCB016	99	IP		0.37
Q16	QCSP	+0.600	Q16	PCB016	99	IP		0.32
Q16	QCSP	+0.600	Q16	PCB016	99	IP		0.48
Q16	QCSP	+0.400	Q16	PCB016	99	IP		0.38
Q16	QCSP	+0.400	Q16	PCB016	99	IP		0.32
Q16	QCSP	+0.400	Q16	PCB016	99	IP	LT	0.29
Q16	QCSP	+0.000	Q16	PCB242	99	IP	LT	0.62

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q16	QCSP	+0.000	Q16	PCB254	99	IP	LT	0.13
Q16	QCSP	+0.000	Q16	PCB254	99	IP	LT	0.13
Q16	QCSP	+0.000	Q16	PCB254	99	IP	LT	0.13
Q16	QCSP	+0.000	Q16	PCB254	99	IP	LT	0.13
Q16	QCSP	+0.000	Q16	PCB254	99	IP	LT	0.13
Q16	QCSP	+0.000	Q16	PCB254	99	IP	LT	0.13
Q16	QCSP	+0.000	Q16	PCB254	99	IP	LT	0.13
Q16	QCSP	+0.000	Q16	PCB254	99	IP	LT	0.13
Q16	QCSP	+0.000	Q16	PCB254	99	IP	LT	0.13
Q16	QCSP	+0.400	Q16	PCB260	99	IP	LT	0.32
Q16	QCSP	+0.500	Q16	PCB260	99	IP		0.70
Q16	QCSP	+0.600	Q16	PCB260	99	IP		0.58
Q16	QCSP	+0.500	Q16	PCB260	99	IP		0.70
Q16	QCSP	+0.500	Q16	PCB260	99	IP		0.75
Q16	QCSP	+0.600	Q16	PCB260	99	IP		0.55
Q16	QCSP	+0.600	Q16	PCB260	99	IP		0.52
Q16	QCSP	+0.600	Q16	PCB260	99	IP		0.52
Q16	QCSP	+0.400	Q16	PCB260	99	IP	LT	0.32
Q16	QCSP	+0.400	Q16	PCB260	99	IP	LT	0.32
Q16	QCSP	+0.400	Q16	PCB260	99	IP		0.57
Q16	QCSP	+0.600	Q16	PCB260	99	IP		0.46
Q16	QCSP	+0.500	Q16	PCB260	99	IP		0.64
Q16	QCSP	+0.600	Q16	PCB260	99	IP	LT	0.32
Q16	QCSP	+0.400	Q16	PCB260	99	IP		0.45
Q16	QCSP	+1.750	Q16	TCLEE	UG01	IP		1.12
Q16	QCSP	+8.760	Q16	TCLEE	99	IP		6.08
Q16	QCSP	+1.750	Q16	TCLEE	UG01	IP		1.19
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		8.08
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		7.86
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		6.06
Q16	QCSP	+1.750	Q16	TCLEE	99	IP		1.12
Q16	QCSP	+8.760	Q16	TCLEE	99	IP		6.89
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		6.98
Q16	QCSP	+1.750	Q16	TCLEE	99	IP		1.06
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		8.63
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		7.25
Q16	QCSP	+8.760	Q16	TCLEE	99	IP		6.74
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		6.82
Q16	QCSP	+1.750	Q16	TCLEE	UG01	IP		1.35
Q16	QCSP	+8.760	Q16	TCLEE	99	IP		8.06
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		9.05
Q16	QCSP	+1.750	Q16	TCLEE	UG01	IP		1.36
Q16	QCSP	+8.760	Q16	TCLEE	99	IP		6.52
Q16	QCSP	+8.760	Q16	TCLEE	99	IP		8.47
Q16	QCSP	+1.750	Q16	TCLEE	99	IP		1.25
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		6.81
Q16	QCSP	+8.760	Q16	TCLEE	99	IP		6.18
Q16	QCSP	+1.750	Q16	TCLEE	UG01	IP		1.37
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		6.14
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		6.44
Q16	QCSP	+1.750	Q16	TCLEE	UG01	IP		1.31
Q16	QCSP	+1.750	Q16	TCLEE	UG01	IP		1.22
Q16	QCSP	+1.750	Q16	TCLEE	99	IP		1.23
Q16	QCSP	+1.750	Q16	TCLEE	UG01	IP		1.71
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		6.66
Q16	QCSP	+1.750	Q16	TCLEE	99	IP		1.43
Q16	QCSP	+8.760	Q16	TCLEE	99	IP		6.63
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		5.98
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		7.34
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		7.84
Q16	QCSP	+1.750	Q16	TCLEE	UG01	IP		1.27
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		7.81
Q16	QCSP	+1.750	Q16	TCLEE	99	IP		1.29
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		8.97
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		8.61
Q16	QCSP	+1.750	Q16	TCLEE	UG01	IP		1.41
Q16	QCSP	+1.750	Q16	TCLEE	99	IP		1.03
Q16	QCSP	+8.760	Q16	TCLEE	99	IP		9.38
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		7.53
Q16	QCSP	+1.750	Q16	TCLEE	UG01	IP		1.10
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		8.41
Q16	QCSP	+8.760	Q16	TCLEE	99	IP		7.20
Q16	QCSP	+8.760	Q16	TCLEE	99	IP		7.35
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		7.52
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		8.02
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		7.19
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		9.59
Q16	QCSP	+1.750	Q16	TCLEE	UG01	IP		1.25
Q16	QCSP	+8.760	Q16	TCLEE	99	IP		7.56

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q16	QCMB	+0.000	Q16	112TCE	UG01	IP	LT	9.90
Q16	QCMB	+0.000	Q16	112TCE	99	IP	LT	0.99
Q16	QCMB	+0.000	Q16	112TCE	UG01	IP	LT	0.99
Q16	QCMB	+0.000	Q16	112TCE	UG01	IP	LT	0.99
Q16	QCMB	+0.000	Q16	112TCE	UG01	IP	LT	0.99
Q16	QCMB	+0.000	Q16	112TCE	UG01	IP	LT	0.99
Q16	QCMB	+0.000	Q16	112TCE	UG01	IP	LT	0.99
Q16	QCMB	+0.000	Q16	112TCE	99	IP	LT	0.99
Q16	QCMB	+0.000	Q16	112TCE	UG01	IP	LT	0.99
Q16	QCMB	+0.000	Q16	112TCE	UG01	IP	LT	0.99
Q16	QCMB	+0.000	Q16	112TCE	UG01	IP	LT	0.99
Q16	QCMB	+0.000	Q16	112TCE	UG01	IP	LT	0.99
Q16	QCMB	+0.000	Q16	112TCE	99	IP	LT	0.99
Q16	QCMB	+0.000	Q16	112TCE	UG01	IP	LT	0.99
Q16	QCMB	+0.000	Q16	11DCE	UG01	IP	LT	4.90
Q16	QCMB	+0.000	Q16	11DCE	99	IP	LT	0.49
Q16	QCMB	+0.000	Q16	11DCE	UG01	IP	LT	0.49
Q16	QCMB	+0.000	Q16	11DCE	UG01	IP	LT	0.49
Q16	QCMB	+0.000	Q16	11DCE	99	IP	LT	0.49
Q16	QCMB	+0.000	Q16	11DCE	UG01	IP	LT	0.49
Q16	QCMB	+0.000	Q16	11DCE	UG01	IP	LT	0.49
Q16	QCMB	+0.000	Q16	11DCE	99	IP	LT	0.49
Q16	QCMB	+0.000	Q16	11DCE	99	IP	LT	0.49
Q16	QCMB	+0.000	Q16	11DCE	UG01	IP	LT	0.49
Q16	QCMB	+0.000	Q16	11DCE	UG01	IP	LT	0.49
Q16	QCMB	+0.000	Q16	11DCE	UG01	IP	LT	0.49
Q16	QCMB	+0.000	Q16	11DCE	UG01	IP	LT	0.49
Q16	QCMB	+0.000	Q16	11DCE	99	IP	LT	0.49
Q16	QCMB	+0.000	Q16	11DCE	99	IP	LT	0.49
Q16	QCMB	+0.000	Q16	11DCE	99	IP	LT	0.49
Q16	QCMB	+0.000	Q16	11DCE	99	IP	LT	0.49
Q16	QCMB	+0.000	Q16	11DCE	UG01	IP	LT	0.49
Q16	QCMB	+0.000	Q16	11DCE	UG01	IP	LT	0.49
Q16	QCMB	+0.000	Q16	11DCE	UG01	IP	LT	0.49
Q16	QCMB	+0.000	Q16	11DCE	UG01	IP	LT	0.49
Q16	QCMB	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCMB	+0.000	Q16	11DCLE	UG01	IP	LT	7.20
Q16	QCMB	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCMB	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCMB	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCMB	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCMB	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCMB	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCMB	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCMB	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCMB	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCMB	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCMB	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCMB	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCMB	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCMB	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCMB	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCMB	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCMB	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCMB	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCMB	+0.000	Q16	11DCLE	99	IP	LT	0.72
Q16	QCMB	+0.000	Q16	11DCLE	UG01	IP	LT	0.72
Q16	QCMB	+0.000	Q16	12DCE	UG01	IP	LT	0.56
Q16	QCMB	+0.000	Q16	12DCE	UG01	IP	LT	5.60
Q16	QCMB	+0.000	Q16	12DCE	99	IP	LT	0.56
Q16	QCMB	+0.000	Q16	12DCE	99	IP	LT	0.56
Q16	QCMB	+0.000	Q16	12DCE	UG01	IP	LT	0.56
Q16	QCMB	+0.000	Q16	12DCE	99	IP	LT	0.56
Q16	QCMB	+0.000	Q16	12DCE	UG01	IP	LT	0.56
Q16	QCMB	+0.000	Q16	12DCE	99	IP	LT	0.56
Q16	QCMB	+0.000	Q16	12DCE	99	IP	LT	0.56
Q16	QCMB	+0.000	Q16	12DCE	UG01	IP	LT	0.56
Q16	QCMB	+0.000	Q16	12DCE	99	IP	LT	0.56
Q16	QCMB	+0.000	Q16	12DCE	UG01	IP	LT	0.56
Q16	QCMB	+0.000	Q16	12DCE	UG01	IP	LT	0.56
Q16	QCMB	+0.000	Q16	12DCE	99	IP	LT	0.56
Q16	QCMB	+0.000	Q16	12DCE	UG01	IP	LT	0.56
Q16	QCMB	+0.000	Q16	12DCE	UG01	IP	LT	0.56
Q16	QCMB	+0.000	Q16	12DCE	UG01	IP	LT	0.56
Q16	QCMB	+0.000	Q16	12DCE	UG01	IP	LT	0.56
Q16	QCMB	+0.000	Q16	12DCE	UG01	IP	LT	0.56
Q16	QCMB	+0.000	Q16	12DCE	UG01	IP	LT	0.56
Q16	QCMB	+0.000	Q16	12DCE	99	IP	LT	0.56

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q16	QCSP	+8.760	Q16	TCLEE	99	IP		8.42
Q16	QCSP	+8.760	Q16	TCLEE	99	IP		6.90
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		7.52
Q16	QCSP	+8.760	Q16	TCLEE	99	IP		6.42
Q16	QCSP	+8.760	Q16	TCLEE	99	IP		9.17
Q16	QCSP	+1.750	Q16	TCLEE	99	IP		1.20
Q16	QCSP	+1.750	Q16	TCLEE	UG01	IP		1.32
Q16	QCSP	+1.750	Q16	TCLEE	UG01	IP		1.28
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		9.43
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		5.89
Q16	QCSP	+8.760	Q16	TCLEE	UG01	IP		8.77
Q16	QCSP	+0.000	Q16	TCLTFE	99	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	99	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	99	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	99	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	99	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	99	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	99	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	99	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	99	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	99	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	99	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	99	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	99	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	99	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	99	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	99	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	99	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	99	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	99	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCSP	+2.140	Q16	TRCLE	99	IP		8.97
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP		7.83
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP		9.15

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q16	QCMB	+0.000	Q16	12DCLE	UG01	IP	LT	0.51
Q16	QCMB	+0.000	Q16	12DCLE	UG01	IP	LT	0.51
Q16	QCMB	+0.000	Q16	12DCLE	UG01	IP	LT	0.51
Q16	QCMB	+0.000	Q16	12DCLE	UG01	IP	LT	0.51
Q16	QCMB	+0.000	Q16	12DCLE	UG01	IP	LT	5.10
Q16	QCMB	+0.000	Q16	12DCLE	99	IP	LT	0.51
Q16	QCMB	+0.000	Q16	12DCLE	UG01	IP	LT	0.51
Q16	QCMB	+0.000	Q16	12DCLE	UG01	IP	LT	0.51
Q16	QCMB	+0.000	Q16	12DCLE	UG01	IP	LT	0.51
Q16	QCMB	+0.000	Q16	12DCLE	UG01	IP	LT	0.51
Q16	QCMB	+0.000	Q16	12DCLE	UG01	IP	LT	0.51
Q16	QCMB	+0.000	Q16	12DCLE	99	IP	LT	0.51
Q16	QCMB	+0.000	Q16	12DCLE	UG01	IP	LT	0.51
Q16	QCMB	+0.000	Q16	12DCLE	99	IP	LT	0.51
Q16	QCMB	+0.000	Q16	12DCLE	UG01	IP	LT	0.51
Q16	QCMB	+0.000	Q16	12DCLE	UG01	IP	LT	0.51
Q16	QCMB	+0.000	Q16	12DCLE	99	IP	LT	0.51
Q16	QCMB	+0.000	Q16	12DCLE	99	IP	LT	0.51
Q16	QCMB	+0.000	Q16	12DCLE	99	IP	LT	0.51
Q16	QCMB	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCMB	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCMB	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCMB	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCMB	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCMB	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCMB	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCMB	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCMB	+0.000	Q16	12DCLP	UG01	IP	LT	6.20
Q16	QCMB	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCMB	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCMB	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCMB	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCMB	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCMB	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCMB	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCMB	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCMB	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCMB	+0.000	Q16	12DCLP	99	IP	LT	0.62
Q16	QCMB	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCMB	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCMB	+0.000	Q16	12DCLP	UG01	IP	LT	0.62
Q16	QCMB	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCMB	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCMB	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCMB	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCMB	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCMB	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCMB	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCMB	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCMB	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCMB	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCMB	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCMB	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCMB	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCMB	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCMB	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCMB	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCMB	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCMB	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCMB	+0.000	Q16	C2H3CL	UG01	IP	LT	1.50
Q16	QCMB	+0.000	Q16	C2H3CL	99	IP	LT	1.50
Q16	QCMB	+0.000	Q16	C6H6	UP02	IP	LT	3.09
Q16	QCMB	+0.000	Q16	C6H6	UP02	IP	LT	3.09
Q16	QCMB	+0.000	Q16	C6H6	UP02	IP	LT	3.09
Q16	QCMB	+0.000	Q16	C6H6	UP02	IP	LT	3.09
Q16	QCMB	+0.000	Q16	C6H6	UP02	IP	LT	3.09
Q16	QCMB	+0.000	Q16	C6H6	UP02	IP	LT	3.09
Q16	QCMB	+0.000	Q16	C6H6	UP02	IP	LT	3.09
Q16	QCMB	+0.000	Q16	C6H6	UP02	IP	LT	3.09
Q16	QCMB	+0.000	Q16	C6H6	UP02	IP	LT	3.09
Q16	QCMB	+0.000	Q16	C6H6	UP02	IP	LT	3.09
Q16	QCMB	+0.000	Q16	C6H6	UP02	IP	LT	3.09
Q16	QCMB	+0.000	Q16	C6H6	UP02	IP	LT	3.09
Q16	QCMB	+0.000	Q16	C6H6	UP02	IP	LT	3.09

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP	8.44
Q16	QCSP	+10.700	Q16	TRCLE	99	IP	7.87
Q16	QCSP	+2.140	Q16	TRCLE	99	IP	1.40
Q16	QCSP	+2.140	Q16	TRCLE	UG01	IP	2.15
Q16	QCSP	+2.140	Q16	TRCLE	99	IP	1.69
Q16	QCSP	+2.140	Q16	TRCLE	UG01	IP	1.29
Q16	QCSP	+10.700	Q16	TRCLE	99	IP	7.92
Q16	QCSP	+0.000	Q16	TRCLE	UG01	IP	2.63
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP	10.80
Q16	QCSP	+2.140	Q16	TRCLE	99	IP	1.24
Q16	QCSP	+2.140	Q16	TRCLE	99	IP	1.23
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP	8.79
Q16	QCSP	+10.700	Q16	TRCLE	99	IP	7.38
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP	7.49
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP	7.03
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP	8.09
Q16	QCSP	+2.140	Q16	TRCLE	UG01	IP	1.27
Q16	QCSP	+10.700	Q16	TRCLE	99	IP	9.51
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP	6.74
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP	8.60
Q16	QCSP	+10.700	Q16	TRCLE	99	IP	9.16
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP	8.58
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP	7.68
Q16	QCSP	+2.140	Q16	TRCLE	99	IP	1.55
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP	6.77
Q16	QCSP	+2.140	Q16	TRCLE	UG01	IP	1.42
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP	9.36
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP	11.30
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP	8.42
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP	7.70
Q16	QCSP	+10.700	Q16	TRCLE	99	IP	8.43
Q16	QCSP	+10.700	Q16	TRCLE	99	IP	12.90
Q16	QCSP	+2.140	Q16	TRCLE	99	IP	1.45
Q16	QCSP	+10.700	Q16	TRCLE	99	IP	7.54
Q16	QCSP	+10.700	Q16	TRCLE	99	IP	7.42
Q16	QCSP	+10.700	Q16	TRCLE	99	IP	8.90
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP	6.93
Q16	QCSP	+10.700	Q16	TRCLE	99	IP	7.96
Q16	QCSP	+2.140	Q16	TRCLE	UG01	IP	1.95
Q16	QCSP	+2.140	Q16	TRCLE	UG01	IP	1.24
Q16	QCSP	+2.140	Q16	TRCLE	UG01	IP	1.64
Q16	QCSP	+2.140	Q16	TRCLE	UG01	IP	1.57
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP	7.59
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP	10.50
Q16	QCSP	+2.140	Q16	TRCLE	UG01	IP	1.56
Q16	QCSP	+2.140	Q16	TRCLE	UG01	IP	1.54
Q16	QCSP	+10.700	Q16	TRCLE	99	IP	9.84
Q16	QCSP	+2.140	Q16	TRCLE	UG01	IP	1.65
Q16	QCSP	+10.700	Q16	TRCLE	99	IP	7.22
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP	9.66
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP	8.22
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP	9.48
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP	8.73
Q16	QCSP	+2.140	Q16	TRCLE	UG01	IP	1.34
Q16	QCSP	+2.140	Q16	TRCLE	UG01	IP	1.54
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP	9.15
Q16	QCSP	+10.700	Q16	TRCLE	99	IP	12.30
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP	9.35
Q16	QCSP	+2.140	Q16	TRCLE	99	IP	1.32
Q16	QCSP	+10.700	Q16	TRCLE	99	IP	11.80
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP	9.97
Q16	QCSP	+10.700	Q16	TRCLE	UG01	IP	7.38
Q16	QCSP	+10.700	Q16	TRCLE	99	IP	8.02
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP	9.33
Q16	QCSP	+2.380	Q16	TXYLENUP02		IP	2.01
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP	11.10
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP	8.70
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP	10.80
Q16	QCSP	+2.380	Q16	TXYLENUP02		IP	2.24
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP	11.00
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP	11.30
Q16	QCSP	+2.380	Q16	TXYLENUP02		IP	2.58
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP	8.31
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP	11.00
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP	10.50
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP	9.95
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP	11.20
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP	8.61
Q16	QCSP	+2.380	Q16	TXYLENUP02		IP	2.44
Q16	QCSP	+2.380	Q16	TXYLENUP02		IP	2.33

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q16	QCMB	+0.000	Q16	CCL4	99	IP	LT 1.10
Q16	QCMB	+0.000	Q16	CCL4	UG01	IP	LT 1.10
Q16	QCMB	+0.000	Q16	CCL4	UG01	IP	LT 1.10
Q16	QCMB	+0.000	Q16	CCL4	99	IP	LT 1.10
Q16	QCMB	+0.000	Q16	CCL4	UG01	IP	LT 1.10
Q16	QCMB	+0.000	Q16	CCL4	UG01	IP	LT 1.10
Q16	QCMB	+0.000	Q16	CCL4	UG01	IP	LT 1.10
Q16	QCMB	+0.000	Q16	CCL4	UG01	IP	LT 1.10
Q16	QCMB	+0.000	Q16	CCL4	UG01	IP	LT 1.10
Q16	QCMB	+0.000	Q16	CCL4	99	IP	LT 1.10
Q16	QCMB	+0.000	Q16	CCL4	UG01	IP	LT 1.10
Q16	QCMB	+0.000	Q16	CCL4	99	IP	LT 1.10
Q16	QCMB	+0.000	Q16	CCL4	UG01	IP	LT 1.10
Q16	QCMB	+0.000	Q16	CCL4	UG01	IP	LT 1.10
Q16	QCMB	+0.000	Q16	CCL4	99	IP	LT 1.10
Q16	QCMB	+0.000	Q16	CCL4	99	IP	LT 1.10
Q16	QCMB	+0.000	Q16	CCL4	UG01	IP	LT 1.10
Q16	QCMB	+0.000	Q16	CCL4	UG01	IP	LT 1.10
Q16	QCMB	+0.000	Q16	CCL4	99	IP	LT 1.10
Q16	QCMB	+0.000	Q16	CCL4	UG01	IP	LT 1.10
Q16	QCMB	+0.000	Q16	CCL4	UG01	IP	LT 1.10
Q16	QCMB	+0.000	Q16	CH2CL2	99	IP	LT 1.80
Q16	QCMB	+0.000	Q16	CH2CL2	99	IP	LT 1.80
Q16	QCMB	+0.000	Q16	CH2CL2	UG01	IP	LT 1.80
Q16	QCMB	+0.000	Q16	CH2CL2	UG01	IP	LT 1.80
Q16	QCMB	+0.000	Q16	CH2CL2	UG01	IP	LT 1.80
Q16	QCMB	+0.000	Q16	CH2CL2	99	IP	LT 1.80
Q16	QCMB	+0.000	Q16	CH2CL2	99	IP	LT 1.80
Q16	QCMB	+0.000	Q16	CH2CL2	UG01	IP	LT 1.80
Q16	QCMB	+0.000	Q16	CH2CL2	UG01	IP	LT 1.80
Q16	QCMB	+0.000	Q16	CH2CL2	99	IP	LT 1.80
Q16	QCMB	+0.000	Q16	CH2CL2	UG01	IP	LT 1.80
Q16	QCMB	+0.000	Q16	CH2CL2	UG01	IP	LT 1.80
Q16	QCMB	+0.000	Q16	CH2CL2	UG01	IP	LT 1.80
Q16	QCMB	+0.000	Q16	CH2CL2	99	IP	LT 1.80
Q16	QCMB	+0.000	Q16	CH2CL2	99	IP	LT 1.80
Q16	QCMB	+0.000	Q16	CH2CL2	UG01	IP	LT 1.80
Q16	QCMB	+0.000	Q16	CH2CL2	UG01	IP	LT 1.80
Q16	QCMB	+0.000	Q16	CH2CL2	UG01	IP	LT 1.80
Q16	QCMB	+0.000	Q16	CH2CL2	UG01	IP	LT 1.80
Q16	QCMB	+0.000	Q16	CH2CL2	UG01	IP	LT 1.80
Q16	QCMB	+0.000	Q16	CH2CL2	99	IP	LT 1.80
Q16	QCMB	+0.000	Q16	CHCL3	UG01	IP	LT 4.10
Q16	QCMB	+0.000	Q16	CHCL3	UG01	IP	LT 0.41
Q16	QCMB	+0.000	Q16	CHCL3	UG01	IP	LT 0.41
Q16	QCMB	+0.000	Q16	CHCL3	99	IP	LT 0.41
Q16	QCMB	+0.000	Q16	CHCL3	99	IP	LT 0.41
Q16	QCMB	+0.000	Q16	CHCL3	UG01	IP	LT 0.41
Q16	QCMB	+0.000	Q16	CHCL3	UG01	IP	LT 0.41
Q16	QCMB	+0.000	Q16	CHCL3	UG01	IP	LT 0.41
Q16	QCMB	+0.000	Q16	CHCL3	UG01	IP	LT 0.41
Q16	QCMB	+0.000	Q16	CHCL3	99	IP	LT 0.41
Q16	QCMB	+0.000	Q16	CHCL3	UG01	IP	LT 0.41
Q16	QCMB	+0.000	Q16	CHCL3	UG01	IP	LT 0.41
Q16	QCMB	+0.000	Q16	CHCL3	99	IP	LT 0.41
Q16	QCMB	+0.000	Q16	CHCL3	99	IP	LT 0.41
Q16	QCMB	+0.000	Q16	CHCL3	UG01	IP	LT 0.41
Q16	QCMB	+0.000	Q16	CHCL3	UG01	IP	LT 0.41
Q16	QCMB	+0.000	Q16	CHCL3	99	IP	LT 0.41
Q16	QCMB	+0.000	Q16	CHCL3	99	IP	LT 0.41
Q16	QCMB	+0.000	Q16	CHCL3	UG01	IP	LT 0.41
Q16	QCMB	+0.000	Q16	CHCL3	99	IP	LT 0.41
Q16	QCMB	+0.000	Q16	MEC6H5	UP02	IP	LT 3.39
Q16	QCMB	+0.000	Q16	MEC6H5	UP02	IP	LT 3.39
Q16	QCMB	+0.000	Q16	MEC6H5	UP02	IP	LT 3.39
Q16	QCMB	+0.000	Q16	MEC6H5	UP02	IP	LT 3.39
Q16	QCMB	+0.000	Q16	MEC6H5	UP02	IP	LT 3.39
Q16	QCMB	+0.000	Q16	MEC6H5	UP02	IP	LT 3.39
Q16	QCMB	+0.000	Q16	MEC6H5	UP02	IP	LT 3.39
Q16	QCMB	+0.000	Q16	MEC6H5	UP02	IP	LT 3.39
Q16	QCMB	+0.000	Q16	MEC6H5	UP02	IP	LT 3.39
Q16	QCMB	+0.000	Q16	MEC6H5	UP02	IP	LT 3.39
Q16	QCMB	+0.000	Q16	MEC6H5	UP02	IP	LT 3.39
Q16	QCMB	+0.000	Q16	MEC6H5	UP02	IP	LT 3.39
Q16	QCMB	+0.000	Q16	MEC6H5	UP02	IP	LT 3.39
Q16	QCMB	+0.000	Q16	MEC6H5	UP02	IP	LT 3.39
Q16	QCMB	+0.000	Q16	MEC6H5	UP02	IP	LT 3.39

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP		10.30
Q16	QCSP	+2.380	Q16	TXYLENUP02		IP		2.27
Q16	QCSP	+2.380	Q16	TXYLENUP02		IP		1.94
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP		11.30
Q16	QCSP	+2.380	Q16	TXYLENUP02		IP		2.20
Q16	QCSP	+2.380	Q16	TXYLENUP02		IP		2.05
Q16	QCSP	+2.380	Q16	TXYLENUP02		IP		1.94
Q16	QCSP	+2.380	Q16	TXYLENUP02		IP		1.96
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP		11.20
Q16	QCSP	+2.380	Q16	TXYLENUP02		IP		1.76
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP		10.40
Q16	QCSP	+2.380	Q16	TXYLENUP02		IP		2.59
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP		10.50
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP		7.99
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP		11.50
Q16	QCSP	+2.380	Q16	TXYLENUP02		IP		2.07
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP		10.40
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP		9.47
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP		8.31
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP		11.60
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP		10.60
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP		9.96
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP		9.87
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP		8.34
Q16	QCSP	+11.900	Q16	TXYLENUP02		IP		11.20
Q16	QCSP	#0.750	05-Nov-87	DBUCLE99		IP		0.19
Q16	QCSP	#0.750	05-Nov-87	DBUCLE99		IP		0.54
Q16	QCSP	#0.750	05-Nov-87	DBUCLE99		IP		0.55
Q16	QCSP	#0.750	05-Nov-87	DBUCLE99		IP		0.20
Q16	QCSP	#0.750	10-Nov-87	DBUCLE99		IP		0.21
Q16	QCSP	#0.750	10-Nov-87	DBUCLE99		IP		0.53
Q16	QCSP	#0.750	10-Nov-87	DBUCLE99		IP	LT	0.16
Q16	QCSP	#0.750	16-Nov-87	DBUCLE99		IP		0.44
Q16	QCSP	#0.750	17-Nov-87	DBUCLE99		IP		0.57
Q16	QCSP	#0.750	18-Nov-87	DBUCLE99		IP		0.34
Q16	QCSP	#0.750	19-Nov-87	DBUCLE99		IP		0.73
Q16	QCSP	#0.750	20-Nov-87	DBUCLE99		IP		0.30
Q16	QCSP	#0.750	23-Nov-87	DBUCLE99		IP		0.47
Q16	QCSP	#0.750	23-Nov-87	DBUCLE99		IP		0.22
Q16	QCSP	#0.750	03-Dec-87	DBUCLE99		IP		0.42
Q16	QCSP	#0.750	03-Dec-87	DBUCLE99		IP		0.47
Q16	QCSP	#0.750	03-Dec-87	DBUCLE99		IP		0.55
Q16	QCSP	#0.750	03-Dec-87	DBUCLE99		IP		0.36
Q16	QCSP	#0.750	03-Dec-87	DBUCLE99		IP		0.44
Q16	QCSP	#0.750	04-Dec-87	DBUCLE99		IP		0.78
Q16	QCSP	#0.750	04-Dec-87	DBUCLE99		IP		0.69
Q16	QCSP	#0.750	04-Dec-87	DBUCLE99		IP		0.95
Q16	QCSP	#0.750	04-Dec-87	DBUCLE99		IP		0.23
Q16	QCSP	#0.750	04-Dec-87	DBUCLE99		IP		0.76
Q16	QCSP	#0.750	07-Dec-87	DBUCLE99		IP		0.77
Q16	QCSP	#0.750	07-Dec-87	DBUCLE99		IP		0.73
Q16	QCSP	#0.750	10-Dec-87	DBUCLE99		IP		0.49
Q16	QCSP	#0.750	10-Dec-87	DBUCLE99		IP		0.81
Q16	QCSP	#0.750	10-Dec-87	DBUCLE99		IP		0.67
Q16	QCSP	#0.750	10-Dec-87	DBUCLE99		IP		0.72
Q16	QCSP	#0.750	10-Dec-87	DBUCLE99		IP		0.75
Q16	QCSP	#0.750	10-Dec-87	DBUCLE99		IP		0.62
Q16	QCSP	#0.750	10-Dec-87	DBUCLE99		IP		0.44
Q16	QCSP	#0.750	11-Dec-87	DBUCLE99		IP		0.51
Q16	QCSP	#0.750	11-Dec-87	DBUCLE99		IP		0.46
Q18	QCSP	+1.00+001	Q18	111TCE	UG03	PC		10.20
Q18	QCSP	+2.00+000	Q18	111TCE	UG03	PC		1.79
Q18	QCSP	+1.00+001	Q18	111TCE	UG03	PC		9.77
Q18	QCSP	+1.00+001	Q18	111TCE	UG03	PC		9.60
Q18	QCSP	+1.00+001	Q18	111TCE	UG03	PC		11.00
Q18	QCSP	+1.00+001	Q18	111TCE	UG03	PC		10.40
Q18	QCSP	+1.00+001	Q18	111TCE	UG03	PC		10.20
Q18	QCSP	+2.00+000	Q18	111TCE	UG03	PC		2.27
Q18	QCSP	+1.00+001	Q18	111TCE	UG03	PC		14.60
Q18	QCSP	+1.00+001	Q18	111TCE	UG03	PC		11.20
Q18	QCSP	+1.00+001	Q18	111TCE	UG03	PC		11.40
Q18	QCSP	+1.00+001	Q18	111TCE	UG03	PC		10.50
Q18	QCSP	+2.00+000	Q18	111TCE	UG03	PC		1.79
Q18	QCSP	+2.00+000	Q18	111TCE	UG03	PC		3.34
Q18	QCSP	+1.00+001	Q18	111TCE	UG03	PC		10.70
Q18	QCSP	+2.00+000	Q18	111TCE	UG03	PC		2.24
Q18	QCSP	+2.00+000	Q18	111TCE	UG03	PC		2.00
Q18	QCSP	+1.00+001	Q18	111TCE	UG03	PC		10.40
Q18	QCSP	+2.00+000	Q18	111TCE	UG03	PC		2.63
Q18	QCSP	+1.00+001	Q18	111TCE	UG03	PC		10.30

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q16	QCMB	+0.000	Q16	PCB016	99	IP	LT	0.29
Q16	QCMB	+0.000	Q16	PCB016	99	IP	LT	0.29
Q16	QCMB	+0.000	Q16	PCB016	99	IP	LT	0.29
Q16	QCMB	+0.000	Q16	PCB016	99	IP	LT	0.29
Q16	QCMB	+0.000	Q16	PCB016	99	IP	LT	0.29
Q16	QCMB	+0.000	Q16	PCB242	99	IP	LT	0.62
Q16	QCMB	+0.000	Q16	PCB242	99	IP	LT	0.62
Q16	QCMB	+0.000	Q16	PCB242	99	IP	LT	0.62
Q16	QCMB	+0.000	Q16	PCB242	99	IP	LT	0.62
Q16	QCMB	+0.000	Q16	PCB242	99	IP	LT	0.62
Q16	QCMB	+0.000	Q16	PCB248	99	IP	LT	0.34
Q16	QCMB	+0.000	Q16	PCB248	99	IP	LT	0.34
Q16	QCMB	+0.000	Q16	PCB248	99	IP	LT	0.34
Q16	QCMB	+0.000	Q16	PCB248	99	IP	LT	0.34
Q16	QCMB	+0.000	Q16	PCB248	99	IP	LT	0.34
Q16	QCMB	+0.000	Q16	PCB254	99	IP	LT	0.13
Q16	QCMB	+0.000	Q16	PCB254	99	IP	LT	0.13
Q16	QCMB	+0.000	Q16	PCB254	99	IP	LT	0.13
Q16	QCMB	+0.000	Q16	PCB254	99	IP	LT	0.13
Q16	QCMB	+0.000	Q16	PCB254	99	IP	LT	0.13
Q16	QCMB	+0.000	Q16	PCB260	99	IP	LT	0.32
Q16	QCMB	+0.000	Q16	PCB260	99	IP	LT	0.32
Q16	QCMB	+0.000	Q16	PCB260	99	IP	LT	0.32
Q16	QCMB	+0.000	Q16	PCB260	99	IP	LT	0.32
Q16	QCMB	+0.000	Q16	PCB260	99	IP	LT	0.32
Q16	QCMB	+0.000	Q16	TCLEE	UG01	IP	LT	0.88
Q16	QCMB	+0.000	Q16	TCLEE	UG01	IP	LT	0.88
Q16	QCMB	+0.000	Q16	TCLEE	99	IP	LT	0.88
Q16	QCMB	+0.000	Q16	TCLEE	UG01	IP	LT	0.88
Q16	QCMB	+0.000	Q16	TCLEE	UG01	IP	LT	0.88
Q16	QCMB	+0.000	Q16	TCLEE	99	IP	LT	0.88
Q16	QCMB	+0.000	Q16	TCLEE	UG01	IP	LT	0.88
Q16	QCMB	+0.000	Q16	TCLEE	99	IP	LT	0.88
Q16	QCMB	+0.000	Q16	TCLEE	99	IP	LT	0.88
Q16	QCMB	+0.000	Q16	TCLEE	UG01	IP	LT	0.88
Q16	QCMB	+0.000	Q16	TCLEE	99	IP	LT	0.88
Q16	QCMB	+0.000	Q16	TCLEE	UG01	IP	LT	0.88
Q16	QCMB	+0.000	Q16	TCLEE	UG01	IP	LT	0.88
Q16	QCMB	+0.000	Q16	TCLEE	UG01	IP	LT	0.88
Q16	QCMB	+0.000	Q16	TCLEE	UG01	IP	LT	0.88
Q16	QCMB	+0.000	Q16	TCLEE	UG01	IP	LT	8.80
Q16	QCMB	+0.000	Q16	TCLEE	UG01	IP	LT	0.88
Q16	QCMB	+0.000	Q16	TCLEE	99	IP	LT	0.88
Q16	QCMB	+0.000	Q16	TCLEE	99	IP	LT	0.88
Q16	QCMB	+0.000	Q16	TCLTFE	99	IP	LT	4.50
Q16	QCMB	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCMB	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCMB	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCMB	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCMB	+0.000	Q16	TCLTFE	99	IP	LT	4.50
Q16	QCMB	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCMB	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCMB	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCMB	+0.000	Q16	TCLTFE	99	IP	LT	4.50
Q16	QCMB	+0.000	Q16	TCLTFE	99	IP	LT	4.50
Q16	QCMB	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCMB	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCMB	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCMB	+0.000	Q16	TCLTFE	99	IP	LT	4.50
Q16	QCMB	+0.000	Q16	TCLTFE	99	IP	LT	4.50
Q16	QCMB	+0.000	Q16	TCLTFE	99	IP	LT	4.50
Q16	QCMB	+0.000	Q16	TCLTFE	UG01	IP	LT	4.50
Q16	QCMB	+0.000	Q16	TRCLE	UG01	IP	LT	1.10
Q16	QCMB	+0.000	Q16	TRCLE	99	IP	LT	1.10
Q16	QCMB	+0.000	Q16	TRCLE	99	IP	LT	1.10
Q16	QCMB	+0.000	Q16	TRCLE	UG01	IP	LT	1.10
Q16	QCMB	+0.000	Q16	TRCLE	UG01	IP	LT	1.10
Q16	QCMB	+0.000	Q16	TRCLE	99	IP	LT	1.10
Q16	QCMB	+0.000	Q16	TRCLE	UG01	IP	LT	1.10
Q16	QCMB	+0.000	Q16	TRCLE	99	IP	LT	1.10
Q16	QCMB	+0.000	Q16	TRCLE	UG01	IP	LT	1.10
Q16	QCMB	+0.000	Q16	TRCLE	UG01	IP	LT	1.10

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q18	QCSP	+1.00+001	Q18	111TCE	UG03	PC	11.30
Q18	QCSP	+2.00+000	Q18	112TCE	UG03	PC	1.66
Q18	QCSP	+1.00+001	Q18	112TCE	UG03	PC	9.82
Q18	QCSP	+1.00+001	Q18	112TCE	UG03	PC	10.00
Q18	QCSP	+1.00+001	Q18	112TCE	UG03	PC	10.40
Q18	QCSP	+1.00+001	Q18	112TCE	UG03	PC	9.61
Q18	QCSP	+1.00+001	Q18	112TCE	UG03	PC	10.40
Q18	QCSP	+2.00+000	Q18	112TCE	UG03	PC	1.66
Q18	QCSP	+1.00+001	Q18	112TCE	UG03	PC	10.20
Q18	QCSP	+1.00+001	Q18	112TCE	UG03	PC	10.10
Q18	QCSP	+2.00+000	Q18	112TCE	UG03	PC	2.05
Q18	QCSP	+2.00+000	Q18	112TCE	UG03	PC	1.98
Q18	QCSP	+1.00+001	Q18	112TCE	UG03	PC	10.20
Q18	QCSP	+1.00+001	Q18	112TCE	UG03	PC	10.60
Q18	QCSP	+1.00+001	Q18	112TCE	UG03	PC	9.88
Q18	QCSP	+1.00+001	Q18	112TCE	UG03	PC	10.10
Q18	QCSP	+2.00+000	Q18	112TCE	UG03	PC	2.08
Q18	QCSP	+2.00+000	Q18	112TCE	UG03	PC	2.05
Q18	QCSP	+1.00+001	Q18	112TCE	UG03	PC	8.91
Q18	QCSP	+1.00+001	Q18	112TCE	UG03	PC	9.83
Q18	QCSP	+1.00+001	Q18	112TCE	UG03	PC	10.40
Q18	QCSP	+2.00+000	Q18	112TCE	UG03	PC	2.00
Q18	QCSP	+1.00+001	Q18	11DCE	UG03	PC	12.60
Q18	QCSP	+1.00+001	Q18	11DCE	UG03	PC	17.10
Q18	QCSP	+1.00+001	Q18	11DCE	UG03	PC	11.50
Q18	QCSP	+1.00+001	Q18	11DCE	UG03	PC	11.10
Q18	QCSP	+1.00+001	Q18	11DCE	UG03	PC	11.60
Q18	QCSP	+2.00+000	Q18	11DCE	UG03	PC	2.38
Q18	QCSP	+2.00+000	Q18	11DCE	UG03	PC	2.43
Q18	QCSP	+1.00+001	Q18	11DCE	UG03	PC	10.70
Q18	QCSP	+1.00+001	Q18	11DCE	UG03	PC	10.00
Q18	QCSP	+2.00+000	Q18	11DCE	UG03	PC	2.10
Q18	QCSP	+1.00+001	Q18	11DCE	UG03	PC	13.20
Q18	QCSP	+1.00+001	Q18	11DCE	UG03	PC	17.00
Q18	QCSP	+2.00+000	Q18	11DCE	UG03	PC	3.98
Q18	QCSP	+2.00+000	Q18	11DCE	UG03	PC	4.79
Q18	QCSP	+1.00+001	Q18	11DCE	UG03	PC	11.10
Q18	QCSP	+2.00+000	Q18	11DCE	UG03	PC	3.14
Q18	QCSP	+2.00+000	Q18	11DCE	UG03	PC	2.10
Q18	QCSP	+1.00+001	Q18	11DCE	UG03	PC	11.10
Q18	QCSP	+1.00+001	Q18	11DCE	UG03	PC	22.20
Q18	QCSP	+2.00+000	Q18	11DCE	UG03	PC	2.67
Q18	QCSP	+1.00+001	Q18	11DCE	UG03	PC	22.30
Q18	QCSP	+1.00+001	Q18	11DCE	UG03	PC	9.70
Q18	QCSP	+1.00+001	Q18	11DCE	UG03	PC	11.10
Q18	QCSP	+1.00+001	Q18	11DCE	UG03	PC	10.60
Q18	QCSP	+1.00+000	Q18	12DCE	UG03	PC	1.31
Q18	QCSP	+5.00+000	Q18	12DCE	UG03	PC	5.52
Q18	QCSP	+5.00+000	Q18	12DCE	UG03	PC	5.27
Q18	QCSP	+5.00+000	Q18	12DCE	UG03	PC	6.03
Q18	QCSP	+1.00+000	Q18	12DCE	UG03	PC	1.29
Q18	QCSP	+1.00+000	Q18	12DCE	UG03	PC	1.22
Q18	QCSP	+5.00+000	Q18	12DCE	UG03	PC	5.60
Q18	QCSP	+5.00+000	Q18	12DCE	UG03	PC	5.27
Q18	QCSP	+1.00+000	Q18	12DCE	UG03	PC	0.99
Q18	QCSP	+5.00+000	Q18	12DCE	UG03	PC	5.47
Q18	QCSP	+5.00+000	Q18	12DCE	UG03	PC	5.08
Q18	QCSP	+5.00+000	Q18	12DCE	UG03	PC	4.86
Q18	QCSP	+5.00+000	Q18	12DCE	UG03	PC	6.20
Q18	QCSP	+5.00+000	Q18	12DCE	UG03	PC	5.28
Q18	QCSP	+1.00+000	Q18	12DCE	UG03	PC	0.99
Q18	QCSP	+1.00+000	Q18	12DCE	UG03	PC	1.37
Q18	QCSP	+5.00+000	Q18	12DCE	UG03	PC	6.04
Q18	QCSP	+5.00+000	Q18	12DCE	UG03	PC	5.74
Q18	QCSP	+1.00+000	Q18	12DCE	UG03	PC	1.88
Q18	QCSP	+5.00+000	Q18	12DCE	UG03	PC	5.73
Q18	QCSP	+5.00+000	Q18	12DCE	UG03	PC	5.52
Q18	QCSP	+5.00+000	Q18	12DCLE	UG03	PC	4.59
Q18	QCSP	+5.00+000	Q18	12DCLE	UG03	PC	4.56
Q18	QCSP	+1.00+000	Q18	12DCLE	UG03	PC	0.85
Q18	QCSP	+5.00+000	Q18	12DCLE	UG03	PC	4.84
Q18	QCSP	+5.00+000	Q18	12DCLE	UG03	PC	4.58
Q18	QCSP	+5.00+000	Q18	12DCLE	UG03	PC	4.56
Q18	QCSP	+5.00+000	Q18	12DCLE	UG03	PC	4.58
Q18	QCSP	+1.00+000	Q18	12DCLE	UG03	PC	0.90
Q18	QCSP	+5.00+000	Q18	12DCLE	UG03	PC	4.54
Q18	QCSP	+5.00+000	Q18	12DCLE	UG03	PC	4.35
Q18	QCSP	+5.00+000	Q18	12DCLE	UG03	PC	4.42
Q18	QCSP	+5.00+000	Q18	12DCLE	UG03	PC	4.46
Q18	QCSP	+1.00+000	Q18	12DCLE	UG03	PC	0.77

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q16	QCMB	+0.000	Q16	TRCLE	UG01	IP LT	1.10
Q16	QCMB	+0.000	Q16	TRCLE	UG01	IP LT	1.10
Q16	QCMB	+0.000	Q16	TRCLE	99	IP LT	1.10
Q16	QCMB	+0.000	Q16	TRCLE	UG01	IP LT	1.10
Q16	QCMB	+0.000	Q16	TRCLE	99	IP LT	1.10
Q16	QCMB	+0.000	Q16	TRCLE	UG01	IP LT	1.10
Q16	QCMB	+0.000	Q16	TRCLE	UG01	IP LT	1.10
Q16	QCMB	+0.000	Q16	TRCLE	UG01	IP LT	1.10
Q16	QCMB	+0.000	Q16	TRCLE	99	IP LT	1.10
Q16	QCMB	+0.000	Q16	TRCLE	UG01	IP LT	1.10
Q16	QCMB	+0.000	Q16	TRCLE	UG01	IP LT	1.10
Q16	QCMB	+0.000	Q16	TXYLENUP02		IP LT	1.17
Q16	QCMB	+0.000	Q16	TXYLENUP02		IP LT	1.17
Q16	QCMB	+0.000	Q16	TXYLENUP02		IP LT	1.17
Q16	QCMB	+0.000	Q16	TXYLENUP02		IP LT	1.17
Q16	QCMB	+0.000	Q16	TXYLENUP02		IP LT	1.17
Q16	QCMB	+0.000	Q16	TXYLENUP02		IP LT	1.17
Q16	QCMB	+0.000	Q16	TXYLENUP02		IP LT	1.17
Q16	QCMB	+0.000	Q16	TXYLENUP02		IP LT	1.17
Q16	QCMB	+0.000	Q16	TXYLENUP02		IP LT	1.17
Q16	QCMB	+0.000	Q16	TXYLENUP02		IP LT	1.17
Q16	QCMB	+0.000	Q16	TXYLENUP02		IP LT	1.17
Q16	QCMB	+0.000	Q16	TXYLENUP02		IP LT	1.17
Q16	QCMB	+0.000	Q16	TXYLENUP02		IP LT	1.17
Q18	QCMB	+0.00+000	Q18	111TCE	UG03	PC LT	1.00
Q18	QCMB	+0.00+000	Q18	111TCE	UG03	PC LT	1.00
Q18	QCMB	+0.00+000	Q18	111TCE	UG03	PC LT	1.00
Q18	QCMB	+0.00+000	Q18	111TCE	UG03	PC LT	1.00
Q18	QCMB	+0.00+000	Q18	111TCE	UG03	PC LT	1.00
Q18	QCMB	+0.00+000	Q18	111TCE	UG03	PC LT	1.00
Q18	QCMB	+0.00+000	Q18	111TCE	UG03	PC LT	1.00
Q18	QCMB	+0.00+000	Q18	112TCE	UG03	PC LT	1.00
Q18	QCMB	+0.00+000	Q18	112TCE	UG03	PC LT	1.00
Q18	QCMB	+0.00+000	Q18	112TCE	UG03	PC LT	1.00
Q18	QCMB	+0.00+000	Q18	112TCE	UG03	PC LT	1.00
Q18	QCMB	+0.00+000	Q18	112TCE	UG03	PC LT	1.00
Q18	QCMB	+0.00+000	Q18	112TCE	UG03	PC LT	1.00
Q18	QCMB	+0.00+000	Q18	112TCE	UG03	PC LT	1.00
Q18	QCMB	+0.00+000	Q18	11DCE	UG03	PC LT	1.00
Q18	QCMB	+0.00+000	Q18	11DCE	UG03	PC LT	1.00
Q18	QCMB	+0.00+000	Q18	11DCE	UG03	PC LT	1.00
Q18	QCMB	+0.00+000	Q18	11DCE	UG03	PC LT	1.00
Q18	QCMB	+0.00+000	Q18	11DCE	UG03	PC LT	1.00
Q18	QCMB	+0.00+000	Q18	11DCE	UG03	PC LT	1.00
Q18	QCMB	+0.00+000	Q18	11DCE	UG03	PC LT	1.00
Q18	QCMB	+0.00+000	Q18	12DCE	UG03	PC LT	0.50
Q18	QCMB	+0.00+000	Q18	12DCE	UG03	PC LT	0.50
Q18	QCMB	+0.00+000	Q18	12DCE	UG03	PC LT	0.50
Q18	QCMB	+0.00+000	Q18	12DCE	UG03	PC LT	0.50
Q18	QCMB	+0.00+000	Q18	12DCE	UG03	PC LT	0.50
Q18	QCMB	+0.00+000	Q18	12DCE	UG03	PC LT	0.50
Q18	QCMB	+0.00+000	Q18	12DCE	UG03	PC LT	0.50
Q18	QCMB	+0.00+000	Q18	12DCLE	UG03	PC LT	0.50
Q18	QCMB	+0.00+000	Q18	12DCLE	UG03	PC LT	0.50
Q18	QCMB	+0.00+000	Q18	12DCLE	UG03	PC LT	0.50
Q18	QCMB	+0.00+000	Q18	12DCLE	UG03	PC LT	0.50
Q18	QCMB	+0.00+000	Q18	12DCLE	UG03	PC LT	0.50
Q18	QCMB	+0.00+000	Q18	12DCLE	UG03	PC LT	0.50
Q18	QCMB	+0.00+000	Q18	12DCLP	UG03	PC LT	1.00
Q18	QCMB	+0.00+000	Q18	12DCLP	UG03	PC LT	1.00
Q18	QCMB	+0.00+000	Q18	12DCLP	UG03	PC LT	1.00
Q18	QCMB	+0.00+000	Q18	12DCLP	UG03	PC LT	1.00
Q18	QCMB	+0.00+000	Q18	12DCLP	UG03	PC LT	1.00
Q18	QCMB	+0.00+000	Q18	12DCLP	UG03	PC LT	1.00
Q18	QCMB	+0.00+000	Q18	C2H3CL	UG03	PC LT	1.90
Q18	QCMB	+0.00+000	Q18	C2H3CL	UG03	PC LT	1.90
Q18	QCMB	+0.00+000	Q18	C2H3CL	UG03	PC LT	1.90
Q18	QCMB	+0.00+000	Q18	C2H3CL	UG03	PC LT	1.90
Q18	QCMB	+0.00+000	Q18	C2H3CL	UG03	PC LT	1.90
Q18	QCMB	+0.00+000	Q18	C2H3CL	UG03	PC LT	1.90
Q18	QCMB	+0.00+000	Q18	C2H3CL	UG03	PC LT	1.90
Q18	QCMB	+0.00+000	Q18	C6H6	UP01	PC LT	0.41
Q18	QCMB	+0.00+000	Q18	C6H6	UP01	PC LT	0.41
Q18	QCMB	+0.00+000	Q18	C6H6	UP01	PC LT	0.41
Q18	QCMB	+0.00+000	Q18	C6H6	UP01	PC LT	0.41
Q18	QCMB	+0.00+000	Q18	C6H6	UP01	PC LT	0.41

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q18	QCSP	+5.00+000	Q18	12DCLE	UG03	PC		4.73
Q18	QCSP	+5.00+000	Q18	12DCLE	UG03	PC		4.55
Q18	QCSP	+5.00+000	Q18	12DCLE	UG03	PC		4.07
Q18	QCSP	+1.00+000	Q18	12DCLE	UG03	PC		0.87
Q18	QCSP	+5.00+000	Q18	12DCLE	UG03	PC		4.60
Q18	QCSP	+1.00+000	Q18	12DCLE	UG03	PC		0.93
Q18	QCSP	+1.00+000	Q18	12DCLE	UG03	PC		0.77
Q18	QCSP	+1.00+000	Q18	12DCLE	UG03	PC		0.93
Q18	QCSP	+0.00+000	Q18	12DCLP	UG03	PC	LT	1.00

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q18	QCSP	+0.00+000	Q18	CHCL3	UG03	PC LT	0.72
Q18	QCSP	+0.00+000	Q18	CHCL3	UG03	PC LT	0.72
Q18	QCSP	+0.00+000	Q18	CHCL3	UG03	PC LT	0.72
Q18	QCSP	+0.00+000	Q18	CHCL3	UG03	PC LT	0.72
Q18	QCSP	+0.00+000	Q18	CHCL3	UG03	PC LT	0.72
Q18	QCSP	+0.00+000	Q18	CHCL3	UG03	PC LT	0.72
Q18	QCSP	+2.00+000	Q18	MEC6H5	UP01	PC	2.68
Q18	QCSP	+2.00+000	Q18	MEC6H5	UP01	PC	3.28
Q18	QCSP	+1.00+001	Q18	MEC6H5	UP01	PC	9.67
Q18	QCSP	+1.00+001	Q18	MEC6H5	UP01	PC	14.00
Q18	QCSP	+1.00+001	Q18	MEC6H5	UP01	PC	9.80
Q18	QCSP	+2.00+000	Q18	MEC6H5	UP01	PC	2.04
Q18	QCSP	+1.00+001	Q18	MEC6H5	UP01	PC	11.20
Q18	QCSP	+1.00+001	Q18	MEC6H5	UP01	PC	11.30
Q18	QCSP	+1.00+001	Q18	MEC6H5	UP01	PC	10.60
Q18	QCSP	+1.00+001	Q18	MEC6H5	UP01	PC	12.80
Q18	QCSP	+1.00+001	Q18	MEC6H5	UP01	PC	10.30
Q18	QCSP	+1.00+001	Q18	MEC6H5	UP01	PC	11.20
Q18	QCSP	+1.00+001	Q18	MEC6H5	UP01	PC	10.80
Q18	QCSP	+2.00+000	Q18	MEC6H5	UP01	PC	2.11
Q18	QCSP	+2.00+000	Q18	MEC6H5	UP01	PC	2.67
Q18	QCSP	+1.00+001	Q18	TCLEE	UG03	PC	8.78
Q18	QCSP	+1.00+001	Q18	TCLEE	UG03	PC	9.21
Q18	QCSP	+1.00+001	Q18	TCLEE	UG03	PC	9.61
Q18	QCSP	+1.00+001	Q18	TCLEE	UG03	PC	8.91
Q18	QCSP	+1.00+001	Q18	TCLEE	UG03	PC	9.00
Q18	QCSP	+1.00+001	Q18	TCLEE	UG03	PC	8.31
Q18	QCSP	+2.00+000	Q18	TCLEE	UG03	PC	2.02
Q18	QCSP	+2.00+000	Q18	TCLEE	UG03	PC	1.95
Q18	QCSP	+1.00+001	Q18	TCLEE	UG03	PC	9.26
Q18	QCSP	+2.00+000	Q18	TCLEE	UG03	PC	1.91
Q18	QCSP	+1.00+001	Q18	TCLEE	UG03	PC	9.25
Q18	QCSP	+2.00+000	Q18	TCLEE	UG03	PC	1.91
Q18	QCSP	+1.00+001	Q18	TCLEE	UG03	PC	8.78
Q18	QCSP	+1.00+001	Q18	TCLEE	UG03	PC	8.96
Q18	QCSP	+2.00+000	Q18	TCLEE	UG03	PC	2.00
Q18	QCSP	+1.00+001	Q18	TCLEE	UG03	PC	9.25
Q18	QCSP	+2.00+000	Q18	TCLEE	UG03	PC	2.21
Q18	QCSP	+1.00+001	Q18	TCLEE	UG03	PC	9.11
Q18	QCSP	+1.00+001	Q18	TCLEE	UG03	PC	8.97
Q18	QCSP	+1.00+001	Q18	TCLEE	UG03	PC	9.26
Q18	QCSP	+2.00+000	Q18	TCLEE	UG03	PC	4.22
Q18	QCSP	+5.00+000	Q18	TRCLE	UG03	PC	5.25
Q18	QCSP	+1.00+000	Q18	TRCLE	UG03	PC	0.73
Q18	QCSP	+5.00+000	Q18	TRCLE	UG03	PC	4.56
Q18	QCSP	+5.00+000	Q18	TRCLE	UG03	PC	4.57
Q18	QCSP	+5.00+000	Q18	TRCLE	UG03	PC	4.56
Q18	QCSP	+5.00+000	Q18	TRCLE	UG03	PC	4.57
Q18	QCSP	+1.00+000	Q18	TRCLE	UG03	PC	0.92
Q18	QCSP	+1.00+000	Q18	TRCLE	UG03	PC	2.12
Q18	QCSP	+1.00+000	Q18	TRCLE	UG03	PC	0.88
Q18	QCSP	+1.00+000	Q18	TRCLE	UG03	PC	1.20
Q18	QCSP	+1.00+000	Q18	TRCLE	UG03	PC	0.73
Q18	QCSP	+5.00+000	Q18	TRCLE	UG03	PC	5.27
Q18	QCSP	+5.00+000	Q18	TRCLE	UG03	PC	4.56
Q18	QCSP	+5.00+000	Q18	TRCLE	UG03	PC	4.12
Q18	QCSP	+5.00+000	Q18	TRCLE	UG03	PC	4.80
Q18	QCSP	+1.00+000	Q18	TRCLE	UG03	PC	1.00
Q18	QCSP	+5.00+000	Q18	TRCLE	UG03	PC	4.94
Q18	QCSP	+5.00+000	Q18	TRCLE	UG03	PC	4.80
Q18	QCSP	+5.00+000	Q18	TRCLE	UG03	PC	4.97
Q18	QCSP	+5.00+000	Q18	TRCLE	UG03	PC	4.39
Q18	QCSP	+5.00+000	Q18	TRCLE	UG03	PC	4.52
Q18	QCSP	+7.50+001	Q18	TXYLENU	P01	PC	74.90
Q18	QCSP	+7.50+001	Q18	TXYLENU	P01	PC	72.90
Q18	QCSP	+7.50+001	Q18	TXYLENU	P01	PC	74.10
Q18	QCSP	+1.50+001	Q18	TXYLENU	P01	PC	14.20
Q18	QCSP	+7.50+001	Q18	TXYLENU	P01	PC	77.70
Q18	QCSP	+1.50+001	Q18	TXYLENU	P01	PC	11.80
Q18	QCSP	+7.50+001	Q18	TXYLENU	P01	PC	74.60
Q18	QCSP	+1.50+001	Q18	TXYLENU	P01	PC	14.10
Q18	QCSP	+1.50+001	Q18	TXYLENU	P01	PC	14.10
Q18	QCSP	+1.50+001	Q18	TXYLENU	P01	PC	11.90
Q18	QCSP	+7.50+001	Q18	TXYLENU	P01	PC	73.20
Q18	QCSP	+7.50+001	Q18	TXYLENU	P01	PC	74.60
Q18	QCSP	+7.50+001	Q18	TXYLENU	P01	PC	74.50
Q18	QCSP	+7.50+001	Q18	TXYLENU	P01	PC	75.60
Q18	QCSP	+7.50+001	Q18	TXYLENU	P01	PC	74.60
Q19	QCSP	+1.00+001	Q19	111TCE	UG03	PC	11.00
Q19	QCSP	+1.00+001	Q19	111TCE	UG03	PC	9.01

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q19	QCMB	+0.00+000	Q19	12DCE	UG03	PC LT	0.50
Q19	QCMB	+0.00+000	Q19	12DCE	UG03	PC LT	0.50
Q19	QCMB	+0.00+000	Q19	12DCE	UG03	PC LT	0.50
Q19	QCMB	+0.00+000	Q19	12DCLE	UG03	PC LT	0.50
Q19	QCMB	+0.00+000	Q19	12DCLE	UG03	PC LT	0.50
Q19	QCMB	+0.00+000	Q19	12DCLE	UG03	PC LT	0.50
Q19	QCMB	+0.00+000	Q19	12DCLE	UG03	PC LT	0.50
Q19	QCMB	+0.00+000	Q19	12DCLE	UG03	PC LT	0.50
Q19	QCMB	+0.00+000	Q19	12DCLE	UG03	PC LT	0.50
Q19	QCMB	+0.00+000	Q19	12DCLE	UG03	PC LT	0.50
Q19	QCMB	+0.00+000	Q19	12DCLE	UG03	PC LT	0.50
Q19	QCMB	+0.00+000	Q19	12DCLE	UG03	PC LT	0.50
Q19	QCMB	+0.00+000	Q19	12DCLE	UG03	PC LT	0.50
Q19	QCMB	+0.00+000	Q19	12DCLE	UG03	PC LT	0.50
Q19	QCMB	+0.00+000	Q19	12DCLP	UG03	PC LT	1.00
Q19	QCMB	+0.00+000	Q19	12DCLP	UG03	PC LT	1.00
Q19	QCMB	+0.00+000	Q19	12DCLP	UG03	PC LT	1.00
Q19	QCMB	+0.00+000	Q19	12DCLP	UG03	PC LT	1.00
Q19	QCMB	+0.00+000	Q19	12DCLP	UG03	PC LT	1.00
Q19	QCMB	+0.00+000	Q19	12DCLP	UG03	PC LT	1.00
Q19	QCMB	+0.00+000	Q19	12DCLP	UG03	PC LT	1.00
Q19	QCMB	+0.00+000	Q19	12DCLP	UG03	PC LT	1.00
Q19	QCMB	+0.00+000	Q19	12DCLP	UG03	PC LT	1.00
Q19	QCMB	+0.00+000	Q19	12DCLP	UG03	PC LT	1.00
Q19	QCMB	+0.00+000	Q19	C2H3CL	UG03	PC LT	1.90
Q19	QCMB	+0.00+000	Q19	C2H3CL	UG03	PC LT	1.90
Q19	QCMB	+0.00+000	Q19	C2H3CL	UG03	PC LT	1.90
Q19	QCMB	+0.00+000	Q19	C2H3CL	UG03	PC LT	1.90
Q19	QCMB	+0.00+000	Q19	C2H3CL	UG03	PC LT	1.90
Q19	QCMB	+0.00+000	Q19	C2H3CL	UG03	PC LT	1.90
Q19	QCMB	+0.00+000	Q19	C2H3CL	UG03	PC LT	1.90
Q19	QCMB	+0.00+000	Q19	C2H3CL	UG03	PC LT	1.90
Q19	QCMB	+0.00+000	Q19	C2H3CL	UG03	PC LT	1.90
Q19	QCMB	+0.00+000	Q19	C2H3CL	UG03	PC LT	1.90
Q19	QCMB	+0.00+000	Q19	C6H6	UP01	PC LT	0.41
Q19	QCMB	+0.00+000	Q19	C6H6	UP01	PC LT	0.41
Q19	QCMB	+0.00+000	Q19	C6H6	UP01	PC LT	0.41
Q19	QCMB	+0.00+000	Q19	C6H6	UP01	PC LT	0.41
Q19	QCMB	+0.00+000	Q19	C6H6	UP01	PC LT	0.41
Q19	QCMB	+0.00+000	Q19	C6H6	UP01	PC LT	0.41
Q19	QCMB	+0.00+000	Q19	C6H6	UP01	PC LT	0.41
Q19	QCMB	+0.00+000	Q19	C6H6	UP01	PC LT	0.41
Q19	QCMB	+0.00+000	Q19	C6H6	UP01	PC LT	0.41
Q19	QCMB	+0.00+000	Q19	C6H6	UP01	PC LT	0.41
Q19	QCMB	+0.00+000	Q19	C6H6	UP01	PC LT	0.41
Q19	QCMB	+0.00+000	Q19	C6H6	UP01	PC LT	0.41
Q19	QCMB	+0.00+000	Q19	C6H6	UP01	PC LT	0.41
Q19	QCMB	+0.00+000	Q19	CHCL3	UG03	PC LT	0.72
Q19	QCMB	+0.00+000	Q19	CHCL3	UG03	PC LT	0.72
Q19	QCMB	+0.00+000	Q19	CHCL3	UG03	PC LT	0.72
Q19	QCMB	+0.00+000	Q19	CHCL3	UG03	PC LT	0.72
Q19	QCMB	+0.00+000	Q19	CHCL3	UG03	PC LT	0.72
Q19	QCMB	+0.00+000	Q19	CHCL3	UG03	PC LT	0.72
Q19	QCMB	+0.00+000	Q19	CHCL3	UG03	PC LT	0.72
Q19	QCMB	+0.00+000	Q19	CHCL3	UG03	PC LT	0.72
Q19	QCMB	+0.00+000	Q19	CHCL3	UG03	PC LT	0.72
Q19	QCMB	+0.00+000	Q19	MEC6H5	UP01	PC LT	0.87
Q19	QCMB	+0.00+000	Q19	MEC6H5	UP01	PC LT	0.87
Q19	QCMB	+0.00+000	Q19	MEC6H5	UP01	PC LT	0.87
Q19	QCMB	+0.00+000	Q19	MEC6H5	UP01	PC LT	0.87
Q19	QCMB	+0.00+000	Q19	MEC6H5	UP01	PC LT	0.87
Q19	QCMB	+0.00+000	Q19	MEC6H5	UP01	PC LT	0.87
Q19	QCMB	+0.00+000	Q19	MEC6H5	UP01	PC LT	0.87
Q19	QCMB	+0.00+000	Q19	MEC6H5	UP01	PC LT	0.87
Q19	QCMB	+0.00+000	Q19	MEC6H5	UP01	PC LT	0.87
Q19	QCMB	+0.00+000	Q19	MEC6H5	UP01	PC LT	0.87

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q19	QCSP	+1.00+001	Q19	111TCE	UG03	PC	9.76
Q19	QCSP	+1.00+001	Q19	111TCE	UG03	PC	3.13
Q19	QCSP	+1.00+001	Q19	111TCE	UG03	PC	10.50
Q19	QCSP	+2.00+000	Q19	111TCE	UG03	PC	2.15
Q19	QCSP	+2.00+000	Q19	111TCE	UG03	PC	2.18
Q19	QCSP	+1.00+001	Q19	111TCE	UG03	PC	11.30
Q19	QCSP	+1.00+001	Q19	111TCE	UG03	PC	11.70
Q19	QCSP	+1.00+001	Q19	111TCE	UG03	PC	12.00
Q19	QCSP	+1.00+001	Q19	111TCE	UG03	PC	10.90
Q19	QCSP	+1.00+001	Q19	111TCE	UG03	PC	12.70
Q19	QCSP	+4.00+000	Q19	111TCE	UG03	PC	4.60
Q19	QCSP	+1.00+001	Q19	111TCE	UG03	PC	9.57
Q19	QCSP	+1.00+001	Q19	111TCE	UG03	PC	9.64
Q19	QCSP	+2.00+000	Q19	111TCE	UG03	PC	1.99
Q19	QCSP	+1.00+001	Q19	111TCE	UG03	PC	10.90
Q19	QCSP	+1.00+001	Q19	111TCE	UG03	PC	10.50
Q19	QCSP	+2.00+000	Q19	111TCE	UG03	PC	2.25
Q19	QCSP	+1.00+001	Q19	111TCE	UG03	PC	10.10
Q19	QCSP	+1.00+001	Q19	111TCE	UG03	PC	11.50
Q19	QCSP	+1.00+001	Q19	111TCE	UG03	PC	9.48
Q19	QCSP	+2.00+000	Q19	111TCE	UG03	PC	2.43
Q19	QCSP	+1.00+001	Q19	111TCE	UG03	PC	11.90
Q19	QCSP	+1.00+001	Q19	111TCE	UG03	PC	9.57
Q19	QCSP	+2.00+000	Q19	111TCE	UG03	PC	2.08
Q19	QCSP	+1.00+001	Q19	111TCE	UG03	PC	10.50
Q19	QCSP	+1.00+001	Q19	111TCE	UG03	PC	11.20
Q19	QCSP	+1.00+001	Q19	111TCE	UG03	PC	12.30
Q19	QCSP	+1.00+001	Q19	111TCE	UG03	PC	8.92
Q19	QCSP	+1.00+001	Q19	111TCE	UG03	PC	9.54
Q19	QCSP	+1.00+001	Q19	111TCE	UG03	PC	9.21
Q19	QCSP	+2.00+000	Q19	111TCE	UG03	PC	2.48
Q19	QCSP	+2.00+000	Q19	111TCE	UG03	PC	2.36
Q19	QCSP	+2.00+000	Q19	111TCE	UG03	PC	1.84
Q19	QCSP	+2.00+000	Q19	111TCE	UG03	PC	2.00
Q19	QCSP	+2.00+000	Q19	111TCE	UG03	PC	2.16
Q19	QCSP	+2.00+000	Q19	111TCE	UG03	PC	2.43
Q19	QCSP	+1.00+001	Q19	111TCE	UG03	PC	8.86
Q19	QCSP	+2.00+000	Q19	112TCE	UG03	PC	2.16
Q19	QCSP	+1.00+001	Q19	112TCE	UG03	PC	11.70
Q19	QCSP	+1.00+001	Q19	112TCE	UG03	PC	9.36
Q19	QCSP	+2.00+000	Q19	112TCE	UG03	PC	2.18
Q19	QCSP	+1.00+001	Q19	112TCE	UG03	PC	11.00
Q19	QCSP	+2.00+000	Q19	112TCE	UG03	PC	2.00
Q19	QCSP	+1.00+001	Q19	112TCE	UG03	PC	8.74
Q19	QCSP	+2.00+000	Q19	112TCE	UG03	PC	2.20
Q19	QCSP	+1.00+001	Q19	112TCE	UG03	PC	9.29
Q19	QCSP	+1.00+001	Q19	112TCE	UG03	PC	10.70
Q19	QCSP	+4.00+000	Q19	112TCE	UG03	PC	4.53
Q19	QCSP	+1.00+001	Q19	112TCE	UG03	PC	13.20
Q19	QCSP	+1.00+001	Q19	112TCE	UG03	PC	12.90
Q19	QCSP	+1.00+001	Q19	112TCE	UG03	PC	10.10
Q19	QCSP	+1.00+001	Q19	112TCE	UG03	PC	8.58
Q19	QCSP	+1.00+001	Q19	112TCE	UG03	PC	11.40
Q19	QCSP	+2.00+000	Q19	112TCE	UG03	PC	2.06
Q19	QCSP	+1.00+001	Q19	112TCE	UG03	PC	11.90
Q19	QCSP	+2.00+000	Q19	112TCE	UG03	PC	2.37
Q19	QCSP	+2.00+000	Q19	112TCE	UG03	PC	1.80
Q19	QCSP	+1.00+001	Q19	112TCE	UG03	PC	12.20
Q19	QCSP	+2.00+000	Q19	112TCE	UG03	PC	2.61
Q19	QCSP	+1.00+001	Q19	112TCE	UG03	PC	12.50
Q19	QCSP	+2.00+000	Q19	112TCE	UG03	PC	2.22
Q19	QCSP	+1.00+001	Q19	112TCE	UG03	PC	12.60
Q19	QCSP	+2.00+000	Q19	112TCE	UG03	PC	2.50
Q19	QCSP	+1.00+001	Q19	112TCE	UG03	PC	11.60
Q19	QCSP	+1.00+001	Q19	112TCE	UG03	PC	8.94
Q19	QCSP	+1.00+001	Q19	112TCE	UG03	PC	9.81
Q19	QCSP	+1.00+001	Q19	112TCE	UG03	PC	10.10
Q19	QCSP	+1.00+001	Q19	112TCE	UG03	PC	8.52
Q19	QCSP	+2.00+000	Q19	112TCE	UG03	PC	2.01
Q19	QCSP	+1.00+001	Q19	112TCE	UG03	PC	12.50
Q19	QCSP	+1.00+001	Q19	112TCE	UG03	PC	9.53
Q19	QCSP	+1.00+001	Q19	112TCE	UG03	PC	13.00
Q19	QCSP	+1.00+001	Q19	112TCE	UG03	PC	9.09
Q19	QCSP	+1.00+001	Q19	112TCE	UG03	PC	3.78
Q19	QCSP	+2.00+000	Q19	112TCE	UG03	PC	2.48
Q19	QCSP	+1.00+001	Q19	112TCE	UG03	PC	10.10
Q19	QCSP	+1.00+001	Q19	11DCE	UG03	PC	12.70
Q19	QCSP	+1.00+001	Q19	11DCE	UG03	PC	11.80
Q19	QCSP	+4.00+000	Q19	11DCE	UG03	PC	4.06
Q19	QCSP	+2.00+000	Q19	11DCE	UG03	PC	2.75

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q19	QCMB	+0.00+000	Q19	MEC6H5	UP01	PC LT	0.87
Q19	QCMB	+0.00+000	Q19	TCLEE	UG03	PC LT	1.00
Q19	QCMB	+0.00+000	Q19	TCLEE	UG03	PC LT	1.00
Q19	QCMB	+0.00+000	Q19	TCLEE	UG03	PC LT	1.00
Q19	QCMB	+0.00+000	Q19	TCLEE	UG03	PC LT	1.00
Q19	QCMB	+0.00+000	Q19	TCLEE	UG03	PC LT	1.00
Q19	QCMB	+0.00+000	Q19	TCLEE	UG03	PC LT	1.00
Q19	QCMB	+0.00+000	Q19	TCLEE	UG03	PC LT	1.00
Q19	QCMB	+0.00+000	Q19	TCLEE	UG03	PC LT	1.00
Q19	QCMB	+0.00+000	Q19	TCLEE	UG03	PC LT	1.00
Q19	QCMB	+0.00+000	Q19	TCLEE	UG03	PC LT	1.00
Q19	QCMB	+0.00+000	Q19	TCLEE	UG03	PC LT	1.00
Q19	QCMB	+0.00+000	Q19	TCLEE	UG03	PC LT	1.00
Q19	QCMB	+0.00+000	Q19	TPO4	TYO5	PC LT	9.36
Q19	QCMB	+0.00+000	Q19	TRCLE	UG03	PC LT	0.50
Q19	QCMB	+0.00+000	Q19	TRCLE	UG03	PC LT	0.50
Q19	QCMB	+0.00+000	Q19	TRCLE	UG03	PC LT	0.50
Q19	QCMB	+0.00+000	Q19	TRCLE	UG03	PC LT	0.50
Q19	QCMB	+0.00+000	Q19	TRCLE	UG03	PC LT	0.50
Q19	QCMB	+0.00+000	Q19	TRCLE	UG03	PC	3.37
Q19	QCMB	+0.00+000	Q19	TRCLE	UG03	PC LT	0.50
Q19	QCMB	+0.00+000	Q19	TRCLE	UG03	PC LT	0.50
Q19	QCMB	+0.00+000	Q19	TRCLE	UG03	PC LT	0.50
Q19	QCMB	+0.00+000	Q19	TRCLE	UG03	PC LT	0.50
Q19	QCMB	+0.00+000	Q19	TRCLE	UG03	PC LT	0.50
Q19	QCMB	+0.00+000	Q19	TRCLE	UG03	PC LT	0.50
Q19	QCMB	+0.00+000	Q19	TXYLENU	P01	PC LT	8.28
Q19	QCMB	+0.00+000	Q19	TXYLENU	P01	PC LT	8.28
Q19	QCMB	+0.00+000	Q19	TXYLENU	P01	PC LT	8.28
Q19	QCMB	+0.00+000	Q19	TXYLENU	P01	PC LT	8.28
Q19	QCMB	+0.00+000	Q19	TXYLENU	P01	PC LT	8.28
Q19	QCMB	+0.00+000	Q19	TXYLENU	P01	PC LT	8.28
Q19	QCMB	+0.00+000	Q19	TXYLENU	P01	PC LT	8.28
Q19	QCMB	+0.00+000	Q19	TXYLENU	P01	PC LT	8.28
Q19	QCMB	+0.00+000	Q19	TXYLENU	P01	PC LT	8.28
Q19	QCMB	+0.00+000	Q19	TXYLENU	P01	PC LT	8.28
Q19	QCMB	+0.00+000	Q19	TXYLENU	P01	PC LT	8.28
Q19	QCMB	+0.00+000	Q19	TXYLENU	P01	PC LT	8.28
Q20	QCMB	+0.00+000	Q20	111TCE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	111TCE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	111TCE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	111TCE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	111TCE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	111TCE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	111TCE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	111TCE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	111TCE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	111TCE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	112TCE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	112TCE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	112TCE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	112TCE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	112TCE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	112TCE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	112TCE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	112TCE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	112TCE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	11DCE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	11DCE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	11DCE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	11DCE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	11DCE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	11DCE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	11DCE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	11DCE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	12DCE	UG03	PC LT	0.50
Q20	QCMB	+0.00+000	Q20	12DCE	UG03	PC LT	0.50
Q20	QCMB	+0.00+000	Q20	12DCE	UG03	PC LT	0.50
Q20	QCMB	+0.00+000	Q20	12DCE	UG03	PC LT	0.50
Q20	QCMB	+0.00+000	Q20	12DCE	UG03	PC LT	0.50
Q20	QCMB	+0.00+000	Q20	12DCE	UG03	PC LT	0.50
Q20	QCMB	+0.00+000	Q20	12DCE	UG03	PC LT	0.50
Q20	QCMB	+0.00+000	Q20	12DCE	UG03	PC LT	0.50

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q19	QCSP	+1.00+001	Q19	11DCE	UG03	PC	13.20
Q19	QCSP	+1.00+001	Q19	11DCE	UG03	PC	11.80
Q19	QCSP	+1.00+001	Q19	11DCE	UG03	PC	9.52
Q19	QCSP	+2.00+000	Q19	11DCE	UG03	PC	1.93
Q19	QCSP	+1.00+001	Q19	11DCE	UG03	PC	10.70
Q19	QCSP	+2.00+000	Q19	11DCE	UG03	PC	1.64
Q19	QCSP	+1.00+001	Q19	11DCE	UG03	PC	10.80
Q19	QCSP	+2.00+000	Q19	11DCE	UG03	PC	2.59
Q19	QCSP	+1.00+001	Q19	11DCE	UG03	PC	14.20
Q19	QCSP	+1.00+001	Q19	11DCE	UG03	PC	11.60
Q19	QCSP	+2.00+000	Q19	11DCE	UG03	PC	2.31
Q19	QCSP	+1.00+001	Q19	11DCE	UG03	PC	10.30
Q19	QCSP	+2.00+000	Q19	11DCE	UG03	PC	2.69
Q19	QCSP	+1.00+001	Q19	11DCE	UG03	PC	11.20
Q19	QCSP	+1.00+001	Q19	11DCE	UG03	PC	10.70
Q19	QCSP	+1.00+001	Q19	11DCE	UG03	PC	11.80
Q19	QCSP	+1.00+001	Q19	11DCE	UG03	PC	10.70
Q19	QCSP	+2.00+000	Q19	11DCE	UG03	PC	2.18
Q19	QCSP	+1.00+001	Q19	11DCE	UG03	PC	12.50
Q19	QCSP	+2.00+000	Q19	11DCE	UG03	PC	2.00
Q19	QCSP	+1.00+001	Q19	11DCE	UG03	PC	11.70
Q19	QCSP	+1.00+001	Q19	11DCE	UG03	PC	9.88
Q19	QCSP	+1.00+001	Q19	11DCE	UG03	PC	10.80
Q19	QCSP	+1.00+001	Q19	11DCE	UG03	PC	11.60
Q19	QCSP	+1.00+001	Q19	11DCE	UG03	PC	9.74
Q19	QCSP	+2.00+000	Q19	11DCE	UG03	PC	2.06
Q19	QCSP	+1.00+001	Q19	11DCE	UG03	PC	10.80
Q19	QCSP	+1.00+001	Q19	11DCE	UG03	PC	11.30
Q19	QCSP	+2.00+000	Q19	11DCE	UG03	PC	2.40
Q19	QCSP	+1.00+001	Q19	11DCE	UG03	PC	3.85
Q19	QCSP	+2.00+000	Q19	11DCE	UG03	PC	2.16
Q19	QCSP	+2.00+000	Q19	11DCE	UG03	PC	1.65
Q19	QCSP	+1.00+001	Q19	11DCE	UG03	PC	10.00
Q19	QCSP	+1.00+001	Q19	11DCE	UG03	PC	10.70
Q19	QCSP	+1.00+001	Q19	11DCE	UG03	PC	10.70
Q19	QCSP	+5.00+000	Q19	12DCE	UG03	PC	5.96
Q19	QCSP	+1.00+000	Q19	12DCE	UG03	PC	1.26
Q19	QCSP	+5.00+000	Q19	12DCE	UG03	PC	5.73
Q19	QCSP	+5.00+000	Q19	12DCE	UG03	PC	1.80
Q19	QCSP	+1.00+000	Q19	12DCE	UG03	PC	1.08
Q19	QCSP	+5.00+000	Q19	12DCE	UG03	PC	6.49
Q19	QCSP	+5.00+000	Q19	12DCE	UG03	PC	6.40
Q19	QCSP	+5.00+000	Q19	12DCE	UG03	PC	6.25
Q19	QCSP	+5.00+000	Q19	12DCE	UG03	PC	5.47
Q19	QCSP	+5.00+000	Q19	12DCE	UG03	PC	6.68
Q19	QCSP	+5.00+000	Q19	12DCE	UG03	PC	5.84
Q19	QCSP	+1.00+000	Q19	12DCE	UG03	PC	1.16
Q19	QCSP	+1.00+000	Q19	12DCE	UG03	PC	1.25
Q19	QCSP	+1.00+000	Q19	12DCE	UG03	PC	1.18
Q19	QCSP	+1.00+000	Q19	12DCE	UG03	PC	1.06
Q19	QCSP	+1.00+000	Q19	12DCE	UG03	PC	1.38
Q19	QCSP	+1.00+000	Q19	12DCE	UG03	PC	1.07
Q19	QCSP	+1.00+000	Q19	12DCE	UG03	PC	1.07
Q19	QCSP	+5.00+000	Q19	12DCE	UG03	PC	5.57
Q19	QCSP	+5.00+000	Q19	12DCE	UG03	PC	5.37
Q19	QCSP	+5.00+000	Q19	12DCE	UG03	PC	6.03
Q19	QCSP	+5.00+000	Q19	12DCE	UG03	PC	5.70
Q19	QCSP	+5.00+000	Q19	12DCE	UG03	PC	5.48
Q19	QCSP	+5.00+000	Q19	12DCE	UG03	PC	6.09
Q19	QCSP	+5.00+000	Q19	12DCE	UG03	PC	6.09
Q19	QCSP	+1.00+000	Q19	12DCE	UG03	PC	1.51
Q19	QCSP	+5.00+000	Q19	12DCE	UG03	PC	6.02
Q19	QCSP	+1.00+000	Q19	12DCE	UG03	PC	1.27
Q19	QCSP	+5.00+000	Q19	12DCE	UG03	PC	5.90
Q19	QCSP	+5.00+000	Q19	12DCE	UG03	PC	6.19
Q19	QCSP	+2.00+000	Q19	12DCE	UG03	PC	2.46
Q19	QCSP	+5.00+000	Q19	12DCE	UG03	PC	5.80
Q19	QCSP	+5.00+000	Q19	12DCE	UG03	PC	5.77
Q19	QCSP	+5.00+000	Q19	12DCE	UG03	PC	6.92
Q19	QCSP	+5.00+000	Q19	12DCE	UG03	PC	6.41
Q19	QCSP	+1.00+000	Q19	12DCE	UG03	PC	1.30
Q19	QCSP	+5.00+000	Q19	12DCE	UG03	PC	5.75
Q19	QCSP	+5.00+000	Q19	12DCE	UG03	PC	6.13
Q19	QCSP	+5.00+000	Q19	12DCE	UG03	PC	5.87
Q19	QCSP	+5.00+000	Q19	12DCLE	UG03	PC	4.26
Q19	QCSP	+5.00+000	Q19	12DCLE	UG03	PC	4.99
Q19	QCSP	+5.00+000	Q19	12DCLE	UG03	PC	3.95
Q19	QCSP	+5.00+000	Q19	12DCLE	UG03	PC	4.35
Q19	QCSP	+1.00+000	Q19	12DCLE	UG03	PC	1.01
Q19	QCSP	+1.00+000	Q19	12DCLE	UG03	PC	0.94

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q20	QCMB	+0.00+000	Q20	12DCE	UG03	PC LT	0.50
Q20	QCMB	+0.00+000	Q20	12DCLE	UG03	PC LT	0.50
Q20	QCMB	+0.00+000	Q20	12DCLE	UG03	PC LT	0.50
Q20	QCMB	+0.00+000	Q20	12DCLE	UG03	PC LT	0.50
Q20	QCMB	+0.00+000	Q20	12DCLE	UG03	PC LT	0.50
Q20	QCMB	+0.00+000	Q20	12DCLE	UG03	PC LT	0.50
Q20	QCMB	+0.00+000	Q20	12DCLE	UG03	PC LT	0.50
Q20	QCMB	+0.00+000	Q20	12DCLE	UG03	PC LT	0.50
Q20	QCMB	+0.00+000	Q20	12DCLE	UG03	PC LT	0.50
Q20	QCMB	+0.00+000	Q20	12DCLE	UG03	PC LT	0.50
Q20	QCMB	+0.00+000	Q20	12DCLP	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	12DCLP	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	12DCLP	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	12DCLP	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	12DCLP	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	12DCLP	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	12DCLP	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	12DCLP	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	12DCLP	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	C2H3CL	UG03	PC LT	1.90
Q20	QCMB	+0.00+000	Q20	C2H3CL	UG03	PC LT	1.90
Q20	QCMB	+0.00+000	Q20	C2H3CL	UG03	PC LT	1.90
Q20	QCMB	+0.00+000	Q20	C2H3CL	UG03	PC LT	1.90
Q20	QCMB	+0.00+000	Q20	C2H3CL	UG03	PC LT	1.90
Q20	QCMB	+0.00+000	Q20	C2H3CL	UG03	PC LT	1.90
Q20	QCMB	+0.00+000	Q20	C2H3CL	UG03	PC LT	1.90
Q20	QCMB	+0.00+000	Q20	C2H3CL	UG03	PC LT	1.90
Q20	QCMB	+0.00+000	Q20	C2H3CL	UG03	PC LT	1.90
Q20	QCMB	+0.00+000	Q20	C6H6	UP01	PC LT	0.41
Q20	QCMB	+0.00+000	Q20	C6H6	UP01	PC LT	0.41
Q20	QCMB	+0.00+000	Q20	C6H6	UP01	PC LT	0.41
Q20	QCMB	+0.00+000	Q20	C6H6	UP01	PC LT	0.41
Q20	QCMB	+0.00+000	Q20	C6H6	UP01	PC LT	0.41
Q20	QCMB	+0.00+000	Q20	C6H6	UP01	PC LT	0.41
Q20	QCMB	+0.00+000	Q20	CHCL3	UG03	PC LT	0.72
Q20	QCMB	+0.00+000	Q20	CHCL3	UG03	PC LT	0.72
Q20	QCMB	+0.00+000	Q20	CHCL3	UG03	PC LT	0.72
Q20	QCMB	+0.00+000	Q20	CHCL3	UG03	PC LT	0.72
Q20	QCMB	+0.00+000	Q20	CHCL3	UG03	PC LT	0.72
Q20	QCMB	+0.00+000	Q20	CHCL3	UG03	PC LT	0.72
Q20	QCMB	+0.00+000	Q20	CHCL3	UG03	PC LT	0.72
Q20	QCMB	+0.00+000	Q20	CHCL3	UG03	PC LT	0.72
Q20	QCMB	+0.00+000	Q20	CHCL3	UG03	PC LT	0.72
Q20	QCMB	+0.00+000	Q20	MEC6H5	UP01	PC LT	0.87
Q20	QCMB	+0.00+000	Q20	MEC6H5	UP01	PC LT	0.87
Q20	QCMB	+0.00+000	Q20	MEC6H5	UP01	PC LT	0.87
Q20	QCMB	+0.00+000	Q20	MEC6H5	UP01	PC LT	0.87
Q20	QCMB	+0.00+000	Q20	MEC6H5	UP01	PC LT	0.87
Q20	QCMB	+0.00+000	Q20	MEC6H5	UP01	PC LT	0.87
Q20	QCMB	+0.00+000	Q20	MEC6H5	UP01	PC LT	0.87
Q20	QCMB	+0.00+000	Q20	TCLEE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	TCLEE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	TCLEE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	TCLEE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	TCLEE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	TCLEE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	TCLEE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	TCLEE	UG03	PC LT	1.00
Q20	QCMB	+0.00+000	Q20	TRCLE	UG03	PC LT	0.50
Q20	QCMB	+0.00+000	Q20	TRCLE	UG03	PC LT	0.50
Q20	QCMB	+0.00+000	Q20	TRCLE	UG03	PC LT	0.50
Q20	QCMB	+0.00+000	Q20	TRCLE	UG03	PC LT	0.50
Q20	QCMB	+0.00+000	Q20	TRCLE	UG03	PC LT	0.50
Q20	QCMB	+0.00+000	Q20	TRCLE	UG03	PC LT	0.50
Q20	QCMB	+0.00+000	Q20	TRCLE	UG03	PC LT	0.50
Q20	QCMB	+0.00+000	Q20	TRCLE	UG03	PC LT	0.50
Q20	QCMB	+0.00+000	Q20	TXYLENU	P01	PC LT	8.28
Q20	QCMB	+0.00+000	Q20	TXYLENU	P01	PC LT	8.28
Q20	QCMB	+0.00+000	Q20	TXYLENU	P01	PC LT	8.28
Q20	QCMB	+0.00+000	Q20	TXYLENU	P01	PC LT	8.28
Q20	QCMB	+0.00+000	Q20	TXYLENU	P01	PC LT	8.28

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q19	QCSP	+1.00+000	Q19	12DCLE	UG03	PC		0.92
Q19	QCSP	+5.00+000	Q19	12DCLE	UG03	PC		4.04
Q19	QCSP	+5.00+000	Q19	12DCLE	UG03	PC		3.70
Q19	QCSP	+5.00+000	Q19	12DCLE	UG03	PC		3.88
Q19	QCSP	+5.00+000	Q19	12DCLE	UG03	PC		4.12
Q19	QCSP	+5.00+000	Q19	12DCLE	UG03	PC		4.08
Q19	QCSP	+5.00+000	Q19	12DCLE	UG03	PC		4.34
Q19	QCSP	+1.00+000	Q19	12DCLE	UG03	PC		0.91
Q19	QCSP	+1.00+000	Q19	12DCLE	UG03	PC		0.95
Q19	QCSP	+1.00+000	Q19	12DCLE	UG03	PC		0.93
Q19	QCSP	+5.00+000	Q19	12DCLE	UG03	PC		4.03
Q19	QCSP	+1.00+000	Q19	12DCLE	UG03	PC		0.81
Q19	QCSP	+5.00+000	Q19	12DCLE	UG03	PC		4.24
Q19	QCSP	+5.00+000	Q19	12DCLE	UG03	PC		4.18
Q19	QCSP	+5.00+000	Q19	12DCLE	UG03	PC		3.77
Q19	QCSP	+5.00+000	Q19	12DCLE	UG03	PC		4.07
Q19	QCSP	+1.00+000	Q19	12DCLE	UG03	PC		1.02
Q19	QCSP	+1.00+000	Q19	12DCLE	UG03	PC		0.96
Q19	QCSP	+5.00+000	Q19	12DCLE	UG03	PC		1.50
Q19	QCSP	+5.00+000	Q19	12DCLE	UG03	PC		4.68
Q19	QCSP	+5.00+000	Q19	12DCLE	UG03	PC		4.31
Q19	QCSP	+1.00+000	Q19	12DCLE	UG03	PC		0.91
Q19	QCSP	+5.00+000	Q19	12DCLE	UG03	PC		3.82
Q19	QCSP	+2.00+000	Q19	12DCLE	UG03	PC		1.55
Q19	QCSP	+5.00+000	Q19	12DCLE	UG03	PC		3.68
Q19	QCSP	+5.00+000	Q19	12DCLE	UG03	PC		4.24
Q19	QCSP	+1.00+000	Q19	12DCLE	UG03	PC		0.91
Q19	QCSP	+5.00+000	Q19	12DCLE	UG03	PC		3.78
Q19	QCSP	+5.00+000	Q19	12DCLE	UG03	PC		4.42
Q19	QCSP	+5.00+000	Q19	12DCLE	UG03	PC		4.23
Q19	QCSP	+5.00+000	Q19	12DCLE	UG03	PC		4.36
Q19	QCSP	+1.00+000	Q19	12DCLE	UG03	PC		0.93
Q19	QCSP	+5.00+000	Q19	12DCLE	UG03	PC		4.05
Q19	QCSP	+0.00+000	Q19	12DCLP	UG03	PC	LT	1.00

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+0.00+000	Q19	C2H3CL	UG03	PC	LT	1.90
Q19	QCSP	+5.00+000	Q19	C6H6	UP01	PC		4.79
Q19	QCSP	+1.00+000	Q19	C6H6	UP01	PC		1.03
Q19	QCSP	+5.00+000	Q19	C6H6	UP01	PC		4.67
Q19	QCSP	+1.00+000	Q19	C6H6	UP01	PC		0.99
Q19	QCSP	+5.00+000	Q19	C6H6	UP01	PC		4.70
Q19	QCSP	+5.00+000	Q19	C6H6	UP01	PC		5.14
Q19	QCSP	+1.00+000	Q19	C6H6	UP01	PC		0.88
Q19	QCSP	+5.00+000	Q19	C6H6	UP01	PC		4.58
Q19	QCSP	+5.00+000	Q19	C6H6	UP01	PC		1.76
Q19	QCSP	+5.00+000	Q19	C6H6	UP01	PC		4.84
Q19	QCSP	+1.00+000	Q19	C6H6	UP01	PC		1.00
Q19	QCSP	+5.00+000	Q19	C6H6	UP01	PC		4.88
Q19	QCSP	+1.00+000	Q19	C6H6	UP01	PC		0.94
Q19	QCSP	+1.00+000	Q19	C6H6	UP01	PC		1.02
Q19	QCSP	+2.00+000	Q19	C6H6	UP01	PC		1.98
Q19	QCSP	+5.00+000	Q19	C6H6	UP01	PC		4.86
Q19	QCSP	+5.00+000	Q19	C6H6	UP01	PC		4.96
Q19	QCSP	+5.00+000	Q19	C6H6	UP01	PC		4.99
Q19	QCSP	+5.00+000	Q19	C6H6	UP01	PC		4.40
Q19	QCSP	+5.00+000	Q19	C6H6	UP01	PC		5.03
Q19	QCSP	+5.00+000	Q19	C6H6	UP01	PC		4.77
Q19	QCSP	+1.00+000	Q19	C6H6	UP01	PC		1.04
Q19	QCSP	+1.00+000	Q19	C6H6	UP01	PC		0.92
Q19	QCSP	+5.00+000	Q19	C6H6	UP01	PC		4.65
Q19	QCSP	+5.00+000	Q19	C6H6	UP01	PC		4.66
Q19	QCSP	+5.00+000	Q19	C6H6	UP01	PC		4.69
Q19	QCSP	+1.00+000	Q19	C6H6	UP01	PC		0.91
Q19	QCSP	+5.00+000	Q19	C6H6	UP01	PC		5.72
Q19	QCSP	+5.00+000	Q19	C6H6	UP01	PC		4.64
Q19	QCSP	+5.00+000	Q19	C6H6	UP01	PC		4.79
Q19	QCSP	+5.00+000	Q19	C6H6	UP01	PC		4.79
Q19	QCSP	+5.00+000	Q19	C6H6	UP01	PC		4.87
Q19	QCSP	+5.00+000	Q19	C6H6	UP01	PC		4.69
Q19	QCSP	+5.00+000	Q19	C6H6	UP01	PC		4.85
Q19	QCSP	+1.00+000	Q19	C6H6	UP01	PC		1.15
Q19	QCSP	+5.00+000	Q19	C6H6	UP01	PC		5.56
Q19	QCSP	+1.00+000	Q19	C6H6	UP01	PC		0.90
Q19	QCSP	+1.00+000	Q19	C6H6	UP01	PC		0.95
Q19	QCSP	+5.00+000	Q19	C6H6	UP01	PC		4.76
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q22	QCMB	+0.000	Q22	TRCLE	UG03	PC	LT	0.50
Q22	QCMB	+0.000	Q22	TRCLE	UG03	PC	LT	0.50
Q22	QCMB	+0.000	Q22	TRCLE	UG03	PC	LT	0.50
Q22	QCMB	+0.000	Q22	TRCLE	UG03	PC	LT	0.50
Q22	QCMB	+0.000	Q22	TRCLE	UG03	PC	LT	0.50
Q22	QCMB	+0.000	Q22	TRCLE	UG03	PC	LT	0.50
Q22	QCMB	+0.000	Q22	TRCLE	UG03	PC	LT	0.50
Q22	QCMB	+0.000	Q22	TXYLENUP01		PC	LT	8.28
Q22	QCMB	+0.000	Q22	TXYLENUP01		PC	LT	8.28
Q22	QCMB	+0.000	Q22	TXYLENUP01		PC	LT	8.28
Q22	QCMB	+0.000	Q22	TXYLENUP01		PC	LT	8.28
Q22	QCMB	+0.000	Q22	TXYLENUP01		PC	LT	8.28
Q22	QCMB	+0.000	Q22	TXYLENUP01		PC	LT	8.28
Q22	QCMB	+0.000	Q22	TXYLENUP01		PC	LT	8.28
Q23	QCMB	+0.000	Q23	111TCE	UG01	IP	LT	0.81
Q23	QCMB	+0.000	Q23	111TCE	UG01	IP	LT	0.81
Q23	QCMB	+0.000	Q23	111TCE	UG01	IP	LT	0.81
Q23	QCMB	+0.000	Q23	111TCE	UG01	IP	LT	0.81
Q23	QCMB	+0.000	Q23	111TCE	UG01	IP	LT	0.81
Q23	QCMB	+0.000	Q23	111TCE	UG01	IP	LT	0.81
Q23	QCMB	+0.000	Q23	111TCE	UG01	IP	LT	0.81
Q23	QCMB	+0.000	Q23	111TCE	UG01	IP	LT	0.81
Q23	QCMB	+0.000	Q23	111TCE	UG01	IP	LT	0.81
Q23	QCMB	+0.000	Q23	111TCE	UG01	IP	LT	0.81
Q23	QCMB	+0.000	Q23	111TCE	UG01	IP	LT	0.81
Q23	QCMB	+0.000	Q23	111TCE	UG01	IP	LT	0.81
Q23	QCMB	+0.000	Q23	112TCE	UG01	IP	LT	0.99
Q23	QCMB	+0.000	Q23	112TCE	UG01	IP	LT	0.99
Q23	QCMB	+0.000	Q23	112TCE	UG01	IP	LT	0.99
Q23	QCMB	+0.000	Q23	112TCE	UG01	IP	LT	0.99
Q23	QCMB	+0.000	Q23	112TCE	UG01	IP	LT	0.99
Q23	QCMB	+0.000	Q23	112TCE	UG01	IP	LT	0.99
Q23	QCMB	+0.000	Q23	112TCE	UG01	IP	LT	0.99
Q23	QCMB	+0.000	Q23	112TCE	UG01	IP	LT	0.99
Q23	QCMB	+0.000	Q23	112TCE	UG01	IP	LT	0.99
Q23	QCMB	+0.000	Q23	112TCE	UG01	IP	LT	0.99
Q23	QCMB	+0.000	Q23	112TCE	UG01	IP	LT	0.99
Q23	QCMB	+0.000	Q23	11DCE	UG01	IP	LT	0.49
Q23	QCMB	+0.000	Q23	11DCE	UG01	IP	LT	0.49
Q23	QCMB	+0.000	Q23	11DCE	UG01	IP	LT	0.49
Q23	QCMB	+0.000	Q23	11DCE	UG01	IP	LT	0.49
Q23	QCMB	+0.000	Q23	11DCE	UG01	IP	LT	0.49
Q23	QCMB	+0.000	Q23	11DCE	UG01	IP	LT	0.49
Q23	QCMB	+0.000	Q23	11DCE	UG01	IP	LT	0.49
Q23	QCMB	+0.000	Q23	11DCE	UG01	IP	LT	0.49
Q23	QCMB	+0.000	Q23	11DCE	UG01	IP	LT	0.49
Q23	QCMB	+0.000	Q23	11DCE	UG01	IP	LT	0.49
Q23	QCMB	+0.000	Q23	11DCE	UG01	IP	LT	0.49
Q23	QCMB	+0.000	Q23	12DCE	UG01	IP	LT	0.56
Q23	QCMB	+0.000	Q23	12DCE	UG01	IP	LT	0.56
Q23	QCMB	+0.000	Q23	12DCE	UG01	IP	LT	0.56
Q23	QCMB	+0.000	Q23	12DCE	UG01	IP	LT	0.56
Q23	QCMB	+0.000	Q23	12DCE	UG01	IP	LT	0.56
Q23	QCMB	+0.000	Q23	12DCE	UG01	IP	LT	0.56
Q23	QCMB	+0.000	Q23	12DCE	UG01	IP	LT	0.56
Q23	QCMB	+0.000	Q23	12DCE	UG01	IP	LT	0.56
Q23	QCMB	+0.000	Q23	12DCE	UG01	IP	LT	0.56
Q23	QCMB	+0.000	Q23	12DCE	UG01	IP	LT	0.56
Q23	QCMB	+0.000	Q23	12DCE	UG01	IP	LT	0.56
Q23	QCMB	+0.000	Q23	12DCE	UG01	IP	LT	0.56
Q23	QCMB	+0.000	Q23	12DCLE	UG01	IP	LT	0.51
Q23	QCMB	+0.000	Q23	12DCLE	UG01	IP	LT	0.51
Q23	QCMB	+0.000	Q23	12DCLE	UG01	IP	LT	0.51
Q23	QCMB	+0.000	Q23	12DCLE	UG01	IP	LT	0.51
Q23	QCMB	+0.000	Q23	12DCLE	UG01	IP	LT	0.51
Q23	QCMB	+0.000	Q23	12DCLE	UG01	IP	LT	0.51
Q23	QCMB	+0.000	Q23	12DCLE	UG01	IP	LT	0.51
Q23	QCMB	+0.000	Q23	12DCLE	UG01	IP	LT	0.51
Q23	QCMB	+0.000	Q23	12DCLE	UG01	IP	LT	0.51

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC		0.82
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+0.00+000	Q19	CHCL3	UG03	PC	LT	0.72
Q19	QCSP	+1.00+001	Q19	MEC6H5	UP01	PC		10.20
Q19	QCSP	+2.00+000	Q19	MEC6H5	UP01	PC		2.07
Q19	QCSP	+2.00+000	Q19	MEC6H5	UP01	PC		1.88
Q19	QCSP	+1.00+001	Q19	MEC6H5	UP01	PC		10.10
Q19	QCSP	+2.00+000	Q19	MEC6H5	UP01	PC		1.94
Q19	QCSP	+2.00+000	Q19	MEC6H5	UP01	PC		1.90
Q19	QCSP	+1.00+001	Q19	MEC6H5	UP01	PC		10.40
Q19	QCSP	+1.00+001	Q19	MEC6H5	UP01	PC		10.20
Q19	QCSP	+1.00+001	Q19	MEC6H5	UP01	PC		10.10
Q19	QCSP	+2.00+000	Q19	MEC6H5	UP01	PC		1.75
Q19	QCSP	+1.00+001	Q19	MEC6H5	UP01	PC		10.10
Q19	QCSP	+2.00+000	Q19	MEC6H5	UP01	PC		1.98
Q19	QCSP	+4.00+000	Q19	MEC6H5	UP01	PC		3.66
Q19	QCSP	+1.00+001	Q19	MEC6H5	UP01	PC		10.30
Q19	QCSP	+1.00+001	Q19	MEC6H5	UP01	PC		11.10
Q19	QCSP	+1.00+001	Q19	MEC6H5	UP01	PC		9.77
Q19	QCSP	+1.00+001	Q19	MEC6H5	UP01	PC		9.38
Q19	QCSP	+1.00+001	Q19	MEC6H5	UP01	PC		10.20
Q19	QCSP	+1.00+001	Q19	MEC6H5	UP01	PC		10.60
Q19	QCSP	+2.00+000	Q19	MEC6H5	UP01	PC		2.01
Q19	QCSP	+1.00+001	Q19	MEC6H5	UP01	PC		10.50
Q19	QCSP	+1.00+001	Q19	MEC6H5	UP01	PC		10.10
Q19	QCSP	+1.00+001	Q19	MEC6H5	UP01	PC		10.20
Q19	QCSP	+2.00+000	Q19	MEC6H5	UP01	PC		3.37
Q19	QCSP	+1.00+001	Q19	MEC6H5	UP01	PC		10.80
Q19	QCSP	+1.00+001	Q19	MEC6H5	UP01	PC		9.93
Q19	QCSP	+1.00+001	Q19	MEC6H5	UP01	PC		10.10
Q19	QCSP	+1.00+001	Q19	MEC6H5	UP01	PC		3.41
Q19	QCSP	+1.00+001	Q19	MEC6H5	UP01	PC		10.40
Q19	QCSP	+2.00+000	Q19	MEC6H5	UP01	PC		2.11
Q19	QCSP	+1.00+001	Q19	MEC6H5	UP01	PC		9.83
Q19	QCSP	+1.00+001	Q19	MEC6H5	UP01	PC		10.20
Q19	QCSP	+2.00+000	Q19	MEC6H5	UP01	PC		2.20
Q19	QCSP	+1.00+001	Q19	MEC6H5	UP01	PC		10.20
Q19	QCSP	+1.00+001	Q19	MEC6H5	UP01	PC		10.50
Q19	QCSP	+2.00+000	Q19	MEC6H5	UP01	PC		1.95
Q19	QCSP	+1.00+001	Q19	MEC6H5	UP01	PC		10.20
Q19	QCSP	+1.00+000	Q19	MEC6H5	UP01	PC		2.02
Q19	QCSP	+1.00+001	Q19	MEC6H5	UP01	PC		11.20
Q19	QCSP	+1.00+001	Q19	TCLEE	UG03	PC		11.60
Q19	QCSP	+1.00+001	Q19	TCLEE	UG03	PC		9.95
Q19	QCSP	+2.00+000	Q19	TCLEE	UG03	PC		2.47
Q19	QCSP	+1.00+001	Q19	TCLEE	UG03	PC		10.70
Q19	QCSP	+1.00+001	Q19	TCLEE	UG03	PC		9.72
Q19	QCSP	+1.00+001	Q19	TCLEE	UG03	PC		9.88
Q19	QCSP	+1.00+001	Q19	TCLEE	UG03	PC		8.44
Q19	QCSP	+1.00+001	Q19	TCLEE	UG03	PC		9.66
Q19	QCSP	+2.00+000	Q19	TCLEE	UG03	PC		2.72
Q19	QCSP	+1.00+001	Q19	TCLEE	UG03	PC		7.41
Q19	QCSP	+1.00+001	Q19	TCLEE	UG03	PC		10.90
Q19	QCSP	+1.00+001	Q19	TCLEE	UG03	PC		10.60

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q23	QCMB	+0.000	Q23	12DCLE	UG01	IP	LT	0.51
Q23	QCMB	+0.000	Q23	12DCLE	UG01	IP	LT	0.51
Q23	QCMB	+0.000	Q23	12DCLE	UG01	IP	LT	0.51
Q23	QCMB	+0.000	Q23	12DCLE	UG01	IP	LT	0.51
Q23	QCMB	+0.000	Q23	12DCLP	UG01	IP	LT	0.62
Q23	QCMB	+0.000	Q23	12DCLP	UG01	IP	LT	0.62
Q23	QCMB	+0.000	Q23	12DCLP	UG01	IP	LT	0.62
Q23	QCMB	+0.000	Q23	12DCLP	UG01	IP	LT	0.62
Q23	QCMB	+0.000	Q23	12DCLP	UG01	IP	LT	0.62
Q23	QCMB	+0.000	Q23	12DCLP	UG01	IP	LT	0.62
Q23	QCMB	+0.000	Q23	12DCLP	UG01	IP	LT	0.62
Q23	QCMB	+0.000	Q23	12DCLP	UG01	IP	LT	0.62
Q23	QCMB	+0.000	Q23	12DCLP	UG01	IP	LT	0.62
Q23	QCMB	+0.000	Q23	12DCLP	UG01	IP	LT	0.62
Q23	QCMB	+0.000	Q23	12DCLP	UG01	IP	LT	0.62
Q23	QCMB	+0.000	Q23	12DCLP	UG01	IP	LT	0.62
Q23	QCMB	+0.000	Q23	C2H3CL	UG01	IP	LT	1.50
Q23	QCMB	+0.000	Q23	C2H3CL	UG01	IP	LT	1.50
Q23	QCMB	+0.000	Q23	C2H3CL	UG01	IP	LT	1.50
Q23	QCMB	+0.000	Q23	C2H3CL	UG01	IP	LT	1.50
Q23	QCMB	+0.000	Q23	C2H3CL	UG01	IP	LT	1.50
Q23	QCMB	+0.000	Q23	C2H3CL	UG01	IP	LT	1.50
Q23	QCMB	+0.000	Q23	C2H3CL	UG01	IP	LT	1.50
Q23	QCMB	+0.000	Q23	C2H3CL	UG01	IP	LT	1.50
Q23	QCMB	+0.000	Q23	C2H3CL	UG01	IP		2.74
Q23	QCMB	+0.000	Q23	C2H3CL	UG01	IP	LT	1.50
Q23	QCMB	+0.000	Q23	C2H3CL	UG01	IP	LT	1.50
Q23	QCMB	+0.000	Q23	C2H3CL	UG01	IP	LT	1.50
Q23	QCMB	+0.000	Q23	C6H6	UP02	IP	LT	3.09
Q23	QCMB	+0.000	Q23	C6H6	UP02	IP	LT	3.09
Q23	QCMB	+0.000	Q23	C6H6	UP02	IP	LT	3.09
Q23	QCMB	+0.000	Q23	C6H6	UP02	IP	LT	3.09
Q23	QCMB	+0.000	Q23	C6H6	UP02	IP	LT	3.09
Q23	QCMB	+0.000	Q23	C6H6	UP02	IP	LT	3.09
Q23	QCMB	+0.000	Q23	C6H6	UP02	IP	LT	3.09
Q23	QCMB	+0.000	Q23	C6H6	UP02	IP	LT	3.09
Q23	QCMB	+0.000	Q23	C6H6	UP02	IP	LT	3.09
Q23	QCMB	+0.000	Q23	C6H6	UP02	IP	LT	3.09
Q23	QCMB	+0.000	Q23	C6H6	UP02	IP	LT	3.09
Q23	QCMB	+0.000	Q23	CHCL3	UG01	IP	LT	0.41
Q23	QCMB	+0.000	Q23	CHCL3	UG01	IP	LT	0.41
Q23	QCMB	+0.000	Q23	CHCL3	UG01	IP	LT	0.41
Q23	QCMB	+0.000	Q23	CHCL3	UG01	IP	LT	0.41
Q23	QCMB	+0.000	Q23	CHCL3	UG01	IP	LT	0.41
Q23	QCMB	+0.000	Q23	CHCL3	UG01	IP	LT	0.41
Q23	QCMB	+0.000	Q23	CHCL3	UG01	IP	LT	0.41
Q23	QCMB	+0.000	Q23	CHCL3	UG01	IP	LT	0.41
Q23	QCMB	+0.000	Q23	CHCL3	UG01	IP	LT	0.41
Q23	QCMB	+0.000	Q23	CHCL3	UG01	IP	LT	0.41
Q23	QCMB	+0.000	Q23	CHCL3	UG01	IP	LT	0.41
Q23	QCMB	+0.000	Q23	CHCL3	UG01	IP	LT	0.41
Q23	QCMB	+0.000	Q23	MEC6H5	UP02	IP	LT	3.39
Q23	QCMB	+0.000	Q23	MEC6H5	UP02	IP	LT	3.39
Q23	QCMB	+0.000	Q23	MEC6H5	UP02	IP	LT	3.39
Q23	QCMB	+0.000	Q23	MEC6H5	UP02	IP	LT	3.39
Q23	QCMB	+0.000	Q23	MEC6H5	UP02	IP	LT	3.39
Q23	QCMB	+0.000	Q23	MEC6H5	UP02	IP	LT	3.39
Q23	QCMB	+0.000	Q23	MEC6H5	UP02	IP	LT	3.39
Q23	QCMB	+0.000	Q23	MEC6H5	UP02	IP	LT	3.39
Q23	QCMB	+0.000	Q23	MEC6H5	UP02	IP	LT	3.39
Q23	QCMB	+0.000	Q23	MEC6H5	UP02	IP	LT	3.39
Q23	QCMB	+0.000	Q23	TCLEE	UG01	IP	LT	0.88
Q23	QCMB	+0.000	Q23	TCLEE	UG01	IP	LT	0.88
Q23	QCMB	+0.000	Q23	TCLEE	UG01	IP	LT	0.88
Q23	QCMB	+0.000	Q23	TCLEE	UG01	IP	LT	0.88
Q23	QCMB	+0.000	Q23	TCLEE	UG01	IP	LT	0.88
Q23	QCMB	+0.000	Q23	TCLEE	UG01	IP	LT	0.88
Q23	QCMB	+0.000	Q23	TCLEE	UG01	IP	LT	0.88

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q19	QCSP	+2.00+000	Q19	TCLEE	UG03	PC	2.45
Q19	QCSP	+2.00+000	Q19	TCLEE	UG03	PC	2.04
Q19	QCSP	+2.00+000	Q19	TCLEE	UG03	PC	1.57
Q19	QCSP	+2.00+000	Q19	TCLEE	UG03	PC	1.70
Q19	QCSP	+2.00+000	Q19	TCLEE	UG03	PC	2.32
Q19	QCSP	+1.00+001	Q19	TCLEE	UG03	PC	8.91
Q19	QCSP	+2.00+000	Q19	TCLEE	UG03	PC	1.75
Q19	QCSP	+4.00+000	Q19	TCLEE	UG03	PC	4.27
Q19	QCSP	+1.00+001	Q19	TCLEE	UG03	PC	8.45
Q19	QCSP	+1.00+001	Q19	TCLEE	UG03	PC	7.68
Q19	QCSP	+1.00+001	Q19	TCLEE	UG03	PC	10.90
Q19	QCSP	+1.00+001	Q19	TCLEE	UG03	PC	10.30
Q19	QCSP	+1.00+001	Q19	TCLEE	UG03	PC	8.41
Q19	QCSP	+1.00+001	Q19	TCLEE	UG03	PC	9.87
Q19	QCSP	+1.00+001	Q19	TCLEE	UG03	PC	9.31
Q19	QCSP	+1.00+001	Q19	TCLEE	UG03	PC	10.10
Q19	QCSP	+1.00+001	Q19	TCLEE	UG03	PC	12.70
Q19	QCSP	+1.00+001	Q19	TCLEE	UG03	PC	9.73
Q19	QCSP	+1.00+001	Q19	TCLEE	UG03	PC	2.77
Q19	QCSP	+1.00+001	Q19	TCLEE	UG03	PC	7.87
Q19	QCSP	+2.00+000	Q19	TCLEE	UG03	PC	1.67
Q19	QCSP	+1.00+001	Q19	TCLEE	UG03	PC	9.97
Q19	QCSP	+2.00+000	Q19	TCLEE	UG03	PC	2.43
Q19	QCSP	+1.00+001	Q19	TCLEE	UG03	PC	11.70
Q19	QCSP	+2.00+000	Q19	TCLEE	UG03	PC	1.66
Q19	QCSP	+2.00+000	Q19	TCLEE	UG03	PC	1.82
Q19	QCSP	+1.00+001	Q19	TCLEE	UG03	PC	9.90
Q19	QCSP	+8.00+001	Q19	TPO4	TYO5	PC	84.90
Q19	QCSP	+8.00+001	Q19	TPO4	TYO5	PC	76.30
Q19	QCSP	+2.00+001	Q19	TPO4	TYO5	PC	20.60
Q19	QCSP	+1.00+000	Q19	TRCLE	UG03	PC	0.79
Q19	QCSP	+5.00+000	Q19	TRCLE	UG03	PC	3.93
Q19	QCSP	+5.00+000	Q19	TRCLE	UG03	PC	3.54
Q19	QCSP	+5.00+000	Q19	TRCLE	UG03	PC	5.03
Q19	QCSP	+5.00+000	Q19	TRCLE	UG03	PC	3.82
Q19	QCSP	+5.00+000	Q19	TRCLE	UG03	PC	4.25
Q19	QCSP	+2.00+000	Q19	TRCLE	UG03	PC	1.75
Q19	QCSP	+1.00+000	Q19	TRCLE	UG03	PC	0.74
Q19	QCSP	+5.00+000	Q19	TRCLE	UG03	PC	5.51
Q19	QCSP	+5.00+000	Q19	TRCLE	UG03	PC	4.37
Q19	QCSP	+5.00+000	Q19	TRCLE	UG03	PC	4.29
Q19	QCSP	+5.00+000	Q19	TRCLE	UG03	PC	3.26
Q19	QCSP	+5.00+000	Q19	TRCLE	UG03	PC	3.70
Q19	QCSP	+5.00+000	Q19	TRCLE	UG03	PC	3.86
Q19	QCSP	+5.00+000	Q19	TRCLE	UG03	PC	4.23
Q19	QCSP	+1.00+000	Q19	TRCLE	UG03	PC	1.93
Q19	QCSP	+5.00+000	Q19	TRCLE	UG03	PC	4.28
Q19	QCSP	+5.00+000	Q19	TRCLE	UG03	PC	4.65
Q19	QCSP	+5.00+000	Q19	TRCLE	UG03	PC	4.63
Q19	QCSP	+1.00+000	Q19	TRCLE	UG03	PC	1.01
Q19	QCSP	+1.00+000	Q19	TRCLE	UG03	PC	1.15
Q19	QCSP	+1.00+000	Q19	TRCLE	UG03	PC	0.92
Q19	QCSP	+1.00+000	Q19	TRCLE	UG03	PC	0.87
Q19	QCSP	+1.00+000	Q19	TRCLE	UG03	PC	0.96
Q19	QCSP	+5.00+000	Q19	TRCLE	UG03	PC	7.89
Q19	QCSP	+5.00+000	Q19	TRCLE	UG03	PC	4.35
Q19	QCSP	+1.00+000	Q19	TRCLE	UG03	PC	0.74
Q19	QCSP	+5.00+000	Q19	TRCLE	UG03	PC	3.97
Q19	QCSP	+1.00+000	Q19	TRCLE	UG03	PC	0.85
Q19	QCSP	+1.00+000	Q19	TRCLE	UG03	PC	0.83
Q19	QCSP	+5.00+000	Q19	TRCLE	UG03	PC	1.16
Q19	QCSP	+5.00+000	Q19	TRCLE	UG03	PC	3.52
Q19	QCSP	+5.00+000	Q19	TRCLE	UG03	PC	4.35
Q19	QCSP	+1.00+000	Q19	TRCLE	UG03	PC	0.64
Q19	QCSP	+5.00+000	Q19	TRCLE	UG03	PC	5.21
Q19	QCSP	+5.00+000	Q19	TRCLE	UG03	PC	4.68
Q19	QCSP	+5.00+000	Q19	TRCLE	UG03	PC	5.27
Q19	QCSP	+5.00+000	Q19	TRCLE	UG03	PC	3.37
Q19	QCSP	+5.00+000	Q19	TRCLE	UG03	PC	5.00
Q19	QCSP	+1.50+001	Q19	TXYLENUP01		PC	15.60
Q19	QCSP	+1.50+001	Q19	TXYLENUP01		PC	14.30
Q19	QCSP	+7.50+001	Q19	TXYLENUP01		PC	74.90
Q19	QCSP	+7.50+001	Q19	TXYLENUP01		PC	71.60
Q19	QCSP	+7.50+001	Q19	TXYLENUP01		PC	71.60
Q19	QCSP	+7.50+001	Q19	TXYLENUP01		PC	76.30
Q19	QCSP	+7.50+001	Q19	TXYLENUP01		PC	72.00
Q19	QCSP	+7.50+001	Q19	TXYLENUP01		PC	74.10
Q19	QCSP	+7.50+001	Q19	TXYLENUP01		PC	70.50
Q19	QCSP	+7.50+001	Q19	TXYLENUP01		PC	73.00
Q19	QCSP	+7.50+001	Q19	TXYLENUP01		PC	67.70

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q23	QCMB	+0.000	Q23	TCLEE	UG01	IP LT	0.88
Q23	QCMB	+0.000	Q23	TCLEE	UG01	IP LT	0.88
Q23	QCMB	+0.000	Q23	TCLEE	UG01	IP LT	0.88
Q23	QCMB	+0.000	Q23	TCLEE	UG01	IP LT	0.88
Q23	QCMB	+0.000	Q23	TCLEE	UG01	IP LT	0.88
Q23	QCMB	+0.000	Q23	TCLEE	UG01	IP LT	0.88
Q23	QCMB	+0.000	Q23	TPO4	TY04	IP LT	5.00
Q23	QCMB	+0.000	Q23	TRCLE	UG01	IP LT	1.10
Q23	QCMB	+0.000	Q23	TRCLE	UG01	IP LT	1.10
Q23	QCMB	+0.000	Q23	TRCLE	UG01	IP LT	1.10
Q23	QCMB	+0.000	Q23	TRCLE	UG01	IP LT	1.10
Q23	QCMB	+0.000	Q23	TRCLE	UG01	IP LT	1.10
Q23	QCMB	+0.000	Q23	TRCLE	UG01	IP LT	1.10
Q23	QCMB	+0.000	Q23	TRCLE	UG01	IP LT	1.10
Q23	QCMB	+0.000	Q23	TRCLE	UG01	IP LT	1.10
Q23	QCMB	+0.000	Q23	TRCLE	UG01	IP LT	1.10
Q23	QCMB	+0.000	Q23	TRCLE	UG01	IP LT	1.10
Q23	QCMB	+0.000	Q23	TRCLE	UG01	IP LT	1.10
Q23	QCMB	+0.000	Q23	TRCLE	UG01	IP LT	1.10
Q23	QCMB	+0.000	Q23	TRCLE	UG01	IP LT	1.10
Q23	QCMB	+0.000	Q23	TRCLE	UG01	IP LT	1.10
Q23	QCMB	+0.000	Q23	TRCLE	UG01	IP LT	1.10
Q23	QCMB	+0.000	Q23	TXYLENUP02		IP LT	1.17
Q23	QCMB	+0.000	Q23	TXYLENUP02		IP LT	1.17
Q23	QCMB	+0.000	Q23	TXYLENUP02		IP LT	1.17
Q23	QCMB	+0.000	Q23	TXYLENUP02		IP	1.39
Q23	QCMB	+0.000	Q23	TXYLENUP02		IP LT	1.17
Q23	QCMB	+0.000	Q23	TXYLENUP02		IP LT	1.17
Q23	QCMB	+0.000	Q23	TXYLENUP02		IP LT	1.17
Q23	QCMB	+0.000	Q23	TXYLENUP02		IP LT	1.17
Q23	QCMB	+0.000	Q23	TXYLENUP02		IP LT	1.17
Q23	QCMB	+0.000	Q23	TXYLENUP02		IP LT	1.17
Q23	QCMB	+0.000	Q23	TXYLENUP02		IP LT	1.17
Q23	QCMB	+0.000	Q23	TXYLENUP02		IP LT	1.17
Q24	QCMB	+0.000	Q24	111TCE	UG01	IP LT	0.81
Q24	QCMB	+0.000	Q24	111TCE	UG01	IP LT	0.81
Q24	QCMB	+0.000	Q24	111TCE	UG01	IP LT	0.81
Q24	QCMB	+0.000	Q24	111TCE	UG01	IP LT	0.81
Q24	QCMB	+0.000	Q24	111TCE	UG01	IP LT	0.81
Q24	QCMB	+0.000	Q24	111TCE	UG01	IP LT	0.81
Q24	QCMB	+0.000	Q24	111TCE	UG01	IP LT	0.81
Q24	QCMB	+0.000	Q24	111TCE	UG01	IP LT	0.81
Q24	QCMB	+0.000	Q24	111TCE	UG01	IP LT	0.81
Q24	QCMB	+0.000	Q24	111TCE	UG01	IP LT	0.81
Q24	QCMB	+0.000	Q24	111TCE	UG01	IP LT	0.81
Q24	QCMB	+0.000	Q24	111TCE	UG01	IP LT	0.81
Q24	QCMB	+0.000	Q24	112TCE	UG01	IP LT	0.99
Q24	QCMB	+0.000	Q24	112TCE	UG01	IP LT	0.99
Q24	QCMB	+0.000	Q24	112TCE	UG01	IP LT	0.99
Q24	QCMB	+0.000	Q24	112TCE	UG01	IP LT	0.99
Q24	QCMB	+0.000	Q24	112TCE	UG01	IP LT	0.99
Q24	QCMB	+0.000	Q24	112TCE	UG01	IP LT	0.99
Q24	QCMB	+0.000	Q24	112TCE	UG01	IP LT	0.99
Q24	QCMB	+0.000	Q24	112TCE	UG01	IP LT	0.99
Q24	QCMB	+0.000	Q24	112TCE	UG01	IP LT	0.99
Q24	QCMB	+0.000	Q24	112TCE	UG01	IP LT	0.99
Q24	QCMB	+0.000	Q24	112TCE	UG01	IP LT	0.99
Q24	QCMB	+0.000	Q24	112TCE	UG01	IP LT	0.99
Q24	QCMB	+0.000	Q24	112TCE	UG01	IP LT	0.99
Q24	QCMB	+0.000	Q24	112TCE	UG01	IP LT	0.99
Q24	QCMB	+0.000	Q24	112TCE	UG01	IP LT	0.99
Q24	QCMB	+0.000	Q24	11DCE	UG01	IP LT	0.49
Q24	QCMB	+0.000	Q24	11DCE	UG01	IP LT	0.49
Q24	QCMB	+0.000	Q24	11DCE	UG01	IP LT	0.49
Q24	QCMB	+0.000	Q24	11DCE	UG01	IP LT	0.49
Q24	QCMB	+0.000	Q24	11DCE	UG01	IP LT	0.49
Q24	QCMB	+0.000	Q24	11DCE	UG01	IP LT	0.49
Q24	QCMB	+0.000	Q24	11DCE	UG01	IP LT	0.49
Q24	QCMB	+0.000	Q24	11DCE	UG01	IP LT	0.49
Q24	QCMB	+0.000	Q24	11DCE	UG01	IP LT	0.49
Q24	QCMB	+0.000	Q24	11DCE	UG01	IP LT	0.49
Q24	QCMB	+0.000	Q24	11DCE	UG01	IP LT	0.49
Q24	QCMB	+0.000	Q24	12DCE	UG01	IP LT	0.56
Q24	QCMB	+0.000	Q24	12DCE	UG01	IP LT	0.56
Q24	QCMB	+0.000	Q24	12DCE	UG01	IP LT	0.56
Q24	QCMB	+0.000	Q24	12DCE	UG01	IP LT	0.56

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q19	QCSP	+7.50+001	Q19	TXYLENUP01		PC	73.50
Q19	QCSP	+1.50+001	Q19	TXYLENUP01		PC	14.70
Q19	QCSP	+7.50+001	Q19	TXYLENUP01		PC	75.40
Q19	QCSP	+7.50+001	Q19	TXYLENUP01		PC	63.70
Q19	QCSP	+1.50+001	Q19	TXYLENUP01		PC	15.90
Q19	QCSP	+1.50+001	Q19	TXYLENUP01		PC	15.30
Q19	QCSP	+7.50+001	Q19	TXYLENUP01		PC	73.60
Q19	QCSP	+7.50+001	Q19	TXYLENUP01		PC	72.20
Q19	QCSP	+1.50+001	Q19	TXYLENUP01		PC	15.00
Q19	QCSP	+3.00+001	Q19	TXYLENUP01		PC	31.60
Q19	QCSP	+7.50+001	Q19	TXYLENUP01		PC	64.60
Q19	QCSP	+7.50+001	Q19	TXYLENUP01		PC	72.20
Q19	QCSP	+7.50+001	Q19	TXYLENUP01		PC	66.70
Q19	QCSP	+7.50+001	Q19	TXYLENUP01		PC	24.50
Q19	QCSP	+1.50+001	Q19	TXYLENUP01		PC	14.30
Q19	QCSP	+7.50+001	Q19	TXYLENUP01		PC	70.40
Q19	QCSP	+1.50+001	Q19	TXYLENUP01		PC	13.10
Q19	QCSP	+7.50+001	Q19	TXYLENUP01		PC	71.10
Q19	QCSP	+7.50+001	Q19	TXYLENUP01		PC	71.30
Q19	QCSP	+1.50+001	Q19	TXYLENUP01		PC	15.20
Q19	QCSP	+1.50+001	Q19	TXYLENUP01		PC	13.40
Q19	QCSP	+7.50+001	Q19	TXYLENUP01		PC	73.10
Q19	QCSP	+7.50+001	Q19	TXYLENUP01		PC	73.50
Q19	QCSP	+7.53+001	Q19	TXYLENUP01		PC	70.70
Q19	QCSP	+1.50+001	Q19	TXYLENUP01		PC	26.80
Q19	QCSP	+1.50+001	Q19	TXYLENUP01		PC	15.40
Q19	QCSP	+7.50+001	Q19	TXYLENUP01		PC	73.00
Q19	QCSP	+7.50+001	Q19	TXYLENUP01		PC	65.50
Q20	QCSP	+1.00+001	Q20	111TCE	UG03	PC	11.70
Q20	QCSP	+2.00+000	Q20	111TCE	UG03	PC	2.25
Q20	QCSP	+1.00+001	Q20	111TCE	UG03	PC	8.85
Q20	QCSP	+2.00+000	Q20	111TCE	UG03	PC	1.84
Q20	QCSP	+1.00+001	Q20	111TCE	UG03	PC	9.07
Q20	QCSP	+1.00+001	Q20	111TCE	UG03	PC	10.70
Q20	QCSP	+2.00+000	Q20	111TCE	UG03	PC	1.87
Q20	QCSP	+1.00+001	Q20	111TCE	UG03	PC	10.10
Q20	QCSP	+2.00+000	Q20	111TCE	UG03	PC	3.31
Q20	QCSP	+1.00+001	Q20	111TCE	UG03	PC	10.10
Q20	QCSP	+2.00+000	Q20	111TCE	UG03	PC	2.65
Q20	QCSP	+1.00+001	Q20	111TCE	UG03	PC	11.80
Q20	QCSP	+1.00+001	Q20	111TCE	UG03	PC	10.50
Q20	QCSP	+1.00+001	Q20	111TCE	UG03	PC	10.60
Q20	QCSP	+4.00+000	Q20	111TCE	UG03	PC	3.95
Q20	QCSP	+2.00+000	Q20	111TCE	UG03	PC	2.38
Q20	QCSP	+2.00+000	Q20	111TCE	UG03	PC	1.65
Q20	QCSP	+2.00+000	Q20	111TCE	UG03	PC	1.70
Q20	QCSP	+1.00+001	Q20	111TCE	UG03	PC	10.80
Q20	QCSP	+2.00+000	Q20	111TCE	UG03	PC	2.28
Q20	QCSP	+1.00+001	Q20	111TCE	UG03	PC	8.73
Q20	QCSP	+1.00+001	Q20	111TCE	UG03	PC	9.10
Q20	QCSP	+1.00+001	Q20	111TCE	UG03	PC	8.53
Q20	QCSP	+1.00+001	Q20	111TCE	UG03	PC	11.20
Q20	QCSP	+1.00+001	Q20	111TCE	UG03	PC	11.20
Q20	QCSP	+1.00+001	Q20	111TCE	UG03	PC	11.40
Q20	QCSP	+1.00+001	Q20	111TCE	UG03	PC	9.66
Q20	QCSP	+1.00+001	Q20	111TCE	UG03	PC	11.10
Q20	QCSP	+1.00+001	Q20	111TCE	UG03	PC	9.86
Q20	QCSP	+1.00+001	Q20	111TCE	UG03	PC	10.70
Q20	QCSP	+2.00+000	Q20	112TCE	UG03	PC	2.20
Q20	QCSP	+1.00+001	Q20	112TCE	UG03	PC	8.43
Q20	QCSP	+1.00+001	Q20	112TCE	UG03	PC	10.50
Q20	QCSP	+1.00+001	Q20	112TCE	UG03	PC	10.30
Q20	QCSP	+1.00+001	Q20	112TCE	UG03	PC	9.80
Q20	QCSP	+1.00+001	Q20	112TCE	UG03	PC	9.22
Q20	QCSP	+2.00+000	Q20	112TCE	UG03	PC	2.58
Q20	QCSP	+2.00+000	Q20	112TCE	UG03	PC	1.96
Q20	QCSP	+1.00+001	Q20	112TCE	UG03	PC	11.10
Q20	QCSP	+1.00+001	Q20	112TCE	UG03	PC	8.94
Q20	QCSP	+2.00+000	Q20	112TCE	UG03	PC	2.50
Q20	QCSP	+1.00+001	Q20	112TCE	UG03	PC	11.10
Q20	QCSP	+4.00+000	Q20	112TCE	UG03	PC	3.53
Q20	QCSP	+1.00+001	Q20	112TCE	UG03	PC	9.26
Q20	QCSP	+1.00+001	Q20	112TCE	UG03	PC	8.76
Q20	QCSP	+1.00+001	Q20	112TCE	UG03	PC	11.20
Q20	QCSP	+1.00+001	Q20	112TCE	UG03	PC	9.33
Q20	QCSP	+2.00+000	Q20	112TCE	UG03	PC	2.11
Q20	QCSP	+2.00+000	Q20	112TCE	UG03	PC	1.73
Q20	QCSP	+1.00+001	Q20	112TCE	UG03	PC	9.38
Q20	QCSP	+1.00+001	Q20	112TCE	UG03	PC	9.66
Q20	QCSP	+1.00+001	Q20	112TCE	UG03	PC	10.30

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q24	QCMB	+0.000	Q24	12DCE	UG01	IP LT	0.56
Q24	QCMB	+0.000	Q24	12DCE	UG01	IP LT	0.56
Q24	QCMB	+0.000	Q24	12DCE	UG01	IP LT	0.56
Q24	QCMB	+0.000	Q24	12DCE	UG01	IP LT	0.56
Q24	QCMB	+0.000	Q24	12DCE	UG01	IP LT	0.56
Q24	QCMB	+0.000	Q24	12DCE	UG01	IP LT	0.56
Q24	QCMB	+0.000	Q24	12DCE	UG01	IP LT	0.56
Q24	QCMB	+0.000	Q24	12DCE	UG01	IP LT	0.56
Q24	QCMB	+0.000	Q24	12DCE	UG01	IP LT	0.56
Q24	QCMB	+0.000	Q24	12DCE	UG01	IP LT	0.56
Q24	QCMB	+0.000	Q24	12DCLE	UG01	IP LT	0.51
Q24	QCMB	+0.000	Q24	12DCLE	UG01	IP LT	0.51
Q24	QCMB	+0.000	Q24	12DCLE	UG01	IP LT	0.51
Q24	QCMB	+0.000	Q24	12DCLE	UG01	IP LT	0.51
Q24	QCMB	+0.000	Q24	12DCLE	UG01	IP LT	0.51
Q24	QCMB	+0.000	Q24	12DCLE	UG01	IP LT	0.51
Q24	QCMB	+0.000	Q24	12DCLE	UG01	IP LT	0.51
Q24	QCMB	+0.000	Q24	12DCLE	UG01	IP LT	0.51
Q24	QCMB	+0.000	Q24	12DCLE	UG01	IP LT	0.51
Q24	QCMB	+0.000	Q24	12DCLE	UG01	IP LT	0.51
Q24	QCMB	+0.000	Q24	12DCLE	UG01	IP LT	0.51
Q24	QCMB	+0.000	Q24	12DCLE	UG01	IP LT	0.51
Q24	QCMB	+0.000	Q24	12DCLE	UG01	IP LT	0.51
Q24	QCMB	+0.000	Q24	12DCLE	UG01	IP LT	0.51
Q24	QCMB	+0.000	Q24	12DCLP	UG01	IP LT	0.62
Q24	QCMB	+0.000	Q24	12DCLP	UG01	IP LT	0.62
Q24	QCMB	+0.000	Q24	12DCLP	UG01	IP LT	0.62
Q24	QCMB	+0.000	Q24	12DCLP	UG01	IP LT	0.62
Q24	QCMB	+0.000	Q24	12DCLP	UG01	IP LT	0.62
Q24	QCMB	+0.000	Q24	12DCLP	UG01	IP LT	0.62
Q24	QCMB	+0.000	Q24	12DCLP	UG01	IP LT	0.62
Q24	QCMB	+0.000	Q24	12DCLP	UG01	IP LT	0.62
Q24	QCMB	+0.000	Q24	12DCLP	UG01	IP LT	0.62
Q24	QCMB	+0.000	Q24	12DCLP	UG01	IP LT	0.62
Q24	QCMB	+0.000	Q24	12DCLP	UG01	IP LT	0.62
Q24	QCMB	+0.000	Q24	C2H3CL	UG01	IP LT	1.50
Q24	QCMB	+0.000	Q24	C2H3CL	UG01	IP LT	1.50
Q24	QCMB	+0.000	Q24	C2H3CL	UG01	IP LT	1.50
Q24	QCMB	+0.000	Q24	C2H3CL	UG01	IP LT	1.50
Q24	QCMB	+0.000	Q24	C2H3CL	UG01	IP LT	1.50
Q24	QCMB	+0.000	Q24	C2H3CL	UG01	IP LT	1.50
Q24	QCMB	+0.000	Q24	C2H3CL	UG01	IP LT	1.50
Q24	QCMB	+0.000	Q24	C2H3CL	UG01	IP LT	1.50
Q24	QCMB	+0.000	Q24	C2H3CL	UG01	IP LT	1.50
Q24	QCMB	+0.000	Q24	C2H3CL	UG01	IP LT	1.50
Q24	QCMB	+0.000	Q24	C2H3CL	UG01	IP LT	1.50
Q24	QCMB	+0.000	Q24	C6H6	UP02	IP LT	3.09
Q24	QCMB	+0.000	Q24	C6H6	UP02	IP LT	3.09
Q24	QCMB	+0.000	Q24	C6H6	UP02	IP LT	3.09
Q24	QCMB	+0.000	Q24	C6H6	UP02	IP LT	3.09
Q24	QCMB	+0.000	Q24	C6H6	UP02	IP LT	3.09
Q24	QCMB	+0.000	Q24	C6H6	UP02	IP LT	3.09
Q24	QCMB	+0.000	Q24	C6H6	UP02	IP LT	3.09
Q24	QCMB	+0.000	Q24	C6H6	UP02	IP LT	3.09
Q24	QCMB	+0.000	Q24	C6H6	UP02	IP LT	3.09
Q24	QCMB	+0.000	Q24	C6H6	UP02	IP LT	3.09
Q24	QCMB	+0.000	Q24	C6H6	UP02	IP LT	3.09
Q24	QCMB	+0.000	Q24	C6H6	UP02	IP LT	3.09
Q24	QCMB	+0.000	Q24	CHCL3	UG01	IP LT	0.41
Q24	QCMB	+0.000	Q24	CHCL3	UG01	IP LT	0.41
Q24	QCMB	+0.000	Q24	CHCL3	UG01	IP LT	0.41
Q24	QCMB	+0.000	Q24	CHCL3	UG01	IP LT	0.41
Q24	QCMB	+0.000	Q24	CHCL3	UG01	IP LT	0.41
Q24	QCMB	+0.000	Q24	CHCL3	UG01	IP	0.45
Q24	QCMB	+0.000	Q24	CHCL3	UG01	IP LT	0.41
Q24	QCMB	+0.000	Q24	CHCL3	UG01	IP LT	0.41
Q24	QCMB	+0.000	Q24	CHCL3	UG01	IP LT	0.41
Q24	QCMB	+0.000	Q24	CHCL3	UG01	IP LT	0.41
Q24	QCMB	+0.000	Q24	CHCL3	UG01	IP	0.44
Q24	QCMB	+0.000	Q24	CHCL3	UG01	IP LT	0.41

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q20	QCSP	+2.00+000	Q20	112TCE	UG03	PC		1.96
Q20	QCSP	+2.00+000	Q20	112TCE	UG03	PC		2.03
Q20	QCSP	+1.00+001	Q20	112TCE	UG03	PC		9.65
Q20	QCSP	+1.00+001	Q20	112TCE	UG03	PC		9.66
Q20	QCSP	+1.00+001	Q20	112TCE	UG03	PC		11.40
Q20	QCSP	+1.00+001	Q20	112TCE	UG03	PC		10.80
Q20	QCSP	+2.00+000	Q20	112TCE	UG03	PC		2.02
Q20	QCSP	+1.00+001	Q20	112TCE	UG03	PC		8.95
Q20	QCSP	+1.00+001	Q20	11DCE	UG03	PC		9.90
Q20	QCSP	+1.00+001	Q20	11DCE	UG03	PC		8.87
Q20	QCSP	+1.00+001	Q20	11DCE	UG03	PC		9.21
Q20	QCSP	+1.00+001	Q20	11DCE	UG03	PC		8.71
Q20	QCSP	+1.00+001	Q20	11DCE	UG03	PC		8.20
Q20	QCSP	+1.00+001	Q20	11DCE	UG03	PC		9.01
Q20	QCSP	+1.00+001	Q20	11DCE	UG03	PC		9.85
Q20	QCSP	+1.00+001	Q20	11DCE	UG03	PC		11.60
Q20	QCSP	+1.00+001	Q20	11DCE	UG03	PC		9.49
Q20	QCSP	+2.00+000	Q20	11DCE	UG03	PC		2.87
Q20	QCSP	+1.00+001	Q20	11DCE	UG03	PC		9.26
Q20	QCSP	+1.00+001	Q20	11DCE	UG03	PC		9.52
Q20	QCSP	+1.00+001	Q20	11DCE	UG03	PC		9.46
Q20	QCSP	+2.00+000	Q20	11DCE	UG03	PC		1.95
Q20	QCSP	+2.00+000	Q20	11DCE	UG03	PC		1.84
Q20	QCSP	+2.00+000	Q20	11DCE	UG03	PC		1.86
Q20	QCSP	+1.00+001	Q20	11DCE	UG03	PC		8.90
Q20	QCSP	+2.00+000	Q20	11DCE	UG03	PC		1.84
Q20	QCSP	+1.00+001	Q20	11DCE	UG03	PC		8.79
Q20	QCSP	+1.00+001	Q20	11DCE	UG03	PC		10.30
Q20	QCSP	+4.00+000	Q20	11DCE	UG03	PC		3.56
Q20	QCSP	+1.00+001	Q20	11DCE	UG03	PC		8.76
Q20	QCSP	+2.00+000	Q20	11DCE	UG03	PC		1.65
Q20	QCSP	+1.00+001	Q20	11DCE	UG03	PC		8.62
Q20	QCSP	+1.00+001	Q20	11DCE	UG03	PC		12.00
Q20	QCSP	+2.00+000	Q20	11DCE	UG03	PC		1.78
Q20	QCSP	+2.00+000	Q20	11DCE	UG03	PC		1.55
Q20	QCSP	+2.00+000	Q20	11DCE	UG03	PC		1.43
Q20	QCSP	+1.00+001	Q20	11DCE	UG03	PC		9.26
Q20	QCSP	+1.00+001	Q20	11DCE	UG03	PC		8.84
Q20	QCSP	+5.00+000	Q20	12DCE	UG03	PC		4.73
Q20	QCSP	+5.00+000	Q20	12DCE	UG03	PC		4.45
Q20	QCSP	+5.00+000	Q20	12DCE	UG03	PC		6.14
Q20	QCSP	+5.00+000	Q20	12DCE	UG03	PC		5.88
Q20	QCSP	+5.00+000	Q20	12DCE	UG03	PC		4.29
Q20	QCSP	+5.00+000	Q20	12DCE	UG03	PC		5.63
Q20	QCSP	+1.00+000	Q20	12DCE	UG03	PC	LT	0.50
Q20	QCSP	+5.00+000	Q20	12DCE	UG03	PC		5.02
Q20	QCSP	+5.00+000	Q20	12DCE	UG03	PC		4.76
Q20	QCSP	+1.00+000	Q20	12DCE	UG03	PC		1.09
Q20	QCSP	+5.00+000	Q20	12DCE	UG03	PC		4.12
Q20	QCSP	+5.00+000	Q20	12DCE	UG03	PC		4.87
Q20	QCSP	+5.00+000	Q20	12DCE	UG03	PC		6.53
Q20	QCSP	+1.00+000	Q20	12DCE	UG03	PC		0.70
Q20	QCSP	+1.00+000	Q20	12DCE	UG03	PC		1.17
Q20	QCSP	+1.00+000	Q20	12DCE	UG03	PC		1.53
Q20	QCSP	+5.00+000	Q20	12DCE	UG03	PC		5.65
Q20	QCSP	+2.00+000	Q20	12DCE	UG03	PC		2.61
Q20	QCSP	+5.00+000	Q20	12DCE	UG03	PC		4.71
Q20	QCSP	+5.00+000	Q20	12DCE	UG03	PC		4.65
Q20	QCSP	+1.00+000	Q20	12DCE	UG03	PC		0.66
Q20	QCSP	+5.00+000	Q20	12DCE	UG03	PC		5.12
Q20	QCSP	+5.00+000	Q20	12DCE	UG03	PC		4.87
Q20	QCSP	+1.00+000	Q20	12DCE	UG03	PC		1.55
Q20	QCSP	+5.00+000	Q20	12DCE	UG03	PC		4.23
Q20	QCSP	+1.00+000	Q20	12DCE	UG03	PC		0.95
Q20	QCSP	+1.00+000	Q20	12DCE	UG03	PC		1.07
Q20	QCSP	+5.00+000	Q20	12DCE	UG03	PC		3.86
Q20	QCSP	+5.00+000	Q20	12DCE	UG03	PC		5.15
Q20	QCSP	+5.00+000	Q20	12DCE	UG03	PC		6.23
Q20	QCSP	+5.00+000	Q20	12DCLE	UG03	PC		3.24
Q20	QCSP	+5.00+000	Q20	12DCLE	UG03	PC		4.51
Q20	QCSP	+5.00+000	Q20	12DCLE	UG03	PC		3.89
Q20	QCSP	+5.00+000	Q20	12DCLE	UG03	PC		3.13
Q20	QCSP	+5.00+000	Q20	12DCLE	UG03	PC		4.09
Q20	QCSP	+5.00+000	Q20	12DCLE	UG03	PC		3.79
Q20	QCSP	+5.00+000	Q20	12DCLE	UG03	PC		4.14
Q20	QCSP	+1.00+000	Q20	12DCLE	UG03	PC		1.00
Q20	QCSP	+1.00+000	Q20	12DCLE	UG03	PC		0.68
Q20	QCSP	+5.00+000	Q20	12DCLE	UG03	PC		3.67
Q20	QCSP	+5.00+000	Q20	12DCLE	UG03	PC		3.39
Q20	QCSP	+5.00+000	Q20	12DCLE	UG03	PC		3.77

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q24	QCMB	+0.000	Q24	MEC6H5	UP02	IP	LT	3.39
Q24	QCMB	+0.000	Q24	MEC6H5	UP02	IP	GT	50.00
Q24	QCMB	+0.000	Q24	MEC6H5	UP02	IP	LT	3.39
Q24	QCMB	+0.000	Q24	MEC6H5	UP02	IP	LT	3.39
Q24	QCMB	+0.000	Q24	MEC6H5	UP02	IP	LT	3.39
Q24	QCMB	+0.000	Q24	MEC6H5	UP02	IP	LT	3.39
Q24	QCMB	+0.000	Q24	MEC6H5	UP02	IP	LT	3.39
Q24	QCMB	+0.000	Q24	MEC6H5	UP02	IP	LT	3.39
Q24	QCMB	+0.000	Q24	MEC6H5	UP02	IP	LT	3.39
Q24	QCMB	+0.000	Q24	MEC6H5	UP02	IP	LT	3.39
Q24	QCMB	+0.000	Q24	MEC6H5	UP02	IP	LT	3.39
Q24	QCMB	+0.000	Q24	MEC6H5	UP02	IP	LT	3.39
Q24	QCMB	+0.000	Q24	MEC6H5	UP02	IP	LT	3.39
Q24	QCMB	+0.000	Q24	TCLEE	UG01	IP	LT	0.88
Q24	QCMB	+0.000	Q24	TCLEE	UG01	IP	LT	0.88
Q24	QCMB	+0.000	Q24	TCLEE	UG01	IP	LT	0.88
Q24	QCMB	+0.000	Q24	TCLEE	UG01	IP	LT	0.88
Q24	QCMB	+0.000	Q24	TCLEE	UG01	IP	LT	0.88
Q24	QCMB	+0.000	Q24	TCLEE	UG01	IP	LT	0.88
Q24	QCMB	+0.000	Q24	TCLEE	UG01	IP	LT	0.88
Q24	QCMB	+0.000	Q24	TCLEE	UG01	IP	LT	0.88
Q24	QCMB	+0.000	Q24	TCLEE	UG01	IP	LT	0.88
Q24	QCMB	+0.000	Q24	TCLEE	UG01	IP	LT	0.88
Q24	QCMB	+0.000	Q24	TCLEE	UG01	IP	LT	0.88
Q24	QCMB	+0.000	Q24	TPO4	TY04	IP	LT	5.00
Q24	QCMB	+0.000	Q24	TPO4	TY04	IP	LT	5.00
Q24	QCMB	+0.000	Q24	TRCLE	UG01	IP	LT	1.10
Q24	QCMB	+0.000	Q24	TRCLE	UG01	IP	LT	1.10
Q24	QCMB	+0.000	Q24	TRCLE	UG01	IP	LT	1.10
Q24	QCMB	+0.000	Q24	TRCLE	UG01	IP	LT	1.10
Q24	QCMB	+0.000	Q24	TRCLE	UG01	IP	LT	1.10
Q24	QCMB	+0.000	Q24	TRCLE	UG01	IP	LT	1.10
Q24	QCMB	+0.000	Q24	TRCLE	UG01	IP	LT	1.10
Q24	QCMB	+0.000	Q24	TRCLE	UG01	IP	LT	1.10
Q24	QCMB	+0.000	Q24	TRCLE	UG01	IP	LT	1.10
Q24	QCMB	+0.000	Q24	TRCLE	UG01	IP	LT	1.10
Q24	QCMB	+0.000	Q24	TRCLE	UG01	IP	LT	1.10
Q24	QCMB	+0.000	Q24	TXYLENU	P02	IP	LT	1.17
Q24	QCMB	+0.000	Q24	TXYLENU	P02	IP	LT	1.17
Q24	QCMB	+0.000	Q24	TXYLENU	P02	IP	LT	1.17
Q24	QCMB	+0.000	Q24	TXYLENU	P02	IP	LT	1.17
Q24	QCMB	+0.000	Q24	TXYLENU	P02	IP	LT	1.17
Q24	QCMB	+0.000	Q24	TXYLENU	P02	IP	LT	1.17
Q24	QCMB	+0.000	Q24	TXYLENU	P02	IP	LT	1.17
Q24	QCMB	+0.000	Q24	TXYLENU	P02	IP	LT	1.17
Q24	QCMB	+0.000	Q24	TXYLENU	P02	IP	LT	1.17
Q24	QCMB	+0.000	Q24	TXYLENU	P02	IP	LT	1.17
Q24	QCMB	+0.000	Q24	TXYLENU	P02	IP	LT	1.17
Q24	QCMB	+0.000	Q24	TXYLENU	P02	IP	LT	1.17
Q24	QCMB	+0.000	Q24	TXYLENU	P02	IP	LT	1.17
Q24	QCMB	+0.000	Q24	TXYLENU	P02	IP	LT	1.17
Q22	QCRB	#0.000	**********	111TCE	UG03	PC	LT	1.00
Q22	QCRB	#0.000	**********	112TCE	UG03	PC	LT	1.00
Q22	QCRB	#0.000	**********	11DCE	UG03	PC	LT	1.00
Q22	QCRB	#0.000	**********	12DCE	UG03	PC	LT	0.50
Q22	QCRB	#0.000	**********	12DCLE	UG03	PC	LT	0.50
Q22	QCRB	#0.000	**********	12DCLP	UG03	PC	LT	1.00
Q22	QCRB	#0.000	**********	C2H3CL	UG03	PC	LT	1.90
Q22	QCRB	#0.000	**********	C6H6	UP01	PC		1.63
Q22	QCRB	#0.000	**********	CHCL3	UG03	PC	LT	0.72
Q22	QCRB	#0.000	**********	MEC6H5	UP01	PC		7.72
Q22	QCRB	#0.000	**********	TCLEE	UG03	PC	LT	1.00
Q22	QCRB	#0.000	**********	TRCLE	UG03	PC	LT	0.50
Q22	QCRB	#0.000	**********	TXYLENU	P01	PC	LT	8.28
Q23	QCTB	#0.000	Q23	111TCE	UG01	IP	LT	0.81
Q23	QCTB	#0.000	Q23	111TCE	UG01	IP	LT	0.81
Q23	QCTB	#0.000	Q23	111TCE	UG01	IP	LT	0.81
Q23	QCTB	#0.000	Q23	112TCE	UG01	IP	LT	0.99
Q23	QCTB	#0.000	Q23	112TCE	UG01	IP	LT	0.99
Q23	QCTB	#0.000	Q23	112TCE	UG01	IP	LT	0.99
Q23	QCTB	#0.000	Q23	11DCE	UG01	IP	LT	0.49
Q23	QCTB	#0.000	Q23	11DCE	UG01	IP	LT	0.49
Q23	QCTB	#0.000	Q23	11DCE	UG01	IP	LT	0.49

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q20	QCSP	+1.00+000	Q20	12DCLE	UG03	PC		1.04
Q20	QCSP	+1.00+000	Q20	12DCLE	UG03	PC		0.54
Q20	QCSP	+1.00+000	Q20	12DCLE	UG03	PC		0.80
Q20	QCSP	+5.00+000	Q20	12DCLE	UG03	PC		3.36
Q20	QCSP	+5.00+000	Q20	12DCLE	UG03	PC		4.79
Q20	QCSP	+5.00+000	Q20	12DCLE	UG03	PC		4.52
Q20	QCSP	+1.00+000	Q20	12DCLE	UG03	PC		0.93
Q20	QCSP	+5.00+000	Q20	12DCLE	UG03	PC		3.67
Q20	QCSP	+5.00+000	Q20	12DCLE	UG03	PC		3.25
Q20	QCSP	+5.00+000	Q20	12DCLE	UG03	PC		4.27
Q20	QCSP	+5.00+000	Q20	12DCLE	UG03	PC		3.47
Q20	QCSP	+1.00+000	Q20	12DCLE	UG03	PC		0.73
Q20	QCSP	+5.00+000	Q20	12DCLE	UG03	PC		4.96
Q20	QCSP	+1.00+000	Q20	12DCLE	UG03	PC	LT	0.50
Q20	QCSP	+5.00+000	Q20	12DCLE	UG03	PC		3.41
Q20	QCSP	+5.00+000	Q20	12DCLE	UG03	PC		3.81
Q20	QCSP	+2.00+000	Q20	12DCLE	UG03	PC		1.42
Q20	QCSP	+1.00+000	Q20	12DCLE	UG03	PC		1.01
Q20	QCSP	+0.00+000	Q20	12DCLP	UG03	PC	LT	1.00

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q20	QCSP	+5.00+000	Q20	C6H6	UP01	PC		4.50
Q20	QCSP	+5.00+000	Q20	C6H6	UP01	PC		4.50
Q20	QCSP	+1.00+000	Q20	C6H6	UP01	PC		1.05
Q20	QCSP	+5.00+000	Q20	C6H6	UP01	PC		4.54
Q20	QCSP	+1.00+000	Q20	C6H6	UP01	PC		0.85
Q20	QCSP	+5.00+000	Q20	C6H6	UP01	PC		4.47
Q20	QCSP	+5.00+000	Q20	C6H6	UP01	PC		4.38
Q20	QCSP	+5.00+000	Q20	C6H6	UP01	PC		5.19
Q20	QCSP	+5.00+000	Q20	C6H6	UP01	PC		4.38
Q20	QCSP	+2.00+000	Q20	C6H6	UP01	PC		1.92
Q20	QCSP	+1.00+000	Q20	C6H6	UP01	PC		1.19
Q20	QCSP	+5.00+000	Q20	C6H6	UP01	PC		4.77
Q20	QCSP	+5.00+000	Q20	C6H6	UP01	PC		4.40
Q20	QCSP	+5.00+000	Q20	C6H6	UP01	PC		4.43
Q20	QCSP	+1.00+000	Q20	C6H6	UP01	PC		0.94
Q20	QCSP	+5.00+000	Q20	C6H6	UP01	PC		4.51
Q20	QCSP	+5.00+000	Q20	C6H6	UP01	PC		3.16
Q20	QCSP	+5.00+000	Q20	C6H6	UP01	PC		4.80
Q20	QCSP	+5.00+000	Q20	C6H6	UP01	PC		4.45
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+0.00+000	Q20	CHCL3	UG03	PC	LT	0.72
Q20	QCSP	+2.00+000	Q20	MEC6H5	UP01	PC		1.83
Q20	QCSP	+4.00+000	Q20	MEC6H5	UP01	PC		3.49
Q20	QCSP	+1.00+001	Q20	MEC6H5	UP01	PC		9.55
Q20	QCSP	+2.00+000	Q20	MEC6H5	UP01	PC		1.82
Q20	QCSP	+1.00+001	Q20	MEC6H5	UP01	PC		9.06
Q20	QCSP	+1.00+001	Q20	MEC6H5	UP01	PC		9.94
Q20	QCSP	+1.00+001	Q20	MEC6H5	UP01	PC		10.10
Q20	QCSP	+2.00+000	Q20	MEC6H5	UP01	PC		1.45
Q20	QCSP	+2.00+000	Q20	MEC6H5	UP01	PC		2.06
Q20	QCSP	+1.00+001	Q20	MEC6H5	UP01	PC		8.81
Q20	QCSP	+1.00+001	Q20	MEC6H5	UP01	PC		9.91
Q20	QCSP	+1.00+001	Q20	MEC6H5	UP01	PC		6.18
Q20	QCSP	+1.00+001	Q20	MEC6H5	UP01	PC		9.36
Q20	QCSP	+1.00+001	Q20	MEC6H5	UP01	PC		10.70
Q20	QCSP	+1.00+001	Q20	MEC6H5	UP01	PC		9.36
Q20	QCSP	+1.00+001	Q20	MEC6H5	UP01	PC		9.89
Q20	QCSP	+1.00+001	Q20	MEC6H5	UP01	PC		9.40
Q20	QCSP	+2.00+000	Q20	MEC6H5	UP01	PC		1.78
Q20	QCSP	+1.00+001	Q20	MEC6H5	UP01	PC		8.90
Q20	QCSP	+2.00+000	Q20	MEC6H5	UP01	PC		2.12
Q20	QCSP	+1.00+001	Q20	MEC6H5	UP01	PC		9.87
Q20	QCSP	+1.00+001	Q20	TCLEE	UG03	PC		8.89
Q20	QCSP	+1.00+001	Q20	TCLEE	UG03	PC		11.50
Q20	QCSP	+1.00+001	Q20	TCLEE	UG03	PC		10.60
Q20	QCSP	+2.00+000	Q20	TCLEE	UG03	PC		1.77
Q20	QCSP	+2.00+000	Q20	TCLEE	UG03	PC		2.18
Q20	QCSP	+1.00+001	Q20	TCLEE	UG03	PC		8.69
Q20	QCSP	+2.00+000	Q20	TCLEE	UG03	PC		2.38
Q20	QCSP	+1.00+001	Q20	TCLEE	UG03	PC		8.17
Q20	QCSP	+1.00+001	Q20	TCLEE	UG03	PC		8.66
Q20	QCSP	+1.00+001	Q20	TCLEE	UG03	PC		10.90

INORGANICS DATA

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q16	QCFB	#0.000	25-Nov-87	HG	SB04	IP	LT	0.70
Q16	QCFB	#0.000	03-Dec-87	AG	SD07	IP	LT	1.93
Q16	QCFB	#0.000	03-Dec-87	AS	SD07	IP	LT	4.81
Q16	QCFB	#0.000	03-Dec-87	BA	SD07	IP	LT	20.00
Q16	QCFB	#0.000	03-Dec-87	BE	SD07	IP	LT	1.47
Q16	QCFB	#0.000	03-Dec-87	CD	SD07	IP	LT	0.10
Q16	QCFB	#0.000	03-Dec-87	CR	SD07	IP		3.03
Q16	QCFB	#0.000	03-Dec-87	CU	SD07	IP	LT	0.50
Q16	QCFB	#0.000	03-Dec-87	CYN	TY02	IP	LT	8.35
Q16	QCFB	#0.000	03-Dec-87	HG	SB04	IP	LT	0.70
Q16	QCFB	#0.000	03-Dec-87	MN	SD07	IP		1.50
Q16	QCFB	#0.000	03-Dec-87	NI	SD07	IP	LT	5.94
Q16	QCFB	#0.000	03-Dec-87	PB	SD07	IP	LT	2.65
Q16	QCFB	#0.000	03-Dec-87	SB	SD07	IP	LT	10.00
Q16	QCFB	#0.000	03-Dec-87	SE	SD07	IP	LT	3.06
Q16	QCFB	#0.000	03-Dec-87	TL	SD07	IP	LT	2.70
Q16	QCFB	#0.000	03-Dec-87	ZN	SC03	IP	LT	29.40
Q16	QCFB	#0.000	07-Dec-87	AG	SD07	IP	LT	1.93
Q16	QCFB	#0.000	07-Dec-87	BA	SD07	IP	LT	20.00
Q16	QCFB	#0.000	07-Dec-87	BE	SD07	IP	LT	1.47
Q16	QCFB	#0.000	07-Dec-87	CD	SD07	IP	LT	0.10
Q16	QCFB	#0.000	07-Dec-87	CR	SD07	IP		3.00
Q16	QCFB	#0.000	07-Dec-87	CU	SD07	IP		0.59
Q16	QCFB	#0.000	07-Dec-87	CYN	TY02	IP	LT	8.35
Q16	QCFB	#0.000	07-Dec-87	HG	SB04	IP	LT	0.70
Q16	QCFB	#0.000	07-Dec-87	MN	SD07	IP		6.00
Q16	QCFB	#0.000	07-Dec-87	NI	SD07	IP	LT	5.94
Q16	QCFB	#0.000	07-Dec-87	PB	SD07	IP		6.63
Q16	QCFB	#0.000	07-Dec-87	SB	SD07	IP	LT	10.00
Q16	QCFB	#0.000	07-Dec-87	SE	SD07	IP	LT	3.06
Q16	QCFB	#0.000	07-Dec-87	TL	SD07	IP	LT	2.70
Q16	QCFB	#0.000	07-Dec-87	ZN	SC03	IP	LT	29.40
Q16	QCFB	#0.000	11-Dec-87	AG	SD07	IP	LT	1.93
Q16	QCFB	#0.000	11-Dec-87	BA	SD07	IP	LT	20.00
Q16	QCFB	#0.000	11-Dec-87	BE	SD07	IP	LT	1.47
Q16	QCFB	#0.000	11-Dec-87	CD	SD07	IP	LT	0.10
Q16	QCFB	#0.000	11-Dec-87	CR	SD07	IP	LT	2.18
Q16	QCFB	#0.000	11-Dec-87	CU	SD07	IP	LT	0.50
Q16	QCFB	#0.000	11-Dec-87	HG	SB04	IP	LT	0.70
Q16	QCFB	#0.000	11-Dec-87	MN	SD07	IP		2.45
Q16	QCFB	#0.000	11-Dec-87	PB	SD07	IP	LT	2.65
Q16	QCFB	#0.000	11-Dec-87	SB	SD07	IP	LT	10.00
Q16	QCFB	#0.000	11-Dec-87	SE	SD07	IP	LT	3.06
Q16	QCFB	#0.000	11-Dec-87	TL	SD07	IP	LT	2.70
Q16	QCFB	#0.000	11-Dec-87	ZN	SC03	IP	LT	29.40
Q18	QCFB	#0.00+000	06-Apr-88	AS	99	PC	LT	6.01
Q18	QCFB	#0.00+000	06-Apr-88	BA	SD08	PC	LT	9.10
Q18	QCFB	#0.00+000	06-Apr-88	CD	SD08	PC	LT	0.37
Q18	QCFB	#0.00+000	06-Apr-88	CR	SD08	PC	LT	2.50
Q18	QCFB	#0.00+000	06-Apr-88	CYN	TY03	PC	LT	8.17
Q18	QCFB	#0.00+000	06-Apr-88	NI	SD08	PC	LT	5.32
Q18	QCFB	#0.00+000	06-Apr-88	PB	SD08	PC	LT	1.26
Q18	QCFB	#0.00+000	08-Apr-88	AS	99	PC	LT	6.01
Q18	QCFB	#0.00+000	08-Apr-88	BA	SD08	PC	LT	9.10
Q18	QCFB	#0.00+000	08-Apr-88	CD	SD08	PC	LT	0.37
Q18	QCFB	#0.00+000	08-Apr-88	CR	SD08	PC	LT	2.50
Q18	QCFB	#0.00+000	08-Apr-88	CYN	TY03	PC	LT	8.17
Q18	QCFB	#0.00+000	08-Apr-88	HG	SB07	PC	LT	0.74
Q18	QCFB	#0.00+000	08-Apr-88	NI	SD08	PC		26.00
Q18	QCFB	#0.00+000	08-Apr-88	PB	SD08	PC	LT	1.26
Q19	QCFB	#0.00+000	10-Aug-88	AS	SD08	PC	LT	6.01
Q19	QCFB	#0.00+000	10-Aug-88	BA	SD08	PC	LT	9.10

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q20	QCSP	+1.00+001	Q20	TCLEE	UG03	PC	8.85
Q20	QCSP	+1.00+001	Q20	TCLEE	UG03	PC	8.90
Q20	QCSP	+2.00+000	Q20	TCLEE	UG03	PC	1.82
Q20	QCSP	+1.00+001	Q20	TCLEE	UG03	PC	9.35
Q20	QCSP	+2.00+000	Q20	TCLEE	UG03	PC	2.29
Q20	QCSP	+2.00+000	Q20	TCLEE	UG03	PC	2.74
Q20	QCSP	+2.00+000	Q20	TCLEE	UG03	PC	2.38
Q20	QCSP	+1.00+001	Q20	TCLEE	UG03	PC	11.30
Q20	QCSP	+1.00+001	Q20	TCLEE	UG03	PC	10.00
Q20	QCSP	+1.00+001	Q20	TCLEE	UG03	PC	8.98
Q20	QCSP	+2.00+000	Q20	TCLEE	UG03	PC	1.72
Q20	QCSP	+1.00+001	Q20	TCLEE	UG03	PC	12.10
Q20	QCSP	+1.00+001	Q20	TCLEE	UG03	PC	9.52
Q20	QCSP	+2.00+000	Q20	TCLEE	UG03	PC	1.92
Q20	QCSP	+1.00+001	Q20	TCLEE	UG03	PC	10.70
Q20	QCSP	+4.00+000	Q20	TCLEE	UG03	PC	3.96
Q20	QCSP	+1.00+001	Q20	TCLEE	UG03	PC	10.60
Q20	QCSP	+1.00+001	Q20	TCLEE	UG03	PC	12.40
Q20	QCSP	+1.00+001	Q20	TCLEE	UG03	PC	11.00
Q20	QCSP	+1.00+001	Q20	TCLEE	UG03	PC	6.98
Q20	QCSP	+1.00+000	Q20	TRCLE	UG03	PC	0.85
Q20	QCSP	+5.00+000	Q20	TRCLE	UG03	PC	5.22
Q20	QCSP	+5.00+000	Q20	TRCLE	UG03	PC	4.77
Q20	QCSP	+5.00+000	Q20	TRCLE	UG03	PC	3.64
Q20	QCSP	+5.00+000	Q20	TRCLE	UG03	PC	4.35
Q20	QCSP	+5.00+000	Q20	TRCLE	UG03	PC	4.86
Q20	QCSP	+5.00+000	Q20	TRCLE	UG03	PC	4.87
Q20	QCSP	+5.00+000	Q20	TRCLE	UG03	PC	4.22
Q20	QCSP	+5.00+000	Q20	TRCLE	UG03	PC	4.88
Q20	QCSP	+5.00+000	Q20	TRCLE	UG03	PC	4.49
Q20	QCSP	+1.00+000	Q20	TRCLE	UG03	PC	0.78
Q20	QCSP	+5.00+000	Q20	TRCLE	UG03	PC	4.16
Q20	QCSP	+2.00+000	Q20	TRCLE	UG03	PC	1.50
Q20	QCSP	+1.00+000	Q20	TRCLE	UG03	PC	0.77
Q20	QCSP	+1.00+000	Q20	TRCLE	UG03	PC	0.79
Q20	QCSP	+1.00+000	Q20	TRCLE	UG03	PC	0.83
Q20	QCSP	+5.00+000	Q20	TRCLE	UG03	PC	4.32
Q20	QCSP	+5.00+000	Q20	TRCLE	UG03	PC	4.84
Q20	QCSP	+5.00+000	Q20	TRCLE	UG03	PC	3.65
Q20	QCSP	+1.00+000	Q20	TRCLE	UG03	PC	0.95
Q20	QCSP	+5.00+000	Q20	TRCLE	UG03	PC	3.94
Q20	QCSP	+5.00+000	Q20	TRCLE	UG03	PC	3.90
Q20	QCSP	+1.00+000	Q20	TRCLE	UG03	PC	1.27
Q20	QCSP	+1.00+000	Q20	TRCLE	UG03	PC	1.25
Q20	QCSP	+5.00+000	Q20	TRCLE	UG03	PC	5.07
Q20	QCSP	+5.00+000	Q20	TRCLE	UG03	PC	4.30
Q20	QCSP	+1.00+000	Q20	TRCLE	UG03	PC	0.85
Q20	QCSP	+5.00+000	Q20	TRCLE	UG03	PC	4.80
Q20	QCSP	+5.00+000	Q20	TRCLE	UG03	PC	4.35
Q20	QCSP	+5.00+000	Q20	TRCLE	UG03	PC	4.40
Q20	QCSP	+1.50+001	Q20	TXYLENUP01		PC	12.70
Q20	QCSP	+7.50+001	Q20	TXYLENUP01		PC	67.40
Q20	QCSP	+7.50+001	Q20	TXYLENUP01		PC	67.60
Q20	QCSP	+7.50+001	Q20	TXYLENUP01		PC	70.70
Q20	QCSP	+7.50+001	Q20	TXYLENUP01		PC	60.20
Q20	QCSP	+7.50+001	Q20	TXYLENUP01		PC	66.80
Q20	QCSP	+1.50+001	Q20	TXYLENUP01		PC	13.50
Q20	QCSP	+7.50+001	Q20	TXYLENUP01		PC	72.70
Q20	QCSP	+7.50+001	Q20	TXYLENUP01		PC	48.70
Q20	QCSP	+1.50+001	Q20	TXYLENUP01		PC	12.80
Q20	QCSP	+1.50+001	Q20	TXYLENUP01		PC	14.30
Q20	QCSP	+7.50+001	Q20	TXYLENUP01		PC	71.80
Q20	QCSP	+7.50+001	Q20	TXYLENUP01		PC	67.10
Q20	QCSP	+3.00+001	Q20	TXYLENUP01		PC	29.70
Q20	QCSP	+7.50+001	Q20	TXYLENUP01		PC	68.20
Q20	QCSP	+7.50+001	Q20	TXYLENUP01		PC	77.20
Q20	QCSP	+7.50+001	Q20	TXYLENUP01		PC	57.40
Q20	QCSP	+1.50+001	Q20	TXYLENUP01		PC	11.80
Q20	QCSP	+7.50+001	Q20	TXYLENUP01		PC	78.80
Q20	QCSP	+1.50+001	Q20	TXYLENUP01		PC	12.00
Q20	QCSP	+7.50+001	Q20	TXYLENUP01		PC	64.40
Q22	QCSP	+10.000	Q22	111TCE	UG03	PC	10.60
Q22	QCSP	+2.000	Q22	111TCE	UG03	PC	2.16
Q22	QCSP	+10.000	Q22	111TCE	UG03	PC	7.98
Q22	QCSP	+2.000	Q22	111TCE	UG03	PC	2.05
Q22	QCSP	+2.000	Q22	111TCE	UG03	PC	1.87
Q22	QCSP	+10.000	Q22	111TCE	UG03	PC	9.73
Q22	QCSP	+2.000	Q22	111TCE	UG03	PC	1.78
Q22	QCSP	+10.000	Q22	111TCE	UG03	PC	9.27
Q22	QCSP	+10.000	Q22	111TCE	UG03	PC	9.14

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q19	QCFB	#0.00+000	10-Aug-88	CD	SD08	PC LT	0.37
Q19	QCFB	#0.00+000	10-Aug-88	CR	SD08	PC LT	2.50
Q19	QCFB	#0.00+000	10-Aug-88	HG	SB07	PC LT	0.74
Q19	QCFB	#0.00+000	10-Aug-88	NI	SD08	PC LT	5.32
Q19	QCFB	#0.00+000	10-Aug-88	PB	SD08	PC LT	1.26
Q19	QCFB	#0.00+000	10-Aug-88	ZN	SC04	PC LT	25.00
Q19	QCFB	#0.00+000	12-Aug-88	AS	SD08	PC LT	6.01
Q19	QCFB	#0.00+000	12-Aug-88	BA	SD08	PC LT	9.10
Q19	QCFB	#0.00+000	12-Aug-88	CD	SD08	PC LT	0.37
Q19	QCFB	#0.00+000	12-Aug-88	CR	SD08	PC LT	2.50
Q19	QCFB	#0.00+000	12-Aug-88	CYN	TY03	PC LT	8.17
Q19	QCFB	#0.00+000	12-Aug-88	HG	SB07	PC LT	0.74
Q19	QCFB	#0.00+000	12-Aug-88	NI	SD08	PC LT	5.32
Q19	QCFB	#0.00+000	12-Aug-88	PB	SD08	PC LT	1.26
Q19	QCFB	#0.00+000	12-Aug-88	ZN	SC04	PC LT	25.00
Q19	QCFB	#0.00+000	16-Aug-88	AS	SD08	PC LT	6.01
Q19	QCFB	#0.00+000	16-Aug-88	BA	SD08	PC LT	9.10
Q19	QCFB	#0.00+000	16-Aug-88	CD	SD08	PC LT	0.37
Q19	QCFB	#0.00+000	16-Aug-88	CR	SD08	PC LT	2.50
Q19	QCFB	#0.00+000	16-Aug-88	CYN	TY03	PC LT	8.17
Q19	QCFB	#0.00+000	16-Aug-88	HG	SB07	PC LT	0.74
Q19	QCFB	#0.00+000	16-Aug-88	NI	SD08	PC LT	5.32
Q19	QCFB	#0.00+000	16-Aug-88	PB	SD08	PC LT	1.26
Q19	QCFB	#0.00+000	16-Aug-88	ZN	SC04	PC LT	25.00
Q19	QCFB	#0.00+000	18-Aug-88	AS	SD08	PC LT	6.01
Q19	QCFB	#0.00+000	18-Aug-88	BA	SD08	PC LT	9.10
Q19	QCFB	#0.00+000	18-Aug-88	CD	SD08	PC LT	0.37
Q19	QCFB	#0.00+000	18-Aug-88	CR	SD08	PC LT	2.50
Q19	QCFB	#0.00+000	18-Aug-88	HG	SB07	PC LT	0.74
Q19	QCFB	#0.00+000	18-Aug-88	NI	SD08	PC LT	5.32
Q19	QCFB	#0.00+000	18-Aug-88	PB	SD08	PC LT	1.26
Q19	QCFB	#0.00+000	18-Aug-88	ZN	SC04	PC LT	25.00
Q19	QCFB	#0.00+000	23-Aug-88	AS	SD08	PC LT	6.01
Q19	QCFB	#0.00+000	23-Aug-88	BA	SD08	PC LT	9.10
Q19	QCFB	#0.00+000	23-Aug-88	CD	SD08	PC LT	0.37
Q19	QCFB	#0.00+000	23-Aug-88	CR	SD08	PC LT	2.50
Q19	QCFB	#0.00+000	23-Aug-88	NI	SD08	PC LT	5.32
Q19	QCFB	#0.00+000	23-Aug-88	PB	SD08	PC LT	1.26
Q19	QCFB	#0.00+000	25-Aug-88	AS	SD08	PC LT	6.01
Q19	QCFB	#0.00+000	25-Aug-88	BA	SD08	PC LT	9.10
Q19	QCFB	#0.00+000	25-Aug-88	CD	SD08	PC LT	0.37
Q19	QCFB	#0.00+000	25-Aug-88	CR	SD08	PC LT	2.50
Q19	QCFB	#0.00+000	25-Aug-88	CYN	TY03	PC LT	8.17
Q19	QCFB	#0.00+000	25-Aug-88	HG	SB07	PC LT	0.74
Q19	QCFB	#0.00+000	25-Aug-88	NI	SD08	PC LT	5.32
Q19	QCFB	#0.00+000	25-Aug-88	PB	SD08	PC LT	1.26
Q19	QCFB	#0.00+000	25-Aug-88	ZN	SC04	PC LT	25.00
Q16	QCMB	+0.000	Q16	AG	SD07	IP LT	1.93
Q16	QCMB	+0.000	Q16	AG	SD07	IP LT	1.93
Q16	QCMB	+0.000	Q16	AG	SD07	IP LT	1.93
Q16	QCMB	+0.000	Q16	AG	SD07	IP LT	1.93
Q16	QCMB	+0.000	Q16	AG	SD07	IP LT	1.93
Q16	QCMB	+0.000	Q16	AG	SD07	IP LT	1.93
Q16	QCMB	+0.000	Q16	AS	SD07	IP LT	4.81
Q16	QCMB	+0.000	Q16	AS	SD07	IP LT	4.81
Q16	QCMB	+0.000	Q16	AS	SD07	IP LT	4.81
Q16	QCMB	+0.000	Q16	AS	SD07	IP LT	4.81
Q16	QCMB	+0.000	Q16	AS	SD07	IP LT	4.81
Q16	QCMB	+0.000	Q16	AS	SD07	IP LT	4.81
Q16	QCMB	+0.000	Q16	BA	SD07	IP LT	20.00
Q16	QCMB	+0.000	Q16	BA	SD07	IP LT	20.00
Q16	QCMB	+0.000	Q16	BA	SD07	IP LT	20.00
Q16	QCMB	+0.000	Q16	BA	SD07	IP LT	20.00
Q16	QCMB	+0.000	Q16	BA	SD07	IP LT	20.00
Q16	QCMB	+0.000	Q16	BE	SD07	IP LT	1.47
Q16	QCMB	+0.000	Q16	BE	SD07	IP LT	1.47
Q16	QCMB	+0.000	Q16	BE	SD07	IP LT	1.47
Q16	QCMB	+0.000	Q16	BE	SD07	IP LT	1.47
Q16	QCMB	+0.000	Q16	BE	SD07	IP LT	1.47
Q16	QCMB	+0.000	Q16	CD	SD07	IP LT	0.10
Q16	QCMB	+0.000	Q16	CD	SD07	IP LT	0.10
Q16	QCMB	+0.000	Q16	CD	SD07	IP LT	0.10
Q16	QCMB	+0.000	Q16	CD	SD07	IP LT	0.10
Q16	QCMB	+0.000	Q16	CD	SD07	IP LT	0.10
Q16	QCMB	+0.000	Q16	CR	SD07	IP LT	2.18
Q16	QCMB	+0.000	Q16	CR	SD07	IP LT	2.18
Q16	QCMB	+0.000	Q16	CR	SD07	IP LT	2.18
Q16	QCMB	+0.000	Q16	CR	SD07	IP LT	2.18
Q16	QCMB	+0.000	Q16	CR	SD07	IP LT	2.18
Q16	QCMB	+0.000	Q16	CR	SD07	IP LT	2.18

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q22	QCSP	+10.000	Q22	111TCE	UG03	PC	10.20
Q22	QCSP	+10.000	Q22	111TCE	UG03	PC	9.35
Q22	QCSP	+10.000	Q22	111TCE	UG03	PC	9.01
Q22	QCSP	+2.000	Q22	111TCE	UG03	PC	1.91
Q22	QCSP	+2.000	Q22	111TCE	UG03	PC	2.20
Q22	QCSP	+10.000	Q22	111TCE	UG03	PC	10.50
Q22	QCSP	+10.000	Q22	111TCE	UG03	PC	9.28
Q22	QCSP	+10.000	Q22	111TCE	UG03	PC	10.10
Q22	QCSP	+10.000	Q22	111TCE	UG03	PC	8.43
Q22	QCSP	+10.000	Q22	111TCE	UG03	PC	9.26
Q22	QCSP	+10.000	Q22	111TCE	UG03	PC	10.50
Q22	QCSP	+2.000	Q22	111TCE	UG03	PC	1.85
Q22	QCSP	+2.000	Q22	112TCE	UG03	PC	2.00
Q22	QCSP	+10.000	Q22	112TCE	UG03	PC	8.10
Q22	QCSP	+2.000	Q22	112TCE	UG03	PC	2.20
Q22	QCSP	+10.000	Q22	112TCE	UG03	PC	9.46
Q22	QCSP	+10.000	Q22	112TCE	UG03	PC	9.37
Q22	QCSP	+10.000	Q22	112TCE	UG03	PC	8.95
Q22	QCSP	+10.000	Q22	112TCE	UG03	PC	8.95
Q22	QCSP	+10.000	Q22	112TCE	UG03	PC	9.09
Q22	QCSP	+10.000	Q22	112TCE	UG03	PC	8.99
Q22	QCSP	+10.000	Q22	112TCE	UG03	PC	9.03
Q22	QCSP	+2.000	Q22	112TCE	UG03	PC	1.85
Q22	QCSP	+10.000	Q22	112TCE	UG03	PC	8.85
Q22	QCSP	+2.000	Q22	112TCE	UG03	PC	1.89
Q22	QCSP	+10.000	Q22	112TCE	UG03	PC	9.37
Q22	QCSP	+10.000	Q22	112TCE	UG03	PC	7.60
Q22	QCSP	+2.000	Q22	112TCE	UG03	PC	1.90
Q22	QCSP	+2.000	Q22	112TCE	UG03	PC	1.94
Q22	QCSP	+2.000	Q22	112TCE	UG03	PC	2.62
Q22	QCSP	+10.000	Q22	112TCE	UG03	PC	9.08
Q22	QCSP	+10.000	Q22	112TCE	UG03	PC	9.54
Q22	QCSP	+10.000	Q22	112TCE	UG03	PC	9.37
Q22	QCSP	+2.000	Q22	11DCE	UG03	PC	1.61
Q22	QCSP	+2.000	Q22	11DCE	UG03	PC	1.84
Q22	QCSP	+2.000	Q22	11DCE	UG03	PC	2.82
Q22	QCSP	+10.000	Q22	11DCE	UG03	PC	9.55
Q22	QCSP	+10.000	Q22	11DCE	UG03	PC	8.92
Q22	QCSP	+2.000	Q22	11DCE	UG03	PC	2.57
Q22	QCSP	+10.000	Q22	11DCE	UG03	PC	11.70
Q22	QCSP	+10.000	Q22	11DCE	UG03	PC	12.40
Q22	QCSP	+10.000	Q22	11DCE	UG03	PC	8.90
Q22	QCSP	+2.000	Q22	11DCE	UG03	PC	1.90
Q22	QCSP	+10.000	Q22	11DCE	UG03	PC	8.44
Q22	QCSP	+10.000	Q22	11DCE	UG03	PC	8.86
Q22	QCSP	+2.000	Q22	11DCE	UG03	PC	2.09
Q22	QCSP	+10.000	Q22	11DCE	UG03	PC	7.91
Q22	QCSP	+10.000	Q22	11DCE	UG03	PC	8.90
Q22	QCSP	+10.000	Q22	11DCE	UG03	PC	8.65
Q22	QCSP	+10.000	Q22	11DCE	UG03	PC	10.20
Q22	QCSP	+10.000	Q22	11DCE	UG03	PC	11.30
Q22	QCSP	+2.000	Q22	11DCE	UG03	PC	1.87
Q22	QCSP	+10.000	Q22	11DCE	UG03	PC	11.00
Q22	QCSP	+10.000	Q22	11DCE	UG03	PC	10.60
Q22	QCSP	+5.000	Q22	12DCE	UG03	PC	4.08
Q22	QCSP	+5.000	Q22	12DCE	UG03	PC	5.13
Q22	QCSP	+5.000	Q22	12DCE	UG03	PC	5.04
Q22	QCSP	+5.000	Q22	12DCE	UG03	PC	4.96
Q22	QCSP	+1.000	Q22	12DCE	UG03	PC	1.18
Q22	QCSP	+1.000	Q22	12DCE	UG03	PC	0.98
Q22	QCSP	+5.000	Q22	12DCE	UG03	PC	5.04
Q22	QCSP	+1.000	Q22	12DCE	UG03	PC	0.98
Q22	QCSP	+1.000	Q22	12DCE	UG03	PC	1.13
Q22	QCSP	+5.000	Q22	12DCE	UG03	PC	5.22
Q22	QCSP	+5.000	Q22	12DCE	UG03	PC	4.49
Q22	QCSP	+1.000	Q22	12DCE	UG03	PC	1.10
Q22	QCSP	+5.000	Q22	12DCE	UG03	PC	5.18
Q22	QCSP	+5.000	Q22	12DCE	UG03	PC	4.43
Q22	QCSP	+5.000	Q22	12DCE	UG03	PC	5.50
Q22	QCSP	+5.000	Q22	12DCE	UG03	PC	5.25
Q22	QCSP	+1.000	Q22	12DCE	UG03	PC	0.98
Q22	QCSP	+5.000	Q22	12DCE	UG03	PC	5.02
Q22	QCSP	+1.000	Q22	12DCE	UG03	PC	0.88
Q22	QCSP	+5.000	Q22	12DCE	UG03	PC	5.01
Q22	QCSP	+5.000	Q22	12DCE	UG03	PC	5.02
Q22	QCSP	+5.000	Q22	12DCLE	UG03	PC	4.48
Q22	QCSP	+1.000	Q22	12DCLE	UG03	PC	1.02
Q22	QCSP	+5.000	Q22	12DCLE	UG03	PC	4.46
Q22	QCSP	+5.000	Q22	12DCLE	UG03	PC	4.32
Q22	QCSP	+1.000	Q22	12DCLE	UG03	PC	0.97

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q16	QCMB	+0.000	Q16	CR	SD07	IP LT	2.18
Q16	QCMB	+0.000	Q16	CU	SD07	IP LT	0.50
Q16	QCMB	+0.000	Q16	CU	SD07	IP LT	0.50
Q16	QCMB	+0.000	Q16	CU	SD07	IP LT	0.50
Q16	QCMB	+0.000	Q16	CU	SD07	IP LT	0.50
Q16	QCMB	+0.000	Q16	CU	SD07	IP LT	0.50
Q16	QCMB	+0.000	Q16	CYN	TY02	IP LT	8.35
Q16	QCMB	+0.000	Q16	CYN	TY02	IP LT	8.35
Q16	QCMB	+0.000	Q16	CYN	TY02	IP LT	8.35
Q16	QCMB	+0.000	Q16	CYN	TY02	IP LT	8.35
Q16	QCMB	+0.000	Q16	CYN	TY02	IP LT	8.35
Q16	QCMB	+0.000	Q16	HG	SB04	IP LT	0.70
Q16	QCMB	+0.000	Q16	HG	SB04	IP LT	0.70
Q16	QCMB	+0.000	Q16	HG	SB04	IP LT	0.70
Q16	QCMB	+0.000	Q16	HG	SB04	IP LT	0.70
Q16	QCMB	+0.000	Q16	HG	SB04	IP LT	0.70
Q16	QCMB	+0.000	Q16	MN	SD07	IP LT	1.19
Q16	QCMB	+0.000	Q16	MN	SD07	IP LT	1.19
Q16	QCMB	+0.000	Q16	MN	SD07	IP LT	1.19
Q16	QCMB	+0.000	Q16	MN	SD07	IP LT	1.19
Q16	QCMB	+0.000	Q16	MN	SD07	IP LT	1.19
Q16	QCMB	+0.000	Q16	MN	SD07	IP LT	1.19
Q16	QCMB	+0.000	Q16	NI	SD07	IP LT	5.94
Q16	QCMB	+0.000	Q16	NI	SD07	IP LT	5.94
Q16	QCMB	+0.000	Q16	NI	SD07	IP LT	5.94
Q16	QCMB	+0.000	Q16	NI	SD07	IP LT	5.94
Q16	QCMB	+0.000	Q16	NI	SD07	IP LT	5.94
Q16	QCMB	+0.000	Q16	NI	SD07	IP LT	5.94
Q16	QCMB	+0.000	Q16	PB	SD07	IP LT	2.65
Q16	QCMB	+0.000	Q16	PB	SD07	IP LT	2.65
Q16	QCMB	+0.000	Q16	PB	SD07	IP LT	2.65
Q16	QCMB	+0.000	Q16	PB	SD07	IP LT	2.65
Q16	QCMB	+0.000	Q16	PB	SD07	IP LT	2.65
Q16	QCMB	+0.000	Q16	SB	SD07	IP LT	10.00
Q16	QCMB	+0.000	Q16	SB	SD07	IP LT	10.00
Q16	QCMB	+0.000	Q16	SB	SD07	IP LT	10.00
Q16	QCMB	+0.000	Q16	SB	SD07	IP LT	10.00
Q16	QCMB	+0.000	Q16	SB	SD07	IP LT	10.00
Q16	QCMB	+0.000	Q16	SE	SD07	IP LT	3.06
Q16	QCMB	+0.000	Q16	SE	SD07	IP LT	3.06
Q16	QCMB	+0.000	Q16	SE	SD07	IP LT	3.06
Q16	QCMB	+0.000	Q16	SE	SD07	IP LT	3.06
Q16	QCMB	+0.000	Q16	SE	SD07	IP LT	3.06
Q16	QCMB	+0.000	Q16	TL	SD07	IP LT	2.70
Q16	QCMB	+0.000	Q16	TL	SD07	IP LT	2.70
Q16	QCMB	+0.000	Q16	TL	SD07	IP LT	2.70
Q16	QCMB	+0.000	Q16	TL	SD07	IP LT	2.70
Q16	QCMB	+0.000	Q16	TL	SD07	IP LT	2.70
Q16	QCMB	+0.000	Q16	ZN	SC03	IP LT	29.40
Q16	QCMB	+0.000	Q16	ZN	SC03	IP LT	29.40
Q16	QCMB	+0.000	Q16	ZN	SC03	IP LT	29.40
Q16	QCMB	+0.000	Q16	ZN	SC03	IP LT	29.40
Q16	QCMB	+0.000	Q16	ZN	SC03	IP LT	29.40
Q18	QCMB	+0.00+000	Q18	AS	99	PC LT	6.01
Q18	QCMB	+0.00+000	Q18	AS	99	PC LT	6.01
Q18	QCMB	+0.00+000	Q18	AS	99	PC LT	6.01
Q18	QCMB	+0.00+000	Q18	AS	99	PC LT	6.01
Q18	QCMB	+0.00+000	Q18	BA	SD08	PC LT	9.10
Q18	QCMB	+0.00+000	Q18	BA	SD08	PC LT	9.10
Q18	QCMB	+0.00+000	Q18	BA	SD08	PC LT	9.10
Q18	QCMB	+0.00+000	Q18	BA	SD08	PC LT	9.10
Q18	QCMB	+0.00+000	Q18	BA	SD08	PC LT	9.10
Q18	QCMB	+0.00+000	Q18	BA	SD08	PC LT	9.10
Q18	QCMB	+0.00+000	Q18	CD	SD08	PC LT	0.37
Q18	QCMB	+0.00+000	Q18	CD	SD08	PC LT	0.37
Q18	QCMB	+0.00+000	Q18	CD	SD08	PC LT	0.37
Q18	QCMB	+0.00+000	Q18	CD	SD08	PC LT	0.37
Q18	QCMB	+0.00+000	Q18	CD	SD08	PC LT	0.37
Q18	QCMB	+0.00+000	Q18	CR	SD08	PC LT	2.50
Q18	QCMB	+0.00+000	Q18	CR	SD08	PC LT	2.50
Q18	QCMB	+0.00+000	Q18	CR	SD08	PC LT	2.50
Q18	QCMB	+0.00+000	Q18	CR	SD08	PC LT	2.50
Q18	QCMB	+0.00+000	Q18	CR	SD08	PC LT	2.50
Q18	QCMB	+0.00+000	Q18	CRHEX	SY01	PC LT	5.18
Q18	QCMB	+0.00+000	Q18	CYN	TY03	PC LT	8.17
Q18	QCMB	+0.00+000	Q18	CYN	TY03	PC LT	8.17
Q18	QCMB	+0.00+000	Q18	HG	SB07	PC LT	0.74
Q18	QCMB	+0.00+000	Q18	NI	SD08	PC LT	5.32

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q22	QCSP	+5.000	Q22	12DCLE	UG03	PC		4.19
Q22	QCSP	+5.000	Q22	12DCLE	UG03	PC		4.32
Q22	QCSP	+5.000	Q22	12DCLE	UG03	PC		4.66
Q22	QCSP	+1.000	Q22	12DCLE	UG03	PC		1.03
Q22	QCSP	+1.000	Q22	12DCLE	UG03	PC		0.90
Q22	QCSP	+5.000	Q22	12DCLE	UG03	PC		4.40
Q22	QCSP	+5.000	Q22	12DCLE	UG03	PC		4.18
Q22	QCSP	+5.000	Q22	12DCLE	UG03	PC		4.44
Q22	QCSP	+5.000	Q22	12DCLE	UG03	PC		4.37
Q22	QCSP	+1.000	Q22	12DCLE	UG03	PC		0.92
Q22	QCSP	+5.000	Q22	12DCLE	UG03	PC		4.22
Q22	QCSP	+5.000	Q22	12DCLE	UG03	PC		4.26
Q22	QCSP	+5.000	Q22	12DCLE	UG03	PC		4.26
Q22	QCSP	+1.000	Q22	12DCLE	UG03	PC		0.83
Q22	QCSP	+5.000	Q22	12DCLE	UG03	PC		4.32
Q22	QCSP	+1.000	Q22	12DCLE	UG03	PC		0.93
Q22	QCSP	+0.000	Q22	12DCLP	UG03	PC	LT	1.00
Q22	QCSP	+0.000	Q22	12DCLP	UG03	PC	LT	1.00
Q22	QCSP	+0.000	Q22	12DCLP	UG03	PC	LT	1.00
Q22	QCSP	+0.000	Q22	12DCLP	UG03	PC	LT	1.00
Q22	QCSP	+0.000	Q22	12DCLP	UG03	PC	LT	1.00
Q22	QCSP	+0.000	Q22	12DCLP	UG03	PC	LT	1.00
Q22	QCSP	+0.000	Q22	12DCLP	UG03	PC	LT	1.00
Q22	QCSP	+0.000	Q22	12DCLP	UG03	PC	LT	1.00
Q22	QCSP	+0.000	Q22	12DCLP	UG03	PC	LT	1.00
Q22	QCSP	+0.000	Q22	12DCLP	UG03	PC	LT	1.00
Q22	QCSP	+0.000	Q22	12DCLP	UG03	PC	LT	1.00
Q22	QCSP	+0.000	Q22	12DCLP	UG03	PC	LT	1.00
Q22	QCSP	+0.000	Q22	12DCLP	UG03	PC	LT	1.00
Q22	QCSP	+0.000	Q22	12DCLP	UG03	PC	LT	1.00
Q22	QCSP	+0.000	Q22	12DCLP	UG03	PC	LT	1.00
Q22	QCSP	+0.000	Q22	12DCLP	UG03	PC	LT	1.00
Q22	QCSP	+0.000	Q22	12DCLP	UG03	PC	LT	1.00
Q22	QCSP	+0.000	Q22	12DCLP	UG03	PC	LT	1.00
Q22	QCSP	+0.000	Q22	12DCLP	UG03	PC	LT	1.00
Q22	QCSP	+0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCSP	+0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCSP	+0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCSP	+0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCSP	+0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCSP	+0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCSP	+0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCSP	+0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCSP	+0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCSP	+0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCSP	+0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCSP	+0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCSP	+0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCSP	+0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCSP	+0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCSP	+0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCSP	+0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCSP	+0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCSP	+0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCSP	+0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCSP	+0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCSP	+0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCSP	+0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCSP	+0.000	Q22	C2H3CL	UG03	PC	LT	1.90
Q22	QCSP	+1.000	Q22	C6H6	UP01	PC		0.89
Q22	QCSP	+5.000	Q22	C6H6	UP01	PC		5.40
Q22	QCSP	+1.000	Q22	C6H6	UP01	PC		1.09
Q22	QCSP	+5.000	Q22	C6H6	UP01	PC		4.50
Q22	QCSP	+5.000	Q22	C6H6	UP01	PC		4.83
Q22	QCSP	+1.000	Q22	C6H6	UP01	PC		1.06
Q22	QCSP	+5.000	Q22	C6H6	UP01	PC		4.70
Q22	QCSP	+5.000	Q22	C6H6	UP01	PC		5.07
Q22	QCSP	+1.000	Q22	C6H6	UP01	PC		0.90
Q22	QCSP	+5.000	Q22	C6H6	UP01	PC		4.59
Q22	QCSP	+5.000	Q22	C6H6	UP01	PC		5.32
Q22	QCSP	+5.000	Q22	C6H6	UP01	PC		5.03
Q22	QCSP	+1.000	Q22	C6H6	UP01	PC		0.86
Q22	QCSP	+5.000	Q22	C6H6	UP01	PC		5.32
Q22	QCSP	+5.000	Q22	C6H6	UP01	PC		5.21
Q22	QCSP	+5.000	Q22	C6H6	UP01	PC		5.03
Q22	QCSP	+1.000	Q22	C6H6	UP01	PC		0.75
Q22	QCSP	+5.000	Q22	C6H6	UP01	PC		4.73
Q22	QCSP	+5.000	Q22	C6H6	UP01	PC		5.16
Q22	QCSP	+5.000	Q22	C6H6	UP01	PC		5.03
Q22	QCSP	+1.000	Q22	C6H6	UP01	PC		1.18
Q22	QCSP	+0.000	Q22	CHCL3	UG03	PC	LT	0.72

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q18	QCMB	+0.00+000	Q18	NI	SD08	PC	LT	5.32
Q18	QCMB	+0.00+000	Q18	NI	SD08	PC	LT	5.32
Q18	QCMB	+0.00+000	Q18	NI	SD08	PC	LT	5.32
Q18	QCMB	+0.00+000	Q18	NI	SD08	PC	LT	5.32
Q18	QCMB	+0.00+000	Q18	PB	SD08	PC	LT	1.26
Q18	QCMB	+0.00+000	Q18	PB	SD08	PC	LT	1.26
Q18	QCMB	+0.00+000	Q18	PB	SD08	PC	LT	1.26
Q18	QCMB	+0.00+000	Q18	PB	SD08	PC	LT	1.26
Q18	QCMB	+0.00+000	Q18	PB	SD08	PC	LT	1.26
Q18	QCMB	+0.00+000	Q18	ZN	SC04	PC	LT	25.00
Q19	QCMB	+0.00+000	Q19	AS	SD08	PC	LT	6.01
Q19	QCMB	+0.00+000	Q19	AS	SD08	PC	LT	6.01
Q19	QCMB	+0.00+000	Q19	AS	SD08	PC	LT	6.01
Q19	QCMB	+0.00+000	Q19	AS	SD08	PC	LT	33.60
Q19	QCMB	+0.00+000	Q19	AS	SD08	PC	LT	6.01
Q19	QCMB	+0.00+000	Q19	AS	SD08	PC	LT	6.01
Q19	QCMB	+0.00+000	Q19	BA	SD08	PC	LT	9.10
Q19	QCMB	+0.00+000	Q19	BA	SD08	PC	LT	9.10
Q19	QCMB	+0.00+000	Q19	BA	SD08	PC	LT	9.10
Q19	QCMB	+0.00+000	Q19	BA	SD08	PC	LT	9.10
Q19	QCMB	+0.00+000	Q19	BA	SD08	PC	LT	9.10
Q19	QCMB	+0.00+000	Q19	BA	SD08	PC	LT	9.10
Q19	QCMB	+0.00+000	Q19	BA	SD08	PC	LT	9.10
Q19	QCMB	+0.00+000	Q19	BA	SD08	PC	LT	9.10
Q19	QCMB	+0.00+000	Q19	BA	SD08	PC	LT	9.10
Q19	QCMB	+0.00+000	Q19	CD	SD08	PC	LT	0.37
Q19	QCMB	+0.00+000	Q19	CD	SD08	PC	LT	0.37
Q19	QCMB	+0.00+000	Q19	CD	SD08	PC	LT	0.37
Q19	QCMB	+0.00+000	Q19	CD	SD08	PC	LT	0.37
Q19	QCMB	+0.00+000	Q19	CD	SD08	PC	LT	0.37
Q19	QCMB	+0.00+000	Q19	CD	SD08	PC	LT	0.37
Q19	QCMB	+0.00+000	Q19	CR	SD08	PC	LT	2.50
Q19	QCMB	+0.00+000	Q19	CR	SD08	PC	LT	2.50
Q19	QCMB	+0.00+000	Q19	CR	SD08	PC	LT	2.50
Q19	QCMB	+0.00+000	Q19	CR	SD08	PC	LT	2.50
Q19	QCMB	+0.00+000	Q19	CR	SD08	PC	LT	2.50
Q19	QCMB	+0.00+000	Q19	CR	SD08	PC	LT	2.50
Q19	QCMB	+0.00+000	Q19	CRHEX	SY01	PC	LT	5.18
Q19	QCMB	+0.00+000	Q19	CYN	TY03	PC	LT	8.17
Q19	QCMB	+0.00+000	Q19	CYN	TY03	PC	LT	8.17
Q19	QCMB	+0.00+000	Q19	CYN	TY03	PC	LT	8.17
Q19	QCMB	+0.00+000	Q19	CYN	TY03	PC	LT	8.17
Q19	QCMB	+0.00+000	Q19	HG	SB07	PC	LT	0.74
Q19	QCMB	+0.00+000	Q19	HG	SB07	PC	LT	0.74
Q19	QCMB	+0.00+000	Q19	HG	SB07	PC	LT	0.74
Q19	QCMB	+0.00+000	Q19	NI	SD08	PC	LT	5.32
Q19	QCMB	+0.00+000	Q19	NI	SD08	PC	LT	5.32
Q19	QCMB	+0.00+000	Q19	NI	SD08	PC	LT	5.32
Q19	QCMB	+0.00+000	Q19	NI	SD08	PC	LT	5.32
Q19	QCMB	+0.00+000	Q19	NI	SD08	PC	LT	5.32
Q19	QCMB	+0.00+000	Q19	NI	SD08	PC	LT	5.32
Q19	QCMB	+0.00+000	Q19	PB	SD08	PC	LT	1.26
Q19	QCMB	+0.00+000	Q19	PB	SD08	PC	LT	1.26
Q19	QCMB	+0.00+000	Q19	PB	SD08	PC	LT	1.26
Q19	QCMB	+0.00+000	Q19	PB	SD08	PC	LT	1.26
Q19	QCMB	+0.00+000	Q19	PB	SD08	PC	LT	1.26
Q19	QCMB	+0.00+000	Q19	PB	SD08	PC	LT	1.26
Q19	QCMB	+0.00+000	Q19	PO4ORT	TF15	PC	LT	10.30
Q19	QCMB	+0.00+000	Q19	ZN	SC04	PC	LT	25.00
Q19	QCMB	+0.00+000	Q19	ZN	SC04	PC	LT	25.00
Q19	QCMB	+0.00+000	Q19	ZN	SC04	PC	LT	25.00
Q20	QCMB	+0.00+000	Q20	AS	SD08	PC	LT	6.01
Q20	QCMB	+0.00+000	Q20	AS	SD08	PC	LT	6.01
Q20	QCMB	+0.00+000	Q20	BA	SD08	PC	LT	9.10
Q20	QCMB	+0.00+000	Q20	BA	SD08	PC	LT	9.10
Q20	QCMB	+0.00+000	Q20	BA	SD08	PC	LT	9.10
Q20	QCMB	+0.00+000	Q20	CD	SD08	PC	LT	0.37
Q20	QCMB	+0.00+000	Q20	CD	SD08	PC	LT	0.37
Q20	QCMB	+0.00+000	Q20	CR	SD08	PC	LT	2.50
Q20	QCMB	+0.00+000	Q20	CR	SD08	PC	LT	2.50
Q20	QCMB	+0.00+000	Q20	CRHEX	SY01	PC	LT	5.18
Q20	QCMB	+0.00+000	Q20	CYN	TY03	PC	LT	8.17
Q20	QCMB	+0.00+000	Q20	CYN	TY03	PC	LT	8.17
Q20	QCMB	+0.00+000	Q20	HG	SB07	PC	LT	0.74
Q20	QCMB	+0.00+000	Q20	NI	SD08	PC	LT	5.32
Q20	QCMB	+0.00+000	Q20	NI	SD08	PC	LT	5.32
Q20	QCMB	+0.00+000	Q20	PB	SD08	PC	LT	1.26

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q22	QCSP	+0.000	Q22	CHCL3	UG03	PC	LT	0.72
Q22	QCSP	+0.000	Q22	CHCL3	UG03	PC		1.73
Q22	QCSP	+0.000	Q22	CHCL3	UG03	PC	LT	0.72
Q22	QCSP	+0.000	Q22	CHCL3	UG03	PC	LT	0.72
Q22	QCSP	+0.000	Q22	CHCL3	UG03	PC	LT	0.72
Q22	QCSP	+0.000	Q22	CHCL3	UG03	PC		0.75
Q22	QCSP	+0.000	Q22	CHCL3	UG03	PC	LT	0.72
Q22	QCSP	+0.000	Q22	CHCL3	UG03	PC	LT	0.72
Q22	QCSP	+0.000	Q22	CHCL3	UG03	PC	LT	0.72
Q22	QCSP	+0.000	Q22	CHCL3	UG03	PC	LT	0.72
Q22	QCSP	+0.000	Q22	CHCL3	UG03	PC	LT	0.72
Q22	QCSP	+0.000	Q22	CHCL3	UG03	PC	LT	0.72
Q22	QCSP	+0.000	Q22	CHCL3	UG03	PC	LT	0.72
Q22	QCSP	+0.000	Q22	CHCL3	UG03	PC	LT	0.72
Q22	QCSP	+0.000	Q22	CHCL3	UG03	PC		1.37
Q22	QCSP	+0.000	Q22	CHCL3	UG03	PC		0.75
Q22	QCSP	+2.000	Q22	MEC6H5	UP01	PC		1.54
Q22	QCSP	+2.000	Q22	MEC6H5	UP01	PC		1.63
Q22	QCSP	+2.000	Q22	MEC6H5	UP01	PC		1.82
Q22	QCSP	+10.000	Q22	MEC6H5	UP01	PC		10.60
Q22	QCSP	+10.000	Q22	MEC6H5	UP01	PC		9.02
Q22	QCSP	+2.000	Q22	MEC6H5	UP01	PC		1.70
Q22	QCSP	+10.000	Q22	MEC6H5	UP01	PC		8.92
Q22	QCSP	+10.000	Q22	MEC6H5	UP01	PC		7.80
Q22	QCSP	+10.000	Q22	MEC6H5	UP01	PC		10.10
Q22	QCSP	+10.000	Q22	MEC6H5	UP01	PC		9.98
Q22	QCSP	+10.000	Q22	MEC6H5	UP01	PC		9.19
Q22	QCSP	+2.000	Q22	MEC6H5	UP01	PC		1.90
Q22	QCSP	+10.000	Q22	MEC6H5	UP01	PC		8.78
Q22	QCSP	+10.000	Q22	MEC6H5	UP01	PC		9.66
Q22	QCSP	+10.000	Q22	MEC6H5	UP01	PC		8.81
Q22	QCSP	+2.000	Q22	MEC6H5	UP01	PC		1.71
Q22	QCSP	+2.000	Q22	MEC6H5	UP01	PC		1.87
Q22	QCSP	+10.000	Q22	MEC6H5	UP01	PC		10.00
Q22	QCSP	+10.000	Q22	MEC6H5	UP01	PC		8.50
Q22	QCSP	+10.000	Q22	MEC6H5	UP01	PC		8.94
Q22	QCSP	+10.000	Q22	MEC6H5	UP01	PC		9.85
Q22	QCSP	+2.000	Q22	TCLEE	UG03	PC		2.00
Q22	QCSP	+10.000	Q22	TCLEE	UG03	PC		8.20
Q22	QCSP	+2.000	Q22	TCLEE	UG03	PC		1.95
Q22	QCSP	+2.000	Q22	TCLEE	UG03	PC		1.88
Q22	QCSP	+2.000	Q22	TCLEE	UG03	PC		2.21
Q22	QCSP	+2.000	Q22	TCLEE	UG03	PC		2.10
Q22	QCSP	+10.000	Q22	TCLEE	UG03	PC		10.40
Q22	QCSP	+10.000	Q22	TCLEE	UG03	PC		10.70
Q22	QCSP	+10.000	Q22	TCLEE	UG03	PC		11.00
Q22	QCSP	+10.000	Q22	TCLEE	UG03	PC		9.71
Q22	QCSP	+2.000	Q22	TCLEE	UG03	PC		2.46
Q22	QCSP	+10.000	Q22	TCLEE	UG03	PC		8.01
Q22	QCSP	+10.000	Q22	TCLEE	UG03	PC		10.90
Q22	QCSP	+10.000	Q22	TCLEE	UG03	PC		9.00
Q22	QCSP	+10.000	Q22	TCLEE	UG03	PC		10.80
Q22	QCSP	+2.000	Q22	TCLEE	UG03	PC		2.31
Q22	QCSP	+10.000	Q22	TCLEE	UG03	PC		10.60
Q22	QCSP	+10.000	Q22	TCLEE	UG03	PC		10.50
Q22	QCSP	+10.000	Q22	TCLEE	UG03	PC		11.00
Q22	QCSP	+10.000	Q22	TCLEE	UG03	PC		10.20
Q22	QCSP	+10.000	Q22	TCLEE	UG03	PC		10.70
Q22	QCSP	+80.000	Q22	TPO4	TYO5	PC		72.40
Q22	QCSP	+80.000	Q22	TPO4	TYO5	PC		76.90
Q22	QCSP	+20.000	Q22	TPO4	TYO5	PC		23.00
Q22	QCSP	+1.000	Q22	TRCLE	UG03	PC		0.99
Q22	QCSP	+5.000	Q22	TRCLE	UG03	PC		5.22
Q22	QCSP	+5.000	Q22	TRCLE	UG03	PC		4.75
Q22	QCSP	+5.000	Q22	TRCLE	UG03	PC		3.92
Q22	QCSP	+5.000	Q22	TRCLE	UG03	PC		5.54
Q22	QCSP	+1.000	Q22	TRCLE	UG03	PC		1.16
Q22	QCSP	+5.000	Q22	TRCLE	UG03	PC		5.12
Q22	QCSP	+5.000	Q22	TRCLE	UG03	PC		5.30
Q22	QCSP	+5.000	Q22	TRCLE	UG03	PC		4.86
Q22	QCSP	+1.000	Q22	TRCLE	UG03	PC		1.02
Q22	QCSP	+5.000	Q22	TRCLE	UG03	PC		5.25
Q22	QCSP	+1.000	Q22	TRCLE	UG03	PC		1.31
Q22	QCSP	+5.000	Q22	TRCLE	UG03	PC		4.30
Q22	QCSP	+5.000	Q22	TRCLE	UG03	PC		4.82
Q22	QCSP	+1.000	Q22	TRCLE	UG03	PC		1.00

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q20	QCMB	+0.00+000	Q20	PB	SD08	PC	LT	1.26
Q20	QCMB	+0.00+000	Q20	ZN	SC04	PC	LT	25.00
Q22	QCMB	+0.000	Q22	AS	SD08	PC	LT	6.01
Q22	QCMB	+0.000	Q22	BA	SD08	PC	LT	9.10
Q22	QCMB	+0.000	Q22	CD	SD08	PC	LT	0.37
Q22	QCMB	+0.000	Q22	CR	SD08	PC	LT	2.50
Q22	QCMB	+0.000	Q22	NI	SD08	PC	LT	5.32
Q22	QCMB	+0.000	Q22	PB	SD08	PC	LT	1.26
Q22	QCMB	+0.000	Q22	PO4ORT	TF15	PC	LT	10.30
Q22	QCMB	+0.000	Q22	PO4ORT	TF15	PC	LT	10.30
Q23	QCMB	+0.000	Q23	AS	SD07	IP	LT	4.81
Q23	QCMB	+0.000	Q23	BA	SD07	IP	LT	20.00
Q23	QCMB	+0.000	Q23	CD	SD07	IP	LT	0.10
Q23	QCMB	+0.000	Q23	CR	SD07	IP	LT	2.18
Q23	QCMB	+0.000	Q23	NI	SD07	IP	LT	5.94
Q23	QCMB	+0.000	Q23	PB	SD07	IP	LT	2.65
Q23	QCMB	+0.000	Q23	PO4ORT	TT05	IP	LT	12.10
Q23	QCMB	+0.000	Q23	PO4ORT	TT05	IP	LT	12.10
Q24	QCMB	+0.000	Q24	AS	SD07	IP	LT	4.81
Q24	QCMB	+0.000	Q24	BA	SD07	IP	LT	20.00
Q24	QCMB	+0.000	Q24	CD	SD07	IP	LT	0.10
Q24	QCMB	+0.000	Q24	CR	SD07	IP	LT	2.18
Q24	QCMB	+0.000	Q24	NI	SD07	IP	LT	5.94
Q24	QCMB	+0.000	Q24	PB	SD07	IP	LT	2.65
Q24	QCMB	+0.000	Q24	PO4ORT	TT05	IP	LT	12.10
Q24	QCMB	+0.000	Q24	PO4ORT	TT05	IP	LT	12.10
Q24	QCMB	+0.000	Q24	PO4ORT	TT05	IP	LT	12.10
Q16	QCSP	+20.000	Q16	AG	SD07	IP		18.00
Q16	QCSP	+20.000	Q16	AG	SD07	IP		22.00
Q16	QCSP	+20.000	Q16	AG	SD07	IP		18.00
Q16	QCSP	+20.000	Q16	AG	SD07	IP		20.50
Q16	QCSP	+4.000	Q16	AG	SD07	IP		4.00
Q16	QCSP	+20.000	Q16	AG	SD07	IP		18.00
Q16	QCSP	+4.000	Q16	AG	SD07	IP		4.00
Q16	QCSP	+20.000	Q16	AG	SD07	IP		20.00
Q16	QCSP	+4.000	Q16	AG	SD07	IP		4.45
Q16	QCSP	+20.000	Q16	AG	SD07	IP		21.00
Q16	QCSP	+20.000	Q16	AG	SD07	IP		21.50
Q16	QCSP	+20.000	Q16	AG	SD07	IP		19.00
Q16	QCSP	+4.000	Q16	AG	SD07	IP		4.00
Q16	QCSP	+4.000	Q16	AG	SD07	IP		4.30
Q16	QCSP	+4.000	Q16	AG	SD07	IP		4.20
Q16	QCSP	+20.000	Q16	AG	SD07	IP		20.50
Q16	QCSP	+20.000	Q16	AG	SD07	IP		18.00
Q16	QCSP	+20.000	Q16	AG	SD07	IP		20.00
Q16	QCSP	+50.000	Q16	AS	SD07	IP		51.00
Q16	QCSP	+50.000	Q16	AS	SD07	IP		55.00
Q16	QCSP	+8.000	Q16	AS	SD07	IP		7.50
Q16	QCSP	+50.000	Q16	AS	SD07	IP		50.00
Q16	QCSP	+50.000	Q16	AS	SD07	IP		56.00
Q16	QCSP	+8.000	Q16	AS	SD07	IP		8.00
Q16	QCSP	+50.000	Q16	AS	SD07	IP		55.00
Q16	QCSP	+8.000	Q16	AS	SD07	IP		7.00
Q16	QCSP	+50.000	Q16	AS	SD07	IP		50.50
Q16	QCSP	+8.000	Q16	AS	SD07	IP		7.85
Q16	QCSP	+50.000	Q16	AS	SD07	IP		55.00
Q16	QCSP	+50.000	Q16	AS	SD07	IP		55.00
Q16	QCSP	+50.000	Q16	AS	SD07	IP		60.00
Q16	QCSP	+50.000	Q16	AS	SD07	IP		55.00
Q16	QCSP	+8.000	Q16	AS	SD07	IP		8.00
Q16	QCSP	+50.000	Q16	AS	SD07	IP		54.00
Q16	QCSP	+8.000	Q16	AS	SD07	IP		7.00
Q16	QCSP	+50.000	Q16	AS	SD07	IP		59.00
Q16	QCSP	+40.000	Q16	BA	SD07	IP		36.00
Q16	QCSP	+150.000	Q16	BA	SD07	IP		159.00
Q16	QCSP	+40.000	Q16	BA	SD07	IP		42.00
Q16	QCSP	+150.000	Q16	BA	SD07	IP		138.00
Q16	QCSP	+150.000	Q16	BA	SD07	IP		158.00
Q16	QCSP	+150.000	Q16	BA	SD07	IP		144.00
Q16	QCSP	+40.000	Q16	BA	SD07	IP		41.00
Q16	QCSP	+40.000	Q16	BA	SD07	IP		38.00
Q16	QCSP	+150.000	Q16	BA	SD07	IP		142.00
Q16	QCSP	+150.000	Q16	BA	SD07	IP		164.00
Q16	QCSP	+150.000	Q16	BA	SD07	IP		158.00
Q16	QCSP	+150.000	Q16	BA	SD07	IP		157.00
Q16	QCSP	+150.000	Q16	BA	SD07	IP		158.00
Q16	QCSP	+40.000	Q16	BA	SD07	IP		43.00
Q16	QCSP	+150.000	Q16	BA	SD07	IP		156.00
Q16	QCSP	+2.000	Q16	BE	SD07	IP		2.00
Q16	QCSP	+10.000	Q16	BE	SD07	IP		9.50

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q22	QCSP	+5.000	Q22	TRCLE	UG03	PC	4.86
Q22	QCSP	+5.000	Q22	TRCLE	UG03	PC	5.08
Q22	QCSP	+5.000	Q22	TRCLE	UG03	PC	3.92
Q22	QCSP	+5.000	Q22	TRCLE	UG03	PC	5.15
Q22	QCSP	+1.000	Q22	TRCLE	UG03	PC	0.91
Q22	QCSP	+1.000	Q22	TRCLE	UG03	PC	0.96
Q22	QCSP	+75.000	Q22	TXYLENUP01		PC	83.80
Q22	QCSP	+75.000	Q22	TXYLENUP01		PC	85.30
Q22	QCSP	+75.000	Q22	TXYLENUP01		PC	74.50
Q22	QCSP	+75.000	Q22	TXYLENUP01		PC	73.20
Q22	QCSP	+75.000	Q22	TXYLENUP01		PC	76.00
Q22	QCSP	+15.000	Q22	TXYLENUP01		PC	13.00
Q22	QCSP	+15.000	Q22	TXYLENUP01		PC	15.00
Q22	QCSP	+15.000	Q22	TXYLENUP01		PC	20.30
Q22	QCSP	+15.000	Q22	TXYLENUP01		PC	12.80
Q22	QCSP	+75.000	Q22	TXYLENUP01		PC	78.20
Q22	QCSP	+75.000	Q22	TXYLENUP01		PC	70.70
Q22	QCSP	+75.000	Q22	TXYLENUP01		PC	73.10
Q22	QCSP	+75.000	Q22	TXYLENUP01		PC	79.10
Q22	QCSP	+15.000	Q22	TXYLENUP01		PC	16.00
Q22	QCSP	+75.000	Q22	TXYLENUP01		PC	74.00
Q22	QCSP	+75.000	Q22	TXYLENUP01		PC	63.20
Q22	QCSP	+75.000	Q22	TXYLENUP01		PC	74.60
Q22	QCSP	+75.000	Q22	TXYLENUP01		PC	74.70
Q22	QCSP	+15.000	Q22	TXYLENUP01		PC	14.40
Q22	QCSP	+75.000	Q22	TXYLENUP01		PC	75.40
Q22	QCSP	+15.000	Q22	TXYLENUP01		PC	12.60
Q23	QCSP	+1.730	Q23	111TCE	UG01	IP	2.05
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	7.37
Q23	QCSP	+1.730	Q23	111TCE	UG01	IP	2.10
Q23	QCSP	+1.730	Q23	111TCE	UG01	IP	2.10
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	8.53
Q23	QCSP	+1.730	Q23	111TCE	UG01	IP	1.94
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	8.79
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	9.24
Q23	QCSP	+1.730	Q23	111TCE	UG01	IP	2.07
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	10.00
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	7.91
Q23	QCSP	+1.730	Q23	111TCE	UG01	IP	1.99
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	7.49
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	9.64
Q23	QCSP	+1.730	Q23	111TCE	UG01	IP	2.08
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	9.97
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	8.25
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	10.20
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	7.27
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	8.64
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	10.80
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	9.04
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	9.04
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	9.30
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	9.12
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	8.49
Q23	QCSP	+1.730	Q23	111TCE	UG01	IP	1.66
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	7.99
Q23	QCSP	+1.730	Q23	111TCE	UG01	IP	2.02
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	8.20
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	9.99
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	8.57
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	9.50
Q23	QCSP	+1.730	Q23	111TCE	UG01	IP	2.28
Q23	QCSP	+1.730	Q23	111TCE	UG01	IP	1.49
Q23	QCSP	+1.730	Q23	111TCE	UG01	IP	2.34
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	8.80
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	8.93
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	8.71
Q23	QCSP	+8.650	Q23	111TCE	UG01	IP	9.33
Q23	QCSP	+1.730	Q23	111TCE	UG01	IP	2.10
Q23	QCSP	+1.730	Q23	111TCE	UG01	IP	2.05
Q23	QCSP	+1.840	Q23	112TCE	UG01	IP	2.02
Q23	QCSP	+1.840	Q23	112TCE	UG01	IP	2.30
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	8.93
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	8.19
Q23	QCSP	+1.840	Q23	112TCE	UG01	IP	2.09
Q23	QCSP	+1.840	Q23	112TCE	UG01	IP	2.08
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	8.10
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	9.44
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	9.79
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	9.27
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	8.79

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q16	QCSP	+2.000	Q16	BE	SD07	IP		2.05
Q16	QCSP	+10.000	Q16	BE	SD07	IP		9.00
Q16	QCSP	+2.000	Q16	BE	SD07	IP		2.10
Q16	QCSP	+10.000	Q16	BE	SD07	IP		10.60
Q16	QCSP	+10.000	Q16	BE	SD07	IP		9.70
Q16	QCSP	+10.000	Q16	BE	SD07	IP		9.10
Q16	QCSP	+10.000	Q16	BE	SD07	IP		9.10
Q16	QCSP	+2.000	Q16	BE	SD07	IP		2.20
Q16	QCSP	+10.000	Q16	BE	SD07	IP		9.80
Q16	QCSP	+10.000	Q16	BE	SD07	IP		10.10
Q16	QCSP	+10.000	Q16	BE	SD07	IP		9.20
Q16	QCSP	+2.000	Q16	BE	SD07	IP		1.80
Q16	QCSP	+10.000	Q16	BE	SD07	IP		9.60
Q16	QCSP	+0.200	Q16	CD	SD07	IP		0.20
Q16	QCSP	+1.000	Q16	CD	SD07	IP		1.10
Q16	QCSP	+0.200	Q16	CD	SD07	IP		0.20
Q16	QCSP	+1.000	Q16	CD	SD07	IP		1.10
Q16	QCSP	+0.200	Q16	CD	SD07	IP		0.20
Q16	QCSP	+1.000	Q16	CD	SD07	IP		1.00
Q16	QCSP	+1.000	Q16	CD	SD07	IP		1.08
Q16	QCSP	+1.000	Q16	CD	SD07	IP		0.91
Q16	QCSP	+1.000	Q16	CD	SD07	IP		1.10
Q16	QCSP	+1.000	Q16	CD	SD07	IP		0.95
Q16	QCSP	+1.000	Q16	CD	SD07	IP		1.00
Q16	QCSP	+1.000	Q16	CD	SD07	IP		0.95
Q16	QCSP	+1.000	Q16	CD	SD07	IP		1.00
Q16	QCSP	+0.200	Q16	CD	SD07	IP		0.20
Q16	QCSP	+0.200	Q16	CD	SD07	IP		0.19
Q16	QCSP	+4.000	Q16	CR	SD07	IP		4.00
Q16	QCSP	+4.000	Q16	CR	SD07	IP		4.15
Q16	QCSP	+15.000	Q16	CR	SD07	IP		16.50
Q16	QCSP	+4.000	Q16	CR	SD07	IP		4.20
Q16	QCSP	+15.000	Q16	CR	SD07	IP		15.00
Q16	QCSP	+15.000	Q16	CR	SD07	IP		15.50
Q16	QCSP	+15.000	Q16	CR	SD07	IP		16.50
Q16	QCSP	+15.000	Q16	CR	SD07	IP		16.50
Q16	QCSP	+15.000	Q16	CR	SD07	IP		15.00
Q16	QCSP	+15.000	Q16	CR	SD07	IP		16.50
Q16	QCSP	+4.000	Q16	CR	SD07	IP		4.00
Q16	QCSP	+15.000	Q16	CR	SD07	IP		15.00
Q16	QCSP	+4.000	Q16	CR	SD07	IP		3.90
Q16	QCSP	+4.000	Q16	CR	SD07	IP		4.37
Q16	QCSP	+15.000	Q16	CR	SD07	IP		16.20
Q16	QCSP	+15.000	Q16	CR	SD07	IP		15.50
Q16	QCSP	+4.000	Q16	CR	SD07	IP		4.40
Q16	QCSP	+15.000	Q16	CR	SD07	IP		15.80
Q16	QCSP	+15.000	Q16	CR	SD07	IP		15.50
Q16	QCSP	+15.000	Q16	CR	SD07	IP		15.30
Q16	QCSP	+15.000	Q16	CR	SD07	IP		15.00
Q16	QCSP	+1.000	Q16	CU	SD07	IP		1.10
Q16	QCSP	+2.000	Q16	CU	SD07	IP		1.90
Q16	QCSP	+5.000	Q16	CU	SD07	IP		5.00
Q16	QCSP	+10.000	Q16	CU	SD07	IP		9.80
Q16	QCSP	+10.000	Q16	CU	SD07	IP		9.10
Q16	QCSP	+2.000	Q16	CU	SD07	IP		1.90
Q16	QCSP	+10.000	Q16	CU	SD07	IP		9.90
Q16	QCSP	+5.000	Q16	CU	SD07	IP		5.00
Q16	QCSP	+10.000	Q16	CU	SD07	IP		9.60
Q16	QCSP	+10.000	Q16	CU	SD07	IP		10.00
Q16	QCSP	+2.000	Q16	CU	SD07	IP		1.90
Q16	QCSP	+2.000	Q16	CU	SD07	IP		2.00
Q16	QCSP	+10.000	Q16	CU	SD07	IP		9.90
Q16	QCSP	+10.000	Q16	CU	SD07	IP		9.75
Q16	QCSP	+10.000	Q16	CU	SD07	IP		10.50
Q16	QCSP	+100.000	Q16	CYN	TY02	IP		101.00
Q16	QCSP	+10.000	Q16	CYN	TY02	IP	LT	8.35
Q16	QCSP	+100.000	Q16	CYN	TY02	IP		85.70
Q16	QCSP	+100.000	Q16	CYN	TY02	IP		95.40
Q16	QCSP	+100.000	Q16	CYN	TY02	IP		90.90
Q16	QCSP	+10.000	Q16	CYN	TY02	IP		12.60
Q16	QCSP	+10.000	Q16	CYN	TY02	IP		10.10
Q16	QCSP	+100.000	Q16	CYN	TY02	IP		90.50
Q16	QCSP	+100.000	Q16	CYN	TY02	IP		90.90
Q16	QCSP	+10.000	Q16	CYN	TY02	IP		9.62
Q16	QCSP	+100.000	Q16	CYN	TY02	IP		88.20
Q16	QCSP	+100.000	Q16	CYN	TY02	IP		95.40
Q16	QCSP	+10.000	Q16	CYN	TY02	IP		10.60
Q16	QCSP	+100.000	Q16	CYN	TY02	IP		81.50
Q16	QCSP	+100.000	Q16	CYN	TY02	IP		89.40
Q16	QCSP	+7.000	Q16	HG	SB04	IP		6.90

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q23	QCSP	+1.840	Q23	112TCE	UG01	IP	1.75
Q23	QCSP	+1.840	Q23	112TCE	UG01	IP	2.07
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	9.25
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	10.50
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	10.40
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	9.98
Q23	QCSP	+1.840	Q23	112TCE	UG01	IP	2.06
Q23	QCSP	+1.840	Q23	112TCE	UG01	IP	2.28
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	8.91
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	11.40
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	9.77
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	8.73
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	10.90
Q23	QCSP	+1.840	Q23	112TCE	UG01	IP	2.04
Q23	QCSP	+1.840	Q23	112TCE	UG01	IP	2.09
Q23	QCSP	+1.840	Q23	112TCE	UG01	IP	2.23
Q23	QCSP	+1.840	Q23	112TCE	UG01	IP	1.56
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	9.55
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	7.69
Q23	QCSP	+1.840	Q23	112TCE	UG01	IP	2.07
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	9.68
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	7.44
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	9.39
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	8.88
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	9.31
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	8.49
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	10.40
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	8.41
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	8.68
Q23	QCSP	+9.180	Q23	112TCE	UG01	IP	9.33
Q23	QCSP	+1.840	Q23	112TCE	UG01	IP	2.22
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	4.74
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	4.73
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	5.55
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	5.59
Q23	QCSP	+1.050	Q23	11DCE	UG01	IP	1.05
Q23	QCSP	+1.050	Q23	11DCE	UG01	IP	0.75
Q23	QCSP	+1.050	Q23	11DCE	UG01	IP	1.00
Q23	QCSP	+1.050	Q23	11DCE	UG01	IP	1.17
Q23	QCSP	+1.050	Q23	11DCE	UG01	IP	1.05
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	5.95
Q23	QCSP	+1.050	Q23	11DCE	UG01	IP	1.09
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	4.91
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	4.89
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	5.25
Q23	QCSP	+1.050	Q23	11DCE	UG01	IP	0.85
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	5.16
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	4.94
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	6.23
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	5.51
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	4.68
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	5.21
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	5.21
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	5.64
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	4.59
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	5.04
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	4.64
Q23	QCSP	+1.050	Q23	11DCE	UG01	IP	1.22
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	4.78
Q23	QCSP	+1.050	Q23	11DCE	UG01	IP	0.99
Q23	QCSP	+1.050	Q23	11DCE	UG01	IP	1.09
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	5.24
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	4.49
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	4.26
Q23	QCSP	+1.050	Q23	11DCE	UG01	IP	1.13
Q23	QCSP	+1.050	Q23	11DCE	UG01	IP	1.06
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	4.82
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	5.44
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	4.13
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	5.11
Q23	QCSP	+5.240	Q23	11DCE	UG01	IP	5.13
Q23	QCSP	+1.050	Q23	11DCE	UG01	IP	1.22
Q23	QCSP	+1.050	Q23	11DCE	UG01	IP	0.97
Q23	QCSP	+1.190	Q23	12DCE	UG01	IP	1.21
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP	6.20
Q23	QCSP	+1.190	Q23	12DCE	UG01	IP	1.27
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP	5.88
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP	5.68
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP	5.67
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP	5.86

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q16	QCSP	+7.400	Q16	HG	SB04	IP	7.00
Q16	QCSP	+7.400	Q16	HG	SB04	IP	7.10
Q16	QCSP	+7.400	Q16	HG	SB04	IP	7.10
Q16	QCSP	+7.400	Q16	HG	SB04	IP	6.90
Q16	QCSP	+1.400	Q16	HG	SB04	IP	1.20
Q16	QCSP	+7.400	Q16	HG	SB04	IP	7.00
Q16	QCSP	+7.400	Q16	HG	SB04	IP	6.70
Q16	QCSP	+1.400	Q16	HG	SB04	IP	1.40
Q16	QCSP	+1.400	Q16	HG	SB04	IP	1.30
Q16	QCSP	+1.400	Q16	HG	SB04	IP	1.20
Q16	QCSP	+7.400	Q16	HG	SB04	IP	7.20
Q16	QCSP	+7.000	Q16	HG	SB04	IP	7.00
Q16	QCSP	+7.400	Q16	HG	SB04	IP	7.85
Q16	QCSP	+1.400	Q16	HG	SB04	IP	1.40
Q16	QCSP	+15.000	Q16	MN	SD07	IP	16.50
Q16	QCSP	+2.000	Q16	MN	SD07	IP	1.90
Q16	QCSP	+2.000	Q16	MN	SD07	IP	2.20
Q16	QCSP	+15.000	Q16	MN	SD07	IP	16.10
Q16	QCSP	+15.000	Q16	MN	SD07	IP	14.40
Q16	QCSP	+15.000	Q16	MN	SD07	IP	16.50
Q16	QCSP	+15.000	Q16	MN	SD07	IP	16.00
Q16	QCSP	+2.000	Q16	MN	SD07	IP	2.20
Q16	QCSP	+15.000	Q16	MN	SD07	IP	16.50
Q16	QCSP	+15.000	Q16	MN	SD07	IP	16.30
Q16	QCSP	+15.000	Q16	MN	SD07	IP	16.00
Q16	QCSP	+2.000	Q16	MN	SD07	IP	2.20
Q16	QCSP	+15.000	Q16	MN	SD07	IP	14.20
Q16	QCSP	+2.000	Q16	MN	SD07	IP	2.00
Q16	QCSP	+15.000	Q16	MN	SD07	IP	15.90
Q16	QCSP	+2.000	Q16	MN	SD07	IP	1.95
Q16	QCSP	+15.000	Q16	MN	SD07	IP	16.50
Q16	QCSP	+15.000	Q16	MN	SD07	IP	15.70
Q16	QCSP	+15.000	Q16	MN	SD07	IP	15.50
Q16	QCSP	+15.000	Q16	MN	SD07	IP	16.50
Q16	QCSP	+2.000	Q16	MN	SD07	IP	1.90
Q16	QCSP	+35.000	Q16	NI	SD07	IP	32.00
Q16	QCSP	+35.000	Q16	NI	SD07	IP	33.50
Q16	QCSP	+12.000	Q16	NI	SD07	IP	12.50
Q16	QCSP	+35.000	Q16	NI	SD07	IP	33.00
Q16	QCSP	+35.000	Q16	NI	SD07	IP	36.50
Q16	QCSP	+35.000	Q16	NI	SD07	IP	36.50
Q16	QCSP	+35.000	Q16	NI	SD07	IP	33.50
Q16	QCSP	+12.000	Q16	NI	SD07	IP	11.50
Q16	QCSP	+35.000	Q16	NI	SD07	IP	37.00
Q16	QCSP	+35.000	Q16	NI	SD07	IP	37.50
Q16	QCSP	+12.000	Q16	NI	SD07	IP	13.00
Q16	QCSP	+12.000	Q16	NI	SD07	IP	11.00
Q16	QCSP	+35.000	Q16	NI	SD07	IP	38.00
Q16	QCSP	+12.000	Q16	NI	SD07	IP	11.50
Q16	QCSP	+35.000	Q16	NI	SD07	IP	35.00
Q16	QCSP	+35.000	Q16	NI	SD07	IP	36.50
Q16	QCSP	+12.000	Q16	NI	SD07	IP	12.00
Q16	QCSP	+35.000	Q16	NI	SD07	IP	34.00
Q16	QCSP	+25.000	Q16	PB	SD07	IP	26.50
Q16	QCSP	+4.000	Q16	PB	SD07	IP	4.40
Q16	QCSP	+4.000	Q16	PB	SD07	IP	4.20
Q16	QCSP	+25.000	Q16	PB	SD07	IP	27.50
Q16	QCSP	+25.000	Q16	PB	SD07	IP	24.50
Q16	QCSP	+4.000	Q16	PB	SD07	IP	4.40
Q16	QCSP	+25.000	Q16	PB	SD07	IP	26.50
Q16	QCSP	+4.000	Q16	PB	SD07	IP	4.40
Q16	QCSP	+25.000	Q16	PB	SD07	IP	26.50
Q16	QCSP	+25.000	Q16	PB	SD07	IP	27.50
Q16	QCSP	+4.000	Q16	PB	SD07	IP	4.00
Q16	QCSP	+25.000	Q16	PB	SD07	IP	27.50
Q16	QCSP	+25.000	Q16	PB	SD07	IP	24.50
Q16	QCSP	+25.000	Q16	PB	SD07	IP	26.90
Q16	QCSP	+25.000	Q16	PB	SD07	IP	27.50
Q16	QCSP	+100.000	Q16	SB	SD07	IP	90.00
Q16	QCSP	+20.000	Q16	SB	SD07	IP	20.00
Q16	QCSP	+100.000	Q16	SB	SD07	IP	102.00
Q16	QCSP	+20.000	Q16	SB	SD07	IP	19.00
Q16	QCSP	+100.000	Q16	SB	SD07	IP	100.00
Q16	QCSP	+20.000	Q16	SB	SD07	IP	20.70
Q16	QCSP	+100.000	Q16	SB	SD07	IP	100.00
Q16	QCSP	+100.000	Q16	SB	SD07	IP	108.00
Q16	QCSP	+20.000	Q16	SB	SD07	IP	18.50
Q16	QCSP	+100.000	Q16	SB	SD07	IP	94.00
Q16	QCSP	+100.000	Q16	SB	SD07	IP	95.00
Q16	QCSP	+20.000	Q16	SB	SD07	IP	22.00

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP		5.46
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP		5.05
Q23	QCSP	+1.190	Q23	12DCE	UG01	IP		1.22
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP		6.24
Q23	QCSP	+1.190	Q23	12DCE	UG01	IP		1.09
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP		6.00
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP		5.85
Q23	QCSP	+1.190	Q23	12DCE	UG01	IP		1.15
Q23	QCSP	+1.190	Q23	12DCE	UG01	IP		0.91
Q23	QCSP	+1.190	Q23	12DCE	UG01	IP		1.34
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP		5.17
Q23	QCSP	+1.190	Q23	12DCE	UG01	IP		1.19
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP		7.46
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP		5.77
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP		6.36
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP		5.40
Q23	QCSP	+1.190	Q23	12DCE	UG01	IP		1.15
Q23	QCSP	+1.190	Q23	12DCE	UG01	IP		1.36
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP		5.26
Q23	QCSP	+1.190	Q23	12DCE	UG01	IP		1.19
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP		5.70
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP		6.47
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP		5.49
Q23	QCSP	+1.190	Q23	12DCE	UG01	IP		0.85
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP		6.94
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP		4.76
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP		6.20
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP		5.88
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP		4.91
Q23	QCSP	+1.190	Q23	12DCE	UG01	IP		1.21
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP		5.54
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP		5.12
Q23	QCSP	+1.190	Q23	12DCE	UG01	IP		1.13
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP		6.14
Q23	QCSP	+5.950	Q23	12DCE	UG01	IP		5.02
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		5.18
Q23	QCSP	+1.010	Q23	12DCLE	UG01	IP		1.07
Q23	QCSP	+1.010	Q23	12DCLE	UG01	IP		1.11
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		5.00
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		5.14
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		4.75
Q23	QCSP	+1.010	Q23	12DCLE	UG01	IP		1.09
Q23	QCSP	+1.010	Q23	12DCLE	UG01	IP		0.76
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		5.10
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		5.60
Q23	QCSP	+1.010	Q23	12DCLE	UG01	IP		0.92
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		5.67
Q23	QCSP	+1.010	Q23	12DCLE	UG01	IP		1.14
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		5.04
Q23	QCSP	+1.010	Q23	12DCLE	UG01	IP		1.15
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		4.41
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		5.72
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		4.45
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		5.51
Q23	QCSP	+1.010	Q23	12DCLE	UG01	IP		1.29
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		4.76
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		5.43
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		4.75
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		5.13
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		6.19
Q23	QCSP	+1.010	Q23	12DCLE	UG01	IP		1.16
Q23	QCSP	+1.010	Q23	12DCLE	UG01	IP		1.09
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		5.66
Q23	QCSP	+1.010	Q23	12DCLE	UG01	IP		1.09
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		5.32
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		5.01
Q23	QCSP	+1.010	Q23	12DCLE	UG01	IP		1.21
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		5.48
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		5.95
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		4.62
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		5.87
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		4.84
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		4.73
Q23	QCSP	+1.010	Q23	12DCLE	UG01	IP		1.17
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		4.90
Q23	QCSP	+1.010	Q23	12DCLE	UG01	IP		1.10
Q23	QCSP	+5.040	Q23	12DCLE	UG01	IP		5.06
Q23	QCSP	+0.000	Q23	12DCLP	UG01	IP	LT	0.62
Q23	QCSP	+0.000	Q23	12DCLP	UG01	IP	LT	0.62
Q23	QCSP	+0.000	Q23	12DCLP	UG01	IP	LT	0.62

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q16	QCSP	+100.000	Q16	SB	SD07	IP	99.00
Q16	QCSP	+100.000	Q16	SB	SD07	IP	100.00
Q16	QCSP	+100.000	Q16	SB	SD07	IP	104.00
Q16	QCSP	+30.000	Q16	SE	SD07	IP	30.00
Q16	QCSP	+30.000	Q16	SE	SD07	IP	32.00
Q16	QCSP	+6.000	Q16	SE	SD07	IP	6.00
Q16	QCSP	+30.000	Q16	SE	SD07	IP	36.00
Q16	QCSP	+6.000	Q16	SE	SD07	IP	6.00
Q16	QCSP	+30.000	Q16	SE	SD07	IP	32.00
Q16	QCSP	+6.000	Q16	SE	SD07	IP	5.90
Q16	QCSP	+30.000	Q16	SE	SD07	IP	30.00
Q16	QCSP	+30.000	Q16	SE	SD07	IP	32.50
Q16	QCSP	+30.000	Q16	SE	SD07	IP	29.00
Q16	QCSP	+30.000	Q16	SE	SD07	IP	31.50
Q16	QCSP	+30.000	Q16	SE	SD07	IP	32.00
Q16	QCSP	+6.000	Q16	SE	SD07	IP	6.00
Q16	QCSP	+6.000	Q16	SE	SD07	IP	6.00
Q16	QCSP	+30.000	Q16	SE	SD07	IP	29.00
Q16	QCSP	+30.000	Q16	TL	SD07	IP	30.00
Q16	QCSP	+6.000	Q16	TL	SD07	IP	5.50
Q16	QCSP	+30.000	Q16	TL	SD07	IP	30.00
Q16	QCSP	+30.000	Q16	TL	SD07	IP	30.00
Q16	QCSP	+30.000	Q16	TL	SD07	IP	27.00
Q16	QCSP	+30.000	Q16	TL	SD07	IP	29.50
Q16	QCSP	+30.000	Q16	TL	SD07	IP	28.50
Q16	QCSP	+30.000	Q16	TL	SD07	IP	27.00
Q16	QCSP	+6.000	Q16	TL	SD07	IP	6.10
Q16	QCSP	+6.000	Q16	TL	SD07	IP	6.10
Q16	QCSP	+6.000	Q16	TL	SD07	IP	6.60
Q16	QCSP	+30.000	Q16	TL	SD07	IP	31.00
Q16	QCSP	+30.000	Q16	TL	SD07	IP	27.00
Q16	QCSP	+6.000	Q16	TL	SD07	IP	5.80
Q16	QCSP	+30.000	Q16	TL	SD07	IP	32.00
Q16	QCSP	+50.000	Q16	ZN	SC03	IP	50.00
Q16	QCSP	+250.000	Q16	ZN	SC03	IP	250.00
Q16	QCSP	+250.000	Q16	ZN	SC03	IP	250.00
Q16	QCSP	+250.000	Q16	ZN	SC03	IP	263.00
Q16	QCSP	+250.000	Q16	ZN	SC03	IP	250.00
Q16	QCSP	+50.000	Q16	ZN	SC03	IP	50.00
Q16	QCSP	+250.000	Q16	ZN	SC03	IP	264.00
Q16	QCSP	+250.000	Q16	ZN	SC03	IP	250.00
Q16	QCSP	+50.000	Q16	ZN	SC03	IP	50.00
Q16	QCSP	+250.000	Q16	ZN	SC03	IP	253.00
Q16	QCSP	+50.000	Q16	ZN	SC03	IP	50.00
Q16	QCSP	+50.000	Q16	ZN	SC03	IP	55.00
Q16	QCSP	+250.000	Q16	ZN	SC03	IP	250.00
Q16	QCSP	+250.000	Q16	ZN	SC03	IP	250.00
Q16	QCSP	+250.000	Q16	ZN	SC03	IP	250.00
Q18	QCSP	+4.00+001	Q18	AS	99	PC	3.97
Q18	QCSP	+4.00+001	Q18	AS	99	PC	39.10
Q18	QCSP	+1.00+001	Q18	AS	99	PC	11.20
Q18	QCSP	+4.00+001	Q18	AS	99	PC	40.50
Q18	QCSP	+5.00+001	Q18	AS	99	PC	55.40
Q18	QCSP	+1.00+001	Q18	AS	99	PC	10.90
Q18	QCSP	+4.00+001	Q18	AS	99	PC	40.20
Q18	QCSP	+4.00+001	Q18	AS	99	PC	37.20
Q18	QCSP	+1.00+001	Q18	AS	99	PC	9.39
Q18	QCSP	+5.00+001	Q18	AS	99	PC	51.70
Q18	QCSP	+1.00+001	Q18	AS	99	PC	1.01
Q18	QCSP	+4.00+001	Q18	AS	99	PC	4.28
Q18	QCSP	+2.00+001	Q18	BA	SD08	PC	17.50
Q18	QCSP	+1.00+002	Q18	BA	SD08	PC	106.00
Q18	QCSP	+2.00+001	Q18	BA	SD08	PC	11.10
Q18	QCSP	+1.00+002	Q18	BA	SD08	PC	85.40
Q18	QCSP	+1.00+002	Q18	BA	SD08	PC	92.50
Q18	QCSP	+2.00+001	Q18	BA	SD08	PC	20.40
Q18	QCSP	+1.00+002	Q18	BA	SD08	PC	94.50
Q18	QCSP	+1.00+002	Q18	BA	SD08	PC	94.90
Q18	QCSP	+1.00+002	Q18	BA	SD08	PC	96.20
Q18	QCSP	+1.00+002	Q18	BA	SD08	PC	97.00
Q18	QCSP	+2.00+001	Q18	BA	SD08	PC	16.50
Q18	QCSP	+2.00+001	Q18	BA	SD08	PC	16.10
Q18	QCSP	+1.00+002	Q18	BA	SD08	PC	108.00
Q18	QCSP	+1.00+002	Q18	BA	SD08	PC	100.00
Q18	QCSP	+1.00+002	Q18	BA	SD08	PC	94.20
Q18	QCSP	+1.00+002	Q18	BA	SD08	PC	101.00
Q18	QCSP	+1.00+002	Q18	BA	SD08	PC	101.00
Q18	QCSP	+2.00+001	Q18	BA	SD08	PC	20.50
Q18	QCSP	+2.00+001	Q18	BA	SD08	PC	22.10
Q18	QCSP	+1.00+002	Q18	BA	SD08	PC	107.00

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q23	QCSP	+0.000	Q23	12DCLP	UG01	IP	LT	0.62

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q23	QCSP	+0.000	Q23	C2H3CL	UG01	IP	LT	1.50
Q23	QCSP	+30.700	Q23	C6H6	UP02	IP		22.30
Q23	QCSP	+6.140	Q23	C6H6	UP02	IP		7.19
Q23	QCSP	+6.140	Q23	C6H6	UP02	IP		4.46
Q23	QCSP	+30.700	Q23	C6H6	UP02	IP		23.90
Q23	QCSP	+30.700	Q23	C6H6	UP02	IP		32.00
Q23	QCSP	+6.140	Q23	C6H6	UP02	IP		6.98
Q23	QCSP	+30.700	Q23	C6H6	UP02	IP		19.70
Q23	QCSP	+30.700	Q23	C6H6	UP02	IP		26.30
Q23	QCSP	+30.700	Q23	C6H6	UP02	IP		26.00
Q23	QCSP	+30.700	Q23	C6H6	UP02	IP		25.10
Q23	QCSP	+30.700	Q23	C6H6	UP02	IP		25.20
Q23	QCSP	+30.700	Q23	C6H6	UP02	IP		24.40
Q23	QCSP	+30.700	Q23	C6H6	UP02	IP		23.30
Q23	QCSP	+6.140	Q23	C6H6	UP02	IP		6.92
Q23	QCSP	+6.140	Q23	C6H6	UP02	IP		7.27
Q23	QCSP	+6.140	Q23	C6H6	UP02	IP		5.87
Q23	QCSP	+6.140	Q23	C6H6	UP02	IP		5.63
Q23	QCSP	+30.700	Q23	C6H6	UP02	IP		25.30
Q23	QCSP	+30.700	Q23	C6H6	UP02	IP		22.00
Q23	QCSP	+30.700	Q23	C6H6	UP02	IP		17.40
Q23	QCSP	+6.140	Q23	C6H6	UP02	IP		6.59
Q23	QCSP	+30.700	Q23	C6H6	UP02	IP		28.20
Q23	QCSP	+6.140	Q23	C6H6	UP02	IP		6.68
Q23	QCSP	+30.700	Q23	C6H6	UP02	IP		24.50
Q23	QCSP	+6.140	Q23	C6H6	UP02	IP		7.11
Q23	QCSP	+6.140	Q23	C6H6	UP02	IP		7.09
Q23	QCSP	+6.140	Q23	C6H6	UP02	IP		5.52
Q23	QCSP	+30.700	Q23	C6H6	UP02	IP		30.50
Q23	QCSP	+30.700	Q23	C6H6	UP02	IP		26.50
Q23	QCSP	+30.700	Q23	C6H6	UP02	IP		18.80
Q23	QCSP	+30.700	Q23	C6H6	UP02	IP		23.40
Q23	QCSP	+30.700	Q23	C6H6	UP02	IP		27.10
Q23	QCSP	+30.700	Q23	C6H6	UP02	IP		33.10
Q23	QCSP	+30.700	Q23	C6H6	UP02	IP		18.30
Q23	QCSP	+30.700	Q23	C6H6	UP02	IP		26.80
Q23	QCSP	+30.700	Q23	C6H6	UP02	IP		22.50
Q23	QCSP	+30.700	Q23	C6H6	UP02	IP		28.10
Q23	QCSP	+6.140	Q23	C6H6	UP02	IP		6.32
Q23	QCSP	+30.700	Q23	C6H6	UP02	IP		23.00
Q23	QCSP	+0.000	Q23	CHCL3	UG01	IP	LT	0.41

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q23	QCSP	+0.000	Q23	CHCL3	UG01	IP	LT	0.41
Q23	QCSP	+0.000	Q23	CHCL3	UG01	IP	LT	0.41
Q23	QCSP	+33.900	Q23	MEC6H5	UP02	IP		30.00
Q23	QCSP	+6.780	Q23	MEC6H5	UP02	IP		7.32
Q23	QCSP	+33.900	Q23	MEC6H5	UP02	IP		29.70
Q23	QCSP	+33.900	Q23	MEC6H5	UP02	IP		19.20
Q23	QCSP	+6.780	Q23	MEC6H5	UP02	IP		6.78
Q23	QCSP	+33.900	Q23	MEC6H5	UP02	IP		18.40
Q23	QCSP	+33.900	Q23	MEC6H5	UP02	IP		25.60
Q23	QCSP	+6.780	Q23	MEC6H5	UP02	IP		9.33
Q23	QCSP	+33.900	Q23	MEC6H5	UP02	IP		29.80
Q23	QCSP	+6.780	Q23	MEC6H5	UP02	IP		8.75
Q23	QCSP	+6.780	Q23	MEC6H5	UP02	IP		7.68
Q23	QCSP	+33.900	Q23	MEC6H5	UP02	IP		31.90
Q23	QCSP	+33.900	Q23	MEC6H5	UP02	IP		20.00
Q23	QCSP	+33.900	Q23	MEC6H5	UP02	IP		40.90
Q23	QCSP	+33.900	Q23	MEC6H5	UP02	IP		20.40
Q23	QCSP	+33.900	Q23	MEC6H5	UP02	IP		31.00
Q23	QCSP	+33.900	Q23	MEC6H5	UP02	IP		45.00
Q23	QCSP	+33.900	Q23	MEC6H5	UP02	IP		27.20
Q23	QCSP	+33.900	Q23	MEC6H5	UP02	IP		26.10
Q23	QCSP	+33.900	Q23	MEC6H5	UP02	IP		26.30
Q23	QCSP	+33.900	Q23	MEC6H5	UP02	IP		25.30
Q23	QCSP	+33.900	Q23	MEC6H5	UP02	IP		30.60
Q23	QCSP	+6.780	Q23	MEC6H5	UP02	IP		8.33
Q23	QCSP	+6.780	Q23	MEC6H5	UP02	IP		7.70
Q23	QCSP	+6.780	Q23	MEC6H5	UP02	IP		8.51
Q23	QCSP	+6.780	Q23	MEC6H5	UP02	IP		6.69
Q23	QCSP	+33.900	Q23	MEC6H5	UP02	IP		48.50
Q23	QCSP	+6.780	Q23	MEC6H5	UP02	IP		6.56
Q23	QCSP	+6.780	Q23	MEC6H5	UP02	IP		5.14
Q23	QCSP	+6.780	Q23	MEC6H5	UP02	IP		8.73
Q23	QCSP	+33.900	Q23	MEC6H5	UP02	IP		37.90
Q23	QCSP	+33.900	Q23	MEC6H5	UP02	IP		26.90
Q23	QCSP	+33.900	Q23	MEC6H5	UP02	IP		25.80
Q23	QCSP	+6.780	Q23	MEC6H5	UP02	IP		7.65
Q23	QCSP	+33.900	Q23	MEC6H5	UP02	IP		28.50
Q23	QCSP	+33.900	Q23	MEC6H5	UP02	IP		34.60
Q23	QCSP	+33.900	Q23	MEC6H5	UP02	IP		33.40
Q23	QCSP	+33.900	Q23	MEC6H5	UP02	IP		28.20
Q23	QCSP	+33.900	Q23	MEC6H5	UP02	IP		29.00
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP		6.50
Q23	QCSP	+1.670	Q23	TCLEE	UG01	IP		1.77
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP		8.48
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP		7.40
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP		7.43
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP		7.76
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP		7.04
Q23	QCSP	+1.670	Q23	TCLEE	UG01	IP		1.75
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP		8.06
Q23	QCSP	+1.670	Q23	TCLEE	UG01	IP		1.85
Q23	QCSP	+1.670	Q23	TCLEE	UG01	IP		1.86
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP		10.20
Q23	QCSP	+1.670	Q23	TCLEE	UG01	IP		1.43
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP		8.17
Q23	QCSP	+1.670	Q23	TCLEE	UG01	IP		2.10
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP		7.74
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP		6.41
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP		7.65
Q23	QCSP	+1.670	Q23	TCLEE	UG01	IP		2.27
Q23	QCSP	+1.670	Q23	TCLEE	UG01	IP		1.75
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP		7.23
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP		7.67
Q23	QCSP	+1.670	Q23	TCLEE	UG01	IP		1.78
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP		7.67
Q23	QCSP	+1.670	Q23	TCLEE	UG01	IP		1.86
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP		7.13
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP		9.16
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP		8.42
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP		7.96
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP		6.96
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP		9.47
Q23	QCSP	+1.670	Q23	TCLEE	UG01	IP		1.81
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP		6.04
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP		6.44
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP		7.06
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP		9.54
Q23	QCSP	+1.670	Q23	TCLEE	UG01	IP		2.08
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP		8.76
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP		7.76

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q19	QCSP	+2.50+001	Q19	CR	SD08	PC	25.10
Q19	QCSP	+2.50+001	Q19	CR	SD08	PC	27.10
Q19	QCSP	+5.00+000	Q19	CR	SD08	PC	5.57
Q19	QCSP	+1.00+001	Q19	CRHEX	SY01	PC	10.70
Q19	QCSP	+5.00+001	Q19	CRHEX	SY01	PC	50.90
Q19	QCSP	+5.00+001	Q19	CRHEX	SY01	PC	48.80
Q19	QCSP	+5.00+001	Q19	CYN	TY03	PC	61.60
Q19	QCSP	+1.00+001	Q19	CYN	TY03	PC	12.10
Q19	QCSP	+5.00+001	Q19	CYN	TY03	PC	59.90
Q19	QCSP	+5.00+001	Q19	CYN	TY03	PC	57.20
Q19	QCSP	+5.00+001	Q19	CYN	TY03	PC	61.70
Q19	QCSP	+2.00+001	Q19	CYN	TY03	PC	25.00
Q19	QCSP	+2.00+001	Q19	CYN	TY03	PC	21.60
Q19	QCSP	+5.00+001	Q19	CYN	TY03	PC	60.00
Q19	QCSP	+2.00+001	Q19	CYN	TY03	PC	21.60
Q19	QCSP	+5.00+001	Q19	CYN	TY03	PC	58.00
Q19	QCSP	+5.00+001	Q19	CYN	TY03	PC	60.00
Q19	QCSP	+5.00+001	Q19	CYN	TY03	PC	59.20
Q19	QCSP	+2.00+000	Q19	HG	SB07	PC	2.11
Q19	QCSP	+7.50+000	Q19	HG	SB07	PC	7.41
Q19	QCSP	+7.50+000	Q19	HG	SB07	PC	7.32
Q19	QCSP	+2.00+000	Q19	HG	SB07	PC	2.04
Q19	QCSP	+7.50+000	Q19	HG	SB07	PC	7.63
Q19	QCSP	+7.50+000	Q19	HG	SB07	PC	7.35
Q19	QCSP	+7.50+000	Q19	HG	SB07	PC	7.07
Q19	QCSP	+7.50+000	Q19	HG	SB07	PC	7.88
Q19	QCSP	+2.00+000	Q19	HG	SB07	PC	2.24
Q19	QCSP	+1.00+001	Q19	NI	SD08	PC	9.92
Q19	QCSP	+4.00+001	Q19	NI	SD08	PC	42.20
Q19	QCSP	+4.00+001	Q19	NI	SD08	PC	41.20
Q19	QCSP	+4.00+001	Q19	NI	SD08	PC	40.80
Q19	QCSP	+4.00+001	Q19	NI	SD08	PC	40.70
Q19	QCSP	+4.00+001	Q19	NI	SD08	PC	39.80
Q19	QCSP	+1.00+001	Q19	NI	SD08	PC	9.92
Q19	QCSP	+4.00+001	Q19	NI	SD08	PC	42.30
Q19	QCSP	+4.00+001	Q19	NI	SD08	PC	39.50
Q19	QCSP	+1.00+001	Q19	NI	SD08	PC	10.60
Q19	QCSP	+1.00+001	Q19	NI	SD08	PC	10.40
Q19	QCSP	+4.00+001	Q19	NI	SD08	PC	43.60
Q19	QCSP	+4.00+001	Q19	NI	SD08	PC	39.60
Q19	QCSP	+4.00+001	Q19	NI	SD08	PC	41.40
Q19	QCSP	+1.00+001	Q19	NI	SD08	PC	10.40
Q19	QCSP	+4.00+001	Q19	NI	SD08	PC	40.10
Q19	QCSP	+1.00+001	Q19	NI	SD08	PC	10.30
Q19	QCSP	+4.00+001	Q19	NI	SD08	PC	45.00
Q19	QCSP	+2.00+000	Q19	PB	SD08	PC	2.24
Q19	QCSP	+2.00+000	Q19	PB	SD08	PC	1.94
Q19	QCSP	+1.00+001	Q19	PB	SD08	PC	9.51
Q19	QCSP	+1.00+001	Q19	PB	SD08	PC	10.20
Q19	QCSP	+2.00+000	Q19	PB	SD08	PC	1.78
Q19	QCSP	+1.00+001	Q19	PB	SD08	PC	10.10
Q19	QCSP	+1.00+001	Q19	PB	SD08	PC	9.85
Q19	QCSP	+2.00+000	Q19	PB	SD08	PC	2.41
Q19	QCSP	+1.00+001	Q19	PB	SD08	PC	9.40
Q19	QCSP	+2.00+000	Q19	PB	SD08	PC	1.97
Q19	QCSP	+2.00+000	Q19	PB	SD08	PC	2.00
Q19	QCSP	+1.00+001	Q19	PB	SD08	PC	9.90
Q19	QCSP	+1.00+001	Q19	PB	SD08	PC	9.83
Q19	QCSP	+1.00+001	Q19	PB	SD08	PC	10.70
Q19	QCSP	+1.00+001	Q19	PB	SD08	PC	9.65
Q19	QCSP	+1.00+001	Q19	PB	SD08	PC	10.20
Q19	QCSP	+1.00+001	Q19	PB	SD08	PC	10.20
Q19	QCSP	+2.00+000	Q19	PB	SD08	PC	1.68
Q19	QCSP	+1.00+001	Q19	PB	SD08	PC	9.77
Q19	QCSP	+1.00+001	Q19	PB	SD08	PC	9.87
Q19	QCSP	+1.00+001	Q19	PB	SD08	PC	10.50
Q19	QCSP	+8.00+001	Q19	PO4ORT	TF15	PC	85.80
Q19	QCSP	+8.00+001	Q19	PO4ORT	TF15	PC	89.40
Q19	QCSP	+2.00+001	Q19	PO4ORT	TF15	PC	15.10
Q19	QCSP	+2.50+002	Q19	ZN	SC04	PC	250.00
Q19	QCSP	+2.50+002	Q19	ZN	SC04	PC	249.00
Q19	QCSP	+2.50+002	Q19	ZN	SC04	PC	250.00
Q19	QCSP	+5.00+001	Q19	ZN	SC04	PC	51.10
Q19	QCSP	+5.00+001	Q19	ZN	SC04	PC	49.70
Q19	QCSP	+2.50+002	Q19	ZN	SC04	PC	249.00
Q19	QCSP	+2.50+002	Q19	ZN	SC04	PC	250.00
Q19	QCSP	+2.50+002	Q19	ZN	SC04	PC	250.00
Q19	QCSP	+5.00+001	Q19	ZN	SC04	PC	51.10
Q20	QCSP	+5.00+001	Q20	AS	SD08	PC	41.80
Q20	QCSP	+1.00+001	Q20	AS	SD08	PC	9.71

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q23	QCSP	+1.670	Q23	TCLEE	UG01	IP	1.83
Q23	QCSP	+8.350	Q23	TCLEE	UG01	IP	6.41
Q23	QCSP	+1.670	Q23	TCLEE	UG01	IP	1.35
Q23	QCSP	+10.000	Q23	TPO4	TY04	IP	10.70
Q23	QCSP	+60.000	Q23	TPO4	TY04	IP	60.90
Q23	QCSP	+60.000	Q23	TPO4	TY04	IP	64.70
Q23	QCSP	+2.070	Q23	TRCLE	UG01	IP	2.64
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	8.69
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	10.50
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	9.47
Q23	QCSP	+2.070	Q23	TRCLE	UG01	IP	2.32
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	11.40
Q23	QCSP	+2.070	Q23	TRCLE	UG01	IP	1.77
Q23	QCSP	+2.070	Q23	TRCLE	UG01	IP	2.41
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	9.55
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	10.10
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	8.30
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	9.88
Q23	QCSP	+2.070	Q23	TRCLE	UG01	IP	2.47
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	9.50
Q23	QCSP	+2.070	Q23	TRCLE	UG01	IP	2.37
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	9.40
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	10.70
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	10.40
Q23	QCSP	+2.070	Q23	TRCLE	UG01	IP	2.36
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	9.88
Q23	QCSP	+2.070	Q23	TRCLE	UG01	IP	2.74
Q23	QCSP	+2.070	Q23	TRCLE	UG01	IP	2.30
Q23	QCSP	+2.070	Q23	TRCLE	UG01	IP	1.92
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	10.30
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	10.40
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	10.90
Q23	QCSP	+2.070	Q23	TRCLE	UG01	IP	2.64
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	9.16
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	11.70
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	9.18
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	11.90
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	8.38
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	8.81
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	10.10
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	12.20
Q23	QCSP	+2.070	Q23	TRCLE	UG01	IP	2.39
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	13.00
Q23	QCSP	+2.070	Q23	TRCLE	UG01	IP	2.42
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	10.40
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	10.80
Q23	QCSP	+2.070	Q23	TRCLE	UG01	IP	2.41
Q23	QCSP	+10.400	Q23	TRCLE	UG01	IP	10.30
Q23	QCSP	+10.600	Q23	TXYLENUP02		IP	7.74
Q23	QCSP	+10.600	Q23	TXYLENUP02		IP	10.50
Q23	QCSP	+10.600	Q23	TXYLENUP02		IP	7.26
Q23	QCSP	+2.120	Q23	TXYLENUP02		IP	1.34
Q23	QCSP	+2.120	Q23	TXYLENUP02		IP	2.34
Q23	QCSP	+10.600	Q23	TXYLENUP02		IP	8.53
Q23	QCSP	+10.600	Q23	TXYLENUP02		IP	10.70
Q23	QCSP	+2.120	Q23	TXYLENUP02		IP	3.50
Q23	QCSP	+2.120	Q23	TXYLENUP02		IP	3.34
Q23	QCSP	+2.120	Q23	TXYLENUP02		IP	2.08
Q23	QCSP	+2.120	Q23	TXYLENUP02		IP	2.19
Q23	QCSP	+10.600	Q23	TXYLENUP02		IP	8.59
Q23	QCSP	+2.120	Q23	TXYLENUP02		IP	2.93
Q23	QCSP	+10.600	Q23	TXYLENUP02		IP	6.10
Q23	QCSP	+10.600	Q23	TXYLENUP02		IP	6.73
Q23	QCSP	+2.120	Q23	TXYLENUP02		IP	2.54
Q23	QCSP	+10.600	Q23	TXYLENUP02		IP	6.21
Q23	QCSP	+2.120	Q23	TXYLENUP02		IP	1.63
Q23	QCSP	+10.600	Q23	TXYLENUP02		IP	10.60
Q23	QCSP	+10.600	Q23	TXYLENUP02		IP	8.05
Q23	QCSP	+10.600	Q23	TXYLENUP02		IP	8.32
Q23	QCSP	+10.600	Q23	TXYLENUP02		IP	7.36
Q23	QCSP	+10.600	Q23	TXYLENUP02		IP	6.86
Q23	QCSP	+10.600	Q23	TXYLENUP02		IP	7.81
Q23	QCSP	+10.600	Q23	TXYLENUP02		IP	7.31
Q23	QCSP	+10.600	Q23	TXYLENUP02		IP	8.39
Q23	QCSP	+10.600	Q23	TXYLENUP02		IP	6.40
Q23	QCSP	+10.600	Q23	TXYLENUP02		IP	7.34
Q23	QCSP	+10.600	Q23	TXYLENUP02		IP	10.50
Q23	QCSP	+10.600	Q23	TXYLENUP02		IP	8.85
Q23	QCSP	+10.600	Q23	TXYLENUP02		IP	7.25
Q23	QCSP	+2.120	Q23	TXYLENUP02		IP	2.42

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q20	QCSP	+5.00+001	Q20	AS	SD08	PC	47.10
Q20	QCSP	+1.00+001	Q20	AS	SD08	PC	9.79
Q20	QCSP	+5.00+001	Q20	AS	SD08	PC	50.80
Q20	QCSP	+5.00+001	Q20	AS	SD08	PC	46.00
Q20	QCSP	+1.00+002	Q20	BA	SD08	PC	95.70
Q20	QCSP	+1.00+002	Q20	BA	SD08	PC	98.60
Q20	QCSP	+1.00+002	Q20	BA	SD08	PC	90.60
Q20	QCSP	+2.00+001	Q20	BA	SD08	PC	18.50
Q20	QCSP	+1.00+002	Q20	BA	SD08	PC	98.80
Q20	QCSP	+2.00+001	Q20	BA	SD08	PC	20.00
Q20	QCSP	+2.00+001	Q20	BA	SD08	PC	18.70
Q20	QCSP	+1.00+002	Q20	BA	SD08	PC	91.90
Q20	QCSP	+1.00+002	Q20	BA	SD08	PC	98.00
Q20	QCSP	+2.50+000	Q20	CD	SD08	PC	2.23
Q20	QCSP	+1.00+000	Q20	CD	SD08	PC	0.93
Q20	QCSP	+2.50+000	Q20	CD	SD08	PC	2.48
Q20	QCSP	+2.50+000	Q20	CD	SD08	PC	2.25
Q20	QCSP	+2.50+000	Q20	CD	SD08	PC	2.54
Q20	QCSP	+1.00+000	Q20	CD	SD08	PC	0.97
Q20	QCSP	+5.00+000	Q20	CR	SD08	PC	5.14
Q20	QCSP	+2.50+001	Q20	CR	SD08	PC	24.30
Q20	QCSP	+5.00+000	Q20	CR	SD08	PC	5.54
Q20	QCSP	+2.50+001	Q20	CR	SD08	PC	25.20
Q20	QCSP	+2.50+001	Q20	CR	SD08	PC	25.20
Q20	QCSP	+2.50+001	Q20	CR	SD08	PC	23.70
Q20	QCSP	+1.00+001	Q20	CRHEX	SY01	PC	9.43
Q20	QCSP	+5.00+001	Q20	CRHEX	SY01	PC	48.20
Q20	QCSP	+5.00+001	Q20	CRHEX	SY01	PC	49.50
Q20	QCSP	+5.00+001	Q20	CYN	TY03	PC	54.80
Q20	QCSP	+2.00+001	Q20	CYN	TY03	PC	25.00
Q20	QCSP	+5.00+001	Q20	CYN	TY03	PC	49.20
Q20	QCSP	+5.00+001	Q20	CYN	TY03	PC	54.80
Q20	QCSP	+5.00+001	Q20	CYN	TY03	PC	49.20
Q20	QCSP	+2.00+001	Q20	CYN	TY03	PC	21.80
Q20	QCSP	+7.50+000	Q20	HG	SB07	PC	6.95
Q20	QCSP	+2.00+000	Q20	HG	SB07	PC	1.82
Q20	QCSP	+7.50+000	Q20	HG	SB07	PC	7.29
Q20	QCSP	+1.00+001	Q20	NI	SD08	PC	9.87
Q20	QCSP	+4.00+001	Q20	NI	SD08	PC	37.10
Q20	QCSP	+4.00+001	Q20	NI	SD08	PC	39.10
Q20	QCSP	+4.00+001	Q20	NI	SD08	PC	40.70
Q20	QCSP	+1.00+001	Q20	NI	SD08	PC	9.08
Q20	QCSP	+4.00+001	Q20	NI	SD08	PC	36.80
Q20	QCSP	+1.00+001	Q20	PB	SD08	PC	9.50
Q20	QCSP	+1.00+001	Q20	PB	SD08	PC	9.92
Q20	QCSP	+1.00+001	Q20	PB	SD08	PC	9.80
Q20	QCSP	+2.00+000	Q20	PB	SD08	PC	2.08
Q20	QCSP	+2.00+000	Q20	PB	SD08	PC	1.87
Q20	QCSP	+1.00+001	Q20	PB	SD08	PC	10.00
Q20	QCSP	+2.50+002	Q20	ZN	SC04	PC	252.00
Q20	QCSP	+5.00+001	Q20	ZN	SC04	PC	51.90
Q20	QCSP	+2.50+002	Q20	ZN	SC04	PC	252.00
Q22	QCSP	+50.000	Q22	AS	SD08	PC	47.00
Q22	QCSP	+50.000	Q22	AS	SD08	PC	52.60
Q22	QCSP	+10.000	Q22	AS	SD08	PC	9.79
Q22	QCSP	+20.000	Q22	BA	SD08	PC	21.20
Q22	QCSP	+100.000	Q22	BA	SD08	PC	99.20
Q22	QCSP	+100.000	Q22	BA	SD08	PC	99.70
Q22	QCSP	+1.000	Q22	CD	SD08	PC	1.00
Q22	QCSP	+2.500	Q22	CD	SD08	PC	2.57
Q22	QCSP	+2.500	Q22	CD	SD08	PC	2.56
Q22	QCSP	+25.000	Q22	CR	SD08	PC	24.80
Q22	QCSP	+25.000	Q22	CR	SD08	PC	25.20
Q22	QCSP	+5.000	Q22	CR	SD08	PC	5.68
Q22	QCSP	+10.000	Q22	NI	SD08	PC	9.19
Q22	QCSP	+40.000	Q22	NI	SD08	PC	38.70
Q22	QCSP	+40.000	Q22	NI	SD08	PC	40.20
Q22	QCSP	+10.000	Q22	PB	SD08	PC	9.76
Q22	QCSP	+2.000	Q22	PB	SD08	PC	1.65
Q22	QCSP	+10.000	Q22	PB	SD08	PC	9.48
Q22	QCSP	+80.000	Q22	PO4ORT	TF15	PC	77.00
Q22	QCSP	+20.000	Q22	PO4ORT	TF15	PC	18.30
Q22	QCSP	+20.000	Q22	PO4ORT	TF15	PC	16.80
Q22	QCSP	+80.000	Q22	PO4ORT	TF15	PC	78.70
Q22	QCSP	+80.000	Q22	PO4ORT	TF15	PC	72.50
Q22	QCSP	+80.000	Q22	PO4ORT	TF15	PC	78.20
Q23	QCSP	+50.000	Q23	AS	SD07	IP	46.60
Q23	QCSP	+50.000	Q23	AS	SD07	IP	44.90
Q23	QCSP	+8.000	Q23	AS	SD07	IP	7.91
Q23	QCSP	+40.000	Q23	BA	SD07	IP	36.20

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q23	QCSP	+10.600	Q23	TXYLENUP02		IP	8.70
Q23	QCSP	+2.120	Q23	TXYLENUP02		IP	2.36
Q23	QCSP	+10.600	Q23	TXYLENUP02		IP	6.42
Q23	QCSP	+2.120	Q23	TXYLENUP02		IP	1.73
Q23	QCSP	+2.120	Q23	TXYLENUP02		IP	2.23
Q23	QCSP	+10.600	Q23	TXYLENUP02		IP	8.61
Q23	QCSP	+10.600	Q23	TXYLENUP02		IP	7.96
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	7.18
Q24	QCSP	+1.580	Q24	111TCE	UG01	IP	1.72
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	7.68
Q24	QCSP	+1.580	Q24	111TCE	UG01	IP	1.75
Q24	QCSP	+1.580	Q24	111TCE	UG01	IP	1.80
Q24	QCSP	+1.580	Q24	111TCE	UG01	IP	1.41
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	7.64
Q24	QCSP	+1.580	Q24	111TCE	UG01	IP	1.71
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	8.27
Q24	QCSP	+1.580	Q24	111TCE	UG01	IP	1.61
Q24	QCSP	+1.580	Q24	111TCE	UG01	IP	1.75
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	7.58
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	7.60
Q24	QCSP	+1.580	Q24	111TCE	UG01	IP	1.84
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	8.46
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	7.92
Q24	QCSP	+1.580	Q24	111TCE	UG01	IP	1.80
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	7.97
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	8.57
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	8.34
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	7.38
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	7.37
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	6.78
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	8.28
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	7.22
Q24	QCSP	+1.580	Q24	111TCE	UG01	IP	1.71
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	8.28
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	7.27
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	7.86
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	7.88
Q24	QCSP	+1.580	Q24	111TCE	UG01	IP	1.72
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	8.21
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	7.69
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	7.52
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	8.26
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	8.17
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	6.78
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	8.04
Q24	QCSP	+1.580	Q24	111TCE	UG01	IP	1.82
Q24	QCSP	+7.910	Q24	111TCE	UG01	IP	7.65
Q24	QCSP	+1.580	Q24	111TCE	UG01	IP	1.80
Q24	QCSP	+1.580	Q24	111TCE	UG01	IP	1.57
Q24	QCSP	+9.790	Q24	112TCE	UG01	IP	9.03
Q24	QCSP	+9.790	Q24	112TCE	UG01	IP	9.16
Q24	QCSP	+9.790	Q24	112TCE	UG01	IP	9.00
Q24	QCSP	+9.790	Q24	112TCE	UG01	IP	9.78
Q24	QCSP	+1.960	Q24	112TCE	UG01	IP	2.14
Q24	QCSP	+9.190	Q24	112TCE	UG01	IP	9.71
Q24	QCSP	+9.790	Q24	112TCE	UG01	IP	10.70
Q24	QCSP	+9.790	Q24	112TCE	UG01	IP	9.36
Q24	QCSP	+1.960	Q24	112TCE	UG01	IP	2.25
Q24	QCSP	+9.790	Q24	112TCE	UG01	IP	10.00
Q24	QCSP	+1.960	Q24	112TCE	UG01	IP	1.96
Q24	QCSP	+9.790	Q24	112TCE	UG01	IP	9.38
Q24	QCSP	+1.960	Q24	112TCE	UG01	IP	2.10
Q24	QCSP	+1.960	Q24	112TCE	UG01	IP	2.12
Q24	QCSP	+9.790	Q24	112TCE	UG01	IP	10.10
Q24	QCSP	+9.790	Q24	112TCE	UG01	IP	9.03
Q24	QCSP	+1.960	Q24	112TCE	UG01	IP	2.16
Q24	QCSP	+9.790	Q24	112TCE	UG01	IP	9.43
Q24	QCSP	+9.790	Q24	112TCE	UG01	IP	9.96
Q24	QCSP	+9.790	Q24	112TCE	UG01	IP	9.27
Q24	QCSP	+9.790	Q24	112TCE	UG01	IP	10.50
Q24	QCSP	+9.790	Q24	112TCE	UG01	IP	9.30
Q24	QCSP	+9.790	Q24	112TCE	UG01	IP	9.09
Q24	QCSP	+9.790	Q24	112TCE	UG01	IP	9.02
Q24	QCSP	+9.790	Q24	112TCE	UG01	IP	9.53
Q24	QCSP	+1.960	Q24	112TCE	UG01	IP	2.16
Q24	QCSP	+1.960	Q24	112TCE	UG01	IP	2.06
Q24	QCSP	+9.790	Q24	112TCE	UG01	IP	10.70
Q24	QCSP	+1.960	Q24	112TCE	UG01	IP	1.93
Q24	QCSP	+9.790	Q24	112TCE	UG01	IP	9.14
Q24	QCSP	+9.790	Q24	112TCE	UG01	IP	9.89

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q23	QCSP	+150.000	Q23	BA	SD07	IP	164.00
Q23	QCSP	+150.000	Q23	BA	SD07	IP	148.00
Q23	QCSP	+1.000	Q23	CD	SD07	IP	1.06
Q23	QCSP	+0.2000	Q23	CD	SD07	IP	0.14
Q23	QCSP	+1.000	Q23	CD	SD07	IP	1.13
Q23	QCSP	+4.000	Q23	CR	SD07	IP	4.02
Q23	QCSP	+15.000	Q23	CR	SD07	IP	15.20
Q23	QCSP	+15.000	Q23	CR	SD07	IP	15.10
Q23	QCSP	+35.000	Q23	NI	SD07	IP	32.20
Q23	QCSP	+12.000	Q23	NI	SD07	IP	12.80
Q23	QCSP	+35.000	Q23	NI	SD07	IP	31.80
Q23	QCSP	+25.000	Q23	PB	SD07	IP	26.80
Q23	QCSP	+25.000	Q23	PB	SD07	IP	26.80
Q23	QCSP	+5.000	Q23	PB	SD07	IP	5.48
Q23	QCSP	+150.000	Q23	PO4ORT	TT05	IP	155.00
Q23	QCSP	+150.000	Q23	PO4ORT	TT05	IP	97.30
Q23	QCSP	+25.000	Q23	PO4ORT	TT05	IP	23.90
Q23	QCSP	+150.000	Q23	PO4ORT	TT05	IP	101.00
Q23	QCSP	+150.000	Q23	PO4ORT	TT05	IP	148.00
Q23	QCSP	+25.000	Q23	PO4ORT	TT05	IP	105.00
Q24	QCSP	+50.000	Q24	AS	SD07	IP	51.10
Q24	QCSP	+50.000	Q24	AS	SD07	IP	50.60
Q24	QCSP	+8.000	Q24	AS	SD07	IP	7.09
Q24	QCSP	+40.000	Q24	BA	SD07	IP	37.60
Q24	QCSP	+150.000	Q24	BA	SD07	IP	164.00
Q24	QCSP	+150.000	Q24	BA	SD07	IP	148.00
Q24	QCSP	+1.000	Q24	CD	SD07	IP	1.06
Q24	QCSP	+1.000	Q24	CD	SD07	IP	1.09
Q24	QCSP	+0.2000	Q24	CD	SD07	IP	0.22
Q24	QCSP	+4.000	Q24	CR	SD07	IP	3.63
Q24	QCSP	+15.000	Q24	CR	SD07	IP	15.20
Q24	QCSP	+15.000	Q24	CR	SD07	IP	13.00
Q24	QCSP	+35.000	Q24	NI	SD07	IP	38.30
Q24	QCSP	+35.000	Q24	NI	SD07	IP	37.10
Q24	QCSP	+12.000	Q24	NI	SD07	IP	12.60
Q24	QCSP	+25.000	Q24	PB	SD07	IP	25.50
Q24	QCSP	+5.000	Q24	PB	SD07	IP	5.00
Q24	QCSP	+25.000	Q24	PB	SD07	IP	26.40
Q24	QCSP	+150.000	Q24	PO4ORT	TT05	IP	145.00
Q24	QCSP	+25.000	Q24	PO4ORT	TT05	IP	24.90
Q24	QCSP	+25.000	Q24	PO4ORT	TT05	IP	25.20
Q24	QCSP	+150.000	Q24	PO4ORT	TT05	IP	149.00
Q24	QCSP	+150.000	Q24	PO4ORT	TT05	IP	151.00
Q24	QCSP	+150.000	Q24	PO4ORT	TT05	IP	152.00
Q24	QCSP	+150.000	Q24	PO4ORT	TT05	IP	153.00
Q24	QCSP	+150.000	Q24	PO4ORT	TT05	IP	152.00
Q24	QCSP	+25.000	Q24	PO4ORT	TT05	IP	25.30

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q24	QCSP	+1.960	Q24	112TCE	UG01	IP	2.25
Q24	QCSP	+9.790	Q24	112TCE	UG01	IP	10.90
Q24	QCSP	+1.960	Q24	112TCE	UG01	IP	2.00
Q24	QCSP	+9.790	Q24	112TCE	UG01	IP	9.09
Q24	QCSP	+9.790	Q24	112TCE	UG01	IP	10.80
Q24	QCSP	+1.960	Q24	112TCE	UG01	IP	2.06
Q24	QCSP	+1.960	Q24	112TCE	UG01	IP	2.11
Q24	QCSP	+1.960	Q24	112TCE	UG01	IP	2.26
Q24	QCSP	+9.790	Q24	112TCE	UG01	IP	10.00
Q24	QCSP	+9.790	Q24	112TCE	UG01	IP	10.00
Q24	QCSP	+9.790	Q24	112TCE	UG01	IP	10.30
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	4.53
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	5.05
Q24	QCSP	+1.010	Q24	11DCE	UG01	IP	1.40
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	5.70
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	4.53
Q24	QCSP	+1.010	Q24	11DCE	UG01	IP	1.38
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	4.58
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	4.63
Q24	QCSP	+1.010	Q24	11DCE	UG01	IP	1.48
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	5.50
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	5.80
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	4.73
Q24	QCSP	+1.010	Q24	11DCE	UG01	IP	1.42
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	5.64
Q24	QCSP	+1.010	Q24	11DCE	UG01	IP	1.36
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	4.69
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	5.50
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	4.68
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	5.27
Q24	QCSP	+1.010	Q24	11DCE	UG01	IP	1.46
Q24	QCSP	+1.010	Q24	11DCE	UG01	IP	1.39
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	5.30
Q24	QCSP	+1.010	Q24	11DCE	UG01	IP	1.31
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	4.78
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	5.39
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	5.28
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	5.63
Q24	QCSP	+1.010	Q24	11DCE	UG01	IP	1.40
Q24	QCSP	+1.010	Q24	11DCE	UG01	IP	1.46
Q24	QCSP	+1.010	Q24	11DCE	UG01	IP	1.51
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	4.82
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	4.69
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	4.92
Q24	QCSP	+1.010	Q24	11DCE	UG01	IP	1.42
Q24	QCSP	+1.010	Q24	11DCE	UG01	IP	1.36
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	5.06
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	4.73
Q24	QCSP	+1.010	Q24	11DCE	UG01	IP	1.36
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	5.30
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	5.08
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	5.09
Q24	QCSP	+5.030	Q24	11DCE	UG01	IP	5.28
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP	5.75
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP	6.56
Q24	QCSP	+1.140	Q24	12DCE	UG01	IP	1.56
Q24	QCSP	+1.140	Q24	12DCE	UG01	IP	1.52
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP	6.31
Q24	QCSP	+1.140	Q24	12DCE	UG01	IP	1.74
Q24	QCSP	+1.140	Q24	12DCE	UG01	IP	1.55
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP	7.14
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP	6.86
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP	6.61
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP	5.49
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP	6.30
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP	5.42
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP	5.26
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP	5.49
Q24	QCSP	+1.140	Q24	12DCE	UG01	IP	1.60
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP	6.61
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP	5.25
Q24	QCSP	+1.140	Q24	12DCE	UG01	IP	1.74
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP	5.98
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP	6.05
Q24	QCSP	+1.140	Q24	12DCE	UG01	IP	1.66
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP	6.05
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP	6.15
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP	7.28
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP	6.17
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP	6.97

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP		7.16
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP		5.88
Q24	QCSP	+1.140	Q24	12DCE	UG01	IP		1.59
Q24	QCSP	+1.140	Q24	12DCE	UG01	IP		1.84
Q24	QCSP	+1.140	Q24	12DCE	UG01	IP		1.59
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP		5.79
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP		6.26
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP		6.75
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP		5.34
Q24	QCSP	+1.140	Q24	12DCE	UG01	IP		1.67
Q24	QCSP	+1.140	Q24	12DCE	UG01	IP		1.61
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP		5.83
Q24	QCSP	+1.140	Q24	12DCE	UG01	IP		1.74
Q24	QCSP	+1.140	Q24	12DCE	UG01	IP		1.82
Q24	QCSP	+5.710	Q24	12DCE	UG01	IP		6.04
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		4.91
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		4.26
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		5.19
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		4.85
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		4.04
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		5.01
Q24	QCSP	+1.010	Q24	12DCLE	UG01	IP		1.22
Q24	QCSP	+1.010	Q24	12DCLE	UG01	IP		1.20
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		4.30
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		3.97
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		4.19
Q24	QCSP	+1.010	Q24	12DCLE	UG01	IP		1.25
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		4.98
Q24	QCSP	+1.010	Q24	12DCLE	UG01	IP		1.24
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		4.75
Q24	QCSP	+1.010	Q24	12DCLE	UG01	IP		1.21
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		4.95
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		4.39
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		4.58
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		4.13
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		4.82
Q24	QCSP	+1.010	Q24	12DCLE	UG01	IP		1.19
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		4.85
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		4.47
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		4.54
Q24	QCSP	+1.010	Q24	12DCLE	UG01	IP		1.15
Q24	QCSP	+1.010	Q24	12DCLE	UG01	IP		1.19
Q24	QCSP	+1.010	Q24	12DCLE	UG01	IP		1.25
Q24	QCSP	+1.010	Q24	12DCLE	UG01	IP		1.26
Q24	QCSP	+1.010	Q24	12DCLE	UG01	IP		1.21
Q24	QCSP	+1.010	Q24	12DCLE	UG01	IP		1.11
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		5.05
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		4.20
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		4.69
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		4.10
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		4.35
Q24	QCSP	+1.010	Q24	12DCLE	UG01	IP		1.22
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		4.19
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		4.13
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		4.85
Q24	QCSP	+1.010	Q24	12DCLE	UG01	IP		1.21
Q24	QCSP	+5.040	Q24	12DCLE	UG01	IP		4.29
Q24	QCSP	+0.000	Q24	12DCLP	UG01	IP	LT	0.62

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q24	QCSP	+0.000	Q24	12DCLP	UG01	IP	LT	0.62
Q24	QCSP	+0.000	Q24	12DCLP	UG01	IP	LT	0.62
Q24	QCSP	+0.000	Q24	12DCLP	UG01	IP	LT	0.62
Q24	QCSP	+0.000	Q24	12DCLP	UG01	IP	LT	0.62
Q24	QCSP	+0.000	Q24	12DCLP	UG01	IP	LT	0.62
Q24	QCSP	+0.000	Q24	12DCLP	UG01	IP	LT	0.62
Q24	QCSP	+0.000	Q24	12DCLP	UG01	IP	LT	0.62
Q24	QCSP	+0.000	Q24	12DCLP	UG01	IP	LT	0.62
Q24	QCSP	+0.000	Q24	12DCLP	UG01	IP	LT	0.62
Q24	QCSP	+0.000	Q24	12DCLP	UG01	IP	LT	0.62
Q24	QCSP	+0.000	Q24	12DCLP	UG01	IP	LT	0.62
Q24	QCSP	+0.000	Q24	12DCLP	UG01	IP	LT	0.62
Q24	QCSP	+0.000	Q24	12DCLP	UG01	IP	LT	0.62
Q24	QCSP	+0.000	Q24	12DCLP	UG01	IP	LT	0.62
Q24	QCSP	+0.000	Q24	12DCLP	UG01	IP	LT	0.62
Q24	QCSP	+0.000	Q24	12DCLP	UG01	IP	LT	0.62
Q24	QCSP	+0.000	Q24	12DCLP	UG01	IP	LT	0.62
Q24	QCSP	+0.000	Q24	12DCLP	UG01	IP	LT	0.62
Q24	QCSP	+0.000	Q24	12DCLP	UG01	IP	LT	0.62
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+0.000	Q24	C2H3CL	UG01	IP	LT	1.50
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		13.70
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		18.00
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		13.30
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		15.10
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		14.80
Q24	QCSP	+3.980	Q24	C6H6	UP02	IP		4.09
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		15.60
Q24	QCSP	+3.980	Q24	C6H6	UP02	IP		3.70
Q24	QCSP	+3.980	Q24	C6H6	UP02	IP		3.57
Q24	QCSP	+3.980	Q24	C6H6	UP02	IP		3.53
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		15.70
Q24	QCSP	+3.980	Q24	C6H6	UP02	IP		3.81
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		14.30
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		12.50
Q24	QCSP	+3.980	Q24	C6H6	UP02	IP		3.53
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		14.30
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		12.50
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		17.80
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		14.00

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab		Value
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		12.20
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		17.50
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		14.50
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		12.00
Q24	QCSP	+3.980	Q24	C6H6	UP02	IP		3.20
Q24	QCSP	+3.980	Q24	C6H6	UP02	IP		3.28
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		16.40
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		12.00
Q24	QCSP	+3.980	Q24	C6H6	UP02	IP		3.15
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		15.00
Q24	QCSP	+3.980	Q24	C6H6	UP02	IP		3.77
Q24	QCSP	+3.980	Q24	C6H6	UP02	IP		3.76
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		16.00
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		12.00
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		11.40
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		12.40
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		13.00
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		18.70
Q24	QCSP	+3.980	Q24	C6H6	UP02	IP		4.52
Q24	QCSP	+3.980	Q24	C6H6	UP02	IP		3.28
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		12.40
Q24	QCSP	+19.900	Q24	C6H6	UP02	IP		19.60
Q24	QCSP	+3.980	Q24	C6H6	UP02	IP		3.02
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+0.000	Q24	CHCL3	UG01	IP	LT	0.41
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP		29.40
Q24	QCSP	+6.820	Q24	MEC6H5	UP02	IP		6.90
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP		25.30
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP		22.90
Q24	QCSP	+6.820	Q24	MEC6H5	UP02	IP		5.27
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP		23.90
Q24	QCSP	+6.820	Q24	MEC6H5	UP02	IP		5.03
Q24	QCSP	+6.820	Q24	MEC6H5	UP02	IP		7.07
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP		20.80
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP		27.10
Q24	QCSP	+6.820	Q24	MEC6H5	UP02	IP		4.89
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP		22.30
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP		21.80
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP		21.30
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP		25.00

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP	25.00
Q24	QCSP	+6.820	Q24	MEC6H5	UP02	IP	6.08
Q24	QCSP	+6.820	Q24	MEC6H5	UP02	IP	5.68
Q24	QCSP	+6.820	Q24	MEC6H5	UP02	IP	6.07
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP	22.40
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP	32.50
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP	26.80
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP	19.70
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP	27.10
Q24	QCSP	+6.820	Q24	MEC6H5	UP02	IP	4.85
Q24	QCSP	+6.820	Q24	MEC6H5	UP02	IP	5.68
Q24	QCSP	+6.820	Q24	MEC6H5	UP02	IP	4.94
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP	25.70
Q24	QCSP	+6.820	Q24	MEC6H5	UP02	IP	5.91
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP	33.80
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP	25.90
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP	28.70
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP	20.80
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP	28.70
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP	30.90
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP	21.20
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP	25.40
Q24	QCSP	+6.820	Q24	MEC6H5	UP02	IP	5.31
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP	29.80
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP	22.50
Q24	QCSP	+34.100	Q24	MEC6H5	UP02	IP	21.50
Q24	QCSP	+6.820	Q24	MEC6H5	UP02	IP	6.80
Q24	QCSP	+1.870	Q24	TCLEE	UG01	IP	2.16
Q24	QCSP	+1.870	Q24	TCLEE	UG01	IP	2.06
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	9.80
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	7.94
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	8.97
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	8.19
Q24	QCSP	+1.870	Q24	TCLEE	UG01	IP	2.12
Q24	QCSP	+1.870	Q24	TCLEE	UG01	IP	1.98
Q24	QCSP	+1.870	Q24	TCLEE	UG01	IP	2.00
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	9.95
Q24	QCSP	+1.870	Q24	TCLEE	UG01	IP	2.02
Q24	QCSP	+1.870	Q24	TCLEE	UG01	IP	1.80
Q24	QCSP	+1.870	Q24	TCLEE	UG01	IP	2.00
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	9.08
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	8.71
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	10.20
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	9.19
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	8.62
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	9.69
Q24	QCSP	+1.870	Q24	TCLEE	UG01	IP	1.96
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	7.94
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	9.98
Q24	QCSP	+1.870	Q24	TCLEE	UG01	IP	1.88
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	9.05
Q24	QCSP	+1.870	Q24	TCLEE	UG01	IP	2.16
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	9.35
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	8.59
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	8.91
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	10.70
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	9.08
Q24	QCSP	+1.870	Q24	TCLEE	UG01	IP	2.05
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	9.62
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	10.10
Q24	QCSP	+1.870	Q24	TCLEE	UG01	IP	1.85
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	10.40
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	9.74
Q24	QCSP	+1.870	Q24	TCLEE	UG01	IP	2.02
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	8.57
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	8.19
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	10.70
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	9.46
Q24	QCSP	+9.350	Q24	TCLEE	UG01	IP	8.73
Q24	QCSP	+60.000	Q24	TPO4	TY04	IP	63.80
Q24	QCSP	+10.000	Q24	TPO4	TY04	IP	11.40
Q24	QCSP	+60.000	Q24	TPO4	TY04	IP	66.80
Q24	QCSP	+60.000	Q24	TPO4	TY04	IP	63.10
Q24	QCSP	+60.000	Q24	TPO4	TY04	IP	60.10
Q24	QCSP	+10.000	Q24	TPO4	TY04	IP	10.60
Q24	QCSP	+2.130	Q24	TRCLE	UG01	IP	2.41
Q24	QCSP	+2.130	Q24	TRCLE	UG01	IP	2.43
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	10.60
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	10.50
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	10.10

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value

Qtr	Type	Spk-Conc.	Date	Test	Meth	Lab	Value
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	10.50
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	11.40
Q24	QCSP	+2.130	Q24	TRCLE	UG01	IP	2.30
Q24	QCSP	+2.130	Q24	TRCLE	UG01	IP	2.27
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	10.80
Q24	QCSP	+2.130	Q24	TRCLE	UG01	IP	2.32
Q24	QCSP	+2.130	Q24	TRCLE	UG01	IP	2.57
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	10.50
Q24	QCSP	+2.130	Q24	TRCLE	UG01	IP	2.54
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	11.80
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	10.80
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	10.50
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	10.50
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	11.50
Q24	QCSP	+2.130	Q24	TRCLE	UG01	IP	2.54
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	11.10
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	11.60
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	10.30
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	11.60
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	12.00
Q24	QCSP	+2.130	Q24	TRCLE	UG01	IP	2.59
Q24	QCSP	+2.130	Q24	TRCLE	UG01	IP	2.62
Q24	QCSP	+2.130	Q24	TRCLE	UG01	IP	2.50
Q24	QCSP	+2.130	Q24	TRCLE	UG01	IP	2.58
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	11.60
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	12.00
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	11.20
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	9.32
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	10.10
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	12.00
Q24	QCSP	+2.130	Q24	TRCLE	UG01	IP	2.55
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	11.70
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	10.40
Q24	QCSP	+2.130	Q24	TRCLE	UG01	IP	2.58
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	12.10
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	9.32
Q24	QCSP	+10.600	Q24	TRCLE	UG01	IP	11.60
Q24	QCSP	+2.390	Q24	TXYLENUP02		IP	1.87
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	8.75
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	14.40
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	8.01
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	9.98
Q24	QCSP	+2.390	Q24	TXYLENUP02		IP	2.34
Q24	QCSP	+2.390	Q24	TXYLENUP02		IP	2.02
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	9.11
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	8.46
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	14.00
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	11.10
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	10.20
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	9.36
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	12.40
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	10.30
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	12.90
Q24	QCSP	+2.390	Q24	TXYLENUP02		IP	2.39
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	11.50
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	8.46
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	11.20
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	8.34
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	10.70
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	10.40
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	9.62
Q24	QCSP	+2.390	Q24	TXYLENUP02		IP	1.99
Q24	QCSP	+2.390	Q24	TXYLENUP02		IP	2.19
Q24	QCSP	+2.390	Q24	TXYLENUP02		IP	2.39
Q24	QCSP	+2.390	Q24	TXYLENUP02		IP	2.28
Q24	QCSP	+2.390	Q24	TXYLENUP02		IP	2.54
Q24	QCSP	+2.390	Q24	TXYLENUP02		IP	3.14
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	11.40
Q24	QCSP	+2.390	Q24	TXYLENUP02		IP	2.55
Q24	QCSP	+2.390	Q24	TXYLENUP02		IP	3.33
Q24	QCSP	+2.390	Q24	TXYLENUP02		IP	1.57
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	10.70
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	9.44
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	9.14
Q24	QCSP	+2.390	Q24	TXYLENUP02		IP	2.60
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	10.20
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	10.80
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	9.12
Q24	QCSP	+12.000	Q24	TXYLENUP02		IP	9.05

NOTE:

QCFB: Field blank
QCMB: Method blank
QCRB: Rinse blank
QCSP: Spike
QCTB: Trip blank
#: Natural matrix for spike
+: Pure (Lab) matrix for spike

TABLE 11

SURFACE WATER QUALITY - ORGANICS

SITE	SITE-ID	QTR	DATE	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	1,2-DI CHLORO PROPANE 12DCLP	VINYL CHLORIDE C2H3CL	BENZENE C6H6	CARBON TETRA CHLORIDE CCL4	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5
RAL			Nov-88	200	14	7.0	810	70	3.8	5.6	0.15	7.0	2.7	48	57	2420
CREK	SW028	Q16	11-Dec-87	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51	<0.62	<1.50		<1.10	<1.80	<0.41	
CREK	SW030	Q16	10-Dec-87	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51	<0.62	<1.50		<1.10	<1.80	<0.41	
CREK	SW030	Q18	12-Apr-88	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	
CREK	SW030	Q19	29-Aug-88	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	
CREK	SW030	Q20	22-Nov-88	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	
CREK	SW060	Q16	17-Dec-87	<8.10	<9.90	<4.90	<7.20	<5.60	<5.10	<6.20	<1.50		<1.10	<1.80	<4.10	
CREK	SW061	Q16	10-Nov-87	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51	<0.62	<1.50		<1.10	<1.80	<0.41	
DTCH	21800	Q22	03-May-89	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90	<0.41			<0.72	<0.87
DTCH	21800	Q23	21-Jul-89	<0.81	<0.99	<0.49		<0.56	<0.51	<0.62	<1.50	<3.09			<0.41	<3.39
DTCH	SW032	Q16	10-Nov-87													
DTCH	SW035	Q16	10-Dec-87	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51	<0.62	<1.50		<1.10	<1.80	<0.41	
DTCH	SW035	Q18	12-Apr-88	1.87	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	
DTCH	SW035	Q19	29-Aug-88	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	
DTCH	SW035	Q20	22-Nov-88	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	
DTCH	SW052	Q16	11-Dec-87	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51	<0.62	<1.50		<1.10	<1.80	<0.41	
DTCH	SW052	Q18	12-Apr-88	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	
DTCH	SW052	Q20	22-Nov-88	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	
DTCH	SW058	Q16	17-Dec-87	<8.10	<9.90	<4.90	<7.20	<5.60	<5.10	<6.20	<1.50		<1.10	<1.80	<4.10	
DTCH	SW065	Q16	02-Nov-87													
LAKE	SW034	Q16	10-Dec-87	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51	<0.62	<1.50		<1.10	<1.80	<0.41	
LAKE	SW034	Q18	12-Apr-88	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	
LAKE	SW034	Q20	22-Nov-88	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	
LAKE	SW036	Q16	05-Nov-87	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51	<0.62	<1.50		<1.10	<1.80	<0.41	
LAKE	SW037	Q16	05-Nov-87	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51	<0.62	<1.50		<1.10	<1.80	<0.41	
LAKE	SW038	Q16	05-Nov-87	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51	<0.62	<1.50		<1.10	<1.80	<0.41	
LAKE	SW039	Q16	10-Dec-87	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51	<0.62	<1.50		<1.10	<1.80	<0.41	
LAKE	SW040	Q16	05-Nov-87	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51	<0.62	<1.50		<1.10	<1.80	<0.41	
LAKE	SW041	Q16	10-Dec-87	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51	<0.62	<1.50		<1.10	<1.80	<0.41	
LAKE	SW045	Q16	10-Dec-87	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51	<0.62	<1.50		<1.10	<1.80	<0.41	
LAKE	SW063	Q16	10-Nov-87	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51	<0.62	<1.50		<1.10	<1.80	<0.41	
LAKE	SW064	Q16	10-Nov-87	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51	<0.62	<1.50		<1.10	<1.80	<0.41	
MT	SW056	Q16	11-Dec-87	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51	<0.62	<1.50		<1.10	<1.80	<0.41	
MT	SW056	Q18	12-Apr-88	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	
MT	SW056	Q20	22-Nov-88	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	

SITE	SITE-ID	QTR	DATE	1,1,1-TRI CHLORO ETHANE 111TCE	1,1,2-TRI CHLORO ETHANE 112TCE	1,1-DI CHLORO ETHENE 11DCE	1,1-DI CHLORO ETHANE 11DCLE	1,2-DI CHLORO ETHENE 12DCE	1,2-DI CHLORO ETHANE 12DCLE	1,2-DI CHLORO PROPANE 12DCLP	VINYL CHLORIDE C2H3CL	BENZENE C6H6	CARBON TETRA CHLORIDE CCL4	METHYLENE CHLORIDE CH2CL2	CHLORO FORM CHCL3	TOLUENE MEC6H5
RAL			Nov-88	200	14	7.0	810	70	3.8	5.6	0.15	7.0	2.7	48	57	2420
POND	SW065	Q16	02-Nov-87	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51	<0.62	<1.50		<1.10	<1.80	<0.41	
RN	SW01U133	Q16	11-Dec-87													
RN	SW01U615	Q16	07-Dec-87													
RN	SWFIELDBLK	Q18	08-Apr-88													
STRM	SW029	Q16	02-Nov-87	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51	<0.62	<1.50		<1.10	<1.80	<0.41	
STRM	SW029	Q18	12-Apr-88	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	
STRM	SW029	Q19	29-Aug-88	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	
STRM	SW029	Q20	22-Nov-88	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	
STRM	SW042	Q18	12-Apr-88	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	
SWER	SW031	Q16	10-Dec-87	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51	<0.62	<1.50		<1.10	<1.80	<0.41	
SWER	SW031	Q18	12-Apr-88	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	
SWER	SW031	Q19	29-Aug-88	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	
SWER	SW031	Q20	22-Nov-88	<1.00	<1.00	<1.00		1.71	<0.50	<1.00	<1.90				<0.72	
SWER	SW032	Q16	10-Nov-87	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51	<0.62	<1.50		<1.10	<1.80	<0.41	
SWER	SW032	Q18	12-Apr-88	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	
SWER	SW032	Q19	11-Oct-88	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	
SWER	SW032	Q20	22-Nov-88	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	
SWER	SW033	Q18	12-Apr-88	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	
SWER	SW033	Q20	22-Nov-88	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	
SWER	SW059	Q16	17-Dec-87	<8.10	<9.90	<4.90	<7.20	<5.60	<5.10	<6.20	<1.50		<1.10	<1.80	<4.10	
SWER	SW059	Q18	12-Apr-88	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	
SWER	SW059	Q19	29-Aug-88	<1.00	<1.00	<1.00		5.51	<0.50	<1.00	<1.90				<0.72	
SWER	SW059	Q20	22-Nov-88	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	
SWER	SW062	Q16	10-Nov-87	<0.81	<0.99	<0.49	<0.72	<0.56	<0.51	<0.62	<1.50		<1.10	<1.80	<0.41	
SWER	SW062	Q18	12-Apr-88	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	
SWER	SW062	Q19	29-Aug-88	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	
SWER	SW062	Q20	22-Nov-88	<1.00	<1.00	<1.00		<0.50	<0.50	<1.00	<1.90				<0.72	
COUNT				56	56	56	24	56	56	56	56	2	24	24	56	2
MAX				1.87	0.00	0.00	0.00	5.51	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

SITE	SITE-ID	QTR	DATE	TETRA CHLORO ETHENE TCLEE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	TOTAL XYLENES TXYLEN
RAL			Nov-88	6.6	21E4	31	400
CREK	SW028	Q16	11-Dec-87	<0.88	<4.50	2.11	
CREK	SW030	Q16	10-Dec-87	<0.88	<4.50	<1.10	
CREK	SW030	Q18	12-Apr-88	<1.00		<0.50	
CREK	SW030	Q19	29-Aug-88	<1.00		<0.50	
CREK	SW030	Q20	22-Nov-88	<1.00		1.65	
CREK	SW060	Q16	17-Dec-87	<8.80	<4.50	<1.10	
CREK	SW061	Q16	10-Nov-87	<0.88	<4.50	<1.10	
DTCH	21800	Q22	03-May-89	<1.00		<0.50	<8.28
DTCH	21800	Q23	21-Jul-89	<0.88		<1.10	<1.17
DTCH	SW032	Q16	10-Nov-87				
DTCH	SW035	Q16	10-Dec-87	<0.88	<4.50	<1.10	
DTCH	SW035	Q18	12-Apr-88	<1.00		<0.50	
DTCH	SW035	Q19	29-Aug-88	<1.00		<0.50	
DTCH	SW035	Q20	22-Nov-88	<1.00		<0.50	
DTCH	SW052	Q16	11-Dec-87	<0.88	<4.50	<1.10	
DTCH	SW052	Q18	12-Apr-88	<1.00		<0.50	
DTCH	SW052	Q20	22-Nov-88	<1.00		<0.50	
DTCH	SW058	Q16	17-Dec-87	<8.80	<4.50	<1.10	
DTCH	SW065	Q16	02-Nov-87				
LAKE	SW034	Q16	10-Dec-87	<0.88	<4.50	<1.10	
LAKE	SW034	Q18	12-Apr-88	<1.00		<0.50	
LAKE	SW034	Q20	22-Nov-88	<1.00		<0.50	
LAKE	SW036	Q16	05-Nov-87	<0.88	<4.50	<1.10	
LAKE	SW037	Q16	05-Nov-87	<0.88	<4.50	<1.10	
LAKE	SW038	Q16	05-Nov-87	<0.88	<4.50	<1.10	
LAKE	SW039	Q16	10-Dec-87	<0.88	<4.50	<1.10	
LAKE	SW040	Q16	05-Nov-87	<0.88	<4.50	<1.10	
LAKE	SW041	Q16	10-Dec-87	<0.88	<4.50	<1.10	
LAKE	SW045	Q16	10-Dec-87	<0.88	<4.50	<1.10	
LAKE	SW063	Q16	10-Nov-87	<0.88	<4.50	<1.10	
LAKE	SW064	Q16	10-Nov-87	<0.88	<4.50	<1.10	
MT	SW056	Q16	11-Dec-87	<0.88	<4.50	<1.10	
MT	SW056	Q18	12-Apr-88	<1.00		<0.50	
MT	SW056	Q20	22-Nov-88	<1.00		<0.50	

SITE	SITE-ID	QTR	DATE	1,1,2-TRICHLORO -2,2,1-TRIFLUORO ETHANE TCLTFE	TRI CHLORO ETHENE TRCLE	TOTAL XYLENES TXYLEN	
RAL			Nov-88	21E4	31	400	
POND	SW065	Q16	02-Nov-87	<0.88	<4.50	<1.10	
RN	SW01U133	Q16	11-Dec-87				
RN	SW01U615	Q16	07-Dec-87				
RN	SWFIELDBLK	Q18	08-Apr-88				
STRM	SW029	Q16	02-Nov-87	<0.88	<4.50	<1.10	
STRM	SW029	Q18	12-Apr-88	<1.00		<0.50	
STRM	SW029	Q19	29-Aug-88	<1.00		<0.50	
STRM	SW029	Q20	22-Nov-88	<1.00		<0.50	
STRM	SW042	Q18	12-Apr-88	<1.00		<0.50	
SWER	SW031	Q16	10-Dec-87	<0.88	<4.50	<1.10	
SWER	SW031	Q18	12-Apr-88	<1.00		<0.50	
SWER	SW031	Q19	29-Aug-88	<1.00		<0.50	
SWER	SW031	Q20	22-Nov-88	<1.00		<0.50	
SWER	SW032	Q16	10-Nov-87	<0.88	<4.50	<1.10	
SWER	SW032	Q18	12-Apr-88	<1.00		<0.50	
SWER	SW032	Q19	11-Oct-88	<1.00		<0.50	
SWER	SW032	Q20	22-Nov-88	<1.00		0.91	
SWER	SW033	Q18	12-Apr-88	<1.00		<0.50	
SWER	SW033	Q20	22-Nov-88	<1.00		<0.50	
SWER	SW059	Q16	17-Dec-87	<8.80	<4.50	6.61	
SWER	SW059	Q18	12-Apr-88	<1.00		5.26	
SWER	SW059	Q19	29-Aug-88	<1.00		12.80	
SWER	SW059	Q20	22-Nov-88	<1.00		1.21	
SWER	SW062	Q16	10-Nov-87	<0.88	<4.50	<1.10	
SWER	SW062	Q18	12-Apr-88	<1.00		<0.50	
SWER	SW062	Q19	29-Aug-88	<1.00		<0.50	
SWER	SW062	Q20	22-Nov-88	<1.00		<0.50	
COUNT				56	24	56	2
MAX				0.00	0.00	12.80	0.00

TABLE 12

SURFACE WATER QUALITY - INORGANICS

SITE	SITE-ID	QTR	DATE	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	CRHEX	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	MN54	NICKEL NI
RAL			Nov-88	50.0 (MCL)	50	1500	NA	5.0	120		1300	154	1.1	50.0 (SEC)		150
CREK	SW028	Q16	11-Dec-87	<1.93	<4.81	176.00	<1.47	<0.10	<2.18	<10.00	3.27	<8.35	<0.70	180.00		<5.94
CREK	SW030	Q16	10-Dec-87	2.48	<4.81	181.00	<1.47	0.97	2.73	<10.00	3.22	<8.35	<0.70	260.00		6.73
CREK	SW030	Q18	12-Apr-88		<6.01	69.30		<0.37	<2.50	<5.18						<5.32
CREK	SW030	Q19	29-Aug-88		<6.01	155.00		<0.37	<2.50	<5.18						<5.32
CREK	SW030	Q20	22-Nov-88		<6.01	170.00		<0.37	<2.50	<5.18						<5.32
CREK	SW060	Q16	17-Dec-87	<1.93	5.36	129.00	<1.47	0.14	<2.18		4.50	<8.35	<0.70	40.00		<5.94
CREK	SW061	Q16	10-Nov-87	1.98	<4.81	149.00	<1.47	<0.10	<2.18	<10.00	2.67	<8.35	<0.70	80.00		7.76
DTCH	21800	Q22	03-May-89		<6.01	76.70		<0.37	<2.50							<5.32
DTCH	21800	Q23	21-Jul-89		<4.81	58.50		0.26	<2.18							<5.94
DTCH	SW032	Q16	10-Nov-87			110.00										
DTCH	SW035	Q16	10-Dec-87	<1.93	<4.81	58.80	<1.47	0.11	<2.18	<10.00	5.79	17.70	<0.70	48.00		<5.94
DTCH	SW035	Q18	12-Apr-88		<6.01	39.60		<0.37	<2.50	<5.18			<0.74			<5.32
DTCH	SW035	Q19	29-Aug-88		<6.01	30.60		<0.37	<2.50	<5.18			<0.74			<5.32
DTCH	SW035	Q20	22-Nov-88		<6.01	68.00		0.43	<2.50	<5.18			<0.74			<5.32
DTCH	SW052	Q16	11-Dec-87	<1.93	<4.81	142.00	<1.47	0.11	<2.18	<5.00	5.35	<8.35	<0.70	5.05		<5.94
DTCH	SW052	Q18	12-Apr-88		<6.01	83.90		<0.37	<2.50	<5.18			<0.74			<5.32
DTCH	SW052	Q20	22-Nov-88		<6.01	160.00		<0.37	<2.50	<5.18			<0.74			<5.32
DTCH	SW058	Q16	17-Dec-87	<1.93	<4.81	160.00	<1.47	0.25	<2.18		3.76	<8.35	<0.70	5.50		<5.94
DTCH	SW065	Q16	02-Nov-87													
LAKE	SW034	Q16	10-Dec-87	<1.93	<4.81	84.30	<1.47	0.40	<2.18	<10.00	1.58	<8.35	<0.70	200.00		<5.94
LAKE	SW034	Q18	12-Apr-88		<6.01	67.80		<0.37	<2.50	<5.18						<5.32
LAKE	SW034	Q20	22-Nov-88		<6.01	57.10		<0.37	<2.50	<5.18						<5.32
LAKE	SW036	Q16	05-Nov-87	<1.93	<4.81	45.10	<1.47	<0.10	<2.18	<10.00	5.20	<8.35	<0.70	14.00		<5.94
LAKE	SW037	Q16	05-Nov-87	<1.93	<4.81	40.20	<1.47	<0.10	<2.18	<10.00	5.05	<8.35	<0.70	13.10		<5.94
LAKE	SW038	Q16	05-Nov-87	<1.93	<4.81	50.00	<1.47	<0.10	<2.18	<10.00	5.05	<8.35	<0.70	13.00		<5.94
LAKE	SW039	Q16	10-Dec-87	<1.93	<4.81	51.00	<1.47	<0.10	<2.18	<10.00	4.06	<8.35	<0.70			<5.94
LAKE	SW040	Q16	05-Nov-87	<1.93	<4.81	50.50	<1.47	<0.10	<2.18	<10.00	4.95	<8.35	<0.70	14.00		<5.94
LAKE	SW041	Q16	10-Dec-87	<1.93	<4.81	54.90	<1.47	<0.10	<2.18	<10.00	2.62	<8.35	<0.70	200.00		<5.94
LAKE	SW045	Q16	10-Dec-87	<1.93	<4.81	120.00	<1.47	0.58	<2.18	<10.00	1.63	<8.35	<0.70	920.00		6.21
LAKE	SW063	Q16	10-Nov-87	<1.93	<4.81	143.00	<1.47	<0.10	<2.18	<10.00	1.73	<8.35	<0.70	15.00		<5.94
LAKE	SW064	Q16	10-Nov-87	<1.93	<4.81	125.00	<1.47	<0.10	<2.18	<10.00	1.09	<8.35	<0.70	15.00		<5.94
MT	SW056	Q16	11-Dec-87	<1.93	<4.81	145.00	<1.47	0.38	<2.18	<5.00	4.06	<8.35	<0.70	320.00		<5.94
MT	SW056	Q18	12-Apr-88		<6.01	36.30		<0.37	<2.50	<5.18						<5.32
MT	SW056	Q20	22-Nov-88		<6.01	160.00		0.63	<2.50	<5.18						<5.32

SITE	SITE-ID	QTR	DATE	SILVER AG	ARSENIC AS	BARIUM BA	BERYLLIUM BE	CADMIUM CD	CHROMIUM CR	CRHEX	COPPER CU	CYANIDE CYN	MERCURY HG	MANGANESE MN	MN54	NICKEL NI
RAL			Nov-88	50.0 (MCL)	50	1500	NA	5.0	120		1300	154	1.1	50.0 (SEC)		150
POND	SW065	Q16	02-Nov-87	<1.93	<4.81	43.10	<1.47	<0.10	<2.18	<10.00	1.44	<8.35	<0.70	52.00		<5.94
RN	SW01U133	Q16	11-Dec-87		<4.81											<5.94
RN	SW01U615	Q16	07-Dec-87		<4.81											
RN	SWFIELDBLK	Q18	08-Apr-88													
STRM	SW029	Q16	02-Nov-87	2.97	<4.81	260.00	<1.47	<0.10	<2.18	<10.00	1.49		<0.70	2000.00		<5.94
STRM	SW029	Q18	12-Apr-88		<6.01	169.00		<0.37	<2.50	<5.18						<5.32
STRM	SW029	Q19	29-Aug-88		<6.01	93.30		<0.37	<2.50	<5.18						<5.32
STRM	SW029	Q20	22-Nov-88		<6.01	420.00		<0.37	5.23	<5.18						<5.32
STRM	SW042	Q18	12-Apr-88		<6.01	48.00		0.51	<2.50	<5.18			<0.74			<5.32
SWER	SW031	Q16	10-Dec-87	<1.93	<4.81	180.00	<1.47	<0.10	<2.18	<10.00	3.37	13.80	<0.70	240.00		<5.94
SWER	SW031	Q18	12-Apr-88		<6.01	67.10		<0.37	<2.50	<5.18		<8.17	<0.74			<5.32
SWER	SW031	Q19	29-Aug-88		<6.01	120.00		<0.37	<2.50	<5.18		<8.17	<0.74			<5.32
SWER	SW031	Q20	22-Nov-88		<6.01	92.00		<0.37	<2.50	<5.18		<8.17	<0.74			<5.32
SWER	SW032	Q16	10-Nov-87	<1.93	<4.81		<1.47	<0.10	<2.18		6.83	<8.35	<0.70	1100.00		<5.94
SWER	SW032	Q18	12-Apr-88		<6.01	120.00		<0.37	<2.50	<5.18		<8.17	<0.74			<5.32
SWER	SW032	Q19	11-Oct-88		<6.01	172.00		<0.37	<2.50	<5.18		<8.17	<0.74		4.00	<5.32
SWER	SW032	Q20	22-Nov-88		<6.01	97.40		0.37	<2.50	<5.18			<0.74			<27.00
SWER	SW033	Q18	12-Apr-88		<6.01	120.00		<0.37	<2.50	<5.18			<0.74			<5.32
SWER	SW033	Q20	22-Nov-88		<6.01	38.30		<0.37	<2.50	<5.18			<0.74			<5.32
SWER	SW059	Q16	17-Dec-87	<1.93	<4.81	48.00	<1.47	0.22	<2.18		1.68	<8.35	<0.70	39.00		<5.94
SWER	SW059	Q18	12-Apr-88		<6.01	141.00		<0.37	<2.50	<5.18						<5.32
SWER	SW059	Q19	29-Aug-88		<6.01	140.00		<0.37	<2.50	<5.18						<5.32
SWER	SW059	Q20	22-Nov-88		<6.01	156.00		<0.37	4.19	<5.18						<5.32
SWER	SW062	Q16	10-Nov-87	<1.93	<4.81	590.00	<1.47	<0.10	<2.18	<10.00	1.49	<8.35	<0.70	1200.00		<5.94
SWER	SW062	Q18	12-Apr-88		<6.01	330.00		<0.37	<2.50	<5.18			<0.74			<5.32
SWER	SW062	Q19	29-Aug-88		<6.01	51.50		<0.37	<2.50	<5.18			<0.74			<5.32
SWER	SW062	Q20	22-Nov-88		<6.01	82.60		<0.37	<2.50	<5.18			<0.74			5.29
COUNT				24	58	56	24	56	56	50	24	28	41	23	1	57
MAX				2.97	5.36	590.00	0.00	0.97	5.23	0.00	6.83	17.70	0.00	2000.00	4.00	7.76

SITE	SITE-ID	QTR	DATE	LEAD PB	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	GROSS ALPHA RADIATION ALPHAG(cP/l)	GROSS BETA RADIATION BETAG(cP/l)	CO60	CS134	CS137	PCB 1016 PCB016	PCB 1242 PCB242
RAL			Nov-88	20	NA	45	NA	5000 (SEC)	NA	NA				0.05	0.05
CREK	SW028	Q16	11-Dec-87	6.12	<10.00	<3.06	<2.70	<29.40	2.10	4.50				<0.29	<0.62
CREK	SW030	Q16	10-Dec-87	2.70	<10.00	<3.06	<2.70	<29.40	3.00	1.90				<0.29	<0.62
CREK	SW030	Q18	12-Apr-88	<1.26				<25.00							
CREK	SW030	Q19	29-Aug-88	<1.26				<25.00							
CREK	SW030	Q20	22-Nov-88	<1.26				<25.00							
CREK	SW060	Q16	17-Dec-87	<2.65	<10.00	<3.06	<2.70	<29.40							
CREK	SW061	Q16	10-Nov-87	3.57	<10.00	<3.06	<2.70	<29.40	2.50	4.00					
DTCH	21800	Q22	03-May-89	<1.26											
DTCH	21800	Q23	21-Jul-89	<2.65											
DTCH	SW032	Q16	10-Nov-87												
DTCH	SW035	Q16	10-Dec-87	<2.65	<10.00	<3.06	<2.70	<29.40						<0.29	<0.62
DTCH	SW035	Q18	12-Apr-88	<1.26											
DTCH	SW035	Q19	29-Aug-88	<1.26											
DTCH	SW035	Q20	22-Nov-88	<1.26											
DTCH	SW052	Q16	11-Dec-87	3.57	<10.00	<3.06	<2.70	<29.40	<1.60	1.30					
DTCH	SW052	Q18	12-Apr-88	<1.26											
DTCH	SW052	Q20	22-Nov-88	<1.26											
DTCH	SW058	Q16	17-Dec-87	<2.65	<10.00	<3.06	<2.70	<29.40							
DTCH	SW065	Q16	02-Nov-87				<3.06								
LAKE	SW034	Q16	10-Dec-87	<2.65	<10.00	<3.06	<2.70	<29.40						<0.29	<0.62
LAKE	SW034	Q18	12-Apr-88	<1.26				<25.00							
LAKE	SW034	Q20	22-Nov-88	<1.26				26.00							
LAKE	SW036	Q16	05-Nov-87	<2.65	<10.00	<3.06	<2.70	<29.40						<0.29	<0.62
LAKE	SW037	Q16	05-Nov-87	<2.65	<10.00	<3.06	<2.70	<29.40						<0.29	<0.62
LAKE	SW038	Q16	05-Nov-87	<2.65	<10.00	<3.06	<2.70	<29.40						<0.29	<0.62
LAKE	SW039	Q16	10-Dec-87	<2.65	<10.00	<3.06	<2.70	<29.40						<0.29	<0.62
LAKE	SW040	Q16	05-Nov-87	<2.65	<10.00	<3.06	<2.70	<29.40						<0.29	<0.62
LAKE	SW041	Q16	10-Dec-87	<2.65	<10.00	<3.06	<2.70	<29.40	<1.00	3.50				<0.29	<0.62
LAKE	SW045	Q16	10-Dec-87	<2.65	<10.00	<3.06	4.26	<29.40						<0.29	<0.62
LAKE	SW063	Q16	10-Nov-87	<2.65	<10.00	<3.06	<2.70	<29.40						<0.29	<0.62
LAKE	SW064	Q16	10-Nov-87	<2.65	<10.00	<3.06	<2.70	<29.40						<0.29	<0.62
MT	SW056	Q16	11-Dec-87	<2.65	<10.00	<3.06	<2.70	<29.40						<0.29	<0.62
MT	SW056	Q18	12-Apr-88	<1.26											
MT	SW056	Q20	22-Nov-88	<1.26											

SITE	SITE-ID	QTR	DATE	LEAD PB	ANTIMONY SB	SELENIUM SE	THALLIUM TL	ZINC ZN	GROSS ALPHA RADIATION ALPHAG(cP/l)	GROSS BETA RADIATION BETAG(cP/l)	CO60	CS134	CS137	PCB 1016 PCB016	PCB 1242 PCB242
RAL			Nov-88	20	NA	45	NA	5000 (SEC)	NA	NA				0.05	0.05
POND	SW065	Q16	02-Nov-87	<2.65	<10.00		<2.70	<29.40							
RN	SW01U133	Q16	11-Dec-87												
RN	SW01U615	Q16	07-Dec-87												
RN	SWFIELDBLK	Q18	08-Apr-88						<25.00	<0.30	<1.20				
STRM	SW029	Q16	02-Nov-87	<2.65	<10.00	<3.06	4.79	<29.40							
STRM	SW029	Q18	12-Apr-88	<1.26											
STRM	SW029	Q19	29-Aug-88	<1.26											
STRM	SW029	Q20	22-Nov-88	<1.26											
STRM	SW042	Q18	12-Apr-88	<1.26											
SWER	SW031	Q16	10-Dec-87	2.70	<10.00	<3.06	<2.70	<29.40	<1.00	4.50				<0.29	<0.62
SWER	SW031	Q18	12-Apr-88	<1.26				<25.00	<0.60	3.70					
SWER	SW031	Q19	29-Aug-88	<1.26				<25.00	1.00	2.70					
SWER	SW031	Q20	22-Nov-88	<1.26				<25.00	2.00	7.00					
SWER	SW032	Q16	10-Nov-87	<2.65	<10.00	<3.06	<2.70	<29.40						<0.29	<0.62
SWER	SW032	Q18	12-Apr-88	<1.26				<25.00	<1.20	7.00					
SWER	SW032	Q19	11-Oct-88	3.83				<25.00	5.40	12.70	5.20	5.20	4.60		
SWER	SW032	Q20	22-Nov-88	<1.26					2.00	7.00					
SWER	SW033	Q18	12-Apr-88	<1.26					<1.20	6.60					
SWER	SW033	Q20	22-Nov-88	<1.26					2.00	14.00					
SWER	SW059	Q16	17-Dec-87	<2.65	<10.00	<3.06	<2.70	<29.40	2.10	2.30					
SWER	SW059	Q18	12-Apr-88	<1.26				<25.00							
SWER	SW059	Q19	29-Aug-88	<1.26				<25.00							
SWER	SW059	Q20	22-Nov-88	<1.26				<25.00							
SWER	SW062	Q16	10-Nov-87	<2.65	<10.00	<3.06	10.60	<29.40	<1.00	4.60					
SWER	SW062	Q18	12-Apr-88	<1.26				46.30	<2.40	4.60					
SWER	SW062	Q19	29-Aug-88	<1.26				<25.00	1.00	2.10					
SWER	SW062	Q20	22-Nov-88	<1.26				27.30	2.00	7.00					
COUNT				56	24	24	24	41	20	20	1	1	1	16	16
MAX				6.12	0.00	0.00	10.60	46.30	5.40	14.00	5.20	5.20	4.60	0.00	0.00

SITE	SITE-ID	QTR	DATE	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260	U234	U238
RAL			Nov-88	0.05	0.05	0.05		
CREK	SW028	Q16	11-Dec-87	<0.34	<0.13	<0.32		
CREK	SW030	Q16	10-Dec-87	<0.34	<0.13	<0.32		
CREK	SW030	Q18	12-Apr-88					
CREK	SW030	Q19	29-Aug-88					
CREK	SW030	Q20	22-Nov-88					
CREK	SW060	Q16	17-Dec-87					
CREK	SW061	Q16	10-Nov-87					
DTCH	21800	Q22	03-May-89					
DTCH	21800	Q23	21-Jul-89					
DTCH	SW032	Q16	10-Nov-87					
DTCH	SW035	Q16	10-Dec-87	<0.34	<0.13	<0.32		
DTCH	SW035	Q18	12-Apr-88					
DTCH	SW035	Q19	29-Aug-88					
DTCH	SW035	Q20	22-Nov-88					
DTCH	SW052	Q16	11-Dec-87					
DTCH	SW052	Q18	12-Apr-88					
DTCH	SW052	Q20	22-Nov-88					
DTCH	SW058	Q16	17-Dec-87					
DTCH	SW065	Q16	02-Nov-87					
LAKE	SW034	Q16	10-Dec-87	<0.34	<0.13	<0.32		
LAKE	SW034	Q18	12-Apr-88					
LAKE	SW034	Q20	22-Nov-88					
LAKE	SW036	Q16	05-Nov-87	<0.34	<0.13	<0.32		
LAKE	SW037	Q16	05-Nov-87	<0.34	<0.13	<0.32		
LAKE	SW038	Q16	05-Nov-87	<0.34	<0.13	<0.32		
LAKE	SW039	Q16	10-Dec-87	<0.34	<0.13	<0.32		
LAKE	SW040	Q16	05-Nov-87	<0.34	<0.13	<0.32		
LAKE	SW041	Q16	10-Dec-87	<0.34	<0.13	<0.32		
LAKE	SW045	Q16	10-Dec-87	<0.34	<0.13	<0.32		
LAKE	SW063	Q16	10-Nov-87	<0.34	<0.13	<0.32		
LAKE	SW064	Q16	10-Nov-87	<0.34	<0.13	<0.32		
MT	SW056	Q16	11-Dec-87	<0.34	<0.13	<0.32		
MT	SW056	Q18	12-Apr-88					
MT	SW056	Q20	22-Nov-88					

SITE	SITE-ID	QTR	DATE	PCB 1248 PCB248	PCB 1254 PCB254	PCB 1260 PCB260	U234	U238
RAL			Nov-88	0.05	0.05	0.05		
POND	SW065	Q16	02-Nov-87					
RN	SW01U133	Q16	11-Dec-87					
RN	SW01U615	Q16	07-Dec-87					
RN	SWFIELDBL	Q18	08-Apr-88					
STRM	SW029	Q16	02-Nov-87					
STRM	SW029	Q18	12-Apr-88					
STRM	SW029	Q19	29-Aug-88					
STRM	SW029	Q20	22-Nov-88					
STRM	SW042	Q18	12-Apr-88					
SWER	SW031	Q16	10-Dec-87	<0.34	<0.13	<0.32		
SWER	SW031	Q18	12-Apr-88					
SWER	SW031	Q19	29-Aug-88					
SWER	SW031	Q20	22-Nov-88					
SWER	SW032	Q16	10-Nov-87	<0.34	<0.13	<0.32		
SWER	SW032	Q18	12-Apr-88					
SWER	SW032	Q19	11-Oct-88				0.30	0.11
SWER	SW032	Q20	22-Nov-88					
SWER	SW033	Q18	12-Apr-88					
SWER	SW033	Q20	22-Nov-88					
SWER	SW059	Q16	17-Dec-87					
SWER	SW059	Q18	12-Apr-88					
SWER	SW059	Q19	29-Aug-88					
SWER	SW059	Q20	22-Nov-88					
SWER	SW062	Q16	10-Nov-87					
SWER	SW062	Q18	12-Apr-88					
SWER	SW062	Q19	29-Aug-88					
SWER	SW062	Q20	22-Nov-88					
COUNT				16	16	16	1	1
MAX				0.00	0.00	0.00	0.30	0.11

TABLE 13

WELL NAMES AND COORDINATES

TABLE 13 - WELL NAMES AND COORDINATES

Well ID1	Well Code (90 Monitoring Plan)	Well ID2	MNUNIQ	X-STP-ft	Y-STP-ft	X-UTM-M	Y-UTM-M	TOS-ft
03U001	001-UML4	ST1U3	234135	2210111.00	763225.00	485325.94	4992834.62	888.2
03M001	.	ST1M3	234136	2210119.00	763200.00	485328.28	4992826.97	888.4
03L001	.	ST1L3	234137	2210132.00	763162.00	485332.10	4992815.35	888.4
04U001	.	ST1U4	234138	2210141.00	763109.00	485334.65	4992799.17	888.8
03U002	002-UML4	ST2U3	234139	2211803.00	760999.00	485833.12	4992150.12	917.8
03M002	.	ST2M3	234140	2211832.00	760974.00	485841.86	4992142.39	919.3
03L002	.	ST2L3	234141	2211819.00	760951.00	485837.81	4992135.44	919.5
04U002	.	ST2U4	234194	2211826.00	760912.00	485839.80	4992123.53	920.2
01U003	003-uUML4#	ST3U1	236176	2213380.00	759319.00	486307.30	4991632.39	943.4
03U003	.	ST3U3	234142	2213428.00	759297.00	486321.84	4991625.51	942.6
03M003	.	ST3M3	234143	2213405.00	759314.00	486314.90	4991630.78	942.6
03L003	.	ST3L3	234144	2213401.00	759293.00	486313.60	4991624.39	943.2
04U003	.	ST3U4	234193	2213380.00	759319.00	486307.30	4991632.39	943.1
PJ#003	.	ST3PJ	236468	2213362.00	759301.00	486301.75	4991626.98	943.9
01U004	004-uUML	ST4U1	234198	2214788.00	759499.00	486736.94	4991681.98	951.0
03U004	.	ST4U3	234145	2214878.00	759462.00	486764.22	4991670.37	950.5
03M004	.	ST4M3	234146	2214860.00	759481.00	486758.81	4991676.22	950.8
03L004	.	ST4L3	234147	2214841.00	759498.00	486753.08	4991681.47	950.7
03U005	005-UML	ST5U3	234148	2216908.00	759203.00	487381.72	4991583.88	970.1
03M005	.	ST5M3	440885	2216865.00	759204.00	487368.63	4991584.34	971.6
03L005	.	ST5L3	236079	2216885.00	759203.00	487374.72	4991583.97	971.5
03U006	006-U	ST6U3	234149	2219117.00	759306.00	488055.11	4991607.01	966.6
03U007	007-UML4	ST7U3	234150	2220021.00	760926.00	488336.58	4992097.20	900.1
03M007	.	ST7M3	234151	2219996.00	760925.00	488328.96	4992096.98	900.8
03L007	.	ST7L3	234152	2219973.00	760926.00	488321.95	4992097.37	901.7
04U007	.	ST7U4	234195	2219951.00	760923.00	488315.24	4992096.54	902.9
03U008	008-U	ST8U3	234153	2220014.00	764439.00	488347.56	4993167.51	914.8
03U009	009-U	ST9U3	234154	2219942.00	768061.00	488339.14	4994271.27	912.9
03U010	010-UML	ST10U3	234155	2218028.00	769587.00	487761.72	4994743.33	888.3
03M010	.	ST10M3	234156	2218007.00	769586.00	487755.31	4994743.10	888.9
03L010	.	ST10L3	234157	2217989.00	769587.00	487749.83	4994743.47	888.9
01U011	011-uU	ST11U1	234199	2215211.00	769446.00	486902.95	4994710.89	899.9
03U011	.	ST11U3	234158	2215232.00	769447.00	486909.36	4994711.11	900.4
01U012	012-uUML4	ST12U1	234200	2210739.00	768751.00	485537.90	4994515.85	880.3
03U012	.	ST12U3	234159	2210741.00	768703.00	485538.33	4994501.22	880.0
03M012	.	ST12M3	234160	2210742.00	768681.00	485538.56	4994494.51	880.1
03L012	.	ST12L3	234161	2210742.00	768661.00	485538.48	4994488.42	879.9
04U012	.	ST12U4	234196	2210744.00	768604.00	485538.88	4994471.04	880.3
03U013	013-UML	ST13U3	234162	2210450.00	765547.00	485437.89	4993540.78	889.9
03M013	.	ST13M3	234163	2210448.00	765527.00	485437.21	4993534.70	889.9
03L013	.	ST13L3	234164	2210442.00	765465.00	485435.15	4993515.83	889.7
03U014	014-UL	ST14U3	234165	2214957.00	761538.00	486796.04	4992302.56	988.2
03L014	.	ST14L3	235748	2214938.00	761580.00	486790.41	4992315.42	989.5
03U015	015-U	ST15U3	234166	2213640.00	764071.00	486404.26	4993079.19	934.6
03U016	016-U	ST16U3	234167	2216793.00	763961.00	487364.45	4993033.90	947.0
03U017	017-UML	ST17U3	234168	2212933.00	762481.00	486182.92	4992597.41	939.0
03M017	.	ST17M3	234169	2212928.00	762456.00	486181.31	4992589.81	938.9
03L017	.	ST17L3	234170	2212922.00	762434.00	486179.40	4992583.13	939.2
03U018	018-UL	ST18U3	234171	2214444.00	762610.00	486643.75	4992631.07	988.7
03L018	.	ST18L3	235749	2214463.00	762567.00	486649.38	4992617.90	989.1
03U019	019-U	ST19U3	234172	2216243.00	762272.00	487190.58	4992521.38	943.5
03U020	020-UMAL4	ST20U3	234173	2213873.00	761410.00	486465.31	4992267.61	954.2
03M020	.	ST20M3	234174	2213853.00	761403.00	486459.19	4992265.55	954.5
03L020A	.			2213832.87	761387.83	486453.00	4992261.00	954.3
03L020	.	ST20L3	234175	2213824.00	761409.00	486450.38	4992267.48	954.3
04U020	.	ST20U4	234197	2213805.00	761385.00	486444.50	4992260.24	954.7
03U021	021-UL	ST21U3	234176	2212645.00	760943.00	486089.44	4992129.91	944.2
03L021	.	ST21L3	235750	2212628.00	760902.00	486084.10	4992117.49	943.9
01U022	022-uU	ST22U1	234201	2214356.00	768247.00	486637.99	4994348.79	897.7
03U022	.	ST22U3	236178	2214302.00	768315.00	486621.79	4994369.71	899.4
03U023	023-U	ST23U3	236179	2212950.00	768296.00	486209.82	4994368.97	899.4
03U024	024-U	ST24U3	236180	2213245.00	767006.00	486294.87	4993974.85	894.5
03U025	025-U	ST25U3	236181	2212097.00	766388.00	485942.81	4993790.86	886.6
03U026	026-U	ST26U3	236182	2215034.00	762436.00	486822.85	4992575.86	974.7
03U027	027-UL4#	ST27U3	236183	2214088.00	760690.00	486528.12	4992047.45	966.3
03L027	.	ST27L3	235751	2214058.00	760694.00	486519.00	4992048.78	966.5
04U027	.	ST27U4	242138	2214060.00	760659.00	486519.48	4992038.11	967.5
PJ#027	.	ST27PJ	236469	2214058.00	760631.00	486518.76	4992029.58	967.8
03U028	028-UL	ST28U3	236184	2213779.00	760392.00	486432.87	4991957.81	957.2
03L028	.	ST28L3	235752	2213751.00	760410.00	486424.41	4991963.40	956.3
03U029	029-UL	ST29U3	236185	2213561.00	759930.00	486364.73	4991817.87	954.8
03L029	.	ST29L3	235753	2213514.00	759930.00	486350.41	4991818.04	954.3
03U030	030-U	ST30U3	236186	2214547.00	760438.00	486667.02	4991968.96	958.7
03U031	031-U	ST31U3	236187	2212095.00	764182.00	485933.97	4993118.77	899.3
03U032	032-U	ST32U3	236188	2215106.00	763540.00	486848.91	4992911.94	1003.6
01U033	033-u	PSB33	234202	2217921.00	769538.00	487728.93	4994728.80	887.5

Well ID1	Well Code (90 Monitoring Plan)	Well ID2	MNUNIQ	X-STP-ft	Y-STP-ft	X-UTM-M	Y-UTM-M	TOS-ft
01U034	034-u	PSB34	234204	2216027.00	769495.00	487151.74	4994722.77	900.5
01U035	035-u	PSB35	234205	2215401.00	769481.00	486960.97	4994720.84	899.5
01U036	036-u	PSB36	234206	2214982.00	769345.00	486832.81	4994680.97	900.8
01U037	037-u	PSB37	234207	2214518.00	769414.00	486691.70	4994703.73	898.7
01U038	038-u	PSB37	234208	2214305.00	769415.00	486626.81	4994704.83	900.3
01U039	039-u	PSB39	234209	2212631.00	769431.00	486116.87	4994715.95	897.5
01U040	040-u	PSB40	234210	2212305.00	768462.00	486013.93	4994421.95	892.9
01U041	041-u	PSB41	234211	2213506.00	768476.00	486379.88	4994421.73	898.4
01U043	043-u	ST43U1	236177	2212866.00	767123.00	486179.84	4994011.91	890.8
01U044	044-u	PSB44	234212	2212178.00	767518.00	485971.71	4994134.82	892.4
01U045	045-u	PSB45	234215	2212405.00	766428.00	486036.80	4993801.89	886.5
01U046	046-u	PSB46	234216	2212363.00	766355.00	486023.73	4993779.81	881.9
01U047	047-u	PSB47	234217	2210376.00	765116.00	485413.74	4993409.75	877.9
01U048	048-u	ST48U1	234218	2210597.00	765073.00	485480.91	4993395.82	883.2
01U050	050-u	ST50U1	234221	2210286.00	762562.00	485376.78	4992631.97	893.0
01U051	051-u	PSB51	234222	2210516.00	762302.00	485445.88	4992551.90	901.4
01U052	052-u	PSB52	234223	2211181.00	765619.00	485660.87	4993559.99	884.2
01U053	053-u	ST53U1	234225	2212599.00	759478.00	486069.95	4991683.75	915.0
01U054	054-u	ST54U1	234227	2213145.00	759872.00	486237.77	4991801.75	940.8
01U060	060-u	PSB60	234235	2218139.00	760019.00	487759.81	4991827.89	952.0
01U062	062-u	ST62U1	234237	2211629.00	760671.00	485778.88	4992050.84	909.8
01U063	063-u	PSB63	234239	2212283.00	768090.00	486005.84	4994308.70	892.8
01U064	064-u	PSB64	234240	2213806.00	760077.00	486439.92	4991861.74	958.2
01U065	065-u	PSB65	234241	2209865.00	764536.00	485255.89	4993234.95	882.2
01U067	067-u	PSB67	234243	2214068.00	768674.00	486551.84	4994479.96	897.3
01U072	072-u	ST72U1	234250	2217396.00	765183.00	487552.73	4993403.95	908.7
PJ#074	074-#XJIHGFEDCBA	ST74PJ	235565	2214228.00	761763.00	486574.78	4992373.83	954.2
PJX074	.			2214228.71	761763.58	486575.00	4992374.00	954.2
PJJ074	.			2214228.71	761763.58	486575.00	4992374.00	954.2
PJI074	.			2214228.71	761763.58	486575.00	4992374.00	954.2
PJH074	.			2214228.71	761763.58	486575.00	4992374.00	954.2
PJG074	.			2214228.71	761763.58	486575.00	4992374.00	954.2
PJF074	.			2214228.71	761763.58	486575.00	4992374.00	954.2
PJE074	.			2214228.71	761763.58	486575.00	4992374.00	954.2
PJD074	.			2214228.71	761763.58	486575.00	4992374.00	954.2
PJC074	.			2214228.71	761763.58	486575.00	4992374.00	954.2
PJB074	.			2214228.71	761763.58	486575.00	4992374.00	954.2
PJA074	.			2214228.71	761763.58	486575.00	4992374.00	954.2
03U075	075-U	ST75U3	236078	2210515.00	764637.00	485454.30	4993263.30	884.5
03U076	076-U	ST76U3	236077	2210185.00	763903.00	485351.02	4993040.91	888.4
03U077	077-UL4J	ST77U3	236075	2211143.00	761301.00	485633.17	4992244.59	912.2
03L077	.	ST77L3	236076	2211150.00	761280.00	485635.22	4992238.17	911.9
04U077	.	ST77U4	426877	2211155.00	761310.00	485636.86	4992247.29	912.4
04J077	.			2211158.00	761307.00	485637.76	4992246.36	912.3
03U078	078-UL	ST78U3	236073	2212301.00	759982.00	485981.04	4991838.42	927.0
03L078	.	ST78L3	236074	2212279.00	760023.00	485974.49	4991850.99	927.4
03U079	079-UL	ST79U3	236072	2212710.00	759481.00	486103.78	4991684.25	923.5
03L079	.	ST79L3	242160	2212733.83	759470.62	486111.00	4991681.00	923.3
03L080	080-L	ST80L3	236071	2214616.00	760572.00	486688.54	4992009.52	960.8
03L081	081-L	ST81L3	236070	2216196.00	761448.00	487173.19	4992270.51	946.5
03U082	082-U	ST82U3	236476	2215033.00	768419.00	486844.89	4994398.66	898.7
03U083	083-U	ST83U3	236478	2212355.00	765602.00	486018.48	4993550.43	892.0
03U084	084-UL	ST84U3	236069	2210805.00	762449.00	485534.48	4992595.61	898.2
03L084	.	ST84L3	440887	2210776.00	762426.00	485525.56	4992588.71	898.2
01U085	085-u	ST85U1	236479	2212678.00	766660.00	486120.84	4993871.55	888.7
03L086	086-L	ST86L3	236068	2217613.00	760409.00	487601.02	4991948.67	961.0
03U087	087-U	PSB87	236480	2214680.00	764238.00	486721.73	4993126.18	1004.2
03U088	088-U	ST88U3	236482	2214489.00	764696.00	486665.25	4993266.43	983.7
03U089	089-U	PSB89	236483	2214260.00	764710.00	486595.54	4993271.55	972.6
03U090	090-U	ST90U3	236485	2215013.00	762891.00	486818.16	4992714.56	982.2
03L091	091-L	ST91L3	236067	2214901.00	763219.00	486785.26	4992814.91	1007.0
03U092	092-U	ST92U3	236487	2214622.00	762158.00	486696.29	4992492.70	960.4
03U093	093-U	ST93U3	236489	2214341.00	762871.00	486613.35	4992710.97	993.4
03U094	094-U	ST94U3	236066	2215082.00	761692.00	486834.70	4992349.01	997.0
03U096	096-U	ST96U3	236491	2214140.00	763210.00	486553.37	4992815.01	994.5
03U097	097-U	ST97U3	236493	2217193.00	765615.00	487492.49	4993536.32	937.2
01U098	098-u	ST98U1	236494	2218364.00	760071.00	487828.56	4991842.89	954.0
03U099	099-U	ST99U3	236495	2217809.00	759870.00	487658.72	4991783.73	953.0
01U100	100-u	ST100U1	236497	2216845.00	768880.00	487398.66	4994532.35	905.7
01U101	101-u	ST101U1	236498	2216098.00	768761.00	487170.63	4994498.88	907.2
01U102	102-u	PSB102	236499	2213673.00	769189.00	486433.42	4994638.33	905.5
01U103	103-u	PSB103	236500	2213860.00	769198.00	486490.43	4994640.38	904.5
01U104	104-u	PSB104	236501	2214240.00	769158.00	486606.05	4994626.77	899.6
01U105	105-u	PSB105	236502	2214532.00	769157.00	486695.01	4994625.38	901.9
01U106	106-u	PSB106	236503	2213785.00	769027.00	486466.94	4994588.56	897.1
01U107	107-u	ST107AU1	236504	2213789.00	768860.00	486467.53	4994537.67	899.8

Well ID1	Well Code (90 Monitoring Plan)	Well ID2	MNUNIQ	X-STP-ft	Y-STP-ft	X-UTM-M	Y-UTM-M	TOS-ft
01U108	108-u	PSB108	236505	2213829.00	769273.00	486481.26	4994663.34	904.3
01U109	109-u	PSB109	236506	2214448.00	768845.00	486668.25	4994530.64	903.4
01U110	110-u	PSB110	236507	2214557.00	768910.00	486701.70	4994550.03	897.6
03U111	111-U	ST111U3	236508	2217385.00	765633.00	487551.06	4993541.09	924.6
03U112	112-U	ST112U3	236510	2215560.00	762619.00	486983.79	4992629.65	978.1
03U113	113-UL	WF1U3	242124	2215898.95	763139.64	487089.00	4992787.00	974.3
03L113	.	WF1L3	236080	2215898.00	763099.00	487088.56	4992774.62	974.8
03U114	114-U	WF2U3	242125	2215388.00	762247.15	486930.00	4992517.00	973.2
01U115	115-u	PSB115	427411	2213412.00	769475.00	486354.97	4994726.44	900.6
01U116	116-u	PSB116	427412	2213533.00	769476.00	486391.84	4994726.29	903.0
01U117	117-u	PSB117	427413	2213635.00	769367.00	486422.51	4994692.71	903.2
01U118	118-u	PSB118	427414	2213461.00	768868.00	486367.64	4994541.33	902.2
01U119	119-u	PSB119	427415	2214100.00	769121.00	486563.26	4994616.02	898.5
01U120	120-u	PSB120	427410	2213930.00	769478.00	486512.80	4994725.42	902.3
01U121	121-uU			2215692.55	762572.55	487024.00	4992615.00	970.0
03U121	.	PSB121	440884	2215692.00	762571.00	487023.83	4992614.53	970.0
01U122	122-u	PSB122	440888	2216537.00	769512.00	487307.18	4994726.05	901.0
03U124	124-U	PSB124	440896	2215421.00	763695.00	486945.46	4992957.98	1004.3
01U125	125-u	PSB125	440889	2213435.00	769386.00	486361.65	4994699.24	901.0
01U126	126-u	PSB126	440890	2213733.00	769404.00	486452.51	4994703.61	903.4
01U127	127-u	PSB127	440891	2213898.00	769407.00	486502.79	4994703.91	903.0
01U128	128-u	PSB128	440892	2210919.00	765412.00	485580.27	4993497.90	880.9
03U129	129-U	PSB129	440886	2217604.00	765982.00	487619.08	4993646.60	911.1
01U130	130-u	PSB130	440895	2210415.00	763212.00	485418.51	4992829.52	889.1
01U131	131-u	PSB131		2215505.00	760690.00	486959.83	4992042.15	968.2
01U132	132-u	PSB132		2213435.00	760330.00	486327.83	4991940.20	954.3
01U133	133-u	PSB133	440893	2214138.60	769383.99	486576.00	4994696.00	900.8
03U134	134-U			2215281.89	761799.46	486896.00	4992381.00	985.4
01U135	135-u			2212250.52	769177.04	486000.00	4994640.00	900.0
01U136	136-u			2211504.40	768993.93	485772.00	4994587.00	899.0
03L137	137-L			2215250.00	762740.00	486889.80	4992667.67	972.6
03L138	138-L			2215650.00	761910.00	487008.56	4992413.30	965.6
03U301	301-U	SC1		2213562.00	759910.00	486364.96	4991811.77	954.5
03F302	302-F	B1	426842	2212733.00	759609.00	486111.27	4991723.16	927.2
03F303	303-F	B2	426843	2212415.00	759835.00	486015.23	4991793.20	922.1
03F304	304-F	B3	426844	2212012.00	760218.00	485893.88	4991911.40	917.1
03F305	305-F	B4	426845	2211686.00	760671.00	485796.25	4992050.63	912.7
03F306	306-F	B5	426846	2211334.00	761111.00	485690.65	4992185.99	916.2
03F307	307-F	B6	426847	2211037.00	761438.00	485601.38	4992286.73	912.6
03F308	308-F	B7		2210422.00	762285.00	485417.18	4992547.07	900.6
PJ#309	309-#	B8PJ		2211686.00	760852.00	485796.92	4992105.77	912.1
PJ#310	310-#	B9PJ		2211252.00	761322.00	485666.45	4992250.58	913.5
PJ#311	311-#	B10PJ		2210595.00	762037.00	485468.96	4992470.87	905.3
03F312	312-F	B11		2213267.00	759195.00	486272.41	4991595.04	942.1
PJ#313	313-#	B12PJ		2210338.00	762658.00	485392.98	4992661.03	893.4
03U314	314-U	SC2		2214649.00	761488.00	486702.02	4992288.47	975.9
03U315	315-U	SC3		2214556.00	761750.00	486674.66	4992368.64	963.1
03U316	316-U	SC4		2214083.00	762135.00	486531.99	4992487.70	954.6
03U317	317-U	SC5		2213926.00	762333.00	486484.90	4992548.61	950.4
01U350	350-u			2213822.00	769282.00	486479.16	4994666.11	903.7
PJ#501	501-#	PRD1PJ	206754	2212559.00	764096.00	486075.01	4993090.84	904.2
PJ#502	502-#	PRD2PJ	206756	2212267.00	763394.00	485983.43	4992878.06	920.7
PJ#503	503-#	PRD3PJ	206758	2212247.00	762694.00	485974.72	4992664.87	927.3
PJ#504	504-#	PRD4PJ	206724	2209820.00	765160.00	485244.51	4993425.23	895.0
03M505	505-M	PRD5M3	231857	2219745.00	759681.00	488247.84	4991718.92	957.3
PJ#506	506-#	PRD6PJ	206753	2212842.00	762249.00	486154.33	4992527.07	943.6
PJ#507	507-#	PRD7PJ	206755	2213516.00	762013.00	486358.79	4992452.65	950.0
PJ#508	508-#	PRD8PJ	206759	2214008.00	761511.00	486506.82	4992297.87	955.0
03M509	509-M#			2214380.00	760885.00	486617.81	4992105.76	958.0
PJ#509	.	PRD9PJ	206760	2214326.49	761016.41	486602.00	4992146.00	960.0
04U510	510-4	PRD10U4	231742	2219777.00	767507.00	488286.81	4994103.10	911.0
03U521	521-U	AEHAU3	114410	2214727.00	764283.00	486736.22	4993139.72	1004.7
03L522	522-L	ARSS	231854	2216202.00	766446.00	487193.67	4993793.20	967.5
03L523	523-L	ARSN	206725	2216142.00	766264.00	487174.71	4993737.97	995.8
01U524	524-u	FA4	236194	2211338.00	761934.00	485694.94	4992436.72	909.8
01U525	525-u	FN5	236196	2212718.00	760448.00	486109.83	4991978.83	941.2
01U526	526-u	FV12	236197	2212419.00	761268.00	486021.80	4992229.77	938.8
01U527	527-u	FV8	236195	2211614.00	761331.00	485776.78	4992251.97	912.1
03U528	528-U	SE5A		2213465.00	759907.00	486335.39	4991811.22	953.0
03L529	529-L	HRFC		2213250.00	768465.00	486301.85	4994419.34	899.0
03U530	530-U			2215400.00	764825.00	486943.28	4993302.33	0.0
03U531	531-U			2217760.00	763750.00	487658.27	4992966.01	0.0
03U532	532-UM			2219950.94	768096.34	488342.00	4994282.00	0.0
03M532	.			2219950.00	768095.00	488341.71	4994281.59	0.0
03U533	533-U			2216510.00	768870.00	487296.56	4994530.55	0.0
03U534	534-U			2215025.00	769260.00	486845.59	4994654.92	0.0

Well ID1	Well Code (90 Monitoring Plan)	Well ID2	MNUNIQ	X-STP-ft	Y-STP-ft	X-UTM-M	Y-UTM-M	TOS-ft
03U535	535-U			2216030.00	762720.00	487127.36	4992658.66	0.0
03U536	536-U			2217365.00	765490.00	487544.43	4993497.60	0.0
01U537	537-u			2209880.00	767595.00	485271.88	4994166.86	0.0
01U538	538-u			2209875.00	767140.00	485268.66	4994028.26	0.0
01U601	601-u	OW101U1	236189	2211538.59	764865.21	485767.00	4993329.00	889.2
01U602	602-u	OW102U1	236190	2211357.33	764925.35	485712.00	4993348.00	890.0
01U603	603-u	OW103U1	236191	2211054.52	764993.85	485620.00	4993370.00	885.0
01U604	604-u	OW104U1	236192	2211120.32	764981.52	485640.00	4993366.00	885.6
01U605	605-u	OW105U1	236193	2211243.04	765413.01	485679.00	4993497.00	885.0
01U607	607-u	OW107U1	232127	2211309.70	765062.62	485698.00	4993390.00	888.6
01U608	608-u	OW108U1	242128	2211421.01	764817.81	485731.00	4993315.00	889.8
01U609	609-u	OW109U1	242129	2211321.79	764878.96	485701.00	4993334.00	889.9
01U610	610-u	OW110U1	242130	2211415.52	764998.27	485730.00	4993370.00	890.0
01U611	611-u	OW111U1	242131	2211510.77	764992.87	485759.00	4993368.00	889.7
01U612	612-u	OW112U1	194758	2211170.00	764965.00	485655.08	4993360.78	888.2
01U613	613-u	OW113U1	194759	2211245.00	764995.00	485678.04	4993369.64	891.1
01U615	615-u	OW115U1	194760	2211105.00	764803.00	485634.67	4993311.67	891.8
01U616	616-u	OW116U1	194761	2211173.00	764708.00	485655.03	4993282.47	855.5
01U617	617-u	OW117U1	194770	2210972.00	764800.00	485594.14	4993311.25	887.5
01U618	618-u	OW118U1	194771	2211162.00	764619.00	485651.35	4993255.40	891.1
01U619	619-u	OW119U1	194772	2211265.00	764564.00	485682.52	4993238.26	890.5
01U620	620-u	OW120U1	194701	2211093.69	764475.72	485630.00	4993212.00	889.6
01U621	621-u	OW121U1	194702	2210899.70	764502.88	485571.00	4993221.00	886.9
01U622	622-u	OW122U1	194703	2211146.47	764722.54	485647.00	4993287.00	892.1
01U623	623-u	OW123U1	194704	2211206.62	764634.66	485665.00	4993260.00	892.1
01U624A	624-abcd	BP185A	242182	2211134.00	764731.00	485643.23	4993289.62	887.0
01U624B	.	BP185B	242183	2211136.00	764731.00	485643.84	4993289.62	887.0
01U624C	.	BP185C	242184	2211136.00	764729.00	485643.84	4993289.01	887.0
01U624D	.	BP185D	242185	2211134.00	764729.00	485643.23	4993289.01	887.0
01U625A	625-abcd	BP285A	242186	2211074.00	764731.00	485624.95	4993289.85	885.7
01U625B	.	BP285B	242187	2211076.00	764731.00	485625.56	4993289.84	885.7
01U625C	.	BP285C	242188	2211076.00	764729.00	485625.56	4993289.23	885.7
01U625D	.	BP285D	242189	2211074.00	764729.00	485624.95	4993289.24	885.7
01U626A	626-abcd	BP385A	242190	2211024.00	764741.00	485609.76	4993293.08	885.6
01U626B	.	BP385B	242191	2211026.00	764741.00	485610.37	4993293.07	885.6
01U626C	.	BP385C	242192	2211026.00	764739.00	485610.36	4993292.46	885.6
01U626D	.	BP385D	242193	2211024.00	764739.00	485609.75	4993292.47	885.6
01U627B	.	BP485B	242195	2211016.00	764751.00	485607.36	4993296.16	885.2
01U627D	.	BP485C	242197	2211014.00	764749.00	485606.74	4993295.56	885.2
01U627C	.	BP484C	242196	2211016.00	764749.00	485607.35	4993295.55	885.2
01U627A	627-abcd	BP485A	242194	2211014.00	764751.00	485606.75	4993296.17	885.2
01U628A	628-abcd	BP585A	242198	2210964.00	764801.00	485591.70	4993311.59	885.6
01U628B	.	BP585B	242199	2210966.00	764801.00	485592.31	4993311.58	885.6
01U628C	.	BP585C	242200	2210966.00	764799.00	485592.30	4993310.97	885.6
01U628D	.	BP585D	242201	2210964.00	764799.00	485591.70	4993310.98	885.6
01U631	631-u	OW501U1	194720	2213997.15	760303.40	486499.00	4991930.00	962.0
01U632	632-u	OW502U1	194721	2214465.56	759846.33	486640.00	4991789.00	962.0
01U634	634-u	OW504U1	194716	2213682.89	760503.05	486404.00	4991992.00	958.2
01U635	635-u	OW505U1	194722	2213368.25	760197.22	486307.00	4991900.00	956.9
01U636	636-u	OW506U1	194723	2213444.39	759876.49	486329.00	4991802.00	953.1
01U638	638-u	OW508U1	194717	2213858.86	759802.79	486455.00	4991778.00	957.8
01U639	639-u	OW509U1	194718	2214078.42	759831.74	486522.00	4991786.00	958.1
01U640	640-u	OW510U1	194719	2214415.65	759901.52	486625.00	4991806.00	958.3
01U642	642-u	OW512U1	194724	2214823.67	759817.90	486749.00	4991779.00	958.6
03U647	647-U	OW517U3	242132	2214464.00	760165.00	486640.72	4991886.09	959.4
03U648	648-U	OW518U3	242133	2214405.00	760350.00	486623.43	4991942.68	959.0
01U652	652-u	OW522U1	242134	2213796.28	760356.74	486438.00	4991947.00	957.4
03U658	658-U	OW528U3	421426	2214960.63	759891.79	486791.00	4991801.00	963.0
03U659	659-U	OW529U3	421425	2213773.00	759969.00	486429.46	4991828.96	956.3
01U666	666-u	OW536U1	242135	2213622.00	759938.00	486383.34	4991820.08	958.9
01U667	667-u	OW537U1	242136	2214050.00	760043.00	486514.13	4991850.47	961.9
01U668	668-u	OW538U1	242137	2214013.01	760080.40	486503.00	4991862.00	961.9
03U671	671-U	PD1U3	421438	2212344.23	760460.38	485996.00	4991984.00	930.2
03U672	672-U	PD2U3	421440	2213967.09	759006.52	486485.00	4991535.00	922.7
03U673	673-UL4ABC	PD3U3	421441	2211555.37	758944.14	485750.00	4991525.00	896.8
03L673	.	PD3L3	426815	2211539.00	758947.00	485745.02	4991525.93	879.1
04U673	.	PD3U4	426867	2211529.07	758947.10	485742.00	4991526.00	897.8
04U673A	.			2211529.07	758947.10	485742.00	4991526.00	897.8
04U673B	.			2211529.07	758947.10	485742.00	4991526.00	897.8
04U673C	.			2211529.07	758947.10	485742.00	4991526.00	897.8
03U674	674-U	OW541U3		2213577.00	759863.00	486369.35	4991797.40	955.0
01U675	675-uU			2214015.00	760076.00	486503.59	4991860.65	959.5
03U675	.			2214030.00	760061.00	486508.10	4991856.03	959.5
03U676	676-U			2214045.00	760055.00	486512.65	4991854.14	0.0
03U701	701-U4	701U3	426848	2210964.00	761501.00	485579.38	4992306.19	909.0
04U701	.	701U4	426849	2210955.00	761493.00	485576.61	4992303.79	909.0

Well ID1	Well Code (90 Monitoring Plan)	Well ID2	MNUNIQ	X-STP-ft	Y-STP-ft	X-UTM-M	Y-UTM-M	TOS-ft
03U702	702-U4J	702U3	426850	2210844.00	761659.00	485543.41	4992354.78	908.5
04U702	.	702U4	426876	2210828.00	761648.00	485538.49	4992351.49	908.1
04J702	.			2210855.00	761667.00	485546.79	4992357.17	908.3
03U703	703-U	703U3	426878	2212490.00	759756.00	486037.78	4991768.86	918.9
03U704	704-U	704U3	426883	2214899.00	765287.00	486792.37	4993444.96	976.5
03U705	705-U	705U3	426884	2215536.00	765280.00	486986.41	4993440.45	1047.5
03U706	706-U	706U3	426885	2214425.00	765863.00	486650.11	4993622.21	918.4
03U707	707-U	707U3	426886	2215012.00	767079.00	486833.49	4993990.49	916.3
03U708	708-U4J	708U3	426879	2211938.00	760472.00	485872.28	4991989.06	919.9
04U708	.	708U4	426880	2211945.00	760459.00	485874.36	4991985.07	919.7
04J708	.			2211656.00	760858.00	485787.81	4992107.71	919.8
03U709	709-U4	709U3	426881	2211573.00	760864.00	485762.54	4992109.85	910.2
04U709	.	709U4	426882	2211562.00	760852.00	485759.14	4992106.23	910.0
03U710	710-U	710U3	434032	2212944.00	759273.00	486174.30	4991620.01	944.4
03U711	711-U4	711U3	434033	2211385.00	760532.00	485704.02	4992009.40	906.4
04U711	.	711U4	434031	2211376.00	760525.00	485701.26	4992007.30	906.3
03M713	713-M4J			2210453.00	762492.00	485427.40	4992610.02	895.8
04U713	.	713U4		2210447.00	762499.00	485425.59	4992612.18	895.4
04J713	.			2210443.00	762488.00	485424.33	4992608.84	895.8
04U714	714-4J	714U4		2210255.00	762957.00	485368.81	4992752.43	884.6
04J714	.			2210265.00	762948.00	485371.82	4992749.65	884.7
03U715	715-U	SM1		2214499.00	761631.00	486656.85	4992332.60	961.1
03U716	716-U	SM2		2213969.00	762225.00	486497.60	4992515.55	950.3
03U801	801-U	T1U3	236449	2212264.61	759458.31	485968.00	4991679.00	912.3
03M802	802-ML4#	T2M3	426818	2212418.51	759220.59	486014.00	4991606.00	905.8
03L802	.	T2L3	426817	2212417.00	759222.00	486013.55	4991606.44	905.8
04U802	.	T2U4	236450	2212289.83	759274.81	485975.00	4991623.00	903.4
PJ#802	.	T2PJ	421437	2212266.86	759274.53	485968.00	4991623.00	902.4
01U803	803-uU	T3U1	424053	2211658.36	759378.67	485783.00	4991657.00	885.9
03U803	.	T3U3	421434	2211664.96	759375.47	485785.00	4991656.00	898.1
03U804	804-U	T4U3	421433	2211727.47	760167.26	485807.00	4991897.00	912.6
01U805	805-uU	T5U1	424060	2210895.51	760560.79	485555.00	4992020.00	905.3
03U805	.	T5U3	421432	2210888.94	760560.71	485553.00	4992020.00	905.1
01U806	806-uUML4#	T6U1	424058	2210812.46	761176.84	485532.00	4992208.00	909.8
03U806	.	T6U3	421431	2210794.25	760520.16	485524.00	4992008.00	909.6
03M806	.	T6M3	421430	2210750.11	761176.08	485513.00	4992208.00	909.9
03L806	.	T6L3	421429	2210717.25	761178.96	485503.00	4992209.00	909.5
04U806	.	T6U4	421428	2210687.79	761172.03	485494.00	4992207.00	909.2
PJ#806	.	T6PJ	421427	2210635.12	761184.52	485478.00	4992211.00	909.3
01U807	807-u	T7U1	424059	2210200.54	761559.94	485347.00	4992327.00	908.9
01U808	808-u	T8U1	424057	2210141.34	760499.03	485325.00	4992004.00	910.8
03L809	809-L	T9L3	426868	2210038.54	760852.26	485295.00	4992112.00	910.6
01L811	811-lUL	H1L1	424055	2209007.00	761363.00	484982.64	4992271.46	908.0
03U811	.	H1U3	426808	2209009.00	761352.00	484983.20	4992268.10	909.0
03L811	.	H1L3	426809	2208999.00	761353.00	484980.16	4992268.44	908.2
01U813	813-ulL	H3U1	242153	2207025.00	761178.00	484378.10	4992222.50	870.3
01L813	.	H3L1	424062	2207078.00	761177.00	484394.24	4992222.00	869.9
03L813	.	H3L3	426816	2207067.00	761180.00	484390.90	4992222.95	869.9
03U815	815-U	H5U3	426862	2206560.85	760458.42	484234.00	4992005.00	872.5
01L816	816-l	H6L1	424056	2208130.00	761048.00	484714.27	4992178.76	900.9
01L821	821-lU4	NW1L1	424054	2207875.00	757617.00	484623.76	4991134.41	877.0
03U821	.	NW1U3	426810	2208009.50	757686.23	484665.00	4991155.00	877.0
04U821	.	NW1U4	426811	2207999.73	757679.54	484662.00	4991153.00	877.2
01L822	822-lUL	NW2L1	424052	2207418.00	757147.00	484482.78	4990992.93	875.9
03U822	.	NW2U3	426812	2207408.00	757197.00	484479.92	4991008.20	876.4
03L822	.	NW2L3	426813	2207409.00	757187.00	484480.18	4991005.15	876.5
01L823	823-l	NW3L1	424061	2208316.82	754036.81	484745.00	4990042.00	880.4
03U824	824-U	NW4U3	426814	2207732.00	756975.00	484577.80	4990939.35	879.9
01U825	825-u			2208360.00	756800.00	484768.48	4990883.69	0.0
01U826	826-u			2208470.00	756860.00	484802.21	4990901.56	0.0
03U831	831-U	M1U3	426863	2208792.40	755939.80	484897.00	4990620.00	889.2
03U832	832-UL4ABC	M2U3	426864	2208607.46	754693.55	484836.00	4990241.00	884.3
03L832	.	M2L3	426865	2208604.29	754683.66	484835.00	4990238.00	884.2
04U832	.	M2U4	426866	2208608.06	754644.32	484836.00	4990226.00	883.4
04U832A	.			2208608.06	754644.32	484836.00	4990226.00	883.4
04U832B	.			2208608.06	754644.32	484836.00	4990226.00	883.4
04U832C	.			2208608.06	754644.32	484836.00	4990226.00	883.4
03L841	841-L4	301L3	434037	2210108.00	758849.00	485308.68	4991501.42	910.9
04U841	.	301U4	426851	2210105.62	758860.73	485308.00	4991505.00	911.5
03M843	843-M4	303M3	426852	2207451.47	759028.41	484500.00	4991566.00	884.5
04U843	.	303U4	426853	2207439.21	759225.20	484497.00	4991626.00	885.8
04U844	844-4ABCD	304U4	426854	2207866.39	755705.25	484614.00	4990552.00	884.2
04U844A	.			2207866.39	755705.25	484614.00	4990552.00	884.2
04U844B	.			2207866.39	755705.25	484614.00	4990552.00	884.2
04U844C	.			2207866.39	755705.25	484614.00	4990552.00	884.2
04U844D	.			2207866.39	755705.25	484614.00	4990552.00	884.2

Well ID1	Well Code (90 Monitoring Plan)	Well ID2	MNUNIQ	X-STP-ft	Y-STP-ft	X-UTM-M	Y-UTM-M	TOS-ft
04U845	845-4ABCD	305U4	426855	2210210.41	756738.37	485332.00	4990858.00	894.2
04U845A	.			2210210.41	756738.37	485332.00	4990858.00	894.2
04U845B	.			2210210.41	756738.37	485332.00	4990858.00	894.2
04U845C	.			2210210.41	756738.37	485332.00	4990858.00	894.2
04U845D	.			2210210.41	756738.37	485332.00	4990858.00	894.2
03L846	846-L4	306L3	447899	2205750.32	754284.34	483964.00	4990127.00	887.4
04U846	.	306U4	426856	2205737.07	754294.03	483960.00	4990130.00	888.4
04U847	847-4	307U4	426857	2208953.50	760202.19	484962.00	4991918.00	914.9
03M848	848-ML4	308M3	416051	2210724.70	757893.47	485493.00	4991208.00	903.1
03L848	.	308L3	416199	2210721.70	757870.46	485492.00	4991201.00	902.9
04U848	.	308U4	416078	2210721.82	757860.61	485492.00	4991198.00	900.2
04U849	849-4ABC	309U4	416082	2205137.93	756311.85	483785.00	4990747.00	873.3
04U849A	.			2205137.93	756311.85	483785.00	4990747.00	873.3
04U849B	.			2205137.93	756311.85	483785.00	4990747.00	873.3
04U849C	.			2205137.93	756311.85	483785.00	4990747.00	873.3
04U850	850-4ABC	310U4	416200	2203738.33	753744.36	483349.00	4989970.00	916.9
04U850A	.			2203738.33	753744.36	483349.00	4989970.00	916.9
04U850B	.			2203738.33	753744.36	483349.00	4989970.00	916.9
04U850C	.			2203738.33	753744.36	483349.00	4989970.00	916.9
04U851	851-4	311U4	416198	2206140.78	748404.00	484061.00	4988334.00	913.5
04U852	852-4	312U4	416080	2206657.12	745643.37	484208.00	4987491.00	905.6
03L853	853-L	313L3	426858	2208382.22	757805.68	484779.00	4991190.00	888.8
03L854	854-L4	314L3	426859	2210322.99	756122.68	485364.00	4990670.00	889.9
04U854	.	314U4	439701	2210326.00	756208.00	485365.24	4990695.98	889.5
04U855	855-4	315U4	426860	2204486.13	758877.18	483596.00	4991531.00	896.0
03L856	856-L	316L3	426861	2206560.73	760468.27	484234.00	4992008.00	872.9
03L858	858-L#	318L3	416081	2202806.17	740892.67	483017.00	4986058.00	996.1
PJ#858	.	318PJ	447894	2202633.37	741868.67	482968.00	4986356.00	982.7
03L859	859-L4	319L3	434040	2209765.00	757579.00	485199.44	4991115.78	900.8
04U859	.	319U4	434036	2209765.00	757570.00	485199.41	4991113.03	900.9
03L860	860-L4	320L3	434038	2210716.00	755795.00	485482.51	4990568.70	894.1
04U860	.	320U4	434035	2210742.00	755793.00	485490.43	4990568.00	893.8
03L861	861-L4	321L3	434039	2209340.00	756109.00	485064.47	4990669.51	888.6
04U861	.	321U4	434034	2209329.00	756120.00	485061.16	4990672.90	888.6
04U871	871-4	401U4	447889	2201280.00	748160.00	482579.17	4988277.82	944.5
04U872	872-4	402U4	447988	2201879.00	745525.00	482751.82	4987472.78	952.0
04U875	875-4	405U4	447898	2197643.53	748358.90	481472.00	4988352.00	1014.4
04U877	877-4	407U4	447896	2204390.00	751361.00	483538.64	4989241.44	919.8
04U879	879-4	409U4	447900	2200531.28	756442.46	482382.00	4990804.00	945.5
04U880	880-4	410U4	447895	2196906.08	744791.88	481234.00	4987268.00	972.1
04U881	881-4	411U4	447891	2198364.34	740700.36	481663.00	4986016.00	976.7
04U882	882-4	412U4	447890	2202210.00	736306.00	482818.24	4984662.82	918.1
04U883	883-4	413U4	447892	2205710.67	736900.94	483887.00	4984831.00	948.9
01U901	901-u			2212355.00	769623.00	486033.50	4994775.48	902.0
01U902	902-u			2212900.00	769639.00	486199.60	4994778.32	901.0
104772	104772	MARY OMEIL	104772	2212468.76	758870.00	486028.00	4991499.00	910.0
107013	107013	TOM JWANOS	107013	2224380.91	774620.07	489716.00	4996253.00	903.0
107302	107302	GGRABOWSKI	107302	2212399.45	770951.31	486052.00	4995180.00	901.0
107406	107406	LOEL BRAND	107406	2225291.77	764035.91	489954.00	4993025.00	922.0
107412	107412	RICHARD KI	107412	2224692.32	764740.83	489774.00	4993242.00	915.0
109767	109767	DICK MOGA	109767	2224385.44	774518.37	489717.00	4996222.00	903.0
109793	109793	LYLE CZECH	109793	2214396.61	775380.67	486677.00	4996522.00	905.0
109794	109794	JERRY BISC	109794	2218362.98	772862.50	487876.00	4995740.00	902.0
109795	109795	JERRY OTTE	109795	2218379.00	772626.37	487880.00	4995668.00	903.0
109797	109797	CURT LENEG	109797	2217898.61	773257.25	487736.00	4995862.00	902.0
110322	110322	BLAIN CONS	110322	2220537.73	766281.85	488514.00	4993727.00	925.0
110346	110346	MARDON	110346	2220336.35	766108.70	488452.00	4993675.00	918.0
110430	110430	GARY RASSE	110430	2217913.37	773392.01	487741.00	4995903.00	910.0
110446	110446	RICHARD SC	110446	2220514.05	766071.49	488506.00	4993663.00	920.0
110485	110485		110485	2201902.01	761632.16	482819.00	4992380.00	0.0
110534	110534	BRICKNER	110534	2225185.26	756921.86	489895.00	4990858.00	906.0
110540	110540	JOAN KOTZ	110540	2225514.00	754736.60	489987.00	4990191.00	898.0
110576	110576	ART HANFT	110576	2224618.40	756842.71	489722.00	4990836.00	900.0
112311	112311	BILL SHROD	112311	2225951.38	753061.42	490114.00	4989679.00	900.0
112318	112318	JAMES DAIR	112318	2218428.95	735868.61	487758.00	4984469.00	932.0
112409	112409	NORTHWAY C	112409	2225169.86	769164.67	489936.00	4994588.00	920.0
112496	112496	NORTHWAY C	112496	2225026.84	769586.34	489894.00	4994717.00	910.0
112529	112529	CHARLES HA	112529	2213339.83	770014.25	486335.00	4994891.00	899.0
112530	112530	DRWIKSTROM	112530	2212790.92	771415.64	486173.00	4995320.00	894.0
112542	112542	HOWARD HAM	112542	2224392.82	757036.88	489654.00	4990896.00	892.0
112570	112570		112570	2225275.83	757031.29	489923.00	4990891.00	902.0
112572	112572	F BIGHAM	112572	2222427.62	762054.42	489074.00	4992432.00	932.0
112654	112654	ROBERT WIT	112654	2225451.65	774295.11	490041.00	4996150.00	907.0
112670	112670	NORTHWAY C	112670	2225304.49	769159.76	489977.00	4994586.00	920.0
112732	112732	MICHAEL P	112732	2220931.53	770038.36	488648.00	4994870.00	897.0
112748	112748	RICHARD GR	112748	2221050.01	765726.85	488668.00	4993556.00	924.0

Well ID1	Well Code (90 Monitoring Plan)	Well ID2	MNUNIQ	X-STP-ft	Y-STP-ft	X-UTM-M	Y-UTM-M	TOS-ft
117NB	117NB			2208311.21	756636.31	484753.00	4990834.00	0.0
118NB	118NB			2208436.14	756352.28	484790.00	4990747.00	0.0
118PD	.	NWT118OPD	191942	2208294.26	756412.91	484747.00	4990766.00	885.0
119NB	119NB			2208634.66	756758.44	484852.00	4990870.00	0.0
120NB	120NB			2208732.61	756533.16	484881.00	4990801.00	0.0
121NB	121NB			2208367.79	756840.51	484771.00	4990896.00	0.0
122NB	122NB			2208624.72	757034.03	484850.00	4990954.00	0.0
123541	123541	GENE HUGHE	123541	2225365.80	764959.15	489980.00	4993306.00	930.0
123NB	123NB			2208893.34	757076.71	484932.00	4990966.00	0.0
124365	124365	GARY FURCH	124365	2225338.48	769064.99	489987.00	4994557.00	920.0
124367	124367	NORTHWAY C	124367	2225287.55	769471.37	489973.00	4994681.00	911.0
124380	124380	DONALD LIN	124380	2226442.82	752867.22	490263.00	4989618.00	909.0
124381	124381	NORTHWAY C	124381	2224678.83	769056.91	489786.00	4994557.00	902.0
124NB	124NB			2208481.00	756976.47	484806.00	4990937.00	0.0
125NB	125NB			2208172.71	756956.28	484712.00	4990932.00	0.0
126054	126054	THOMAS E	126054	2224664.44	767284.28	489775.00	4994017.00	920.0
126199	126199	BERGHERR	126199	2212461.75	769885.32	486067.00	4994855.00	902.0
127254	127254	MPLSELSTLC	127254	2190760.91	744319.36	479360.00	4987147.00	919.0
127362	127362	FMC34	127362	2185881.28	751989.25	477902.00	4989502.00	835.0
127363	127363	FMC35	127363	2187125.95	747652.23	478265.00	4988176.00	832.0
127364	127364	FMC33	127364	2187064.99	751550.82	478261.00	4989364.00	837.0
127537	127537	MIDW ASPLT	127537	2208758.04	756333.25	484888.00	4990740.00	886.0
127576	127576	L PETERSON	127576	2213152.56	770832.53	486281.00	4995141.00	902.0
127577	127577	RONALD C	127577	2224551.17	745718.21	489660.00	4987447.00	940.0
127584	127584	ROBERT TIE	127584	2224565.41	756881.45	489706.00	4990848.00	908.0
130816	130816	MARK PETER	130816	2224659.39	769571.99	489782.00	4994714.00	907.0
130854	130854	GIL JOHNSO	130854	2226255.65	762787.32	490243.00	4992641.00	904.0
130866	130866	M EASTLUND	130866	2212782.87	770197.80	486166.00	4994949.00	899.0
130868	130868	BERNARD RE	130868	2213794.21	769898.37	486473.00	4994854.00	902.0
130890	130890	DOUGLAS CO	130890	2214031.87	771128.87	486550.00	4995228.00	899.0
130893	130893	K B BENSON	130893	2212526.46	771300.80	486092.00	4995286.00	895.0
130908	130908	CLYDE REHB	130908	2225029.71	756759.12	489847.00	4990809.00	910.0
131943	131943	DON ABLE	131943	2224678.66	774965.08	489808.00	4996357.00	899.0
131963	131963	WILLIAM FR	131963	2224779.81	764029.64	489798.00	4993025.00	910.0
133216	133216	MIKE FANNO	133216	2227141.85	753410.80	490478.00	4989781.00	909.0
133230	133230	EMRAD MN	133230	2209335.99	773982.73	485130.00	4996115.00	907.0
133237	133237	JERRY GRIE	133237	2213572.76	770023.67	486406.00	4994893.00	901.0
133283	133283	DZOLNOWSKY	133283	2212303.35	771025.63	486023.00	4995203.00	898.0
134308	134308	FRANK EPPO	134308	2213491.26	769710.85	486380.00	4994798.00	900.0
134309	134309	J MAGNUSON	134309	2213573.34	769708.57	486405.00	4994797.00	901.0
134310	134310	J WEIDELL	134310	2212481.54	770949.04	486077.00	4995179.00	902.0
134311	134311	WILLIAM MA	134311	2213434.18	770350.20	486365.00	4994993.00	899.0
134312	134312	TDAUBNSPCK	134312	2212301.16	770936.98	486022.00	4995176.00	898.0
134313	134313	JKRZYSTOFK	134313	2213096.05	771425.94	486266.00	4995322.00	894.0
134317	134317	HOWARD REK	134317	2220578.72	768294.41	488534.00	4994340.00	912.0
134318	134318	LW SEUTTER	134318	2213020.59	770351.70	486239.00	4994995.00	901.0
134319	134319	LOUIS J C	134319	2214468.96	769745.81	486678.00	4994805.00	899.0
134328	134328	ALLSEAHEAT	134328	2210122.73	760410.18	485319.00	4991977.00	910.0
134333	134333	H P MORRIS	134333	2213137.63	771515.07	486279.00	4995349.00	894.0
135317	135317	MARVIN WAN	135317	2220964.03	765243.30	488640.00	4993409.00	917.0
135319	135319	DENNY FRIE	135319	2224429.64	773590.02	489727.00	4995939.00	904.0
135371	135371	BRIAN SMIT	135371	2224757.98	773580.91	489827.00	4995935.00	900.0
135393	135393	JIM PETERS	135393	2225237.42	764721.25	489940.00	4993234.00	925.0
136567	136567	CLAY CHRIS	136567	2214174.50	771275.04	486594.00	4995272.00	898.0
136581	136581	KELZENBERG	136581	2225610.19	774750.01	490091.00	4996288.00	905.0
136583	136583	ALQUIST	136583	2213241.35	771086.36	486309.00	4995218.00	899.0
138197	138197	E G BERG	138197	2212612.03	771282.15	486118.00	4995280.00	895.0
138384	138384	MICHELS CO	138384	2224845.02	745577.39	489749.00	4987403.00	925.0
138928	138928	MCGOUGH CO	138928	2214424.35	775259.56	486685.00	4996485.00	905.0
138935	138935	DONALD W.	138935	2224263.09	768162.30	489656.00	4994286.00	919.0
138942	138942	ERIC SEGLE	138942	2218181.73	773188.51	487822.00	4995840.00	905.0
139035	139035		139035	2215658.93	692715.97	486753.00	4971332.00	0.0
142006	142006	RANDY REGN	142006	2216652.81	773671.97	487358.00	4995993.00	893.0
142007	142007	JAMES KAVA	142007	2220343.93	769240.12	488466.00	4994629.00	895.0
142043	142043	CAMBLIN	142043	2216245.29	773982.08	487235.00	4996089.00	889.0
142321	142321	GENES HUGH	142321	2224633.29	764736.83	489756.00	4993241.00	915.0
143684	143684	DW HARSTED	143684	2195649.45	765628.82	480929.00	4993621.00	881.0
145752	145752	DSCHREINER	145752	2212735.09	770079.05	486151.00	4994913.00	898.0
145758	145758	H MEISNER	145758	2212758.62	770837.55	486161.00	4995144.00	899.0
146267	146267	LOREN HANK	146267	2223258.18	769544.98	489355.00	4994711.00	897.0
149459	149459	DON KENT	149459	2226115.56	759486.89	490188.00	4991636.00	904.0
149819	149819	T ZOCCOLI	149819	2213081.23	771028.60	486260.00	4995201.00	901.0
149820	149820	L PIPER	149820	2213166.23	771055.90	486286.00	4995209.00	901.0
149821	149821	D CARLSON	149821	2212369.09	771285.74	486044.00	4995282.00	895.0
149822	149822	MEDTEK	149822	2190257.92	735552.85	479174.00	4984478.00	839.0
149844	149844	D WOHLETZ	149844	2212447.74	771296.55	486068.00	4995285.00	895.0

Well ID1	Well Code (90 Monitoring Plan)	Well ID2	MNUNIQ	X-STP-ft	Y-STP-ft	X-UTM-M	Y-UTM-M	TOS-ft
149845	149845	M MULCAHY	149845	2212837.42	770835.24	486185.00	4995143.00	899.0
150909	150909		150909	2224518.10	769048.37	489737.00	4994555.00	898.0
151557	151557	SHOREVIEW	151557	2224271.93	760475.25	489630.00	4991944.00	899.0
151576	151576	SHOREVIEW	151576	2225454.12	763644.03	490002.00	4992905.00	923.0
151707	151707	STEVE DELA	151707	2224651.47	773166.03	489793.00	4995809.00	900.0
151708	151708	RICHARD MI	151708	2224604.52	773247.52	489779.00	4995834.00	902.0
151709	151709	MICHAEL SA	151709	2224747.36	773108.13	489822.00	4995791.00	892.0
151710	151710	KEITH STRA	151710	2224331.18	773588.81	489697.00	4995939.00	904.0
151711	151711	HARRY BRAN	151711	2224193.47	773577.28	489655.00	4995936.00	904.0
151745	151745	LEE HIMLEY	151745	2224917.09	773185.70	489874.00	4995814.00	899.0
153235	153235	THOMAS ONE	153235	2220552.56	769357.56	488530.00	4994664.00	895.0
153241	153241	RLIVINGSTN	153241	2212451.41	770193.74	486065.00	4994949.00	902.0
153465	153465	HAROLD SWI	153465	2224519.45	765723.41	489725.00	4993542.00	922.0
154458	154458	H GRACHEK	154458	2212427.88	770774.42	486060.00	4995126.00	901.0
155067	155067	ART KAWLER	155067	2224517.97	773614.08	489754.00	4995946.00	903.0
155591	155591	RALPH STAP	155591	2224806.06	766173.31	489814.00	4993678.00	928.0
156062	156062	TOM THUMB	156062	2225214.73	775414.76	489973.00	4996492.00	901.0
156075	156075	H LINSMIER	156075	2213015.88	770200.65	486237.00	4994949.00	902.0
156082	156082	R JOHNSON	156082	2213021.33	771362.66	486243.00	4995303.00	894.0
156088	156088	J LUNN	156088	2213014.85	770016.83	486236.00	4994893.00	902.0
156099	156099	G PETERSON	156099	2213101.13	770208.26	486263.00	4994951.00	901.0
158101	158101	MN DIVERSD	158101	2211129.42	755669.76	485608.00	4990529.00	905.0
15D	15D			2207808.15	756974.79	484601.00	4990939.00	0.0
15S	15S			2207804.83	756978.03	484600.00	4990940.00	0.0
161432	161432	NBM10	161432	2207987.02	745328.16	484612.00	4987390.00	919.0
161460	161460	ONANUH301A	161460	2197052.23	765527.86	481356.00	4993585.00	895.0
161463	161463	ONANOPC520	161463	2197336.93	766401.16	481446.00	4993850.00	895.0
161498	161498	ONANOPC512	161498	2197690.35	764882.51	481548.00	4993386.00	895.0
163261	163261	FISCHER	163261	2224296.69	764883.69	489654.00	4993287.00	908.0
164655	164655	DON JOHNSO	164655	2220666.59	768623.72	488562.00	4994440.00	897.0
164658	164658	P HAWKINS	164658	2199993.58	768974.24	482265.00	4994624.00	915.0
164694	164694	HERBERT KA	164694	2218121.08	732063.98	487650.00	4983311.00	952.0
165566	165566	R KRAUSE	165566	2212634.30	771072.35	486124.00	4995216.00	898.0
165567	165567	D SCHUZEN	165567	2212486.37	771090.24	486079.00	4995222.00	897.0
165618	165618	MORNING SU	165618	2215512.86	769735.63	486996.00	4994798.00	905.0
165878	165878	MIKE KAVAN	165878	2213746.79	770554.26	486461.00	4995054.00	898.0
166079	166079	TRADERMCHR	166079	2212319.05	770280.74	486025.00	4994976.00	900.0
166892	166892	C YOUNG	166892	2199576.63	768982.26	482138.00	4994628.00	905.0
169284	169284	ONANS2/P2	169284	2198608.95	764650.88	481827.00	4993312.00	891.0
169285	169285	ONANS1/P1	169285	2198654.25	764703.95	481841.00	4993328.00	894.0
16E	16E/M			2208478.58	756638.36	484804.00	4990834.00	0.0
16M	.			2208478.58	756638.36	484804.00	4990834.00	0.0
170563	170563	DON KUSHEL	170563	2226311.37	775119.66	490306.00	4996398.00	905.0
170663	170663	ARNOLD ELM	170663	2216389.10	775103.11	487283.00	4996430.00	897.0
171048	171048	CBLENNINGR	171048	2212296.89	771284.85	486022.00	4995282.00	892.0
171830	171830	B MECH	171830	2197195.02	762181.66	481387.00	4992565.00	891.0
173932	173932	PEACE UNIT	173932	2225937.82	764618.23	490153.00	4993200.00	927.0
175173	175173	CRAIG FLEI	175173	2224856.97	773270.30	489856.00	4995840.00	895.0
175197	175197	JIM QUIST	175197	2224809.32	774480.90	489846.00	4996209.00	903.0
175857	175857	UNIVRSPLAT	175857	2193315.03	732767.60	480095.00	4983618.00	849.0
176019	176019	DON GAYOR	176019	2224992.03	764390.01	489864.00	4993134.00	924.0
176029	176029	ANDERSON	176029	2216555.61	774104.04	487330.00	4996125.00	903.0
176042	176042	RICHARD AU	176042	2225730.76	764372.80	490089.00	4993126.00	925.0
176071	176071	ONANB2/P3	176071	2198841.35	764702.97	481898.00	4993327.00	893.0
176072	176072	ONANB1/P4	176072	2198786.75	764872.98	481882.00	4993379.00	890.0
178245	178245	ROBERT CAR	178245	2224885.16	767487.20	489843.00	4994078.00	924.0
179370	179370	JIM LAABS	179370	2225387.44	756494.36	489955.00	4990727.00	910.0
179371	179371	RSCHROEDER	179371	2212282.58	771114.00	486017.00	4995230.00	896.0
180815	180815	MCGILISGB	180815	2208338.97	749819.35	484736.00	4988757.00	910.0
180816	180816	MCGILISGB	180816	2208261.72	751301.99	484718.00	4989209.00	911.0
180817	180817	BURLNOR RR	180817	2207587.57	748461.12	484502.00	4988346.00	913.0
180820	180820	JACK GAUST	180820	2224931.18	763194.51	489841.00	4992770.00	913.0
182126	182126	AFRISCHMON	182126	2212102.36	771088.81	485962.00	4995223.00	890.0
182135	182135	JIM EASTMA	182135	2224978.26	756404.01	489830.00	4990701.00	925.0
182754	182754	WALLY BAUE	182754	2225146.29	756888.56	489883.00	4990848.00	908.0
183469	183469	RYAN	183469	2214351.58	769682.01	486642.00	4994786.00	898.0
184475	184475	T W KLOHS	184475	2197407.36	763602.22	481457.00	4992997.00	881.0
184483	184483	JOHN PILNE	184483	2221730.13	769421.22	488889.00	4994679.00	912.0
188021	188021	PETE PFEIL	188021	2225524.33	768630.72	490042.00	4994424.00	910.0
191910	191910	MEDT FM8A	191910	2196811.52	764011.77	481277.00	4993124.00	877.0
191911	191911	MEDT OPC8	191911	2196854.27	764005.73	481290.00	4993122.00	877.0
191912	191912	MEDT OPC1	191912	2195698.73	764821.97	480941.00	4993375.00	875.0
192756	192756	JACK RUFF	192756	2222916.58	769563.77	489251.00	4994718.00	896.0
196701	196701	FMC11	196701	2187131.77	748515.54	478270.00	4988439.00	834.0
196702	196702	FMC12	196702	2187155.15	748483.00	478277.00	4988429.00	833.0
196703	196703	FMC13	196703	2187171.88	748456.95	478282.00	4988421.00	833.0

Well ID1	Well Code (90 Monitoring Plan)	Well ID2	MNUNIQ	X-STP-ft	Y-STP-ft	X-UTM-M	Y-UTM-M	TOS-ft
196704	196704	FMC14	196704	2187195.53	748401.44	478289.00	4988404.00	833.0
196705	196705	FMC15	196705	2187295.92	748245.12	478319.00	4988356.00	834.0
196706	196706	FMC16	196706	2187833.73	748284.54	478483.00	4988366.00	836.0
196707	196707	FMC17	196707	2187870.39	748774.05	478496.00	4988515.00	834.0
196708	196708	FMC18	196708	2187824.00	748809.59	478482.00	4988526.00	836.0
196709	196709	FMC19A	196709	2187080.93	748646.20	478255.00	4988479.00	833.0
196710	196710	FMC20	196710	2186655.63	748532.67	478125.00	4988446.00	832.0
196711	196711	FMC27	196711	2187456.06	748568.75	478369.00	4988454.00	835.0
196712	196712	FMC28	196712	2187333.55	748120.86	478330.00	4988318.00	834.0
196713	196713	FMC29	196713	2187242.24	748339.65	478303.00	4988385.00	834.0
196714	196714	FMC30	196714	2187071.17	748639.52	478252.00	4988477.00	833.0
196715	196715	FMC31	196715	2187247.34	748727.02	478306.00	4988503.00	833.0
196716	196716	FMC32	196716	2187783.94	748329.88	478468.00	4988380.00	835.0
196719	196719	FMC19	196719	2187080.01	748721.69	478255.00	4988502.00	833.0
196732	196732	FMC24	196732	2187598.22	748485.15	478412.00	4988428.00	835.0
196733	196733	FMC21	196733	2186586.17	748308.63	478103.00	4988378.00	831.0
197132	197132	NRPFMC1D	197132	2187709.92	751955.89	478459.00	4989485.00	835.0
197133	197133	NRPFMC1S	197133	2187715.68	752021.60	478461.00	4989505.00	835.0
197134	197134	NRPFMC4D	197134	2186261.10	750726.95	478013.00	4989116.00	833.0
197135	197135	NRPFMC5S	197135	2186263.86	750769.66	478014.00	4989129.00	833.0
197136	197136	NRPFMC6S	197136	2186272.19	750625.34	478016.00	4989085.00	834.0
197137	197137	NRPFMC3D	197137	2187804.00	750975.64	478484.00	4989186.00	835.0
197138	197138	NRPFMC4S	197138	2187813.24	751024.99	478487.00	4989201.00	836.0
197139	197139	NRPFMC3C	197139	2187068.32	751547.58	478262.00	4989363.00	835.0
197140	197140	NRPFMC2D	197140	2186465.60	751983.29	478080.00	4989498.00	834.0
197141	197141	NRPFMC2S	197141	2186468.24	752035.84	478081.00	4989514.00	834.0
197143	197143	NRPFMCPC3	197143	2191063.33	750972.95	479477.00	4989173.00	839.0
197144	197144	NRPFMCPC2	197144	2186970.03	751533.24	478232.00	4989359.00	835.0
197145	197145	NRPFMCPC1	197145	2186469.48	751934.10	478081.00	4989483.00	834.0
197146	197146	NRPFMCPC4	197146	2186249.93	750835.13	478010.00	4989149.00	833.0
199989	199989	M NYGAARD	199989	2212106.91	771252.98	485964.00	4995273.00	890.0
200062	200062	E WALSTROM	200062	2213269.86	741710.20	486208.00	4986268.00	925.0
200063	200063	ROY LINDER	200063	2210207.20	743074.19	485280.00	4986695.00	921.0
200064	200064	MC BHONNY	200064	2212702.61	740055.55	486029.00	4985766.00	920.0
200065	200065	ADMIRLTRAN	200065	2212390.61	739267.26	485931.00	4985527.00	915.0
200066	200066	DERSOTRAIL	200066	2210403.47	739646.63	485327.00	4985650.00	920.0
200067	200067	INDINHDTRK	200067	2211309.90	737996.91	485597.00	4985144.00	930.0
200068	200068	MACK HOTEL	200068	2212730.11	738079.96	486030.00	4985164.00	925.0
200069	200069	GLENDENNIN	200069	2214601.42	738312.95	486601.00	4985228.00	930.0
200070	200070	RUAN TRANS	200070	2209300.89	737483.23	484983.00	4984995.00	915.0
200071	200071	PRESTRCONC	200071	2209013.84	737069.43	484894.00	4984870.00	925.0
200072	200072	WITTETRANS	200072	2209595.18	735967.15	485067.00	4984532.00	955.0
200073	200073	WILSONTRNS	200073	2209579.31	735655.14	485061.00	4984437.00	955.0
200074	200074	ASBESTOSPR	200074	2206730.00	736483.46	484196.00	4984700.00	935.0
200075	200075	PHILPSPETR	200075	2206223.15	737399.56	484045.00	4984981.00	950.0
200076	200076	OLDDUTCHFD	200076	2206864.85	735657.98	484234.00	4984448.00	950.0
200077	200077	J CONLIN	200077	2207263.82	733634.43	484348.00	4983830.00	935.0
200078	200078	W CLASS	200078	2206869.71	733386.72	484227.00	4983756.00	945.0
200079	200079	LSCHOENING	200079	2209295.20	734197.62	484969.00	4983994.00	950.0
200080	200080	C A OSTROM	200080	2208727.94	734151.28	484796.00	4983982.00	940.0
200081	200081	A O LIEBIG	200081	2208520.71	734188.13	484733.00	4983994.00	935.0
200083	200083	POLAR FOOD	200083	2215266.83	736778.44	486798.00	4984758.00	910.0
200084	200084	T E SCHULT	200084	2225160.65	731063.79	489791.00	4982980.00	945.0
200087	200087	HAR MAR SH	200087	2216266.96	732034.70	487085.00	4983309.00	948.0
200089	200089	DON ROBERT	200089	2220811.73	730521.46	488464.00	4982831.00	950.0
200093	200093	D LUNDGREN	200093	2212483.39	733035.38	485936.00	4983628.00	970.0
200094	200094	D LUNDGREN	200094	2212685.08	732647.27	485996.00	4983509.00	965.0
200095	200095	H C REGMER	200095	2214826.61	733060.81	486650.00	4983627.00	975.0
200096	200096	FRONTIER	200096	2215458.96	732884.75	486842.00	4983571.00	955.0
200097	200097	ROBERT GAN	200097	2219533.19	736558.29	488097.00	4984675.00	915.0
200098	200098	ELMER T JO	200098	2220685.07	735502.38	488444.00	4984349.00	935.0
200099	200099	ELMER T JO	200099	2220596.58	735491.45	488417.00	4984346.00	935.0
200100	200100	ROY KROISS	200100	2216272.67	735855.32	487101.00	4984473.00	935.0
200101	200101	E B AND L	200101	2217902.99	734326.07	487592.00	4984001.00	950.0
200102	200102	CONNING HO	200102	2218728.50	733922.62	487842.00	4983875.00	945.0
200103	200103	ROBERT LIN	200103	2219595.64	733335.87	488104.00	4983693.00	945.0
200104	200104	JOHNSON EL	200104	2221330.45	736406.34	488644.00	4984622.00	900.0
200105	200105	SPETZ AND	200105	2220954.39	733076.81	488517.00	4983609.00	945.0
200106	200106	LES CROSWE	200106	2224359.93	732659.01	489553.00	4983469.00	940.0
200132	200132	LENTSCH CO	200132	2226587.70	730854.79	490225.00	4982911.00	965.0
200135	200135	COL GARLEY	200135	2215233.27	732284.62	486771.00	4983389.00	965.0
200136	200136	ART BAKER	200136	2213850.15	730514.95	486343.00	4982855.00	975.0
200137	200137	H CONRAD	200137	2214705.26	730374.44	486603.00	4982809.00	970.0
200138	200138	STEVE KOIS	200138	2215320.65	729974.98	486789.00	4982685.00	965.0
200139	200139	CORPUSCSHL	200139	2212564.57	732035.29	485957.00	4983323.00	980.0
200140	200140	LORENTZEN	200140	2211039.16	729824.05	485484.00	4982655.00	990.0

Well ID1	Well Code (90 Monitoring Plan)	Well ID2	MNUNIQ	X-STP-ft	Y-STP-ft	X-UTM-M	Y-UTM-M	TOS-ft
200141	200141	H O BYE	200141	2212095.30	729617.08	485805.00	4982588.00	985.0
200144	200144	R CARLSON	200144	2208846.25	730657.13	484819.00	4982917.00	955.0
200145	200145	B KINGSLEY	200145	2209417.27	730933.27	484994.00	4982999.00	975.0
200146	200146	E JOHNSON	200146	2209611.61	730876.57	485053.00	4982981.00	970.0
200147	200147	MOBILEHOME	200147	2207036.61	731819.84	484272.00	4983278.00	945.0
200148	200148	PCALMENSON	200148	2205317.29	731772.51	483748.00	4983270.00	940.0
200149	200149	MIDLNDHLCC	200149	2207812.70	730628.05	484504.00	4982912.00	965.0
200150	200150	NRTHSTAPWR	200150	2205265.91	729805.82	483725.00	4982671.00	945.0
200151	200151	CR RHOADES	200151	2206268.19	729975.65	484031.00	4982719.00	955.0
200152	200152	JA THOMMES	200152	2205607.59	729511.32	483828.00	4982580.00	960.0
200153	200153	WLB RADIO	200153	2209922.45	729616.72	485143.00	4982596.00	985.0
200154	200154	UM GOLF	200154	2209904.23	728425.03	485133.00	4982233.00	990.0
200157	200157	HONEYWELL	200157	2201066.58	730985.19	482450.00	4983046.00	880.0
200167	200167		200167	2219409.49	719059.09	487994.00	4979344.00	0.0
200197	200197		200197	2224999.56	714200.92	489679.00	4977843.00	0.0
200201	200201	ZALK STEEL	200201	2191178.90	739676.81	479470.00	4985731.00	861.0
200202	200202	NRTHTWN3	200202	2189688.69	739681.51	479016.00	4985738.00	848.0
200203	200203	NRTHTWN1	200203	2189458.57	739176.50	478944.00	4985585.00	848.0
200204	200204	INDUSTCONS	200204	2191719.54	738682.35	479631.00	4985426.00	857.0
200205	200205	NRTHTWN2	200205	2188852.08	741525.72	478768.00	4986303.00	845.0
200206	200206	BROWNPHOTO	200206	2184731.24	740050.68	477507.00	4985869.00	850.0
200207	200207	DUNDESJGRV	200207	2185358.07	739254.21	477695.00	4985624.00	830.0
200208	200208	AMERPETROC	200208	2188704.12	739137.71	478714.00	4985576.00	840.0
200209	200209	SHOP WALL	200209	2189135.38	739300.54	478846.00	4985624.00	840.0
200252	200252	FLTTREDIMX	200252	2188044.93	735614.33	478500.00	4984505.00	820.0
200253	200253	EDGWTRVCLB	200253	2188180.48	734463.92	478537.00	4984154.00	820.0
200255	200255	GLUERBREWG	200255	2188505.63	733109.06	478631.00	4983740.00	823.0
200256	200256	JAX CAFE	200256	2190513.32	732926.90	479242.00	4983677.00	840.0
200257	200257	ARIONTHEAT	200257	2194664.41	733808.21	480510.00	4983930.00	852.0
200258	200258	O REMME	200258	2195051.86	734866.56	480632.00	4984251.00	852.0
200259	200259	WINDOMPARK	200259	2197844.90	734611.97	481482.00	4984163.00	924.0
200260	200260	MNHWYDBRN	200260	2199756.59	731819.23	482054.00	4983305.00	870.0
200264	200264		200264	2194561.00	731801.49	480471.00	4983319.00	850.0
200265	200265	FLSCHMALT1	200265	2189655.45	731954.68	478977.00	4983384.00	834.0
200266	200266	RITZTHEATR	200266	2190823.82	730357.42	479327.00	4982893.00	835.0
200384	200384	METALLURGI	200384	2196262.67	726862.88	480971.00	4981808.00	835.0
200522	200522	PEMTOM	200522	2202770.33	748100.10	483033.00	4988254.00	930.0
200523	200523	PEMTON	200523	2202430.60	747163.77	482926.00	4987970.00	940.0
200525	200525	PLETSCHRSG	200525	2207924.37	744280.35	484589.00	4987071.00	935.0
200526	200526	D OHMAN	200526	2212621.18	745896.99	486026.00	4987546.00	915.0
200527	200527	PRESBYTERI	200527	2224766.94	741769.00	489711.00	4986243.00	905.0
200528	200528	PRESBYTRNH	200528	2212921.76	744403.96	486112.00	4987090.00	905.0
200529	200529	INDSLDIST2	200529	2212871.59	743408.81	486093.00	4986787.00	925.0
200530	200530	NAZARETH H	200530	2214878.22	744385.26	486708.00	4987077.00	905.0
200531	200531	NAZERETH H	200531	2214351.14	744273.77	486547.00	4987045.00	910.0
200588	200588	NORSTATPWR	200588	2187314.42	733357.03	478269.00	4983820.00	812.0
200599	200599		200599	2194841.22	717779.91	480504.00	4979046.00	0.0
200629	200629		200629	2192386.59	722292.43	479773.00	4980430.00	0.0
200811	200811	DEMISITION	200811	2200674.11	737029.57	482353.00	4984889.00	915.0
200812	200812	GROSS GOLF	200812	2204289.24	733972.15	483443.00	4983944.00	947.0
200813	200813	3CIRCDRVIN	200813	2201868.36	736266.32	482714.00	4984652.00	915.0
200814	200814		200814	2203852.99	729128.77	483292.00	4982470.00	0.0
200883	200883	NRTHTWNLOC	200883	2189155.24	741427.69	478860.00	4986272.00	860.0
201074	201074		201074	2186935.75	713114.13	478078.00	4977654.00	0.0
201082	201082		201082	2191160.08	713372.71	479366.00	4977717.00	0.0
201158	201158	FRIDLY4	201158	2192694.36	759825.58	480007.00	4991864.00	880.0
206630	206630	CARGILFLAX	206630	2191160.43	742788.16	479476.00	4986679.00	905.0
206632	206632	CITY WELL	206632	2197723.25	774509.92	481594.00	4996319.00	912.0
206633	206633	MNDPTHGHWY	206633	2197737.02	773387.54	481594.00	4995977.00	910.0
206635	206635	SPRNGLKPHI	206635	2194595.93	771507.63	480630.00	4995416.00	915.0
206636	206636	CITY WELL6	206636	2198337.07	769423.30	481762.00	4994767.00	905.0
206637	206637	CITY WELL3	206637	2190442.62	771069.37	479363.00	4995298.00	878.0
206638	206638	CITY WELL1	206638	2191415.49	770428.12	479657.00	4995099.00	886.0
206645	206645	B BALFANY	206645	2184559.84	773816.68	477581.00	4996157.00	865.0
206646	206646	G FREDRICK	206646	2184597.87	773659.60	477592.00	4996109.00	869.0
206647	206647	A ENGLUND	206647	2185056.73	771574.40	477724.00	4995472.00	850.0
206654	206654	ST PPUMPST	206654	2187175.51	767691.18	478355.00	4994281.00	865.0
206655	206655	J OLSON	206655	2186860.32	766361.26	478254.00	4993877.00	850.0
206656	206656	BOBPRODUCE	206656	2189961.34	769097.36	479209.00	4994699.00	870.0
206657	206657	FRIDLY11	206657	2190484.55	764173.77	479350.00	4993197.00	853.0
206658	206658	FRIDLY10	206658	2190508.41	764101.85	479357.00	4993175.00	853.0
206659	.	FRIDLYTER1	206659	2194959.52	767822.78	480727.00	4994292.00	895.0
206660	206659/60	FRIDLYTER2	206660	2194959.52	767822.78	480727.00	4994292.00	895.0
206661	206661	RDETTERMAN	206661	2197781.35	763885.80	481572.00	4993082.00	890.0
206662	206662	L CORCORAN	206662	2197156.54	761839.83	481374.00	4992461.00	900.0
206663	206663	E ERICKSON	206663	2196137.92	763268.27	481069.00	4992900.00	875.0

Well ID1	Well Code (90 Monitoring Plan)	Well ID2	MNUNIQ	X-STP-ft	Y-STP-ft	X-UTM-M	Y-UTM-M	TOS-ft
206664	206664	E ERICKSON	206664	2196633.82	762978.94	481219.00	4992810.00	875.0
206665	206665	STIGER	206665	2197147.42	761245.63	481369.00	4992280.00	890.0
206668	206668	LWILLIAMSN	206668	2191819.06	760540.23	479743.00	4992085.00	860.0
206669	206669	FRIDLY8	206669	2192475.18	760032.96	479941.00	4991928.00	875.0
206670	206670	FRIDLY3	206670	2192721.56	760016.28	480016.00	4991922.00	885.0
206671	206671	WELL7	206671	2191953.25	760036.40	479782.00	4991931.00	865.0
206672	206672	FRIDLY9	206672	2192357.28	759476.80	479903.00	4991759.00	885.0
206673	206673	FRIDLY6	206673	2192691.61	758978.71	480003.00	4991606.00	885.0
206674	206674	FRIDLY2	206674	2192692.82	758880.26	480003.00	4991576.00	885.0
206675	206675	FRIDLY5	206675	2193567.46	760092.30	480274.00	4991942.00	875.0
206678	206678	FRIDLY7	206678	2192741.63	759717.84	480021.00	4991831.00	885.0
206679	206679	FRIDLYJRHI	206679	2193064.75	759331.21	480118.00	4991712.00	890.0
206680	206680	DESIGNWARE	206680	2188775.67	761668.11	478820.00	4992440.00	850.0
206681	206681	H BECKMAN	206681	2187321.58	760869.08	478374.00	4992202.00	835.0
206682	206682	GRTNORTHRN	206682	2188048.40	757809.06	478584.00	4991267.00	850.0
206683	206683	FRIDLYSRHI	206683	2193132.92	758055.24	480134.00	4991323.00	895.0
206684	206684	RHOLMSTROM	206684	2191478.16	753813.93	479614.00	4990037.00	875.0
206685	206685	FRIDLY1	206685	2193109.31	754628.24	480114.00	4990279.00	890.0
206686	206686	CLILLEMOEN	206686	2198906.72	757499.13	481891.00	4991132.00	980.0
206688	206688	JHELDNBRND	206688	2197276.13	751820.48	481373.00	4989408.00	1000.0
206689	206689	F FOSTER	206689	2195345.90	749164.42	480775.00	4988606.00	960.0
206690	206690	ECREIGHTON	206690	2192140.22	752285.94	479810.00	4989569.00	888.0
206691	206691	N KINNAN	206691	2194441.57	751444.36	480508.00	4989304.00	925.0
206692	206692	C DAHL	206692	2191630.06	752936.14	479657.00	4989769.00	880.0
206693	206693	FERNELIOUS	206693	2190647.41	750629.77	479349.00	4989070.00	850.0
206694	206694	KURT MFG	206694	2188969.86	753330.20	478848.00	4989899.00	850.0
206695	206695	U S NAVY	206695	2187442.62	751804.90	478377.00	4989440.00	835.0
206696	206696	FRIDLY13	206696	2185940.33	752259.12	477921.00	4989584.00	835.0
206697	206697	NORTHNPUMP	206697	2187118.35	749877.51	478271.00	4988854.00	835.0
206698	206698	NORTPAC RR	206698	2187973.99	746750.16	478520.00	4987898.00	835.0
206700	206700	HNYWLHLCRT	206700	2191861.99	743660.00	479693.00	4986942.00	908.0
206702	206702	MINNEAPOLI	206702	2191204.55	743740.56	479493.00	4986969.00	905.0
206705	206705	CARGILFLAX	206705	2191561.35	743016.27	479599.00	4986747.00	901.0
206707	206707	BUCHER PAR	206707	2226694.33	775206.41	490423.00	4996423.00	901.0
206708	206708	WACONIA HO	206708	2217573.81	772977.56	487636.00	4995778.00	900.0
206709	206709	TURTLE SCH	206709	2219869.61	770179.61	488325.00	4994917.00	905.0
206711	206711	TOM PADDEN	206711	2212111.39	770619.55	485963.00	4995080.00	895.0
206712	206712	H LARSON	206712	2212109.48	770507.93	485962.00	4995046.00	895.0
206713	206713	BILL HINNE	206713	2213645.42	769719.31	486427.00	4994800.00	905.0
206714	206714	RAINEKE DA	206714	2213794.18	770436.67	486475.00	4995018.00	900.0
206715	206715	ARVID PROT	206715	2213802.94	770525.40	486478.00	4995045.00	900.0
206718	206718	W B MCCUE	206718	2201648.32	766795.39	482761.00	4993954.00	905.0
206723	206723	EDGEWDJRHI	206723	2206004.74	764856.45	484081.00	4993347.00	910.0
206727	206727	CHARLES MI	206727	2220836.40	765212.19	488601.00	4993400.00	926.0
206728	206728	CARL JOHNS	206728	2224716.20	767078.13	489790.00	4993954.00	925.0
206729	206729	BLAINE EDM	206729	2224671.66	766427.68	489774.00	4993756.00	925.0
206730	206730	BLAINE EDM	206730	2225064.84	765680.85	489891.00	4993527.00	935.0
206731	206731	BLAINE	206731	2224695.55	765013.30	489776.00	4993325.00	920.0
206733	206733		206733	2230489.60	769505.55	491558.00	4994672.00	915.0
206734	206734	SIVOID	206734	2225564.95	769333.63	490057.00	4994638.00	910.0
206738	206738	LEN SAMUEL	206738	2225667.88	762271.36	490062.00	4992486.00	925.0
206739	206739	JACK BUSSI	206739	2223112.04	761915.10	489282.00	4992387.00	930.0
206740	206740	BLAINE	206740	2222155.25	762316.95	488992.00	4992513.00	930.0
206741	206741		206741	2222175.91	762238.43	488998.00	4992489.00	925.0
206742	206742		206742	2222154.46	762113.43	488991.00	4992451.00	925.0
206743	206743		206743	2221960.94	762370.37	488933.00	4992530.00	925.0
206744	206744		206744	2221965.27	762285.08	488934.00	4992504.00	925.0
206745	206745		206745	2221964.36	762091.41	488933.00	4992445.00	925.0
206746	206746		206746	2222003.07	761878.54	488944.00	4992380.00	930.0
206749	206749		206749	2222953.89	761696.53	489233.00	4992321.00	920.0
206762	206762	W FUDRO	206762	2205845.26	755375.22	483997.00	4990459.00	903.0
206764	206764	COMMON SCH	206764	2219137.10	758974.69	488060.00	4991506.00	975.0
206765	206765	MARVIN TIE	206765	2218973.80	757032.85	488003.00	4990915.00	995.0
206766	206766	R G HANS	206766	2216319.29	754551.74	487185.00	4990169.00	970.0
206768	206768	LOWELL GEA	206768	2216715.01	754133.17	487304.00	4990040.00	970.0
206769	206769	WILLIAM CA	206769	2217231.36	754316.74	487462.00	4990094.00	985.0
206770	206770	CONTROL DA	206770	2219637.82	755344.04	488199.00	4990398.00	1010.0
206771	206771	CONTROL DA	206771	2220054.40	754830.55	488324.00	4990240.00	1005.0
206772	206772	S & J CONT	206772	2225355.14	756451.29	489945.00	4990714.00	915.0
206773	206773	LARSON BLD	206773	2224213.32	752665.95	489583.00	4989565.00	976.0
206774	206774	HEALY PLUM	206774	2224474.74	749813.56	489652.00	4988695.00	960.0
206775	206775	RONALD AWS	206775	2216508.01	748793.64	487221.00	4988414.00	940.0
206776	206776	N W BELL	206776	2219276.88	750245.51	488070.00	4988846.00	938.0
206777	206777	ROBERT DAV	206777	2214456.72	753603.31	486614.00	4989887.00	900.0
206778	206778	ZUELKE CON	206778	2213962.64	753209.94	486462.00	4989769.00	910.0
206779	206779	GORDON BES	206779	2213951.84	752484.42	486456.00	4989548.00	905.0

Well ID1	Well Code (90 Monitoring Plan)	Well ID2	MNUNIQ	X-STP-ft	Y-STP-ft	X-UTM-M	Y-UTM-M	TOS-ft
206780	206780	A J WILW	206780	2214171.92	752470.71	486523.00	4989543.00	885.0
206781	206781	D MILLER	206781	2213432.21	752835.82	486299.00	4989657.00	905.0
206782	206782	JOHN ENG	206782	2213366.35	752585.56	486278.00	4989581.00	915.0
206783	206783	LARSONBLDG	206783	2213137.48	751709.67	486205.00	4989315.00	920.0
206784	206784	LUNDGREN	206784	2213452.29	751733.22	486301.00	4989321.00	915.0
206785	206785	R R LUNDG	206785	2214404.88	751941.83	486592.00	4989381.00	900.0
206787	206787	MOUNDSVWHI	206787	2211748.18	753389.59	485788.00	4989832.00	930.0
206788	206788	NRTHRNHOME	206788	2212247.43	751754.56	485934.00	4989332.00	910.0
206789	206789	NBM1	206789	2208704.70	752919.02	484859.00	4989700.00	905.0
206790	206790	JIM ADAMS	206790	2206983.52	750344.31	484325.00	4988922.00	908.0
206799	206799	DICK MOUCH	206799	2215962.02	747011.23	487048.00	4987873.00	890.0
206800	206800	RENGEL	206800	2215528.35	746776.16	486915.00	4987803.00	900.0
206824	206824	HOWARD WAL	206824	2217547.51	745123.66	487524.00	4987292.00	890.0
206825	206825	JOSEPHINE	206825	2217929.31	744501.42	487638.00	4987101.00	886.0
206826	206826	GEORGE TRU	206826	2219312.26	745214.21	488062.00	4987313.00	895.0
206827	206827	WILBUR LAK	206827	2223702.14	748041.51	489410.00	4988158.00	965.0
206828	206828	ST ODELIA	206828	2223860.62	747429.67	489456.00	4987971.00	965.0
206829	206829	JAMES MILL	206829	2223618.13	746593.00	489379.00	4987717.00	955.0
206830	206830	ARLO FABAI	206830	2223613.82	746409.14	489377.00	4987661.00	955.0
206831	206831	DONALD OLS	206831	2223548.35	746395.21	489357.00	4987657.00	955.0
206832	206832	KEN TSHIDE	206832	2224236.92	746452.88	489567.00	4987672.00	950.0
206833	206833	VILLAGE OF	206833	2222309.86	745946.77	488978.00	4987525.00	965.0
206834	206834	EMMET WILL	206834	2222285.49	743648.88	488962.00	4986825.00	955.0
206836	206836	JOHN CARPE	206836	2224446.58	745145.82	489626.00	4987273.00	950.0
206839	206839	GEORGE BER	206839	2223204.16	741267.36	489233.00	4986096.00	935.0
206840	206840	ARDEN HANS	206840	2221922.61	740047.07	488838.00	4985729.00	955.0
206841	206841	WALTER PAR	206841	2221470.28	738656.41	488695.00	4985307.00	930.0
206842	206842	DEAN KEMPF	206842	2224981.30	739542.96	489768.00	4985564.00	915.0
206843	206843	JACK DAVIE	206843	2224450.51	739198.38	489605.00	4985461.00	905.0
206845	206845	DAVE TILTO	206845	2219507.57	741596.25	488108.00	4986210.00	890.0
206846	206846	FOODTOWN S	206846	2217821.69	739622.65	487587.00	4985615.00	915.0
206847	206847	REEDEN SCH	206847	2216450.94	739789.66	487170.00	4985671.00	920.0
206848	206848	ROSE DRIVE	206848	2215921.94	738227.38	487003.00	4985197.00	915.0
206849	206849	CALVIN LUD	206849	2218419.33	739065.42	487767.00	4985443.00	915.0
208239	208239	GOOD SHEPA	208239	2226749.85	765583.33	490404.00	4993491.00	930.0
208286	208286	ED TOENJES	208286	2226944.09	739274.88	490365.00	4985475.00	938.0
208995	208995	CIRCLE PIN	208995	2216241.21	782348.68	487265.00	4998638.00	903.0
208996	208996	LEXINGTON	208996	2213093.12	780501.53	486299.00	4998087.00	913.0
209207	209207	CITYWELL12	209207	2195549.29	767104.62	480904.00	4994071.00	890.0
212641	212641	LARSON	212641	2216549.58	746204.43	487224.00	4987625.00	895.0
223294	223294	CITY WELL2	223294	2191432.34	770392.22	479662.00	4995088.00	886.0
223722	223722	GROSSINDST	223722	2185710.22	733022.26	477779.00	4983724.00	836.0
223723	223723	SHRHMMSPRY	223723	2190500.46	736117.09	479250.00	4984649.00	847.0
223733	223733	A YANTOS	223733	2190002.52	748081.39	479143.00	4988296.00	854.0
223734	223734	A HUSS	223734	2191815.44	760300.57	479741.00	4992012.00	861.0
223735	223735	T URISTA	223735	2187395.79	763380.94	478406.00	4992967.00	843.0
223736	223736	B JENSEN	223736	2192012.46	763772.37	479814.00	4993069.00	849.0
224787	224787	TOM JWANOS	224787	2217693.77	773366.34	487674.00	4995896.00	900.0
224788	224788	MIKE KRUMW	224788	2224992.25	760352.78	489849.00	4991904.00	900.0
225645	225645	SPRGLAK11	225645	2199919.37	769137.45	482243.00	4994674.00	900.0
225649	225649	OWASSO LAK	225649	2225529.06	743593.43	489950.00	4986796.00	891.0
225652	225652	JOHANNA LA	225652	2213657.29	747593.50	486348.00	4988059.00	885.0
225654	225654	SNAIL LAKE	225654	2225570.36	758978.02	490020.00	4991483.00	887.0
225656	225656	ISLAND LAK	225656	2223546.51	749224.51	489367.00	4988519.00	951.0
225874	225874	JACKSON SQ	225874	2194200.66	730405.39	480356.00	4982895.00	843.0
225883	225883	COLPRKPICN	225883	2193008.92	740867.73	480032.00	4986087.00	873.0
225895	225895	LOGANPARK1	225895	2193116.87	729922.74	480024.00	4982752.00	846.0
225896	225896	LOGANPARK2	225896	2193157.48	730090.64	480037.00	4982803.00	846.0
225901	225901	TURTLE LAK	225901	2224372.78	764835.39	489677.00	4993272.00	895.0
225905	225905	STPTERMLWH	225905	2205511.48	734942.27	483819.00	4984235.00	960.0
225906	225906	STPTERMLWH	225906	2205456.01	734915.33	483802.00	4984227.00	960.0
227302	227302	ROBERT WEB	227302	2214838.97	748927.45	486713.00	4988461.00	913.0
231741	231741	LABELLEPRK	231741	2194862.63	745748.22	480615.00	4987567.00	934.0
231845	231845	MNDOT CIVD	231845	2211039.87	769401.81	485632.00	4994713.00	894.0
231881	231881	CONCORDIA	231881	2226555.46	735095.08	490231.00	4984203.00	946.0
232064	232064	VOP R395E	232064	2209673.54	760102.70	485181.00	4991885.00	916.0
232067	232067	VOP R135E	232067	2209378.10	760105.64	485091.00	4991887.00	918.0
232068	232068	VOP C40E	232068	2209309.38	760088.39	485070.00	4991882.00	919.0
232069	232069	VOP R10E	232069	2209266.04	760143.66	485057.00	4991899.00	919.0
232070	232070	VOP CPW10	232070	2209240.63	760074.42	485049.00	4991878.00	919.0
232307	232307	FLSCHMALTN	232307	2189686.37	732109.32	478987.00	4983431.00	834.0
233221	233221	REUBEN MEA	233221	2199437.39	728405.06	481944.00	4982266.00	855.0
233222	233222	LOWRYGRTRL	233222	2200407.48	735752.79	482267.00	4984501.00	918.0
233241	233241	SCHMIDLERS	233241	2194876.97	733069.03	480572.00	4983704.00	854.0
233243	233243	WTOUSIGNNT	233243	2194772.82	741027.22	480570.00	4986129.00	865.0
233267	233267	NATIONLTEA	233267	2200249.25	735005.77	482216.00	4984274.00	929.0

Well ID1	Well Code (90 Monitoring Plan)	Well ID2	MNUNIQ	X-STP-ft	Y-STP-ft	X-UTM-M	Y-UTM-M	TOS-ft
233509	233509	BETHEL COL	233509	2217040.12	749834.08	487387.00	4988729.00	932.0
233517	233517	J V BRUEL	233517	2224753.75	766960.42	489801.00	4993918.00	924.0
233520	233520	MCEILISGB	233520	2208411.08	750630.95	484761.00	4989004.00	913.0
233527	233527	L A MOREL	233527	2216099.69	737382.74	487054.00	4984939.00	920.0
233533	233533	ROSELAWN C	233533	2223743.19	727540.98	489346.00	4981912.00	922.0
233534	233534	PETERSON	233534	2211084.46	732555.44	485508.00	4983487.00	1002.0
233535	233535	ANTON WEIN	233535	2218015.37	737209.27	487637.00	4984879.00	920.0
233536	233536	UNION GOSP	233536	2226845.24	758064.74	490405.00	4991200.00	921.0
233704	233704	HUDALLAS	233704	2219672.14	745845.53	488174.00	4987504.00	922.0
233706	233706	D E CLAES	233706	2219898.67	745841.74	488243.00	4987502.00	922.0
233709	233709	ARASMITH	233709	2220259.84	745563.89	488352.00	4987416.00	920.0
233721	233721	COUNTRYSID	233721	2215100.83	740147.30	486760.00	4985785.00	910.0
233728	233728	RAPID OIL	233728	2220808.56	729976.57	488461.00	4982665.00	945.0
233730	233730	GAIL KUEHN	233730	2220979.28	729437.09	488511.00	4982500.00	946.0
233741	233741	LARSON	233741	2212071.66	729403.45	485797.00	4982523.00	981.0
233751	233751	MILLER	233751	2216959.83	747814.49	487355.00	4988114.00	935.0
233757	233757	SCHMIDT	233757	2220365.76	745223.83	488383.00	4987312.00	938.0
233763	233763	P L MORGAN	233763	2208244.24	733446.23	484646.00	4983769.00	943.0
233765	233765	JARUMBECK	233765	2222841.89	741098.81	489122.00	4986046.00	917.0
233768	233768	D L WERNER	233768	2211456.82	746096.07	485672.00	4987611.00	925.0
233774	233774	ROSEVILLE	233774	2220782.72	729674.28	488452.00	4982573.00	946.0
233776	233776	PHIL BENNE	233776	2225745.03	731320.40	489970.00	4983056.00	952.0
233781	233781	OLIN	233781	2223423.33	744007.46	489310.00	4986930.00	963.0
233784	233784	LARSON	233784	2224353.75	737451.03	489569.00	4984929.00	934.0
233785	233785	JOHNSON	233785	2209079.74	730620.60	484890.00	4982905.00	971.0
233788	233788	REINARDT	233788	2213189.33	730336.17	486141.00	4982803.00	979.0
233789	233789	DUNDERBAKE	233789	2213379.47	730354.91	486199.00	4982808.00	978.0
233795	233795	ADDISON	233795	2212165.93	745280.91	485885.00	4987360.00	923.0
233799	233799	MIDWGRDANE	233799	2211650.97	738020.78	485701.00	4985150.00	924.0
233800	233800	ALBRECT LA	233800	2217561.27	737571.32	487500.00	4984991.00	930.0
233814	233814	BOTKO	233814	2208655.86	730123.07	484759.00	4982755.00	957.0
233815	233815	ROSENBLATT	233815	2208496.21	730295.07	484711.00	4982808.00	954.0
233819	233819	SONY SOUND	233819	2212657.11	736001.39	486000.00	4984531.00	968.0
233822	233822	F H SMITH	233822	2217751.21	746714.78	487592.00	4987776.00	910.0
233832	233832	BERNHAGEN	233832	2205193.14	740830.03	483744.00	4986030.00	960.0
233846	233846	W J BEHR	233846	2217264.43	748671.61	487451.00	4988374.00	943.0
233872	233872	P G BOURN	233872	2216511.11	736754.30	487177.00	4984746.00	924.0
233873	233873	E P STARK	233873	2214908.18	735779.52	486685.00	4984455.00	934.0
233883	233883	VETS ADMIN	233883	2193013.00	748564.70	480062.00	4988432.00	912.0
233894	233894	G REILING	233894	2220813.69	737863.90	488492.00	4985068.00	908.0
233915	233915	MILLIGANS	233915	2223562.22	746602.16	489362.00	4987720.00	955.0
234263	234263	HYDROGEOST	234263	2207176.39	757905.78	484412.00	4991225.00	880.0
234264	234264	HYDROGEOST	234264	2207216.57	757840.62	484424.00	4991205.00	880.0
234265	234265	HYDROGEOST	234265	2207131.97	757780.51	484398.00	4991187.00	880.0
234266	234266/68/72	P3C81 NW	234266	2207274.56	757929.96	484442.00	4991232.00	885.0
234267	234267	P3A NW	234267	2207277.84	757930.00	484443.00	4991232.00	885.0
234268	.	P3B81 NW	234268	2207274.56	757929.96	484442.00	4991232.00	884.0
234269	234269	P681 NW	234269	2208355.53	757037.29	484768.00	4990956.00	883.0
234270	234270	OLDNWPETRO	234270	2207319.95	757172.30	484453.00	4991001.00	877.0
234271	234271	P2 NW	234271	2207146.48	757399.94	484401.00	4991071.00	880.0
234272	.	OLDNWPETRO	234272	2207274.56	757929.96	484442.00	4991232.00	885.0
234273	234273	P4 NW	234273	2207201.36	758011.12	484420.00	4991257.00	884.0
234274	234274	OLDNWPETRO	234274	2207093.96	757668.44	484386.00	4991153.00	884.0
234276	234276	P1 NW	234276	2208125.84	757031.20	484698.00	4990955.00	880.0
234277	234277	OLDNWPETRO	234277	2207953.12	756930.61	484645.00	4990925.00	879.0
234278	234278	P3 NW	234278	2207661.92	756854.83	484556.00	4990903.00	880.0
234279	234279	OLDNWPETRO	234279	2207875.24	757392.46	484623.00	4991066.00	880.0
234280	234280	P5 NW	234280	2207553.07	757434.46	484525.00	4991080.00	881.0
234281	234281	P6 NW	234281	2207482.68	757820.91	484505.00	4991198.00	882.0
234286	234286	HERBSTL1	234286	2209038.72	761283.11	484992.00	4992247.00	912.0
234287	234287	HERBSTL2	234287	2207142.74	761453.53	484415.00	4992306.00	868.0
234288	234288	HERBSTL3S	234288	2206964.03	761037.76	484359.00	4992180.00	868.0
234289	234289	HERBSTL3D	234289	2206911.48	761040.40	484343.00	4992181.00	868.0
234290	234290	HERBSTL4	234290	2207365.78	760931.09	484481.00	4992146.00	869.0
234291	234291	HERBSTL4A	234291	2207362.46	760934.33	484480.00	4992147.00	869.0
234292	234292	UNIVRSTYMN	234292	2212633.13	774380.92	486136.00	4996224.00	886.0
234293	234293	UNIVRSTYMN	234293	2212703.71	773978.06	486156.00	4996101.00	881.0
234294	234294	UNIVRSTYMN	234294	2212713.72	773965.05	486159.00	4996097.00	881.0
234295	234295	UNIVRSTYMN	234295	2212983.42	774188.27	486242.00	4996164.00	882.0
234296	234296	TRIO8	234296	2208242.84	756858.67	484733.00	4990902.00	876.0
234297	234297	TRIO9S	234297	2208548.13	756855.85	484826.00	4990900.00	874.0
234298	.	TRIO9D	234298	2208518.55	756858.77	484817.00	4990901.00	874.0
234299	234298/9	TRIO9DA	234299	2208518.55	756858.77	484817.00	4990901.00	874.0
234300	234300	TRIO1D	234300	2208369.66	756955.41	484772.00	4990931.00	876.0
234312	234312	G GRUNDO	234312	2214156.87	757180.61	486536.00	4990978.00	0.0
234314	234314		234314	2214404.68	754636.59	486602.00	4990202.00	0.0

Well ID1	Well Code (90 Monitoring Plan)	Well ID2	MNUNIQ	X-STP-ft	Y-STP-ft	X-UTM-M	Y-UTM-M	TOS-ft
234318	234318	BEAULO	234318	2213393.19	758162.50	486307.00	4991280.00	0.0
234332	234332	INDYK	234332	2211307.74	758527.54	485673.00	4991399.00	0.0
234334	234334	HEGHTS	234334	2195308.55	745251.50	480749.00	4987414.00	0.0
234337	234337	MENGEL3	234337	2210195.84	756052.19	485325.00	4990649.00	0.0
234341	234341	MURPHY RI	234341	2208301.56	743231.36	484700.00	4986750.00	0.0
234344	234344	TANK&TUM	234344	2209510.38	750920.14	485097.00	4989088.00	0.0
234345	234345		234345	2201255.92	761857.28	482623.00	4992451.00	0.0
234346	234346		234346	2213025.23	753369.13	486177.00	4989821.00	0.0
234348	234348	MORRIS	234348	2208162.58	752695.74	484693.00	4989634.00	0.0
234354	234354	LKTRMTL	234354	2209435.46	760513.35	485110.00	4992011.00	0.0
234358	234358		234358	2203171.71	762747.30	483210.00	4992715.00	0.0
234362	234362		234362	2203986.01	763794.49	483462.00	4993031.00	0.0
234364	234364	MOSS	234364	2203700.76	759218.75	483358.00	4991638.00	0.0
234368	234368/9		234368	2201624.35	736893.52	482642.00	4984844.00	0.0
234369	.		234369	2201624.35	736893.52	482642.00	4984844.00	0.0
234370	234370		234370	2213355.45	769810.94	486339.00	4994829.00	0.0
234371	234371		234371	2210765.11	769592.10	485549.00	4994772.00	0.0
234372	234372		234372	2212120.14	769638.25	485962.00	4994781.00	0.0
234374	234374		234374	2214152.46	757272.46	486535.00	4991006.00	0.0
234376	234376		234376	2202911.31	761765.98	483127.00	4992417.00	0.0
234377	234377		234377	2203640.01	763370.11	483355.00	4992903.00	0.0
234382	234382	MANNUEL	234382	2217657.92	758346.06	487607.00	4991320.00	0.0
234383	234383		234383	2220362.61	757000.64	488426.00	4990900.00	0.0
234385	234385	PILGRIM H	234385	2218910.17	759011.30	487991.00	4991518.00	0.0
234388	234388		234388	2216966.29	754520.28	487382.00	4990157.00	0.0
234394	234394		234394	2213644.16	770090.19	486428.00	4994913.00	0.0
234395	234395		234395	2220220.69	758403.72	488388.00	4991328.00	0.0
234396	234396/P7		234396	2211827.81	760014.23	485837.00	4991850.00	0.0
234397	234397		234397	2220642.84	769489.96	488558.00	4994704.00	0.0
234398	234398		234398	2213012.03	771050.73	486239.00	4995208.00	0.0
234404	234404	MN DOT	234404	2210997.03	769148.54	485618.00	4994636.00	0.0
234405	234405	MAGNUSON	234405	2210911.47	751492.02	485526.00	4989257.00	0.0
234406	234406	KLAPP	234406	2206810.79	752117.90	484279.00	4989463.00	0.0
234411	234411	BEDFORD	234411	2214162.59	751892.91	486518.00	4989367.00	0.0
234412	234412		234412	2210880.79	751852.69	485518.00	4989367.00	0.0
234413	234413		234413	2224885.11	774724.72	489870.00	4996283.00	0.0
234414	234414		234414	2212056.62	769732.65	485943.00	4994810.00	0.0
234415	234415		234415	2212310.72	769620.89	486020.00	4994775.00	0.0
234420	234420		234420	2202751.00	763329.67	483084.00	4992894.00	0.0
234422	234422		234422	2202862.86	762773.05	483116.00	4992724.00	0.0
234423	234423		234423	2202941.00	763092.39	483141.00	4992821.00	0.0
234424	234424	GRUBSTAD	234424	2210211.55	757716.50	485336.00	4991156.00	897.0
234429	234429		234429	2214330.17	756966.10	486588.00	4990912.00	0.0
234430	234430	HOMIEL	234430	2212944.00	758649.00	486145.00	4991406.00	0.0
234432	234432	GILLESPIE	234432	2209548.06	760967.69	485146.00	4992149.00	913.0
234433	234433	OLDMOTEL	234433	2209562.09	759287.33	485144.00	4991637.00	0.0
234435	234435	GLIESON	234435	2210148.27	757791.22	485317.00	4991179.00	0.0
234436	234436	ZAMER	234436	2206862.47	751918.32	484294.00	4989402.00	0.0
234437	234437	HOLMES	234437	2206894.26	751734.90	484303.00	4989346.00	0.0
234439	234439	RAMOND	234439	2205910.98	741981.06	483967.00	4986378.00	0.0
234441	234441	LAUREN	234441	2211971.95	745843.08	485828.00	4987532.00	0.0
234443	234443		234443	2193663.36	747187.56	480255.00	4988010.00	0.0
234447	234447	PEMBCO	234447	2201837.56	755109.46	482775.00	4990393.00	0.0
234449	234449	BENEDET	234449	2202748.20	762755.24	483081.00	4992719.00	0.0
234450	234450	WALKER	234450	2204695.95	761574.51	483670.00	4992352.00	0.0
234453	234453	JOHNSON	234453	2209508.72	748645.50	485088.00	4988395.00	0.0
234454	234454	MYSLAJAK	234454	2203644.50	758988.30	483340.00	4991568.00	0.0
234455	234455	CHAPMAN	234455	2203163.15	760232.96	483198.00	4991949.00	0.0
234456	234456	TURNER	234456	2204475.35	756008.32	483582.00	4990657.00	0.0
234457	234457	MCDONN	234457	2206230.21	751283.65	484099.00	4989211.00	0.0
234458	234458		234458	2216383.86	747406.99	487178.00	4987992.00	0.0
234462	234462	ALBERT	234462	2213699.24	754079.80	486385.00	4990035.00	0.0
234463	234463	SOLIE	234463	2201501.64	745563.76	482637.00	4987486.00	0.0
234473	234473		234473	2201629.71	737527.06	482646.00	4985037.00	0.0
234479	234479	RYBAK	234479	2208960.57	763642.13	484977.00	4992966.00	0.0
234483	234483	WAGNER	234483	2205958.36	764087.82	484064.00	4993113.00	0.0
234485	234485		234485	2203200.16	769528.89	483244.00	4994781.00	0.0
234523	234523		234523	2221073.56	764072.86	488669.00	4993052.00	0.0
234532	234532		234532	2202505.17	750184.37	482960.00	4988890.00	0.0
234533	234533		234533	2217805.14	749813.91	487620.00	4988720.00	0.0
234537	234537	BETHFLD	234537	2208396.21	751576.07	484760.00	4989292.00	0.0
234545	234545		234545	2213752.24	770377.08	486462.00	4995000.00	0.0
234546	234546		234546	2201068.31	730844.07	482450.00	4983003.00	0.0
234547	234547		234547	2200670.60	731157.57	482330.00	4983100.00	0.0
234572	234572		234572	2210417.80	758027.57	485400.00	4991250.00	0.0
234600	234600		234600	2209358.54	757952.22	485077.00	4991231.00	0.0

Well ID1	Well Code (90 Monitoring Plan)	Well ID2	MNUNIQ	X-STP-ft	Y-STP-ft	X-UTM-M	Y-UTM-M	TOS-ft
234601	234601		234601	2209176.42	757011.25	485018.00	4990945.00	0.0
234602	234602		234602	2207757.87	754650.31	484577.00	4990231.00	0.0
234603	234603		234603	2207753.12	754502.55	484575.00	4990186.00	0.0
234604	234604		234604	2202529.99	756191.26	482990.00	4990720.00	0.0
234605	234605		234605	2202228.30	752688.64	482885.00	4989654.00	0.0
234606	234606		234606	2204042.64	746592.72	483415.00	4987790.00	0.0
234607	234607		234607	2209703.49	760605.26	485192.00	4992038.00	0.0
235302	235302	ACON DEVEL	235302	2225656.01	767795.34	490079.00	4994169.00	912.0
235303	235303	ARDMTRLRPK	235303	2211773.14	759386.64	485818.00	4991659.00	905.0
235304	235304	SHOREVIEW	235304	2225793.67	772366.01	490138.00	4995561.00	900.0
235305	235305	OLDDUMP11	235305	2210334.38	756263.95	485368.00	4990713.00	876.0
235306	235306	TRIO11A	235306	2210344.31	756257.51	485371.00	4990711.00	876.0
235307	235307	OLDDUMP12	235307	2208276.47	755989.27	484740.00	4990637.00	877.0
235308	235308	OLDLAND12A	235308	2208273.31	755979.39	484739.00	4990634.00	877.0
235309	235309	OLDLAND13S	235309	2208613.38	754746.13	484838.00	4990257.00	871.0
235310	235310	OLDLAND13S	235310	2208574.56	754699.71	484826.00	4990243.00	871.0
235311	235311	OLDDUMP13D	235311	2208607.38	754700.11	484836.00	4990243.00	871.0
235312	235312	OLDDUMP14	235312	2208877.33	754634.49	484918.00	4990222.00	872.0
235313	235313	MCGILISGB	235313	2208117.78	749655.80	484668.00	4988708.00	911.0
235314	235314	MCGILISGB	235314	2208112.47	750089.00	484668.00	4988840.00	907.0
235315	235315	CHEMSPIL1	235315	2208199.13	750516.76	484696.00	4988970.00	916.0
235316	235316	CHEMSPIL2	235316	2208113.65	750528.84	484670.00	4988974.00	913.0
235317	235317	CHEMSPIL3	235317	2208119.44	750591.27	484672.00	4988993.00	913.0
235318	235318	CHEMSPIL4	235318	2208211.29	750595.68	484700.00	4988994.00	913.0
235319	235319	CHEMSPIL5	235319	2208169.70	750775.70	484688.00	4989049.00	913.0
235320	235320	CHEMSPIL6	235320	2208107.69	751014.54	484670.00	4989122.00	914.0
235321	235321	CHEMSPIL7	235321	2208304.46	750760.94	484729.00	4989044.00	912.0
235322	235322	CHEMSPIL8	235322	2208348.27	750935.44	484743.00	4989097.00	913.0
235323	235323	CHEMSPIL9	235323	2208460.34	751432.43	484779.00	4989248.00	911.0
235324	235324	CHEMSPIL10	235324	2208512.64	750914.47	484793.00	4989090.00	899.0
235325	235325	BELUMBPCO	235325	2207404.68	748921.68	484448.00	4988487.00	917.0
235326	235326	BELUMBPCO	235326	2207408.81	748852.80	484449.00	4988466.00	917.0
235327	235327	MCGILISGB	235327	2208331.60	749884.90	484734.00	4988777.00	910.0
235328	235328	MCGILISGB	235328	2208331.71	748805.03	484730.00	4988448.00	914.0
235329	235329	MCGILISGB	235329	2208133.69	751303.70	484679.00	4989210.00	912.0
235350	235350	KOLSTADTRN	235350	2205489.71	736182.70	483817.00	4984613.00	955.0
235375	235375	ONAN INC	235375	2197225.46	765319.91	481408.00	4993521.00	899.0
235412	235412	ONANB1/9A	235412	2197268.45	765294.18	481421.00	4993513.00	891.0
235413	235413	ONANB2/8A	235413	2197214.85	765382.15	481405.00	4993540.00	893.0
235414	235414	ONANB3/11A	235414	2197147.42	765259.88	481384.00	4993503.00	893.0
235415	235415	ONANB4/10A	235415	2197203.62	765227.74	481401.00	4993493.00	895.0
235416	235416	ONANB5/5B	235416	2197242.71	765251.20	481413.00	4993500.00	894.0
235417	235417	ONANB1/1E	235417	2197295.81	765471.76	481430.00	4993567.00	894.0
235418	235418	ONANB2/2E	235418	2197304.99	765258.53	481432.00	4993502.00	893.0
235419	235419	ONANB3/3E	235419	2197206.49	765260.60	481402.00	4993503.00	896.0
235420	235420	ONANB4/4E	235420	2197207.56	765441.14	481403.00	4993558.00	896.0
235421	235421	ONANB5/5E	235421	2197257.88	765353.14	481418.00	4993531.00	897.0
235422	235422	ONANA1/6E	235422	2197450.74	765417.86	481477.00	4993550.00	891.0
235423	235423	ONANA2/7E	235423	2197459.31	765253.85	481479.00	4993500.00	890.0
235424	235424	ONANA3/8E	235424	2197115.39	765462.99	481375.00	4993565.00	894.0
235425	235425	ONANA4/9E	235425	2197114.12	765298.86	481374.00	4993515.00	894.0
235426	235426	ONANA5/10E	235426	2196997.21	765464.82	481339.00	4993566.00	893.0
235427	235427	ONANA6/11E	235427	2196986.09	765300.57	481335.00	4993516.00	891.0
235428	235428	ONAN 1D	235428	2197046.57	764651.41	481351.00	4993318.00	891.0
235429	235429	ONAN 2D	235429	2197034.22	764319.75	481346.00	4993217.00	894.0
235430	235430	ONAN 3D	235430	2197223.70	764125.14	481403.00	4993157.00	891.0
235431	235431	ONAN 4D	235431	2197285.66	764693.73	481424.00	4993330.00	893.0
235432	235432	ONAN 5D	235432	2197437.36	764367.36	481469.00	4993230.00	893.0
235433	235433	ONAN 6D	235433	2197647.34	764107.36	481532.00	4993150.00	890.0
235434	235434	ONAN 7D	235434	2197714.02	764557.85	481554.00	4993287.00	890.0
235435	235435	ONAN 8D	235435	2197832.71	764247.49	481589.00	4993192.00	888.0
235436	235436	ONAN 9D	235436	2198070.85	764099.42	481661.00	4993146.00	888.0
235437	235437	ONAN 10D	235437	2198076.47	764444.13	481664.00	4993251.00	888.0
235438	235438	ONAN 1C	235438	2197536.43	766459.41	481507.00	4993867.00	896.0
235439	235439	ONAN 2C	235439	2197707.13	766458.22	481559.00	4993866.00	898.0
235440	235440	ONAN 3C	235440	2198006.30	766419.22	481650.00	4993853.00	898.0
235441	235441	ONAN 4C	235441	2198147.45	766417.66	481693.00	4993852.00	900.0
235442	235442	ONAN 5C	235442	2197329.05	766240.23	481443.00	4993801.00	896.0
235443	235443	ONAN 6C	235443	2197640.95	766234.21	481538.00	4993798.00	897.0
235444	235444	ONAN 7C	235444	2197966.01	766225.07	481637.00	4993794.00	898.0
235445	235445	ONAN 8C	235445	2198277.90	766219.04	481732.00	4993791.00	898.0
235446	235446	ONAN 9C	235446	2197800.53	766068.77	481586.00	4993747.00	898.0
235447	235447	ONAN 10C	235447	2197402.24	765893.20	481464.00	4993695.00	895.0
235448	235448	ONAN 11C	235448	2197674.75	765886.70	481547.00	4993692.00	896.0
235449	235449	ONAN 12C	235449	2197957.11	765880.31	481633.00	4993689.00	896.0
235450	235450	ONAN 13C	235450	2198229.62	765873.81	481716.00	4993686.00	896.0

Well ID1	Well Code (90 Monitoring Plan)	Well ID2	MNUNIQ	X-STP-ft	Y-STP-ft	X-UTM-M	Y-UTM-M	TOS-ft
235451	235451	ONAN 14C	235451	2197548.53	765740.73	481508.00	4993648.00	894.0
235452	235452	ONAN 15C	235452	2197811.23	765730.82	481588.00	4993644.00	895.0
235453	235453	ONAN 16C	235453	2198073.86	765727.48	481668.00	4993642.00	894.0
235454	235454	ONAN 17C	235454	2197544.94	765497.80	481506.00	4993574.00	893.0
235455	235455	ONAN 18C	235455	2197807.65	765487.89	481586.00	4993570.00	894.0
235456	235456	ONAN 19C	235456	2198070.28	765484.54	481666.00	4993568.00	894.0
235457	235457	ONAN 20C	235457	2197508.61	766052.06	481497.00	4993743.00	896.0
235458	235458	ONAN 21C	235458	2197935.44	766040.88	481627.00	4993738.00	897.0
235459	235459	ONAN 22C	235459	2198358.96	766032.95	481756.00	4993734.00	897.0
235460	235460	ONAN 23C	235460	2197708.29	765828.03	481557.00	4993674.00	895.0
235461	235461	ONAN 24C	235461	2197787.10	765825.71	481581.00	4993673.00	895.0
235462	235462	ONAN 25C	235462	2196986.28	766623.34	481340.00	4993919.00	895.0
235463	235463	ONAN 26C	235463	2198247.02	766596.13	481724.00	4993906.00	902.0
235464	235464	ONAN 27C	235464	2199522.89	766404.99	482112.00	4993843.00	895.0
235465	235465	ONAN 28C	235465	2197594.30	766023.57	481523.00	4993734.00	896.0
235466	235466	ONAN 29C	235466	2198868.24	765989.96	481911.00	4993719.00	897.0
235467	235467	ONAN 30C	235467	2196975.16	765389.06	481332.00	4993543.00	893.0
235468	235468	ONAN 31C	235468	2198232.61	765361.81	481715.00	4993530.00	893.0
235469	235469	ONAN 32C	235469	2199493.31	765337.88	482099.00	4993518.00	894.0
235470	235470	ONAN 33C	235470	2197562.17	764628.20	481508.00	4993309.00	893.0
235471	235471	ONAN 34C	235471	2198844.60	764706.29	481899.00	4993328.00	891.0
235472	235472	ONAN 35C	235472	2196974.49	764105.67	481327.00	4993152.00	887.0
235473	235473	ONAN 36C	235473	2198235.30	764071.90	481711.00	4993137.00	889.0
235474	235474	ONAN 37C	235474	2199496.04	764044.69	482095.00	4993124.00	893.0
235493	235493	ONANBRK501	235493	2197074.68	765570.80	481363.00	4993598.00	896.0
235495	235495	ONAN PACE1	235495	2199284.99	765998.35	482038.00	4993720.00	899.0
235496	235496	ONAN PACE2	235496	2199265.94	765945.60	482032.00	4993704.00	900.0
235497	235497	ONAN PACE3	235497	2199292.20	765945.92	482040.00	4993704.00	899.0
235498	235498	ONAN PACE4	235498	2199278.75	765972.02	482036.00	4993712.00	900.0
235499	235499	MEDT FP15	235499	2195985.52	764989.61	481029.00	4993425.00	890.0
235500	235500	MEDT FP16	235500	2195800.53	765085.81	480973.00	4993455.00	890.0
235501	235501	MEDT FM18	235501	2195941.47	765369.81	481017.00	4993541.00	891.0
235502	235502	MEDT FM17	235502	2196079.89	765056.41	481058.00	4993445.00	890.0
235503	235503	MEDT FP19	235503	2195945.70	765025.22	481017.00	4993436.00	890.0
235504	235504	MEDT FP20	235504	2195870.74	764981.63	480994.00	4993423.00	890.0
235505	235505	MEDT FP21	235505	2195939.86	764966.07	481015.00	4993418.00	890.0
235506	235506	MEDT FP22	235506	2195910.48	764952.58	481006.00	4993414.00	890.0
235523	235523	ONAN DB1	235523	2199271.04	766332.97	482035.00	4993822.00	903.0
235524	235524	ONAN DB2	235524	2199415.90	766029.50	482078.00	4993729.00	896.0
235539	235539	MANLYJCKSN	235539	2209540.99	759401.95	485138.00	4991672.00	915.0
235543	235543	KURTMANUFC	235543	2188786.12	753324.67	478792.00	4989898.00	850.0
235549	235549	MEI66	235549	2190575.81	732648.67	479260.00	4983592.00	842.0
235550	235550	MEI12	235550	2191140.49	732370.04	479431.00	4983505.00	848.0
235551	235551	MEI64	235551	2191428.75	730276.22	479511.00	4982866.00	838.0
235566	235566	BIG10SUPCL	235566	2211295.61	760588.67	485677.00	4992027.00	908.0
235567	235567	LKSHRMOTEL	235567	2209372.39	760571.66	485091.00	4992029.00	915.0
235619	235619		235619	2204396.74	715025.08	483405.00	4978171.00	0.0
235735	235735		235735	2198809.45	713226.87	481696.00	4977644.00	0.0
236031	236031	ELECSTCFIN	236031	2188574.18	739562.81	478676.00	4985706.00	839.0
236122	236122	NWRU4	236122	2207905.46	757337.03	484632.00	4991049.00	882.9
236512	236512	GORDONREND	236512	2209835.17	756021.51	485215.00	4990641.00	905.0
239929	239929	WHITEHOUSE	239929	2226801.12	732725.01	490297.00	4983480.00	915.0
242121	242121	TOWNHOUSE	242121	2217415.74	757752.28	487531.00	4991140.00	985.0
242204	242204	BELUMBPCOB	242204	2206466.15	748637.74	484161.00	4988404.00	907.0
242207	242207	SUNSETMCEM	242207	2201581.45	733699.36	482617.00	4983871.00	897.0
404630	404630	JEFF NIELS	404630	2224162.00	769447.73	489630.00	4994678.00	905.0
405651	405651		405651	2194721.83	723502.67	480489.00	4980790.00	0.0
406534	406534	DON DAVIS	406534	2224948.48	765800.87	489856.00	4993564.00	934.0
407881	407881	RICHARD TE	407881	2224410.39	774357.85	489724.00	4996173.00	905.0
409595	409595	NWT109UH	409595	2208541.60	756852.48	484824.00	4990899.00	882.1
409596	409596	NWT118UH	409596	2208297.34	756429.36	484748.00	4990771.00	880.5
409597	409597	NWT118LH	409597	2208297.42	756422.79	484748.00	4990769.00	880.5
409598	409598	NWT117UH	409598	2208231.52	756710.83	484729.00	4990857.00	879.8
410152	410152	ERNIE BURR	410152	2220908.82	768945.07	488637.00	4994537.00	893.0
410966	410966	INCARNATIO	410966	2226537.29	762840.00	490329.00	4992656.00	926.0
420705	420705/12	NBM2U1	420705	2207554.22	754395.08	484514.00	4990154.00	875.0
420706	420706	15U2	420706	2208611.78	754608.26	484837.00	4990215.00	880.0
420707	420707	JHNUOP7U1	420707	2209212.16	760254.60	485041.00	4991933.00	918.0
420709	420709	JHNUOP7U2	420709	2209215.40	760257.92	485042.00	4991934.00	918.0
420710	420710	JHNUOP7M2	420710	2209218.68	760257.96	485043.00	4991934.00	918.0
420711	420711	JHNUOP7L2	420711	2209218.80	760248.11	485043.00	4991931.00	918.0
420712	.	NBM2U2	420712	2207554.22	754395.08	484514.00	4990154.00	875.0
420713	420713	HERBL1702	420713	2209235.14	761324.91	485052.00	4992259.00	900.0
423808	423808	DAVID J B	423808	2224040.07	762789.71	489568.00	4992650.00	918.0
426497	426497	DAVID TEAT	426497	2224956.13	765712.34	489858.00	4993537.00	935.0
431490	431490	MRS THOMP	431490	2225543.68	767587.18	490044.00	4994106.00	915.0

Well ID1	Well Code (90 Monitoring Plan)	Well ID2	MNUNIQ	X-STP-ft	Y-STP-ft	X-UTM-M	Y-UTM-M	TOS-ft
432019	432019	SHOREVIEW	432019	2223714.64	759345.88	489456.00	4991602.00	923.0
440894	440894	MUTLI SCRE	440894	2215257.55	761910.76	486889.00	4992415.00	985.0
441758	441758	ARDEN HILL	441758	2217506.61	758104.60	487560.00	4991247.00	985.0
441875	441875	SUPERAMER3	441875	2194387.38	751581.55	480492.00	4989346.00	925.0
441876	441876	SUPERAMER2	441876	2194390.82	751568.47	480493.00	4989342.00	925.0
441877	441877	SUPERAMER1	441877	2194387.46	751574.99	480492.00	4989344.00	925.0
452938	452938		452938	2207900.00	737800.00	484557.38	4985096.74	0.0
452939	452939		452939	2207900.00	737425.00	484555.98	4984982.49	0.0
500691	500691		500691	2209420.00	751010.00	485069.80	4989115.72	0.0
508115	508115		508115	2207876.04	751169.25	484600.00	4989170.00	0.0
9W	9W			2208556.74	756688.56	484828.00	4990849.00	0.0
AH0901	AH0901	STATE TRN		2211213.38	769170.89	485684.00	4994642.00	0.0
AH1601	AH1601			2211507.90	759603.30	485738.00	4991726.00	0.0
AH1602	AH1602			2211047.34	760759.59	485602.00	4992080.00	0.0
AH1603	AH1603	P1	234391	2210686.45	761549.48	485495.00	4992322.00	0.0
AH1604	AH1604	P8	234301	2211433.48	760587.08	485719.00	4992026.00	0.0
AH1605	AH1605	P9	234386	2211388.08	760274.70	485704.00	4991931.00	0.0
AH1606	AH1606	P10	234302	2211709.57	760288.49	485802.00	4991934.00	0.0
AH1607	AH1607	P11	234303	2211755.09	760056.01	485815.00	4991863.00	0.0
AH1608	AH1608	P12	234320	2212075.84	759863.00	485912.00	4991803.00	0.0
AH2101	AH2101	E CMIEL	234304	2212514.86	758857.43	486042.00	4991495.00	0.0
AH2102	AH2102	BIGGIN	234305	2212651.19	758714.68	486083.00	4991451.00	0.0
AH2103	AH2103			2212984.78	758544.81	486184.00	4991398.00	0.0
AH2104	AH2104	J WINIEC	234306	2213016.53	758364.67	486193.00	4991343.00	0.0
AH2105	AH2105	BONA	234307	2213209.29	758170.10	486251.00	4991283.00	0.0
AH2106	AH2106	L GRUDNO	234308	2213267.01	758013.25	486268.00	4991235.00	0.0
AH2107	AH2107	ERVIN	234309	2213440.15	757811.87	486320.00	4991173.00	0.0
AH2108	AH2108	J GRUDNO	234310	2214079.94	757297.83	486513.00	4991014.00	0.0
AH2109	AH2109	IQBAL	234311	2213642.29	757387.65	486380.00	4991043.00	0.0
AH2110	AH2110			2213693.73	757207.76	486395.00	4990988.00	0.0
AH2111	AH2111			2213873.08	757035.99	486449.00	4990935.00	0.0
AH2112	AH2112	H GRUDNO	234331	2214095.09	756864.75	486516.00	4990882.00	0.0
AH2113	AH2113	LEE ROEBKE	107405	2214335.11	756831.59	486589.00	4990871.00	922.0
AH2114	AH2114	CARLSON	234313	2214142.50	756478.02	486529.00	4990764.00	0.0
AH2115	AH2115	GORDON CAS	112344	2214141.31	756307.33	486528.00	4990712.00	912.0
AH2116	AH2116			2214425.19	754837.06	486609.00	4990263.00	0.0
AH2117	AH2117	DICK HESSE	206763	2214552.50	758911.95	486663.00	4991504.00	940.0
AH2118	AH2118	KING	234316	2215992.22	758742.50	487101.00	4991447.00	0.0
AH2119	AH2119	LAWYER	234315	2216114.25	758694.76	487138.00	4991432.00	0.0
AH2120	AH2120			2215310.81	758635.68	486893.00	4991417.00	0.0
AH2121	AH2121	PODLASEK	234380	2215073.96	758678.73	486821.00	4991431.00	0.0
AH2122	AH2122	HIDE & TA	234319	2211646.81	755768.00	485766.00	4990557.00	0.0
AH2123	AH2123	HIDE & TA	234409	2211825.00	755691.41	485820.00	4990533.00	0.0
AH2124	AH2124			2211492.60	754692.80	485715.00	4990230.00	0.0
AH2201	AH2201	WESTBEE	234384	2217149.24	755661.47	487442.00	4990504.00	0.0
AH2202	AH2202			2216928.64	755717.85	487375.00	4990522.00	0.0
AH2203	AH2203	CATHCART	234387	2217176.20	754532.70	487446.00	4990160.00	0.0
AH2204	AH2204			2217249.66	754966.86	487470.00	4990292.00	0.0
AH2205	AH2205			2217465.22	754785.69	487535.00	4990236.00	0.0
AH2206	AH2206			2216920.54	754503.30	487368.00	4990152.00	0.0
AH2207	AH2207			2220037.51	754869.73	488319.00	4990252.00	0.0
AH2208	AH2208			2219760.33	754721.91	488234.00	4990208.00	0.0
AH2209	AH2209	SLADEK	234381	2217638.62	758582.15	487602.00	4991392.00	0.0
AH2210	AH2210			2217632.95	758240.72	487599.00	4991288.00	0.0
AH2211	AH2211			2217204.18	754391.90	487454.00	4990117.00	0.0
AH2801	AH2801	AMOTH	234343	2213006.68	753812.01	486173.00	4989956.00	0.0
AH2802	AH2802	KARJALAHT	234347	2213237.07	752689.01	486239.00	4989613.00	0.0
AH2803	AH2803	VARNEY	234349	2213537.95	752778.04	486331.00	4989639.00	0.0
AH2804	AH2804			2213779.69	752068.75	486402.00	4989422.00	0.0
B101	B101			2208308.56	756852.91	484753.00	4990900.00	0.0
B102	B102			2208375.60	756738.85	484773.00	4990865.00	0.0
B103	B103			2208493.54	756756.71	484809.00	4990870.00	0.0
B104	B104			2208543.74	756678.55	484824.00	4990846.00	0.0
B105	B105			2208562.98	756714.89	484830.00	4990857.00	0.0
B106	B106			2208620.18	756600.71	484847.00	4990822.00	0.0
BP026	BP026	BP026		2206332.56	748557.33	484120.00	4988380.00	906.7
BP118	BP118			2207375.54	749692.66	484442.00	4988722.00	0.0
BP14	BP14			2208318.50	748811.43	484726.00	4988450.00	0.0
BP15	BP15			2206857.16	748603.15	484280.00	4988392.00	0.0
BP16	BP16			2206962.40	748318.88	484311.00	4988305.00	0.0
BP17	BP17			2207359.59	749387.21	484436.00	4988629.00	0.0
BP18	BP18			2207309.98	749685.29	484422.00	4988720.00	0.0
BP19L	BP19L			2207846.42	749836.28	484586.00	4988764.00	0.0
BP19U	BP19U			2207846.38	749839.57	484586.00	4988765.00	0.0
BP2	BP2			2207838.81	749921.53	484584.00	4988790.00	0.0
BP20	BP20			2207942.73	750280.57	484617.00	4988899.00	0.0

Well ID1	Well Code (90 Monitoring Plan)	Well ID2	MNUNIQ	X-STP-ft	Y-STP-ft	X-UTM-M	Y-UTM-M	TOS-ft
BP21	BP21			2207927.17	750746.47	484614.00	4989041.00	0.0
BP22	BP22			2207898.56	748796.44	484598.00	4988447.00	0.0
BP23	BP23			2208320.16	749211.89	484728.00	4988572.00	0.0
BP3	BP3			2207362.74	748862.08	484435.00	4988469.00	0.0
BP4	BP4			2207374.66	748960.70	484439.00	4988499.00	0.0
BP5	BP5			2207375.28	748642.32	484438.00	4988402.00	0.0
BP6	BP6			2207183.29	748774.54	484380.00	4988443.00	0.0
BP7L	BP7L			2207623.99	748970.32	484515.00	4988501.00	0.0
BP7U	BP7U			2207620.67	748973.56	484514.00	4988502.00	0.0
BS117U1	BS117U1			2208231.44	756717.39	484729.00	4990859.00	0.0
BS118U1	BS118U1			2208293.97	756435.88	484747.00	4990773.00	0.0
BS118U4	BS118U4/118PD			2208294.26	756412.91	484747.00	4990766.00	0.0
BS119U1	BS119U1			2208655.22	756955.63	484859.00	4990930.00	0.0
BS120U1	BS120U1			2208710.58	756723.26	484875.00	4990859.00	0.0
BS121U1	BS121U1			2208359.66	756968.42	484769.00	4990935.00	0.0
BS16E	BS16E			2208431.03	756769.07	484790.00	4990874.00	0.0
BS16M	BS16M			2208427.75	756769.03	484789.00	4990874.00	0.0
CW3	CW3			2208283.74	749772.72	484719.00	4988743.00	0.0
DEPTTRA	DEPTTRAN			2210982.89	769230.43	485614.00	4994661.00	0.0
MDLSTNE	MDLSTNE	MDLSTNE		2208315.50	756554.31	484754.00	4990809.00	880.7
MG13	MG13			2208113.38	750282.66	484669.00	4988899.00	0.0
MG14	MG14			2208257.88	750008.72	484712.00	4988815.00	0.0
MG15	MG15			2208473.02	749594.51	484776.00	4988688.00	0.0
MG16	MG16			2208252.98	750139.96	484711.00	4988855.00	0.0
MNDOT	MNDOT			2208000.00	768250.00	484701.56	4994373.44	0.0
MP1	MP1			2207561.55	748441.11	484494.00	4988340.00	0.0
MP102	MP102			2208268.28	751302.07	484720.00	4989209.00	0.0
MP12	MP12			2208255.23	751295.35	484716.00	4989207.00	0.0
MP2	MP2			2208248.67	751295.27	484714.00	4989207.00	0.0
MP3	MP3			2208283.62	749782.56	484719.00	4988746.00	0.0
MPCA1	MPCA1	MPCA1 03M	409557	2209368.08	757174.43	485077.00	4990994.00	896.0
MPCA1A	MPCA1A	MPCA1A PJ#	409547	2209339.27	757115.00	485068.00	4990976.00	896.0
MPCA2	MPCA2	MPCA2 03L	409546	2207792.46	754506.31	484587.00	4990187.00	867.0
MPCA2A	MPCA2A	MPCA2A 04U	409548	2207756.44	754499.31	484576.00	4990185.00	867.0
MPCA3	MPCA3	MPCA3 04U	409549	2202488.17	756121.82	482977.00	4990699.00	920.0
MPCA4	MPCA4	MPCA4 03M	409556	2202511.21	752636.31	482971.00	4989637.00	960.0
MPCA5	MPCA5	MPCA5 04U	409555	2204024.23	746487.46	483409.00	4987758.00	923.0
MPCA6	MPCA6	MPCA6 03U	409550	2209912.64	760680.03	485256.00	4992060.00	912.0
MV0007	MV0007			2201708.39	768588.27	482786.00	4994500.00	0.0
MV0050	MV0050			2205748.57	773167.40	484034.00	4995880.00	0.0
MV0501	MV0501			2208347.09	775129.26	484833.00	4996468.00	0.0
MV0502	MV0502			2204463.13	771996.26	483638.00	4995528.00	0.0
MV0503	MV0503			2208389.44	770068.45	484827.00	4994926.00	0.0
MV0504	MV0504			2205422.51	773793.61	483937.00	4996072.00	0.0
MV0505	MV0505			2205735.60	773154.11	484030.00	4995876.00	0.0
MV0601	MV0601			2200407.79	774542.84	482412.00	4996319.00	0.0
MV0602	MV0602			2201761.45	775235.60	482827.00	4996525.00	0.0
MV0603	MV0603			2201748.02	774992.55	482822.00	4996451.00	0.0
MV0604	MV0604			2202443.54	771272.37	483020.00	4995315.00	0.0
MV0605	MV0605			2202435.52	770855.41	483016.00	4995188.00	0.0
MV0606	MV0606			2201264.22	774028.18	482671.00	4996159.00	0.0
MV0607	MV0607			2203538.21	773278.15	483361.00	4995922.00	0.0
MV0701	MV0701			2200584.59	767084.32	482438.00	4994046.00	0.0
MV0702	MV0702			2200572.01	767307.36	482435.00	4994114.00	0.0
MV0703	MV0703			2200584.03	767665.28	482440.00	4994223.00	0.0
MV0704	MV0704			2200578.50	767849.02	482439.00	4994279.00	0.0
MV0705	MV0705			2200561.95	768127.81	482435.00	4994364.00	0.0
MV0706	MV0706			2201699.82	768752.28	482784.00	4994550.00	0.0
MV0708	MV0708			2201916.08	769050.34	482851.00	4994640.00	0.0
MV0709	MV0709			2201349.77	768925.23	482678.00	4994604.00	0.0
MV0710	MV0710			2201626.47	769112.43	482763.00	4994660.00	0.0
MV0711	MV0711			2201589.40	768655.74	482750.00	4994521.00	0.0
MV0712	MV0712			2201641.01	768462.71	482765.00	4994462.00	0.0
MV0713	MV0713			2201158.29	766874.72	482612.00	4993980.00	0.0
MV0714	MV0714			2201888.74	767264.43	482836.00	4994096.00	0.0
MV0801	MV0801			2205821.16	765372.80	484027.00	4993505.00	0.0
MVM001	MVM001		206721	2205605.47	767973.03	483971.00	4994298.00	905.0
MVM002	MVM002		206716	2204752.17	768500.86	483713.00	4994462.00	905.0
MVM003	MVM003		206720	2205599.16	768488.27	483971.00	4994455.00	905.0
MVM004	MVM004		206719	2205719.64	770708.59	484016.00	4995131.00	910.0
MVM005	MVM005		206722	2204491.26	764883.84	483620.00	4993361.00	900.0
MVM006	MVM006		206717	2201323.37	768133.87	482667.00	4994363.00	905.0
MW18D	MW18D			2207590.00	737440.00	484461.59	4984988.22	0.0
MW1D	MW1D			2209258.49	755938.95	485039.00	4990618.00	0.0
MW1S	MW1S			2209251.93	755938.87	485037.00	4990618.00	0.0
MW2	MW2			2209975.91	755517.76	485256.00	4990487.00	0.0

Well ID1	Well Code (90 Monitoring Plan)	Well ID2	MNUNIQ	X-STP-ft	Y-STP-ft	X-UTM-M	Y-UTM-M	TOS-ft
MW22D	MW22D			2206390.00	737490.00	484096.17	4985007.93	0.0
MW3D	MW3D			2209345.24	755020.97	485062.00	4990338.00	0.0
MW3S	MW3S			2209348.52	755021.01	485063.00	4990338.00	0.0
MW4	MW4			2209755.91	754989.90	485187.00	4990327.00	0.0
MW9D	MW9D			2207700.00	739200.00	484501.67	4985524.02	0.0
NB1601	NB1601			2210137.88	760781.26	485325.00	4992090.00	0.0
NB1602	NB1602	P28	234353	2210115.53	760997.62	485319.00	4992156.00	0.0
NB1603	NB1603	P29	234351	2209884.77	760810.98	485248.00	4992100.00	0.0
NB1604	NB1604	KINDOM HA	234355	2209882.45	760197.17	485245.00	4991913.00	0.0
NB1605	NB1605	NOIDQUIST	234356	2209904.39	759478.61	485249.00	4991694.00	0.0
NB1606	NB1606			2209906.54	759035.53	485248.00	4991559.00	0.0
NB1801	NB1801			2202565.50	762664.37	483025.00	4992692.00	0.0
NB1802	NB1802			2204218.41	763311.56	483531.00	4992883.00	0.0
NB1803	NB1803			2204316.57	763604.89	483562.00	4992972.00	0.0
NB1804	NB1804	BRGHTWDGLF	206761	2201923.11	759643.35	482818.00	4991774.00	903.0
NB1805	NB1805	NICOL	234379	2203770.87	760460.32	483384.00	4992016.00	0.0
NB1806	NB1806			2203646.91	760665.59	483347.00	4992079.00	0.0
NB1807	NB1807			2203005.96	761274.80	483154.00	4992267.00	0.0
NB1808	NB1808			2202708.34	761454.96	483064.00	4992323.00	0.0
NB1809	NB1809	ROLLI	234326	2202973.77	762026.05	483147.00	4992496.00	0.0
NB1810	NB1810			2201947.97	761363.58	482832.00	4992298.00	0.0
NB1811	NB1811			2202847.09	764594.54	483118.00	4993279.00	0.0
NB1901	NB1901	LOREN	234340	2201291.25	754157.46	482605.00	4990105.00	0.0
NB2001	NB2001	BOSELL	234338	2205343.99	757709.35	483853.00	4991172.00	0.0
NB2002	NB2002	SCHUESSLE	234339	2205419.66	757963.02	483877.00	4991249.00	0.0
NB2003	NB2003	ROSACKER	234378	2205206.74	757927.58	483812.00	4991239.00	0.0
NB2004	NB2004	WHITE	234352	2206171.27	755556.46	484097.00	4990513.00	0.0
NB2005	NB2005	FUDRO	234426	2205861.09	755690.52	484003.00	4990555.00	0.0
NB2007	NB2007	ELLESON	234324	2205350.21	756934.81	483852.00	4990936.00	0.0
NB2101	NB2101	GORDON RE	234350	2210148.44	755634.76	485309.00	4990522.00	0.0
NB2102	NB2102	PRICKET		2209954.25	755678.33	485250.00	4990536.00	0.0
NB2103	NB2103	MENGEL C	234335	2210290.43	755833.43	485353.00	4990582.00	0.0
NB2104	NB2104	MENGELKOCH	231878	2210053.25	755902.74	485281.00	4990604.00	900.0
NB2901	NB2901			2207758.93	751886.64	484567.00	4989389.00	0.0
NB2902	NB2902			2209422.20	749812.93	485066.00	4988751.00	0.0
NB2903	NB2903			2206750.62	749261.58	484250.00	4988593.00	0.0
NBM002	NBM002		206798	2208705.91	752820.57	484859.00	4989670.00	905.0
NBM003	NBM003		206793	2201899.17	752494.23	482784.00	4989596.00	999.0
NBM004	NBM004		206792	2202003.04	752321.55	482815.00	4989543.00	1026.0
NBM005	NBM005		206796	2200614.46	750729.03	482386.00	4989063.00	1019.0
NBM006	NBM006		206797	2200400.26	750798.61	482321.00	4989085.00	999.0
NBM007	NBM007		206791	2205716.75	748454.60	483932.00	4988351.00	920.0
NBM008	NBM008		206795	2202006.60	751763.60	482814.00	4989373.00	993.0
NBM009	NBM009		206794	2201352.38	750777.46	482611.00	4989075.00	994.0
NBM011	NBM011			2205434.08	752235.60	483860.00	4989504.00	0.0
OM11	OM11			2210343.20	756080.25	485370.00	4990657.00	0.0
OM13D	OM13D			2208626.46	754749.58	484842.00	4990258.00	0.0
OM13S	OM13S			2208629.74	754749.62	484843.00	4990258.00	0.0
OM14	OM14			2208929.59	754654.82	484934.00	4990228.00	0.0
OM15U2	OM15U2			2208594.73	754660.57	484832.00	4990231.00	0.0
OW15	OW15			2208000.00	736500.00	484582.99	4984700.30	0.0
P13	P13	HARSTAD	234431	2212281.22	759442.10	485973.00	4991674.00	0.0
P2	P2	STEWART L	234428	2210828.11	761239.40	485537.00	4992227.00	0.0
P27	P27	LEE	234425	2209904.59	760801.38	485254.00	4992097.00	0.0
P32	P32	HILL 79	234438	2209923.00	760102.48	485257.00	4991884.00	0.0
P34	P34	ARDMAN 2	234407	2211466.49	759501.04	485725.00	4991695.00	0.0
P4	P4	BIG 10 SU	234317	2211323.31	760470.85	485685.00	4991991.00	0.0
P45	P45	MARQUART	234434	2209915.80	759350.74	485252.00	4991655.00	0.0
P46	P46	PHILLIPS	234357	2211930.92	759903.89	485868.00	4991816.00	0.0
P5	P5	BRESKE	234327	2211744.68	760101.83	485812.00	4991877.00	0.0
P7	.			2211827.81	760014.23	485837.00	4991850.00	0.0
S022	S022			2214286.00	768289.00	486616.82	4994361.85	0.0
S024	S024			2213227.00	767007.00	486289.39	4993975.22	0.0
S024A	S024A			2213215.00	766976.00	486285.62	4993965.82	0.0
SA0601	SA0601			2200216.47	737411.27	482215.00	4985007.00	0.0
SA0602	SA0602			2200194.32	737076.20	482207.00	4984905.00	0.0
SAM001	SAM001		200524	2201993.71	745586.20	482787.00	4987491.00	943.0
SAM002	SAM002		200805	2202642.42	740595.26	482966.00	4985968.00	1015.0
SAM003	SAM003		200804	2202801.90	740705.53	483015.00	4986001.00	1015.0
SAM004	SAM004		200803	2202590.80	740522.42	482950.00	4985946.00	1015.0
SV0101	SV0101			2225520.86	774808.00	490064.00	4996306.00	0.0
SV0201	SV0201			2224686.81	774568.02	489809.00	4996236.00	0.0
SV0202	SV0202			2225041.49	774552.67	489917.00	4996230.00	0.0
SV0203	SV0203			2224670.03	774062.33	489802.00	4996082.00	0.0
SV0204	SV0204			2225036.91	774122.63	489914.00	4996099.00	0.0
SV0205	SV0205			2224804.41	774346.26	489844.00	4996168.00	0.0

Well ID1	Well Code (90 Monitoring Plan)	Well ID2	MNUNIQ	X-STP-ft	Y-STP-ft	X-UTM-M	Y-UTM-M	TOS-ft
SV0207	SV0207			2222075.54	769894.82	488996.00	4994822.00	0.0
SV0301	SV0301			2220042.28	770017.61	488377.00	4994867.00	0.0
SV0302	SV0302			2217792.34	770144.31	487692.00	4994914.00	0.0
SV0401	SV0401			2211183.73	769715.39	485677.00	4994808.00	0.0
SV0402	SV0402			2209169.54	769621.77	485063.00	4994787.00	0.0
SV0403	SV0403			2209376.40	769883.61	485127.00	4994866.00	0.0
SV0404	SV0404			2209472.74	770324.62	485158.00	4995000.00	0.0
SV0405	SV0405			2210108.34	769616.87	485349.00	4994782.00	0.0
SV0406	SV0406			2209691.31	769631.45	485222.00	4994788.00	0.0
SV0407	SV0407			2210537.41	770495.22	485483.00	4995048.00	0.0
SV0408	SV0408			2210932.98	771159.82	485606.00	4995249.00	0.0
SV0409	SV0409			2210620.73	771195.38	485511.00	4995261.00	0.0
SV0410	SV0410			2211320.66	771397.61	485725.00	4995320.00	0.0
SV0411	SV0411			2211000.52	769667.19	485621.00	4994794.00	0.0
SV0412	SV0412			2211810.10	771367.51	485874.00	4995309.00	0.0
SV0413	SV0413			2215762.18	774031.96	487088.00	4996106.00	0.0
SV1101	SV1101			2221099.80	769164.04	488696.00	4994603.00	0.0
SV1102	SV1102			2222863.47	769612.35	489235.00	4994733.00	0.0
SV1103	SV1103			2220763.76	768729.94	488592.00	4994472.00	0.0
SV1104	SV1104	JOHNSON	234323	2215261.67	758628.51	486878.00	4991415.00	0.0
SV1105	SV1105			2224378.54	769187.80	489695.00	4994598.00	0.0
SV1106	SV1106			2224316.53	769426.65	489677.00	4994671.00	0.0
SV1107	SV1107			2220885.66	767352.86	488624.00	4994052.00	0.0
SV1108	SV1108			2220371.01	766762.31	488465.00	4993874.00	0.0
SV1109	SV1109			2220378.77	766933.08	488468.00	4993926.00	0.0
SV1111	SV1111			2220586.90	767359.05	488533.00	4994055.00	0.0
SV1401	SV1401			2223860.26	761927.55	489510.00	4992388.00	0.0
SV1402	SV1402			2223585.07	761884.79	489426.00	4992376.00	0.0
SV1403	SV1403			2223286.38	761884.41	489335.00	4992377.00	0.0
SV1404	SV1404			2222869.83	761859.62	489208.00	4992371.00	0.0
SV1405	SV1405			2222854.29	762056.36	489204.00	4992431.00	0.0
SV1406	SV1406			2222927.44	762247.63	489227.00	4992489.00	0.0
SV1407	SV1407			2222645.03	762526.45	489142.00	4992575.00	0.0
SV1408	SV1408			2222860.95	762584.90	489208.00	4992592.00	0.0
SV1409	SV1409			2222615.96	762755.86	489134.00	4992645.00	0.0
SV1410	SV1410			2222771.40	762928.44	489182.00	4992697.00	0.0
SV2301	SV2301			2224474.71	757051.01	489679.00	4990900.00	0.0
SV2302	SV2302			2224756.27	756841.11	489764.00	4990835.00	0.0
SV2303	SV2303			2225070.44	756917.17	489860.00	4990857.00	0.0
SV2304	SV2304			2225359.83	757140.63	489949.00	4990924.00	0.0
SV2305	SV2305			2225323.62	756880.89	489937.00	4990845.00	0.0
SV2306	SV2306			2225429.14	756573.64	489968.00	4990751.00	0.0
SV2601	SV2601			2225103.55	753142.94	489856.00	4989707.00	0.0
SV2602	SV2602	JOHNSON	234325	2203801.76	760618.25	483394.00	4992064.00	0.0
SVM002	SVM002		206752	2222744.54	759494.82	489161.00	4991651.00	915.0
SVM003	SVM003		206751	2223345.75	760253.84	489347.00	4991880.00	900.0
SVM004	SVM004		206750	2222635.88	760862.21	489133.00	4992068.00	900.0
COUNT	1491	1491	1491	1491	1491	1491	1491	1491
MAX	0	0	0	2230489.60	782348.68	491558.00	4998638.00	1047.50
MIN	0	0	0	2184559.84	692715.97	477507.00	4971332.00	0.00
AVG	0	0	0	2209671.27	757625.02	485171.04	4991130.13	693.30
STD	0	0	0	9359.06	11309.31	2860.15	3438.72	388.14